

College of the Desert Meteorological Data

February 2013

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 8

Site: College of the Desert (data subject to change)
Validation Level: B
Month: February
Printout Date: 03-06-2013
Year: 2013
Printout Time: 14:11:00
Time Zone: PST
Output File Name: CODB0213.8

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	7.6	5.0	6.6	4.6	3.6	2.9	3.2	1.7	2.3	2.7	2.7	2.6	1.7	3.2	4.4	4.5	4.3	1.9	4.0	5.0	4.1	2.8	3.4	3.3	1.7	7.6	3.7
2	5.0	3.6	1.7	4.2	2.7	3.0	1.6	3.2	3.2	2.5	3.2	2.1	1.6	3.1	4.7	4.3	3.6	1.2	1.6	2.2	3.7	3.1	3.8	5.4	1.2	5.4	3.1
3	4.8	6.8	5.1	7.5	7.6	7.0	6.8	7.1	7.2	7.5	6.5	6.5	6.2	6.6	6.0	6.1	3.5	4.5	5.9	5.7	4.6	3.8	7.2	7.6	3.5	7.6	6.2
4	8.3	10.5	7.8	7.4	6.6	8.8	10.0	6.1	7.6	8.9	5.3	3.7	3.6	5.1	8.2	7.3	5.8	4.3	3.3	3.2	4.5	2.6	4.2	7.6	2.6	10.5	6.3
5	7.1	8.0	8.7	9.1	8.7	4.7	2.4	2.5	2.5	4.7	5.1	4.9	6.3	6.7	6.3	4.9	3.0	3.4	2.4	3.2	5.8	6.2	6.2	4.7	2.4	9.1	5.3
6	2.6	1.6	0.8	2.9	3.1	5.0	4.5	6.0	10.9	13.3	11.9	9.6	7.9	8.0	6.7	8.8	5.8	3.3	4.4	5.6	5.0	5.9	5.4	8.1	0.8	13.3	6.1
7	7.1	8.0	8.9	6.7	8.2	9.1	4.1	3.0	6.0	4.1	3.2	6.2	6.9	7.1	6.9	6.1	4.5	2.7	2.7	4.1	7.6	7.9	6.8	11.4	2.7	11.4	6.2
8	14.7	10.4	12.3	5.3	7.6	6.2	14.8	11.8	12.9	11.5	8.0	6.6	9.3	13.1	23.0	16.3	14.1	11.6	12.5	9.1	5.5	3.9	3.2	3.0	3.0	23.0	10.3
9	4.2	3.7	1.9	1.5	1.5	2.1	3.7	1.5	2.9	1.5	4.0	4.5	5.4	4.6	6.9	6.9	8.9	9.8	7.6	6.9	6.1	5.9	4.5	5.3	1.5	9.8	4.7
10	5.3	4.6	2.7	4.8	3.1	3.9	3.3	2.2	1.5	6.0	6.1	3.6	3.5	3.2	4.9	4.5	4.3	2.7	5.2	6.5	7.5	7.5	7.2	7.8	1.5	7.8	4.7
11	8.2	10.2	6.5	7.3	7.2	6.6	6.3	6.5	4.7	5.3	12.8	10.3	7.4	10.5	11.6	13.9	13.1	8.6	7.1	4.6	6.3	6.0	9.1	6.8	4.6	13.9	8.2
12	6.7	2.2	6.8	7.9	8.7	10.3	8.9	7.3	5.5	2.9	1.5	2.2	4.5	3.4	3.5	1.7	7.0	5.0	6.4	6.3	4.8	4.5	2.9	2.5	1.5	10.3	5.1
13	6.1	7.6	6.2	3.8	4.3	2.8	1.5	0.8	1.9	1.7	2.1	4.9	5.8	6.4	8.1	7.5	5.4	3.3	2.4	4.4	5.0	4.7	4.0	4.1	0.8	8.1	4.4
14	4.4	6.9	9.7	9.1	6.2	3.8	4.2	4.3	3.8	4.1	3.2	4.4	7.8	7.7	10.0	11.9	10.0	9.1	8.1	7.1	6.1	7.7	8.7	9.0	3.2	11.9	7.0
15	7.8	4.9	3.7	7.6	5.5	5.8	8.3	4.7	6.3	5.6	7.3	5.2	9.6	8.9	5.1	5.7	2.4	3.8	2.7	3.4	7.3	7.3	4.3	5.1	2.4	9.6	5.8
16	3.8	5.1	4.4	2.3	3.9	1.7	2.7	3.7	2.7	2.7	2.2	4.1	3.2	4.3	3.0	2.7	2.0	3.8	2.8	2.2	1.8	5.4	6.5	9.1	1.7	9.1	3.6
17	7.8	4.3	3.0	1.6	1.5	1.9	3.4	1.7	1.5	5.5	6.1	5.1	5.1	4.5	4.9	4.6	4.9	3.0	5.5	10.4	10.8	9.7	6.6	5.7	1.5	10.8	5.0
18	5.5	2.9	1.9	3.0	0.8	1.8	1.6	2.2	1.5	1.2	1.6	1.7	6.1	10.3	11.2	9.7	6.1	3.2	2.9	4.4	4.2	5.8	7.6	6.4	0.8	11.2	4.3
19	7.2	8.6	7.7	10.5	10.0	11.4	12.8	15.3	15.9	14.6	13.9	12.8	9.7	6.8	9.8	10.0	8.3	10.9	7.5	9.1	11.5	15.1	7.1	5.1	5.1	15.9	10.5
20	9.1	12.0	7.7	5.3	5.9	8.8	5.7	4.8	9.7	13.9	15.1	10.9	5.7	6.6	7.5	6.3	7.6	10.1	9.6	9.6	11.5	8.5	8.4	5.9	4.8	15.1	8.6
21	3.6	3.9	3.0	3.8	2.7	2.9	1.3	2.0	2.7	1.4	3.6	4.9	5.1	4.4	5.0	11.5	2.8	1.7	3.7	2.9	6.1	5.8	5.2	2.8	1.3	11.5	3.9
22	3.3	6.9	8.7	6.8	2.8	2.7	2.3	1.5	3.6	1.9	3.7	4.2	4.9	5.2	6.3	7.0	7.5	4.8	3.0	2.6	2.8	4.0	3.9	4.3	1.5	8.7	4.4
23	5.6	4.2	5.8	6.3	5.8	2.4	1.8	1.7	2.7	5.3	6.8	7.9	7.2	7.7	5.7	4.6	4.3	2.4	3.8	5.5	7.9	8.0	7.8	9.8	1.7	9.8	5.5
24	10.1	8.0	11.4	9.6	14.9	11.0	10.6	8.4	13.3	12.9	12.8	9.2	11.4	16.8	14.3	14.2	11.4	7.9	6.2	4.7	3.7	6.3	1.5	5.7	1.5	16.8	9.8
25	3.9	5.2	7.0	6.6	9.4	5.6	3.4	4.0	4.3	1.9	5.0	8.2	7.8	7.3	6.9	6.1	5.5	3.8	2.3	1.1	4.8	3.6	1.7	1.2	1.1	9.4	4.9
26	4.6	2.8	5.3	4.3	7.1	5.5	3.3	4.9	6.7	6.8	6.3	5.1	5.2	-940	-940	-940	9.8	2.7	5.9	5.3	5.6	5.0	6.4	7.5	2.7	9.8	5.5
27	7.5	8.4	8.7	9.5	7.8	7.4	7.8	7.2	6.9	5.9	4.4	4.2	5.7	5.4	8.7	9.3	7.5	6.6	9.5	7.1	5.1	7.4	8.4	9.6	4.2	9.6	7.3
28	10.4	7.4	8.0	6.5	3.9	3.9	8.7	4.4	3.8	5.4	4.6	3.5	4.8	5.1	5.8	3.5	2.7	2.1	2.6	2.8	5.8	5.9	6.3	6.8	2.1	10.4	5.2
Min	2.6	1.6	0.8	1.5	0.8	1.7	1.3	0.8	1.5	1.2	1.5	1.7	1.6	3.1	3.0	1.7	2.0	1.2	1.6	1.1	1.8	2.6	1.5	1.2	0.8		
Max	14.7	12.0	12.3	10.5	14.9	11.4	14.8	15.3	15.9	14.6	15.1	12.8	11.4	16.8	23.0	16.3	14.1	11.6	12.5	10.4	11.5	15.1	9.1	11.4		23.0	
Avg	6.5	6.2	6.1	5.9	5.8	5.3	5.3	4.7	5.5	5.8	6.0	5.7	6.0	6.7	7.6	7.4	6.3	4.9	5.0	5.2	5.9	6.1	5.7	6.1			5.9

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 9

Site: College of the Desert (data subject to change)
 Validation Level: B
 Month: February
 Printout Date: 03-06-2013
 Year: 2013
 Printout Time: 14:11:02
 Time Zone: PST
 Output File Name: CODB0213.9

Day	Hour Ending																								Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	339	319	320	328	302	349	231	300	116	181	124	107	219	201	169	129	177	130	59	48	360	306	326	319	[NW]
2	327	297	280	323	305	327	291	346	335	324	277	289	356	49	129	148	154	171	330	1	350	336	289	322	[NNW]
3	318	357	312	356	329	345	347	12	345	346	331	292	289	305	307	284	272	5	43	33	294	335	354	345	[NNW]
4	321	349	346	330	314	335	343	321	321	331	327	276	269	165	138	138	132	118	120	246	335	311	323	338	[NNW]
5	329	340	340	345	354	334	264	28	152	150	165	184	159	154	147	153	148	99	344	334	323	343	332	329	[NNW]
6	323	279	66	35	4	293	336	346	330	325	344	319	300	290	236	137	137	194	335	356	331	298	332	340	[NNW]
7	318	342	337	321	341	355	355	103	112	141	120	158	158	164	167	146	136	206	50	79	323	344	346	345	[NNW]
8	339	326	310	280	335	11	323	311	313	328	338	304	346	319	338	335	336	342	344	327	315	284	245	307	[NNW]
9	309	152	42	284	308	325	286	14	12	292	277	303	320	358	327	340	334	336	329	335	329	330	323	328	[NNW]
10	292	274	281	308	323	328	310	278	100	320	282	252	276	239	170	178	142	110	335	330	326	329	337	340	[NNW]
11	348	351	348	342	5	357	345	10	330	305	332	325	352	307	324	325	334	337	339	314	351	360	353	357	[NNW]
12	1	236	312	328	325	334	334	321	297	317	356	306	299	312	347	1	130	113	99	98	330	332	336	309	[NNW]
13	331	339	335	280	12	256	212	327	313	357	70	147	154	132	143	158	142	166	16	331	342	318	317	304	[NNW]
14	316	315	338	337	315	308	13	330	4	307	318	297	310	351	5	17	3	9	1	2	327	334	332	342	[NNW]
15	351	323	314	317	333	317	336	301	324	328	324	336	23	29	1	276	281	18	306	295	344	346	323	329	[NW]
16	311	303	288	319	304	337	319	337	328	297	331	269	263	281	315	287	234	99	138	26	351	1	318	328	[NW]
17	336	303	294	324	51	301	25	298	180	150	144	178	166	151	168	119	140	99	321	331	335	333	330	331	[NNW]
18	331	327	98	140	289	83	89	229	285	227	328	9	134	123	131	152	150	117	29	329	316	335	350	340	[NNW]
19	350	332	333	336	332	329	330	335	333	324	325	327	326	327	315	325	344	348	337	329	333	299	340	336	[NNW]
20	344	356	340	324	307	300	338	303	335	330	325	335	299	307	327	311	327	341	342	338	336	348	336	312	[NNW]
21	307	295	329	337	119	89	137	115	185	276	264	267	261	293	288	356	105	204	344	28	34	359	317	327	[NNW]
22	30	333	340	341	359	334	318	294	347	27	147	120	150	147	156	140	131	121	190	133	21	291	355	322	[NNW]
23	337	332	306	318	348	259	354	170	190	163	143	149	137	156	152	152	147	162	317	324	341	328	316	321	[SSE]
24	331	309	305	315	318	298	300	308	331	335	325	305	322	356	330	329	332	331	335	335	15	360	2	14	[NNW]
25	314	330	319	320	346	320	281	329	321	329	132	147	138	124	140	146	145	131	154	353	358	306	314	321	[NW]
26	326	311	343	300	327	306	339	290	328	324	337	321	316	-940	-940	-940	19	130	46	280	314	340	356	322	[NW]
27	329	345	330	329	325	329	343	352	324	339	301	284	322	288	287	325	323	2	5	335	352	2	353	357	[NNW]
28	340	339	334	342	278	301	330	312	305	303	276	236	297	303	284	277	260	86	111	317	338	302	359	307	[WNW]

Prev [NNW] [NNW] [NNW] [NNW] [NW] [NNW] [NNW] [NNW] [NNW] [NNW] [NW] [NNW] [NW] [NW] [SSE] [SSE] [SSE] [SE] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW]

Total Data Records Possible: 672
 Total Valid Data Records: 669
 Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 9

Site: College of the Desert (data subject to change)
 Validation Level: B
 Month: February
 Printout Date: 03-06-2013
 Year: 2013
 Printout Time: 14:11:02
 Time Zone: PST
 Output File Name: CODB0213.9t

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[NNW]	[NW]	[NW]	[NNW]	[WNW]	[N]	[SW]	[WNW]	[ESE]	[S]	[SE]	[ESE]	[SW]	[SSW]	[SSE]	[SE]	[S]	[SE]	[ENE]	[NE]	[N]	[NW]	[NW]	[NW]	[NW]
2	[NNW]	[WNW]	[W]	[NW]	[NW]	[NNW]	[WNW]	[NNW]	[NNW]	[NW]	[W]	[WNW]	[N]	[NE]	[SE]	[SSE]	[SSE]	[S]	[NNW]	[N]	[N]	[NNW]	[WNW]	[NW]	[NNW]
3	[NW]	[N]	[NW]	[N]	[NNW]	[NNW]	[NNW]	[NNE]	[NNW]	[NNW]	[NNW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[W]	[N]	[NE]	[NNE]	[WNW]	[NNW]	[N]	[NNW]	[NNW]
4	[NW]	[N]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[W]	[W]	[SSE]	[SE]	[SE]	[SE]	[ESE]	[ESE]	[WSW]	[NNW]	[NW]	[NW]	[NNW]	[NNW]
5	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[W]	[NNE]	[SSE]	[SSE]	[SSE]	[S]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[E]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]
6	[NW]	[W]	[ENE]	[NE]	[N]	[WNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NW]	[WNW]	[NNW]	[SW]	[SE]	[SE]	[SSE]	[NNW]	[N]	[NNW]	[WNW]	[NNW]	[NNW]	[NNW]
7	[NW]	[NNW]	[NNW]	[NW]	[NNW]	[N]	[N]	[ESE]	[ESE]	[SE]	[ESE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SE]	[SSW]	[NE]	[E]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]
8	[NNW]	[NW]	[NW]	[W]	[NNW]	[N]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[WNW]	[WSW]	[NW]	[NNW]
9	[NW]	[SSE]	[NE]	[W]	[WNW]	[NW]	[NW]	[WNW]	[NNE]	[NNE]	[WNW]	[W]	[WNW]	[NW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]
10	[WNW]	[W]	[W]	[NW]	[NW]	[NNW]	[NW]	[W]	[E]	[NW]	[WNW]	[WSW]	[W]	[WSW]	[S]	[S]	[SE]	[ESE]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]
11	[NNW]	[N]	[NNW]	[NNW]	[N]	[N]	[NNW]	[N]	[NNW]	[NW]	[NNW]	[NW]	[N]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[N]	[N]	[N]	[N]
12	[N]	[SW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NW]	[WNW]	[NW]	[N]	[NW]	[WNW]	[NW]	[NNW]	[N]	[SE]	[ESE]	[E]	[E]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]
13	[NNW]	[NNW]	[NNW]	[W]	[NNE]	[WSW]	[SSW]	[NNW]	[NW]	[N]	[ENE]	[SSE]	[SSE]	[SE]	[SE]	[SSE]	[SE]	[SSE]	[NNE]	[NNW]	[NNW]	[NW]	[NW]	[WNW]	[NNW]
14	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NNE]	[NNW]	[N]	[NW]	[NW]	[WNW]	[NW]	[N]	[N]	[NNE]	[N]	[N]	[N]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
15	[N]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NNW]	[WNW]	[NW]	[NNW]	[NW]	[NNW]	[NNE]	[NNE]	[N]	[W]	[W]	[NNE]	[NW]	[WNW]	[NNW]	[NNW]	[NW]	[NNW]	[NW]
16	[NW]	[WNW]	[WNW]	[NW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[WNW]	[NNW]	[W]	[W]	[W]	[NW]	[WNW]	[SW]	[E]	[SE]	[NNE]	[N]	[N]	[NW]	[NNW]
17	[NNW]	[WNW]	[WNW]	[NW]	[NE]	[WNW]	[NNE]	[WNW]	[S]	[SSE]	[SE]	[S]	[SSE]	[SSE]	[SSE]	[ESE]	[SE]	[E]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
18	[NNW]	[NNW]	[E]	[SE]	[WNW]	[E]	[E]	[SW]	[WNW]	[SW]	[NNW]	[N]	[SE]	[ESE]	[SE]	[SSE]	[SSE]	[ESE]	[NNE]	[NNW]	[NW]	[NNW]	[N]	[NNW]	[NNW]
19	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
20	[NNW]	[N]	[NNW]	[NW]	[NW]	[WNW]	[NNW]	[WNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[WNW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]
21	[NW]	[WNW]	[NNW]	[NNW]	[ESE]	[E]	[SE]	[ESE]	[S]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[N]	[ESE]	[SSW]	[NNW]	[NNE]	[NE]	[N]	[NW]	[NNW]	[NNW]
22	[NNE]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NW]	[WNW]	[NNW]	[NNE]	[SSE]	[ESE]	[SSE]	[SSE]	[SSE]	[SE]	[SE]	[ESE]	[S]	[SE]	[NNE]	[WNW]	[N]	[NW]	[NNW]
23	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[W]	[N]	[S]	[S]	[SSE]	[SE]	[SSE]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[SSE]
24	[NNW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNE]	[N]	[N]	[NW]	[NNE]	[NNW]
25	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[W]	[NNW]	[NW]	[NNW]	[SE]	[SSE]	[SE]	[ESE]	[SE]	[SSE]	[SE]	[SE]	[SSE]	[N]	[N]	[NW]	[NW]	[NW]	[NW]
26	[NW]	[NW]	[NNW]	[WNW]	[NNW]	[NW]	[NNW]	[WNW]	[NNW]	[NW]	[NNW]	[NW]	[NW]	-940	-940	-940	[NNE]	[SE]	[NE]	[W]	[NW]	[NNW]	[N]	[NW]	[NW]
27	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NW]	[NNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[N]	[N]	[NNW]	[N]	[N]	[N]	[N]	[N]	[NNW]
28	[NNW]	[NNW]	[NNW]	[NNW]	[W]	[WNW]	[NNW]	[NW]	[NW]	[WNW]	[W]	[SW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[E]	[ESE]	[NW]	[NNW]	[WNW]	[N]	[NW]	[WNW]
Prev	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NW]	[NW]	[SSE]	[SSE]	[SSE]	[SE]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]

Total Data Records Possible: 672
 Total Valid Data Records: 669
 Percent Data Recovery: 99.6

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Sigma Theta (Campbell)
 Units: degrees
 Channel: 14

Site: College of the Desert (data subject to change)
 Validation Level: B
 Month: February
 Printout Date: 03-06-2013
 Year: 2013
 Printout Time: 14:11:12
 Time Zone: PST
 Output File Name: CODB0213.14

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	8.9	20.0	26.1	21.2	20.6	43.8	63.1	57.5	61.7	20.4	38.0	34.5	52.6	33.4	29.2	17.1	15.8	44.1	9.1	11.8	19.4	35.8	24.3	13.9	8.9	63.1	30.1
2	5.7	12.6	32.5	15.3	28.1	42.8	55.7	40.0	10.3	26.1	15.1	29.3	48.5	41.7	18.8	12.5	9.8	40.8	21.6	22.5	13.2	36.3	17.6	10.7	5.7	55.7	25.3
3	29.0	9.6	26.9	14.2	10.7	11.0	8.7	9.2	13.3	13.1	17.1	18.6	17.2	25.9	22.9	15.4	11.5	19.7	6.8	21.5	12.9	18.8	9.2	18.7	6.8	29.0	15.9
4	7.2	10.9	11.2	5.8	7.9	6.8	7.3	23.0	9.4	9.9	17.0	24.0	38.5	34.7	14.7	11.8	8.8	12.8	24.9	68.5	15.8	40.1	24.1	14.8	5.8	68.5	18.8
5	17.8	6.4	8.0	6.4	10.9	14.1	41.9	24.8	34.3	16.2	21.3	21.6	18.9	16.4	15.8	17.9	12.7	11.6	46.8	28.3	23.1	12.9	14.1	7.5	6.4	46.8	18.7
6	16.8	53.5	41.6	18.0	19.4	19.5	40.9	23.9	10.7	11.4	14.4	19.7	15.6	19.5	66.2	13.6	15.4	37.7	23.3	18.2	32.1	16.9	23.9	7.0	7.0	66.2	24.1
7	9.7	10.8	12.9	7.4	8.0	11.6	59.4	17.5	17.6	22.8	26.2	21.1	16.4	16.9	17.6	20.5	19.3	20.5	31.2	62.3	16.2	15.4	12.6	13.0	7.4	62.3	20.3
8	11.3	18.3	13.8	44.3	24.8	37.3	17.5	22.1	15.7	17.2	40.3	43.7	25.3	30.1	12.5	12.7	11.9	12.3	11.5	17.2	14.3	40.1	48.6	68.6	11.3	68.6	25.5
9	27.5	79.4	50.1	44.3	69.7	43.2	44.6	28.6	36.4	54.2	32.2	41.8	42.5	37.6	28.6	21.3	17.5	9.3	7.8	6.4	7.5	7.7	24.3	7.9	6.4	79.4	32.1
10	40.5	14.1	25.0	21.3	15.8	20.4	23.9	45.8	55.1	24.7	22.5	43.4	44.1	53.3	22.3	17.9	16.3	46.4	18.1	8.2	6.9	6.3	8.9	15.3	6.3	55.1	25.7
11	15.8	15.6	15.2	29.9	11.6	10.5	12.2	12.5	22.6	32.6	24.1	18.2	26.7	20.3	20.4	13.6	12.9	12.4	7.9	17.9	11.9	11.5	10.0	11.4	7.9	32.6	16.6
12	13.0	36.9	14.9	5.7	6.3	5.5	7.2	9.4	18.7	26.1	62.9	52.8	48.8	32.9	41.6	70.1	10.6	16.9	10.5	6.7	58.7	31.5	35.7	24.0	5.5	70.1	27.0
13	8.2	11.6	8.1	37.7	36.8	60.4	52.5	62.6	24.5	63.7	40.6	25.3	24.6	17.7	17.1	14.1	12.3	18.8	24.5	26.1	14.4	19.5	22.5	30.3	8.1	63.7	28.1
14	18.5	14.2	8.3	6.7	19.8	32.5	27.8	16.7	27.4	38.5	33.6	30.8	20.2	33.1	25.2	10.5	14.0	11.0	14.8	9.5	36.5	22.2	11.7	15.4	6.7	38.5	20.8
15	13.5	27.3	29.0	14.6	24.0	21.7	17.7	36.2	16.8	15.8	15.6	31.6	22.6	23.3	60.0	10.4	19.2	9.6	56.5	32.6	16.2	11.1	23.2	32.0	9.6	60.0	24.2
16	20.1	17.4	11.5	40.3	40.5	53.2	16.2	35.0	24.1	26.3	33.6	25.4	53.5	44.5	52.2	45.4	79.3	13.4	48.7	12.2	28.0	19.7	12.5	7.1	7.1	79.3	31.7
17	7.3	22.5	31.0	65.0	59.2	45.9	20.8	38.9	33.5	19.3	15.9	20.3	22.8	25.2	24.7	21.4	17.5	45.7	19.2	8.6	10.0	10.7	14.1	10.2	7.3	65.0	25.4
18	14.8	22.0	36.2	39.5	77.4	15.2	20.5	65.4	53.1	69.9	38.8	52.2	19.1	14.8	15.4	13.5	13.1	15.7	70.2	21.2	21.5	12.7	11.1	12.2	11.1	77.4	31.1
19	9.4	9.5	8.0	8.8	11.0	9.7	10.4	9.8	10.1	11.7	11.3	12.6	25.3	30.6	29.0	15.3	19.3	16.2	29.4	23.8	23.2	22.3	34.2	27.6	8.0	34.2	17.4
20	18.2	16.1	36.2	16.1	43.5	26.0	18.7	30.5	10.0	12.2	10.9	14.6	28.4	27.8	33.1	24.8	19.5	9.0	10.2	9.9	8.3	11.1	10.5	16.2	8.3	43.5	19.2
21	38.8	16.8	29.4	28.6	42.8	14.4	50.8	48.2	38.2	53.8	33.2	27.8	25.1	40.5	30.7	26.9	39.5	35.1	32.8	24.0	14.4	31.2	45.4	64.6	14.4	64.6	34.7
22	58.6	19.5	19.7	21.9	72.9	34.9	50.6	77.6	23.0	65.8	32.6	34.7	35.4	32.4	18.3	16.6	11.9	15.5	27.1	61.4	17.1	36.8	21.0	19.9	11.9	77.6	34.4
23	11.0	16.6	25.7	15.8	14.1	55.5	46.6	28.7	21.0	16.7	16.2	17.4	21.3	19.6	22.2	25.3	18.0	43.4	47.1	39.5	26.0	15.4	22.8	14.9	11.0	55.5	25.0
24	17.5	16.1	11.1	11.4	10.7	16.8	12.5	16.0	13.5	16.7	28.1	23.9	23.0	19.7	15.6	13.6	14.8	7.9	14.8	27.1	26.9	11.2	54.0	9.1	7.9	54.0	18.0
25	37.5	20.4	27.6	24.9	8.8	20.7	38.8	26.6	19.9	24.8	26.0	19.4	21.2	26.0	25.4	16.1	14.7	19.1	21.1	16.6	9.4	29.9	28.4	24.8	8.8	38.8	22.8
26	19.0	26.6	26.6	25.2	16.2	28.7	43.7	19.3	15.8	14.4	16.8	23.4	34.4	-940	-940	-940	14.6	67.4	25.3	51.4	17.7	23.6	24.1	42.9	14.4	67.4	27.5
27	10.9	16.8	11.9	12.7	11.9	20.4	14.0	12.3	23.6	39.4	30.4	40.6	31.7	32.8	28.2	17.5	13.4	11.9	12.3	36.1	23.2	13.6	10.9	11.8	10.9	40.6	20.3
28	5.9	12.6	9.5	31.1	20.2	28.5	21.5	33.3	16.6	22.1	17.8	51.8	36.4	34.2	26.7	25.5	21.6	34.3	40.3	71.8	13.7	52.2	15.5	54.1	5.9	71.8	29.1
Min	5.7	6.4	8.0	5.7	6.3	5.5	7.2	9.2	9.4	9.9	10.9	12.6	15.6	14.8	12.5	10.4	8.8	7.9	6.8	6.4	6.9	6.3	8.9	7.0	5.5		
Max	58.6	79.4	50.1	65.0	77.4	60.4	63.1	77.6	61.7	69.9	62.9	52.8	53.5	53.3	66.2	70.1	79.3	67.4	70.2	71.8	58.7	52.2	54.0	68.6	79.4		
Avg	18.3	20.5	21.7	22.6	26.6	26.8	30.2	31.1	24.2	28.1	26.2	29.3	30.0	29.1	27.2	20.1	18.0	23.5	25.5	27.2	19.2	22.0	22.0	21.6		24.6	

Total Data Records Possible: 672
 Total Valid Data Records: 669
 Percent Data Recovery: 99.6

Missing Data Codes

 -910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Running 3-Second Gust
Units: mph
Channel: 15

Site: College of the Desert (data subject to change)
Month: February
Year: 2013
Time Zone: PST
Validation Level: B
Printout Date: 03-06-2013
Printout Time: 14:11:14
Output File Name: CODB0213.15

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	11.0	7.2	10.2	9.4	7.3	5.8	7.9	4.7	5.7	7.1	7.2	5.8	6.2	7.9	8.8	7.2	6.7	4.2	5.3	6.0	6.9	4.9	5.8	7.5	4.2	11.0	6.9
2	7.6	5.6	5.0	7.5	8.0	5.6	4.6	5.4	5.8	5.0	6.1	5.0	4.2	7.3	8.3	7.2	6.0	3.4	3.0	3.9	4.6	5.5	5.8	7.0	3.0	8.3	5.7
3	8.6	9.4	8.6	12.1	11.8	12.8	9.4	9.8	11.2	13.2	12.9	12.2	12.1	15.8	14.7	9.9	7.2	6.7	8.3	9.1	7.1	7.4	10.2	11.2	6.7	15.8	10.5
4	12.9	14.0	12.4	9.7	11.2	13.2	14.0	11.7	13.7	14.2	11.5	9.3	10.0	15.1	13.3	11.0	10.4	7.4	6.2	5.8	7.4	5.6	9.5	10.7	5.6	15.1	10.8
5	10.0	11.2	12.2	12.5	11.9	7.8	5.8	4.6	6.8	8.0	8.3	10.2	11.9	12.9	9.7	8.0	6.0	5.0	4.3	5.8	12.1	9.6	8.9	6.4	4.3	12.9	8.7
6	5.9	4.3	4.7	5.3	9.8	7.2	7.2	12.8	23.2	23.2	20.5	17.5	14.0	14.8	16.0	15.0	11.0	6.9	7.2	8.3	8.8	7.8	9.4	10.2	4.3	23.2	11.3
7	10.4	10.4	13.7	9.8	11.9	12.6	10.2	8.0	11.2	7.2	7.6	13.1	12.0	12.5	12.8	10.2	9.1	5.8	6.0	6.9	14.9	16.6	11.8	23.8	5.8	23.8	11.2
8	27.0	22.6	27.5	21.7	18.4	20.5	30.0	27.8	22.9	19.9	18.8	20.0	22.5	41.4	40.0	27.0	21.2	20.5	20.8	17.8	12.1	11.2	6.9	6.3	6.3	41.4	21.9
9	6.2	7.2	4.0	3.5	5.0	5.1	7.4	5.3	6.6	6.4	11.3	12.4	12.4	10.6	14.9	12.9	16.1	16.2	12.9	11.1	8.6	8.1	8.6	9.0	3.5	16.2	9.2
10	9.7	6.6	5.5	7.2	6.6	5.8	5.4	4.8	4.8	12.5	14.5	10.0	8.6	10.0	10.3	9.7	7.2	10.2	9.6	12.6	11.6	11.7	10.2	14.0	4.8	14.5	9.1
11	13.9	18.3	13.2	14.6	10.3	9.3	11.1	8.8	10.7	19.0	24.0	22.0	16.2	21.0	27.6	25.4	21.4	18.9	10.4	7.2	8.8	10.2	13.0	10.5	7.2	27.6	15.2
12	9.9	4.1	11.3	10.7	12.4	14.1	13.1	12.1	9.0	7.7	3.9	10.2	11.6	9.7	12.7	5.4	12.8	8.2	9.9	8.2	8.5	8.0	6.5	7.4	3.9	14.1	9.5
13	9.3	10.8	9.2	7.5	8.6	9.1	3.5	3.2	4.8	4.7	5.6	10.3	11.3	11.6	13.1	12.9	9.6	5.9	7.0	6.7	6.6	8.7	8.0	7.4	3.2	13.1	8.1
14	7.4	12.0	13.8	12.7	8.8	9.6	9.4	8.8	8.9	10.7	8.7	14.5	14.0	28.1	20.1	18.3	16.7	15.2	13.2	9.9	9.4	13.1	11.8	12.9	7.4	28.1	12.8
15	10.8	7.7	8.2	10.3	12.4	12.4	13.2	13.6	14.8	12.3	12.5	12.4	18.3	17.0	14.3	9.3	6.0	5.7	7.7	6.5	10.9	10.4	6.9	7.9	5.7	18.3	10.9
16	6.1	8.5	7.4	5.6	7.1	7.1	6.4	8.3	5.3	5.3	6.0	8.3	10.7	9.9	8.7	8.0	5.8	5.4	4.9	4.3	5.9	8.3	9.9	11.8	4.3	11.8	7.3
17	11.5	8.2	6.7	3.0	3.7	4.9	5.6	4.2	5.6	10.7	11.8	10.0	11.1	8.6	9.5	9.4	8.3	7.5	13.2	17.2	18.7	14.1	12.7	7.8	3.0	18.7	9.3
18	7.7	4.7	5.0	6.6	4.5	4.1	3.5	5.8	4.7	3.7	4.2	5.3	13.5	17.0	17.7	16.7	11.3	8.3	6.9	6.7	8.6	8.1	11.1	12.3	3.5	17.7	8.2
19	11.3	13.2	12.4	19.7	16.8	19.3	24.1	24.4	26.4	22.5	23.5	21.2	18.6	17.1	19.6	17.5	15.4	22.2	14.8	21.0	24.1	28.3	27.8	10.5	10.5	28.3	19.7
20	17.7	21.3	15.7	13.5	20.0	23.7	9.9	11.8	17.9	24.4	27.4	18.8	13.2	18.0	18.1	18.0	17.8	15.1	14.7	15.5	17.5	16.0	13.2	11.6	9.9	27.4	17.1
21	5.6	5.9	5.3	5.4	6.1	6.0	4.5	4.5	5.2	4.9	13.4	13.1	11.3	9.9	12.1	24.8	10.8	5.9	5.5	5.6	8.9	9.4	9.1	7.2	4.5	24.8	8.3
22	10.0	10.2	11.6	10.6	5.1	5.8	3.9	4.5	7.5	6.9	9.5	9.4	11.5	11.6	11.8	12.1	12.1	9.0	6.1	4.7	6.3	7.6	6.9	7.7	3.9	12.1	8.4
23	8.8	9.1	9.8	8.3	7.8	4.5	4.2	4.2	5.5	9.1	11.9	12.4	12.3	14.4	12.4	9.5	8.3	6.9	9.9	11.2	14.7	16.1	16.7	22.1	4.2	22.1	10.4
24	22.5	17.5	21.4	21.6	26.8	23.8	22.4	16.1	24.9	25.0	22.6	19.3	28.9	30.3	27.5	25.5	20.1	14.7	9.5	8.1	8.1	9.4	5.3	8.3	5.3	30.3	19.2
25	6.5	9.0	9.9	10.7	12.0	9.6	7.7	7.9	7.2	4.8	11.6	14.2	14.3	13.1	12.9	10.4	8.8	9.1	5.0	4.5	6.9	7.2	3.7	5.9	3.7	14.3	8.9
26	7.0	6.3	8.3	8.3	9.1	8.9	7.1	8.0	11.0	11.8	10.5	9.9	14.1	-940	-940	-940	17.5	8.7	11.7	9.9	9.6	11.7	15.2	14.5	6.3	17.5	10.4
27	12.6	14.5	13.5	17.2	12.1	11.6	12.7	13.1	12.5	20.1	11.8	10.7	13.3	13.3	18.0	16.7	16.1	10.7	17.2	14.3	9.1	10.4	12.7	12.4	9.1	20.1	13.6
28	13.7	10.6	13.1	11.0	8.0	8.0	13.4	8.8	8.3	8.4	9.4	7.9	13.7	12.4	10.4	11.0	8.7	5.4	7.0	5.7	7.8	10.9	10.1	10.4	5.4	13.7	9.8
Min	5.6	4.1	4.0	3.0	3.7	4.1	3.5	3.2	4.7	3.7	3.9	5.0	4.2	7.3	8.3	5.4	5.8	3.4	3.0	3.9	4.6	4.9	3.7	5.9	3.0		
Max	27.0	22.6	27.5	21.7	26.8	23.8	30.0	27.8	26.4	25.0	27.4	22.0	28.9	41.4	40.0	27.0	21.4	22.2	20.8	21.0	24.1	28.3	27.8	23.8	41.4		
Avg	10.8	10.4	10.7	10.6	10.5	10.3	9.9	9.4	10.8	11.7	12.4	12.3	13.3	15.2	15.4	13.7	11.7	9.6	9.2	9.1	10.2	10.6	10.3	10.5			11.2

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Battery Voltage
Units: volts
Channel: 20

Site: College of the Desert (data subject to change)
Validation Level: B
Month: February
Printout Date: 03-06-2013
Year: 2013
Printout Time: 14:11:23
Time Zone: PST
Output File Name: CODB0213.20

Day	1	2	3	4	5	6	7	8	9	10	11	Hour Ending	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	13.4	13.4	13.4	13.4	13.4	13.4	13.5	13.5	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3	13.5	13.3
2	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3
3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.3	13.3	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.3	13.3
4	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3	13.4	13.3
5	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3
6	13.3	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.3	13.4	13.3
7	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3
8	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.4	13.2	13.4	13.3
9	13.5	13.5	13.5	13.5	13.6	13.6	13.6	13.6	13.6	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.3	13.6	13.4
10	13.4	13.5	13.5	13.5	13.5	13.5	13.6	13.5	13.5	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.4	13.3	13.6	13.4
11	13.4	13.4	13.4	13.4	13.5	13.5	13.5	13.5	13.5	13.4	13.4	13.3	13.3	13.3	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.5	13.2	13.5	13.4
12	13.5	13.5	13.5	13.6	13.6	13.6	13.6	13.6	13.6	13.5	13.4	13.3	13.3	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.2	13.6	13.4
13	13.5	13.5	13.5	13.5	13.6	13.6	13.6	13.6	13.6	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.3	13.6	13.4
14	13.4	13.5	13.5	13.5	13.5	13.5	13.5	13.5	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.5	13.4
15	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3	13.4	13.3
16	13.4	13.4	13.4	13.4	13.4	13.5	13.5	13.5	13.5	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.3	13.5	13.4
17	13.4	13.4	13.4	13.5	13.5	13.5	13.5	13.5	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.5	13.4
18	13.3	13.4	13.4	13.4	13.4	13.4	13.5	13.5	13.4	13.4	13.3	13.3	13.3	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.2	13.5	13.3
19	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3
20	13.4	13.4	13.4	13.4	13.4	13.5	13.5	13.5	13.5	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.3	13.5	13.4
21	13.4	13.4	13.4	13.4	13.5	13.5	13.5	13.5	13.5	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.3	13.5	13.4
22	13.5	13.5	13.5	13.6	13.6	13.6	13.6	13.6	13.6	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.3	13.6	13.4
23	13.5	13.5	13.5	13.5	13.5	13.6	13.6	13.6	13.6	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.3	13.6	13.4
24	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.5	13.3	13.5	13.3	
25	13.5	13.5	13.5	13.6	13.6	13.6	13.6	13.6	13.6	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.5	13.3	13.6	13.4
26	13.5	13.5	13.6	13.6	13.6	13.6	13.6	13.6	13.6	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.3	13.6	13.4
27	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3	13.4	13.3
28	13.4	13.4	13.4	13.4	13.4	13.5	13.5	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.3	13.3	13.5	13.3
Min	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.3	13.2	13.2	13.2	13.3	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2		
Max	13.5	13.5	13.6	13.6	13.6	13.6	13.6	13.6	13.6	13.5	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.5	13.6		
Avg	13.4	13.4	13.4	13.4	13.5	13.5	13.5	13.5	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4			13.4	

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Ambient Temperature
Units: Deg C
Channel: 16

Site: College of the Desert (data subject to change)
Validation Level: B
Month: February
Printout Date: 03-06-2013
Year: 2013
Printout Time: 14:11:16
Time Zone: PST
Output File Name: CODB0213.16

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	13.4	11.4	9.8	10.9	9.1	7.3	7.0	7.3	11.5	15.3	18.4	20.6	22.3	23.4	23.7	23.5	22.0	18.3	16.5	16.2	14.8	12.9	11.7	12.4	7.0	23.7	15.0
2	13.9	11.8	10.8	11.9	11.4	11.3	11.1	11.2	14.4	18.4	21.2	22.8	24.1	24.7	25.0	24.8	22.9	21.2	19.9	19.1	18.8	17.9	16.8	17.1	10.8	25.0	17.6
3	16.6	18.2	17.6	18.0	18.2	18.5	17.8	17.6	19.0	20.8	22.0	23.2	24.1	24.7	24.6	24.6	23.8	21.6	21.0	20.8	17.0	15.9	17.3	16.9	15.9	24.7	20.0
4	16.0	15.5	15.9	15.1	12.6	12.2	13.8	15.3	17.8	20.5	22.7	25.0	26.4	26.8	25.9	25.6	24.5	21.5	19.8	17.5	15.4	13.7	13.7	15.8	12.2	26.8	18.7
5	14.1	15.3	15.5	14.9	14.8	14.6	10.5	10.8	16.0	18.0	20.1	21.8	23.5	23.7	23.8	24.1	23.2	20.3	18.5	16.2	16.5	17.2	18.1	16.8	10.5	24.1	17.8
6	15.2	13.7	14.1	13.3	15.4	13.4	11.5	13.2	16.4	18.0	20.3	22.3	24.1	25.6	25.4	23.5	22.8	20.0	17.0	16.5	15.6	14.2	12.6	13.9	11.5	25.6	17.4
7	13.2	12.4	13.5	11.8	11.3	11.8	12.3	12.0	14.4	16.0	18.2	19.7	20.5	21.3	21.6	21.8	21.1	19.6	16.6	16.0	15.5	15.8	14.5	14.6	11.3	21.8	16.1
8	14.8	14.5	14.8	14.4	13.8	13.3	13.0	12.9	13.6	14.6	15.3	15.5	15.4	15.9	13.1	13.1	12.0	10.7	10.1	9.6	8.6	8.7	7.1	6.3	6.3	15.9	12.5
9	5.9	4.6	4.2	3.3	2.4	4.7	3.7	4.9	8.7	11.2	13.3	14.3	15.0	15.6	16.2	16.2	15.8	14.0	12.2	10.9	9.9	9.4	9.1	9.5	2.4	16.2	9.8
10	8.7	8.0	7.3	7.4	6.8	5.7	5.2	5.9	8.9	12.6	14.1	14.9	15.6	16.1	16.1	16.4	16.1	13.9	12.8	11.4	11.3	10.9	10.0	9.9	5.2	16.4	11.1
11	10.5	10.9	10.1	9.8	9.7	9.1	9.3	10.2	12.7	14.1	15.1	15.7	16.1	16.9	17.3	17.1	16.4	14.5	12.6	11.2	10.2	10.2	9.8	9.3	9.1	17.3	12.4
12	9.8	5.2	4.7	5.2	4.8	6.2	7.2	8.1	10.0	13.3	15.7	17.1	18.0	18.6	19.0	19.4	17.7	14.4	13.1	13.5	10.9	9.6	7.3	5.6	4.7	19.4	11.4
13	6.9	8.0	7.7	5.0	4.2	4.5	3.8	5.0	10.3	14.0	16.5	18.6	19.5	20.4	20.8	20.9	20.1	17.5	14.0	12.1	11.8	11.4	10.2	8.8	3.8	20.9	12.2
14	9.6	10.4	11.3	11.5	10.2	6.8	7.8	10.5	14.6	18.4	21.2	23.3	24.6	25.2	25.4	25.1	24.4	22.6	21.4	19.6	18.5	17.6	16.4	17.1	6.8	25.4	17.2
15	17.3	14.2	11.1	13.0	11.3	11.0	12.4	15.1	18.7	20.9	22.7	23.9	24.7	25.5	25.6	24.7	24.6	23.2	18.7	16.9	17.0	17.6	15.0	15.4	11.0	25.6	18.4
16	11.2	9.7	9.0	8.1	7.7	7.7	7.8	9.5	14.7	19.1	22.8	24.6	25.3	25.8	25.8	26.3	26.0	22.3	18.3	17.0	12.9	13.3	12.5	13.7	7.7	26.3	16.3
17	13.6	10.2	7.4	6.9	6.8	6.1	7.9	7.8	12.7	17.2	19.3	21.4	22.6	24.3	25.1	25.2	24.3	20.8	19.5	19.6	19.0	18.3	16.8	15.8	6.1	25.2	16.2
18	14.4	13.6	11.4	11.0	9.0	9.0	8.8	9.2	12.3	15.8	18.1	20.0	22.1	22.9	23.5	23.3	21.8	19.5	17.2	14.7	13.6	14.0	14.5	14.7	8.8	23.5	15.6
19	13.7	13.2	12.2	12.3	12.2	12.3	12.3	13.1	14.5	15.6	16.0	16.3	17.0	17.9	17.5	16.6	16.1	15.7	14.6	14.0	13.6	13.3	12.1	11.0	11.0	17.9	14.3
20	11.2	9.6	9.1	7.5	7.4	8.6	6.9	7.6	9.7	11.5	11.6	12.6	14.4	15.6	15.9	16.6	16.2	14.9	13.6	13.1	13.1	12.3	12.0	11.2	6.9	16.6	11.8
21	9.2	7.8	7.4	6.6	5.2	6.4	5.9	6.9	11.2	12.6	14.3	15.7	16.3	16.6	17.2	16.1	16.3	15.5	12.6	10.1	11.1	9.8	6.4	5.5	5.2	17.2	10.9
22	5.1	6.0	7.5	8.3	4.9	4.2	2.9	5.2	10.8	13.5	15.4	16.8	18.0	19.0	19.4	19.3	18.6	16.2	14.1	12.5	11.6	8.4	7.9	8.6	2.9	19.4	11.4
23	8.9	8.1	6.4	6.2	10.2	4.6	3.9	5.6	11.3	15.0	16.2	17.1	18.3	18.8	19.3	19.6	19.2	17.4	14.9	14.8	15.3	15.4	15.2	15.8	3.9	19.6	13.2
24	15.4	14.0	13.4	12.9	12.7	11.8	11.3	12.3	13.8	14.8	15.8	17.0	18.0	18.6	18.7	18.8	18.5	16.5	14.8	13.1	11.5	14.0	9.6	12.3	9.6	18.8	14.6
25	8.2	5.9	6.4	4.6	6.7	6.8	4.0	6.8	11.1	15.2	17.2	18.1	18.9	19.4	19.9	19.8	19.2	16.6	13.8	12.2	11.4	8.6	5.6	5.8	4.0	19.9	11.8
26	7.9	5.7	6.8	6.5	6.5	4.9	5.0	7.5	12.3	15.8	18.4	20.7	22.1	-940	-940	-940	22.1	20.2	18.5	15.9	16.2	17.2	16.2	14.3	4.9	22.1	13.4
27	15.0	13.8	13.4	13.4	10.7	9.5	11.2	14.2	16.1	17.8	18.8	19.6	20.3	21.1	21.8	21.8	21.4	20.0	18.4	17.5	15.1	14.9	15.2	13.9	9.5	21.8	16.4
28	13.4	14.2	14.5	13.0	9.3	7.6	11.5	11.5	16.0	19.8	22.1	23.6	24.1	24.7	25.4	25.5	25.3	22.9	18.8	16.7	15.6	13.7	14.9	13.2	7.6	25.5	17.4
Min	5.1	4.6	4.2	3.3	2.4	4.2	2.9	4.9	8.7	11.2	11.6	12.6	14.4	15.6	13.1	13.1	12.0	10.7	10.1	9.6	8.6	8.4	5.6	5.5	2.4		
Max	17.3	18.2	17.6	18.0	18.2	18.5	17.8	17.6	19.0	20.9	22.8	25.0	26.4	26.8	25.9	26.3	26.0	23.2	21.4	20.8	19.0	18.3	18.1	17.1		26.8	
Avg	11.9	10.9	10.5	10.1	9.5	8.9	8.8	9.9	13.3	16.1	18.0	19.4	20.4	21.1	21.2	21.1	20.4	18.3	16.2	15.0	14.0	13.4	12.4	12.3			14.7

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Relative Humidity
Units: %RH
Channel: 17

Site: College of the Desert (data subject to change)
Month: February
Year: 2013
Time Zone: PST
Validation Level: B
Printout Date: 03-06-2013
Printout Time: 14:11:17
Output File Name: CODB0213.17

Day	1	2	3	4	5	6	7	8	9	10	Hour Ending	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	50	58	65	57	65	74	73	75	63	53	39	34	27	21	21	22	29	49	56	52	57	64	67	58	21	75	51
2	46	59	67	59	62	62	63	64	58	43	31	26	22	21	19	18	25	30	39	43	40	46	55	51	18	67	44
3	57	43	46	47	47	46	51	53	49	42	35	30	28	27	28	28	31	37	33	31	46	51	44	45	27	57	41
4	49	51	44	45	55	58	49	44	39	33	30	24	18	18	21	20	23	29	31	40	50	55	50	40	18	58	38
5	49	42	43	41	45	39	60	63	51	50	40	33	25	26	25	25	24	36	37	47	42	40	37	43	24	63	40
6	51	58	53	53	42	52	61	57	48	43	34	28	23	15	18	24	25	32	44	45	47	55	58	54	15	61	43
7	56	53	46	53	54	52	44	47	53	51	38	33	27	29	31	23	24	25	40	49	43	50	52	45	23	56	42
8	43	37	33	33	38	38	34	35	34	32	30	30	31	31	45	42	47	52	53	54	57	55	63	66	30	66	42
9	67	71	74	77	80	70	74	73	58	47	36	33	30	28	27	28	28	32	37	43	47	49	51	51	27	80	50
10	54	59	60	57	58	62	63	65	54	43	36	31	29	26	25	24	28	38	38	44	45	48	52	55	24	65	46
11	54	50	52	49	50	55	56	52	33	26	24	24	20	15	13	12	11	13	15	17	19	18	19	19	11	56	30
12	19	31	33	31	33	28	24	26	29	25	14	13	12	12	12	11	21	29	25	20	29	34	41	47	11	47	25
13	38	34	31	46	49	49	55	54	37	25	21	19	18	15	14	13	16	24	39	45	38	37	39	46	13	55	33
14	40	40	37	34	38	57	49	45	37	27	23	21	17	16	15	15	14	16	17	20	21	22	23	22	14	57	28
15	22	30	41	31	37	38	33	30	25	23	17	13	12	11	11	14	15	14	24	29	23	17	24	22	11	41	23
16	35	39	40	42	45	45	42	43	36	25	15	11	10	8	10	8	9	16	20	22	37	29	27	23	8	45	27
17	21	34	44	44	43	46	45	58	42	32	27	15	15	12	10	11	11	17	19	26	27	29	32	34	10	58	29
18	36	38	47	46	54	54	57	66	58	37	34	28	21	18	14	14	17	23	26	33	35	35	46	47	14	66	37
19	52	56	59	57	55	52	49	46	40	34	33	34	33	31	32	35	38	37	38	40	41	37	45	50	31	59	43
20	50	68	70	79	75	50	63	61	49	38	37	39	32	31	30	30	31	33	36	38	40	44	44	46	30	79	46
21	53	58	59	62	67	65	69	68	50	44	38	32	30	29	27	29	25	27	39	48	35	32	52	55	25	69	46
22	52	45	40	32	51	52	60	57	42	32	27	25	17	15	14	14	15	24	31	42	39	51	46	36	14	60	36
23	36	38	47	49	38	62	68	61	41	28	33	31	23	20	20	20	21	28	35	35	37	38	37	18	18	68	36
24	14	16	14	12	12	14	15	16	15	15	14	13	12	11	11	10	9	11	11	13	17	12	20	14	9	20	13
25	24	29	27	33	26	27	39	33	26	18	13	11	11	10	10	10	10	17	25	29	29	35	47	43	10	47	24
26	32	45	45	47	47	54	55	52	39	30	25	17	13	-940	-940	-940	10	15	14	17	13	11	12	17	10	55	29
27	13	15	16	17	23	25	21	18	18	18	13	12	13	12	12	10	10	10	10	11	14	14	13	14	10	25	15
28	15	13	12	15	25	30	19	26	28	17	13	8	10	10	9	9	9	17	25	25	25	29	23	26	8	30	18
Min	13	13	12	12	12	14	15	16	15	15	13	8	10	8	9	8	9	10	10	11	13	11	12	14	8		
Max	67	71	74	79	80	74	74	75	63	53	40	39	33	31	45	42	47	52	56	54	57	64	67	66		80	
Avg	40	43	44	45	47	48	50	50	41	33	27	24	21	19	19	19	21	26	31	34	35	37	40	39			35

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Maximum Sustained wind Speed
Units: mph
Channel: 25

Site: College of the Desert (data subject to change)
Validation Level: B
Month: February
Printout Date: 03-06-2013
Year: 2013
Printout Time: 14:11:25
Time Zone: PST
Output File Name: CODB0213.25

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	10.1	6.9	9.8	8.7	6.6	5.4	7.6	3.9	4.7	5.6	5.2	4.8	5.4	6.2	7.5	6.3	5.8	3.8	5.2	5.9	6.9	4.7	5.7	6.9	3.8	10.1	6.2
2	7.5	5.3	4.3	6.7	7.6	5.3	4.4	4.8	5.0	4.2	5.2	4.0	4.0	5.8	6.9	6.3	5.3	3.0	2.8	3.7	4.5	5.3	5.5	6.6	2.8	7.6	5.2
3	7.7	8.4	7.8	10.6	10.3	9.1	8.2	8.7	9.6	10.9	11.2	10.7	9.9	10.4	11.0	8.6	5.9	6.6	8.0	8.4	6.6	7.2	9.0	9.6	5.9	11.2	8.9
4	10.9	12.1	10.5	8.5	9.9	11.8	12.3	9.9	10.5	11.9	9.9	7.8	7.4	12.3	11.9	9.3	9.0	6.0	5.1	5.6	6.9	5.0	9.2	10.0	5.0	12.3	9.3
5	9.7	9.0	10.7	10.9	10.6	7.1	4.7	4.4	5.5	6.4	7.2	8.6	9.3	9.3	8.6	6.8	4.9	4.8	4.2	5.6	10.5	7.8	7.9	6.1	4.2	10.9	7.5
6	5.4	3.9	4.0	5.0	6.9	6.7	6.5	10.7	18.7	18.6	17.9	14.3	11.7	12.1	13.1	13.0	9.7	6.2	6.9	7.7	8.4	7.1	9.1	9.4	3.9	18.7	9.7
7	9.1	10.0	10.8	7.9	9.6	10.9	9.2	5.9	9.4	6.2	6.6	9.0	9.6	10.4	10.1	9.0	7.7	4.6	5.1	6.4	12.8	12.3	9.3	19.4	4.6	19.4	9.2
8	20.4	17.1	20.8	14.9	15.7	18.4	23.7	21.9	18.6	17.5	16.9	16.9	19.1	31.7	33.4	20.8	18.6	15.3	16.3	13.5	8.6	8.1	6.3	6.3	6.3	33.4	17.5
9	5.9	6.5	3.9	2.9	3.9	4.4	6.6	5.0	5.5	4.8	9.0	10.0	9.6	9.4	13.2	10.7	13.6	13.1	10.1	9.1	7.5	7.3	7.3	6.7	2.9	13.6	7.8
10	8.3	5.7	4.8	6.7	6.0	5.8	5.3	4.3	3.7	10.2	9.9	8.2	7.2	8.1	8.6	8.6	6.2	9.4	8.1	9.2	9.8	9.4	8.4	11.7	3.7	11.7	7.7
11	11.0	14.8	10.9	11.7	9.0	8.8	9.0	7.8	8.9	15.4	19.5	18.2	13.5	17.7	19.2	20.1	18.3	16.4	8.5	6.7	8.5	8.5	11.6	9.8	6.7	20.1	12.7
12	8.9	3.7	10.1	9.5	10.6	11.8	11.2	9.7	7.5	6.4	3.0	8.2	9.7	8.7	11.0	3.9	10.9	7.0	8.2	7.2	8.1	7.9	4.9	6.4	3.0	11.8	8.1
13	8.5	9.4	8.1	7.2	6.8	6.6	3.4	2.9	4.2	3.8	4.7	8.6	9.4	9.3	10.9	10.4	7.6	4.9	6.9	6.7	6.4	8.5	7.8	6.8	2.9	10.9	7.1
14	6.8	10.1	11.5	10.8	8.0	8.5	8.7	8.4	7.8	9.4	7.4	10.3	12.3	14.7	17.2	15.9	13.4	12.7	12.3	9.5	9.1	10.3	11.2	11.7	6.8	17.2	10.8
15	10.3	7.2	7.6	9.8	11.8	11.9	11.3	11.2	12.5	10.2	10.9	10.9	15.4	14.4	10.7	7.8	4.9	5.6	7.5	5.9	9.8	10.0	6.7	7.7	4.9	15.4	9.7
16	5.9	7.9	6.9	4.8	6.6	5.6	6.0	7.8	4.7	4.8	4.7	6.6	8.6	8.1	6.6	6.0	5.1	5.0	4.3	4.2	5.2	7.8	9.4	10.6	4.2	10.6	6.4
17	10.6	7.8	5.4	2.9	2.9	4.6	5.1	4.3	4.1	8.9	9.7	7.4	8.2	6.4	7.5	8.3	7.0	6.6	11.0	14.0	14.6	11.9	10.8	7.5	2.9	14.6	7.8
18	7.2	4.3	4.5	5.9	3.3	3.4	3.2	5.4	3.4	3.1	3.5	4.5	11.7	14.5	14.9	14.6	9.0	6.8	6.4	6.4	7.8	7.4	9.3	9.6	3.1	14.9	7.1
19	9.1	11.2	10.2	15.0	14.4	15.9	17.0	20.1	19.7	19.1	19.1	18.6	16.5	15.2	16.4	15.2	13.6	18.5	13.0	15.7	19.1	22.5	21.8	9.9	9.1	22.5	16.1
20	16.2	17.1	14.0	11.4	15.8	19.6	8.9	9.6	15.7	19.3	22.3	16.3	10.5	14.4	14.3	12.9	14.6	12.4	12.2	12.4	14.5	13.5	10.9	9.6	8.9	22.3	14.1
21	5.1	5.4	4.7	5.0	5.2	5.6	3.8	3.8	4.6	3.9	10.1	9.8	8.9	8.3	10.5	21.0	9.4	4.9	5.3	5.2	8.8	9.1	8.8	6.7	3.8	21.0	7.2
22	9.2	9.5	10.9	8.8	5.0	5.6	3.6	4.2	6.3	6.2	6.6	7.4	9.1	9.2	9.9	9.9	10.5	7.4	5.5	4.2	5.4	7.5	6.7	7.4	3.6	10.9	7.3
23	8.4	8.4	8.6	7.7	7.6	4.4	4.0	3.9	4.6	7.8	9.9	10.7	10.2	10.8	9.9	7.8	7.1	6.6	8.4	9.0	12.1	12.4	14.0	18.5	3.9	18.5	8.9
24	18.2	14.4	17.5	16.8	21.4	19.7	16.2	12.9	20.7	21.9	17.7	15.2	22.3	26.3	20.4	21.8	16.8	11.9	8.6	7.6	7.7	8.9	4.7	8.2	4.7	26.3	15.7
25	6.2	8.4	9.8	9.9	10.9	9.2	7.3	7.0	6.3	3.9	8.6	11.6	10.9	10.8	10.4	8.7	7.3	8.0	4.3	4.3	6.7	7.0	3.5	5.5	3.5	11.6	7.8
26	6.8	6.0	8.1	8.1	8.8	8.4	6.9	7.0	9.7	10.7	8.9	8.6	11.7	-940	-940	-940	15.3	7.4	9.6	8.6	8.4	8.5	12.6	13.0	6.0	15.3	9.2
27	10.2	11.4	11.1	13.4	11.2	10.0	11.3	11.2	10.1	18.1	8.4	9.2	11.1	9.8	14.9	14.4	12.8	9.8	14.8	12.4	8.9	9.0	10.8	12.0	8.4	18.1	11.5
28	12.6	9.7	12.4	10.4	6.0	7.8	11.8	7.3	7.4	7.7	7.5	6.6	11.2	10.1	9.1	9.2	6.8	5.2	5.9	5.5	7.6	10.6	9.0	9.9	5.2	12.6	8.6
Min	5.1	3.7	3.9	2.9	2.9	3.4	3.2	2.9	3.4	3.1	3.0	4.0	4.0	5.8	6.6	3.9	4.9	3.0	2.8	3.7	4.5	4.7	3.5	5.5	2.8		
Max	20.4	17.1	20.8	16.8	21.4	19.7	23.7	21.9	20.7	21.9	22.3	18.6	22.3	31.7	33.4	21.8	18.6	18.5	16.3	15.7	19.1	22.5	21.8	19.4	33.4		
Avg	9.5	9.0	9.3	9.0	9.0	9.0	8.5	8.0	8.9	9.9	10.0	10.1	10.9	12.0	12.5	11.4	9.9	8.2	8.0	7.9	9.0	9.1	9.0	9.4		9.5	

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4