

College of the Desert Meteorological Data

February 2014

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 8

Site: College of the Desert (data subject to change)
Month: February
Year: 2014
Time Zone: PST
Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:50:18
Output File Name: CODB0214.8

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	7.0	6.1	6.5	6.1	8.0	8.5	8.1	8.2	8.3	9.5	11.1	10.6	9.7	7.8	8.0	8.3	11.6	9.1	10.0	9.1	7.0	6.1	7.0	6.8	6.1	11.6	8.3
2	6.0	8.4	5.4	5.8	9.0	8.3	6.5	4.2	5.0	4.5	4.4	6.8	7.5	8.6	9.6	8.3	5.9	4.7	2.5	5.0	2.8	5.2	3.7	3.3	2.5	9.6	5.9
3	3.0	3.4	3.2	2.2	2.7	2.9	1.9	3.2	5.3	5.5	5.8	5.6	5.5	4.6	2.7	3.6	5.9	5.4	3.5	4.3	6.0	5.8	9.2	9.0	1.9	9.2	4.6
4	8.8	5.5	4.1	2.7	2.7	3.4	1.2	2.3	1.1	4.4	3.8	3.8	3.8	4.9	3.8	5.0	4.1	3.7	2.8	3.3	4.5	4.6	5.6	5.1	1.1	8.8	4.0
5	3.6	4.4	3.6	6.2	7.0	7.4	8.1	9.8	9.2	9.6	7.4	4.6	3.6	3.6	3.2	7.4	6.2	4.6	4.8	1.9	3.9	2.5	3.3	5.0	1.9	9.8	5.4
6	2.5	2.7	3.9	5.5	4.1	3.0	2.6	4.0	5.4	6.6	7.3	5.3	3.7	2.3	5.2	9.0	12.3	12.5	9.5	8.9	10.8	12.8	5.9	2.5	2.3	12.8	6.2
7	2.8	2.7	2.2	2.2	3.5	3.0	3.9	1.9	2.3	1.9	3.5	3.9	2.5	5.5	5.1	5.0	4.8	3.9	2.7	3.4	5.8	6.7	6.8	3.2	1.9	6.8	3.7
8	3.6	3.9	2.0	3.4	7.7	3.6	4.1	4.1	4.3	5.9	4.6	7.1	3.1	4.7	6.5	6.6	4.5	3.5	3.0	2.2	2.2	2.5	3.2	3.0	2.0	7.7	4.1
9	6.3	4.0	3.6	3.2	2.3	1.5	1.0	1.7	2.3	1.3	2.9	3.3	2.4	3.9	5.7	5.9	5.4	3.5	3.8	4.2	4.7	4.1	6.5	4.3	1.0	6.5	3.6
10	3.5	5.8	6.0	4.1	4.5	2.0	4.0	3.3	2.8	2.3	5.7	5.0	10.6	10.7	9.4	10.7	10.1	7.0	8.1	8.1	7.1	9.3	9.6	10.3	2.0	10.7	6.7
11	7.7	7.3	9.1	8.9	7.5	7.5	8.0	8.0	7.8	6.6	3.9	2.8	3.4	2.9	5.3	6.9	5.7	4.7	3.4	5.8	5.5	2.9	3.7	3.3	2.8	9.1	5.8
12	6.9	3.2	5.5	7.5	6.8	3.1	3.0	3.8	6.1	4.8	4.0	1.8	3.6	4.5	4.2	5.6	5.0	2.2	1.6	4.4	6.1	3.1	3.3	5.2	1.6	7.5	4.4
13	4.9	6.4	3.9	3.0	1.8	3.0	2.1	2.0	1.5	1.4	3.2	3.6	5.6	5.9	6.4	5.7	5.4	3.5	3.1	4.4	2.6	1.4	2.3	4.2	1.4	6.4	3.6
14	3.4	2.6	1.9	2.2	6.0	4.1	2.3	2.5	4.8	4.9	3.3	4.3	6.0	4.9	4.3	4.5	4.4	3.6	2.6	2.3	2.9	3.1	6.0	5.4	1.9	6.0	3.9
15	5.7	3.7	5.6	1.7	2.7	1.5	2.4	2.1	1.7	2.1	1.9	5.3	5.1	4.6	4.3	4.0	3.6	2.6	3.1	2.8	3.3	2.6	2.4	2.6	1.5	5.7	3.2
16	2.2	2.5	2.2	4.3	2.3	2.6	3.9	1.9	2.6	2.4	3.2	3.5	1.7	3.1	2.4	2.2	4.4	2.9	2.2	4.2	3.6	3.5	2.1	1.5	1.5	4.4	2.8
17	3.7	8.4	6.3	6.7	7.8	4.1	3.6	2.7	3.5	2.1	4.0	7.1	5.0	6.2	5.6	5.7	4.4	1.9	5.2	7.9	7.3	6.1	6.5	3.3	1.9	8.4	5.2
18	4.5	6.9	7.1	5.6	7.3	6.8	8.2	5.0	2.9	7.2	5.7	2.6	2.6	3.3	3.4	3.0	3.0	3.9	4.1	3.1	3.5	5.4	4.3	7.4	2.6	8.2	4.9
19	5.5	5.0	7.4	5.7	8.6	5.5	2.7	2.9	3.5	5.1	4.2	4.7	4.1	3.2	5.3	6.4	4.9	3.5	4.2	4.8	6.2	5.4	7.9	6.3	2.7	8.6	5.1
20	7.5	7.3	5.7	6.8	6.8	4.4	4.8	6.0	9.3	9.3	5.9	6.9	7.2	7.4	6.0	6.6	5.4	4.7	5.5	4.1	3.7	2.2	2.6	2.8	2.2	9.3	5.8
21	4.1	6.0	7.9	7.3	3.8	3.5	1.6	1.2	0.9	2.1	1.3	2.0	3.9	5.1	4.5	4.8	4.9	3.7	1.9	3.3	5.6	4.0	3.6	5.5	0.9	7.9	3.9
22	6.1	5.1	5.6	2.7	1.9	1.5	2.1	1.1	2.1	4.0	2.9	3.2	5.6	6.1	7.1	6.9	5.0	3.7	3.4	3.8	3.5	4.8	4.8	6.8	1.1	7.1	4.2
23	6.8	7.3	7.5	6.6	1.3	1.6	2.1	0.9	1.7	2.1	3.9	6.4	6.1	6.9	7.9	6.3	5.8	4.4	1.0	2.6	4.8	4.0	3.5	8.8	0.9	8.8	4.6
24	8.7	8.2	8.1	8.5	2.7	5.1	2.6	3.1	1.3	2.3	1.9	3.0	4.0	5.2	6.2	5.3	4.9	3.3	1.5	3.4	3.8	2.7	3.8	5.1	1.3	8.7	4.4
25	7.5	7.7	8.0	7.5	6.3	2.7	3.0	2.3	2.9	-940	-940	-940	-940	8.1	6.2	6.8	5.7	4.7	1.1	2.7	4.4	6.3	6.2	5.7	1.1	8.1	5.3
26	6.5	7.4	7.0	5.1	1.8	2.5	3.5	2.7	3.0	2.6	3.6	2.8	3.6	3.9	2.8	6.1	8.8	11.0	13.6	12.8	9.1	10.9	8.8	4.0	1.8	13.6	6.0
27	5.9	2.6	5.1	4.4	2.0	2.4	3.5	3.2	3.3	2.0	3.0	6.5	6.3	5.7	4.8	8.7	5.9	3.4	6.4	6.8	7.6	8.3	6.2	4.6	2.0	8.7	4.9
28	2.8	3.8	3.5	4.5	5.3	7.1	10.3	7.0	6.2	7.3	10.1	15.9	16.6	16.1	12.8	10.8	26.4	15.3	8.6	9.1	4.6	5.1	5.8	6.2	2.8	26.4	9.2
Min	2.2	2.5	1.9	1.7	1.3	1.5	1.0	0.9	0.9	1.3	1.3	1.8	1.7	2.3	2.4	2.2	3.0	1.9	1.0	1.9	2.2	1.4	2.1	1.5	0.9		
Max	8.8	8.4	9.1	8.9	9.0	8.5	10.3	9.8	9.3	9.6	11.1	15.9	16.6	16.1	12.8	10.8	26.4	15.3	13.6	12.8	10.8	12.8	9.6	10.3	26.4		
Avg	5.3	5.3	5.3	5.0	4.8	4.0	4.0	3.6	4.0	4.4	4.5	5.1	5.3	5.7	5.7	6.3	6.6	5.0	4.4	4.9	5.1	5.0	5.2	5.0			5.0

Total Data Records Possible: 672
Total Valid Data Records: 668
Percent Data Recovery: 99.4

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 9

Site: College of the Desert (data subject to change)
 Validation Level: B
 Month: February
 Printout Date: 03-13-2014
 Year: 2014
 Printout Time: 12:50:19
 Time Zone: PST
 Output File Name: CODB0214.9

Day	Hour Ending																								Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	338	353	355	353	9	345	359	4	337	320	310	320	297	308	325	325	358	6	3	320	332	3	351	351	[N]
2	334	21	336	323	344	330	316	333	302	309	113	148	144	138	135	143	150	150	186	354	310	337	315	14	[NNW]
3	46	299	316	9	41	333	350	346	310	324	330	330	338	312	269	272	213	139	112	94	309	349	342	341	[NNW]
4	343	278	267	97	117	109	77	320	188	158	163	119	163	194	137	142	142	131	111	113	101	82	302	321	[ESE]
5	316	0	340	1	357	354	356	356	338	333	315	325	328	323	241	144	137	115	109	125	320	336	19	340	[NNW]
6	321	287	11	326	304	70	163	104	134	137	142	153	132	279	196	302	341	339	339	332	346	357	300	259	[NNW]
7	51	101	156	166	115	290	319	267	16	189	158	129	139	157	157	134	122	105	70	318	347	320	303	248	[SSE]
8	285	268	240	301	336	331	333	286	298	320	221	156	147	149	161	144	164	170	101	40	39	353	309	334	[SSE]
9	358	291	20	140	10	31	14	232	264	154	178	174	209	135	155	152	138	208	16	318	346	329	338	325	[NNE]
10	336	356	332	341	335	21	119	110	144	210	351	319	340	325	289	293	296	326	356	350	342	345	7	355	[NNW]
11	340	319	353	6	345	352	0	334	344	298	330	233	262	254	167	151	127	103	1	2	21	314	16	342	[NNW]
12	348	227	1	350	324	316	320	322	340	287	337	338	151	143	168	145	143	150	149	348	343	300	328	329	[NNW]
13	323	322	325	315	343	6	327	292	64	256	166	168	168	167	142	153	183	119	79	29	330	305	334	350	[NW]
14	314	357	341	315	351	321	337	346	347	313	296	184	169	171	164	152	146	134	120	334	341	328	328	322	[NNW]
15	325	314	319	356	338	12	13	346	270	126	201	160	161	150	142	140	148	152	336	14	341	327	325	2	[NNW]
16	315	344	355	46	303	340	337	60	295	36	185	125	54	334	319	141	127	139	162	62	316	345	308	338	[NNW]
17	346	338	323	332	327	127	141	309	87	311	144	170	173	150	158	154	145	65	359	346	330	344	343	274	[NNW]
18	325	329	337	340	330	323	333	301	312	326	338	293	295	139	142	137	161	132	82	169	56	339	347	347	[NNW]
19	302	333	331	301	353	344	295	327	150	163	142	161	163	161	172	138	146	139	44	329	1	310	358	326	[NNW]
20	5	350	328	356	341	313	21	4	2	38	110	161	173	170	153	166	158	94	78	58	314	346	317	17	[N]
21	330	319	329	333	318	326	329	176	116	212	238	335	178	139	154	142	135	122	195	308	8	359	298	333	[NNW]
22	343	328	326	298	40	295	6	330	208	158	145	124	143	151	144	156	143	155	198	38	43	6	318	352	[SE]
23	339	335	327	323	24	140	80	202	191	241	171	159	167	154	152	146	124	100	242	18	359	349	339	339	[NNW]
24	342	339	339	348	96	123	291	26	275	189	214	151	180	155	135	149	140	171	169	71	39	357	334	332	[NNW]
25	342	339	343	342	347	260	103	192	252	-940	-940	-940	-940	138	134	128	113	109	197	360	336	341	327	333	[NNW]
26	330	328	324	320	122	340	345	300	336	275	281	262	245	308	318	311	322	319	331	328	325	327	317	287	[NW]
27	312	120	92	113	181	317	358	295	259	4	54	244	136	321	77	124	124	138	344	322	316	326	347	332	[NW]
28	196	135	122	160	136	121	118	78	49	121	128	121	114	121	257	96	163	180	20	313	355	65	64	106	[ESE]

Prev [NNW] [NNW] [NNW] [N] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NW] [SE] [SSE] [SSE] [SSE] [SSE] [SE] [SE] [SE] [SE] [ESE] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW]

Total Data Records Possible: 672
 Total Valid Data Records: 668
 Percent Data Recovery: 99.4

Missing Data Codes

-910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 9

Site: College of the Desert (data subject to change)
Validation Level: B
Month: February
Printout Date: 03-13-2014
Year: 2014
Printout Time: 12:50:19
Time Zone: PST
Output File Name: CODB0214.9t

Day	1	2	3	4	5	6	7	8	9	10	11	Hour Ending	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[NNW]	[N]	[N]	[N]	[N]	[NNW]	[N]	[N]	[NNW]	[NW]	[NW]	[NW]	[W]	[NW]	[NW]	[NW]	[NW]	[N]	[N]	[N]	[NW]	[NNW]	[N]	[N]	[N]	[N]
2	[NNW]	[NNE]	[NNW]	[NW]	[NNW]	[NNW]	[NW]	[NNW]	[W]	[NW]	[E]	[SSE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SSE]	[SSE]	[S]	[N]	[NW]	[NNW]	[NW]	[NNE]	[NNW]
3	[NE]	[WNW]	[NW]	[N]	[NE]	[NNW]	[N]	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[W]	[W]	[SSW]	[SE]	[E]	[E]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
4	[NNW]	[W]	[W]	[E]	[ESE]	[ESE]	[ENE]	[NW]	[S]	[SSE]	[SSE]	[ESE]	[SSE]	[SSW]	[SE]	[SE]	[SE]	[SE]	[ESE]	[ESE]	[E]	[E]	[W]	[NW]	[NW]	[ESE]
5	[NW]	[N]	[NNW]	[N]	[N]	[N]	[N]	[N]	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[NW]	[WSW]	[SE]	[SE]	[ESE]	[ESE]	[SE]	[NW]	[NNW]	[NNE]	[NNW]	[NNW]	[NNW]
6	[NW]	[WNW]	[N]	[NW]	[NW]	[ENE]	[SSE]	[ESE]	[SE]	[SE]	[SE]	[SSE]	[SE]	[W]	[SSW]	[WNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[W]	[NW]	[W]
7	[NE]	[ESE]	[SSE]	[SSE]	[ESE]	[WNW]	[NW]	[W]	[NNE]	[S]	[SSE]	[SE]	[SE]	[SSE]	[SSE]	[SE]	[ESE]	[ESE]	[ENE]	[NW]	[NNW]	[NW]	[W]	[W]	[W]	[SSE]
8	[WNW]	[W]	[WSW]	[WNW]	[NNW]	[NNW]	[NNW]	[WNW]	[WNW]	[NW]	[SW]	[SSE]	[SSE]	[SSE]	[SSE]	[SE]	[SSE]	[S]	[ESE]	[NE]	[NE]	[N]	[NW]	[NNW]	[SSE]	[SSE]
9	[N]	[WNW]	[NNE]	[SE]	[N]	[NNE]	[NNE]	[SW]	[W]	[SSE]	[S]	[S]	[SSW]	[SE]	[SSE]	[SSE]	[SE]	[SSW]	[NNE]	[NW]	[NNW]	[NNW]	[NNW]	[NW]	[NNE]	[NNE]
10	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NNE]	[ESE]	[ESE]	[SE]	[SSW]	[N]	[NW]	[NNW]	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[N]	[N]	[NNW]	[NNW]	[N]	[N]	[NNW]	[NNW]
11	[NNW]	[NW]	[N]	[N]	[NNW]	[N]	[N]	[NNW]	[NNW]	[WNW]	[NNW]	[SW]	[W]	[WSW]	[SSE]	[SSE]	[SE]	[ESE]	[N]	[N]	[NNE]	[NW]	[NNE]	[NNW]	[NNW]	[NNW]
12	[NNW]	[SW]	[N]	[N]	[NW]	[NW]	[NW]	[NW]	[NNW]	[WNW]	[NNW]	[NNW]	[SSE]	[SE]	[SSE]	[SE]	[SE]	[SSE]	[SSE]	[NNW]	[NNW]	[WNW]	[NNW]	[NNW]	[NNW]	[NNW]
13	[NW]	[NW]	[NW]	[NW]	[NNW]	[N]	[NNW]	[WNW]	[ENE]	[WSW]	[SSE]	[SSE]	[SSE]	[SSE]	[SE]	[SSE]	[S]	[ESE]	[E]	[NNE]	[NNW]	[NW]	[NNW]	[N]	[NW]	[NW]
14	[NW]	[N]	[NNW]	[NW]	[N]	[NW]	[NNW]	[NNW]	[NNW]	[NW]	[WNW]	[S]	[S]	[S]	[SSE]	[SSE]	[SE]	[SE]	[ESE]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NNW]
15	[NW]	[NW]	[NW]	[N]	[NNW]	[NNE]	[NNE]	[NNW]	[W]	[SE]	[SSW]	[SSE]	[SSE]	[SSE]	[SE]	[SE]	[SSE]	[SSE]	[NNW]	[NNE]	[NNW]	[NNW]	[NW]	[N]	[NNW]	[NNW]
16	[NW]	[NNW]	[N]	[NE]	[WNW]	[NNW]	[NNW]	[ENE]	[WNW]	[NE]	[S]	[SE]	[NE]	[NNW]	[NW]	[SE]	[SE]	[SE]	[SE]	[SSE]	[ENE]	[NW]	[NNW]	[NW]	[NNW]	[NNW]
17	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[SE]	[SE]	[NW]	[E]	[NW]	[SE]	[S]	[S]	[SSE]	[SSE]	[SSE]	[SE]	[ENE]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[W]	[NNW]	[NNW]
18	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[WNW]	[NW]	[NW]	[NNW]	[WNW]	[WNW]	[SE]	[SE]	[SE]	[SSE]	[SE]	[E]	[S]	[ENE]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
19	[WNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[WNW]	[NNW]	[SSE]	[SSE]	[SE]	[SSE]	[SSE]	[S]	[SE]	[SE]	[SE]	[SE]	[NE]	[NNW]	[N]	[NW]	[N]	[NNW]	[NNW]	[NNW]
20	[N]	[N]	[NNW]	[N]	[NNW]	[NW]	[NNE]	[N]	[N]	[NE]	[ESE]	[SSE]	[S]	[S]	[SSE]	[SSE]	[SSE]	[E]	[ENE]	[ENE]	[NW]	[NNW]	[NW]	[NNE]	[N]	[NNW]
21	[NNW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[S]	[ESE]	[SSW]	[WSW]	[NNW]	[S]	[SE]	[SSE]	[SE]	[SE]	[ESE]	[SSW]	[NW]	[N]	[N]	[W]	[NW]	[NNW]	[NNW]
22	[NNW]	[NNW]	[NW]	[WNW]	[NE]	[WNW]	[N]	[NNW]	[SSW]	[SSE]	[SE]	[SE]	[SE]	[SSE]	[SE]	[SSE]	[SE]	[SSE]	[SSW]	[NE]	[NE]	[N]	[NW]	[N]	[SE]	[SE]
23	[NNW]	[NNW]	[NNW]	[NW]	[NNE]	[SE]	[E]	[SSW]	[S]	[WSW]	[S]	[SSE]	[SSE]	[SSE]	[SSE]	[SE]	[SE]	[E]	[WSW]	[NNE]	[N]	[N]	[NNW]	[NNW]	[NNW]	[NNW]
24	[NNW]	[NNW]	[NNW]	[NNW]	[E]	[ESE]	[WNW]	[NNE]	[W]	[S]	[SW]	[SSE]	[S]	[SSE]	[SE]	[SSE]	[SE]	[S]	[SSE]	[ENE]	[NE]	[N]	[NNW]	[NNW]	[NNW]	[NNW]
25	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[W]	[ESE]	[SSW]	[WSW]	-940	-940	-940	-940	[SE]	[SE]	[SE]	[SE]	[ESE]	[ESE]	[SSW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
26	[NNW]	[NNW]	[NW]	[NW]	[ESE]	[NNW]	[NNW]	[WNW]	[NNW]	[W]	[W]	[W]	[WSW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NNW]	[NW]	[W]	[NW]	[NW]
27	[NW]	[ESE]	[E]	[ESE]	[S]	[NW]	[N]	[NNW]	[WSW]	[N]	[NE]	[W]	[WSW]	[SE]	[NW]	[ENE]	[SE]	[SE]	[SE]	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]
28	[SSW]	[SE]	[ESE]	[SSE]	[SE]	[ESE]	[ESE]	[ENE]	[NE]	[ESE]	[SE]	[ESE]	[ESE]	[ESE]	[ESE]	[WSW]	[E]	[SSE]	[S]	[NNE]	[NW]	[N]	[ENE]	[ENE]	[ESE]	[ESE]
Prev	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[SE]	[SE]	[SE]	[ESE]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]

Total Data Records Possible: 672
Total Valid Data Records: 668
Percent Data Recovery: 99.4

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Sigma Theta (Yamartino)
 Units: degrees
 Channel: 10

Site: College of the Desert (data subject to change)
 Validation Level: B
 Month: February
 Printout Date: 03-13-2014
 Year: 2014
 Printout Time: 12:50:21
 Time Zone: PST
 Output File Name: CODB0214.10

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	19.0	23.9	14.2	17.3	15.9	17.1	13.4	12.9	16.4	14.3	15.6	30.4	25.6	42.5	30.2	19.4	18.4	19.1	27.6	14.1	12.7	21.3	12.5	12.3	12.3	42.5	19.4
2	14.9	7.5	55.3	33.4	16.7	14.0	19.4	32.3	27.6	32.8	43.5	21.9	16.5	17.4	13.8	13.9	12.4	14.9	41.3	17.8	70.1	27.7	47.3	46.2	7.5	70.1	27.4
3	44.6	83.4	36.1	44.0	35.9	47.1	40.6	22.7	21.0	17.5	20.8	25.2	31.1	42.5	57.0	41.6	31.1	30.2	20.2	20.6	44.7	17.5	7.3	6.6	6.6	83.4	32.9
4	9.3	56.8	49.3	52.1	29.9	45.2	88.7	75.1	71.1	20.5	49.0	47.8	45.7	46.4	42.6	23.0	14.6	8.8	8.4	15.9	19.0	4.4	50.7	12.2	4.4	88.7	36.9
5	48.7	8.6	22.8	9.6	10.3	8.9	10.9	12.4	8.7	10.6	20.3	37.7	69.8	61.1	57.5	14.1	12.0	9.8	11.3	39.3	20.5	11.1	44.5	14.1	8.6	69.8	23.9
6	20.7	40.2	31.4	29.3	61.6	53.4	81.9	40.6	11.3	14.9	19.7	23.7	53.8	77.2	49.8	27.4	10.3	9.2	10.8	9.3	11.0	13.8	34.9	64.6	9.2	81.9	33.4
7	69.4	64.5	56.6	49.8	28.8	68.4	30.6	84.0	41.0	44.7	34.0	45.6	75.5	29.4	24.0	15.2	16.3	21.6	63.7	39.5	42.3	19.5	9.6	41.2	9.6	84.0	42.3
8	15.0	13.8	66.7	63.8	21.8	45.5	18.0	29.6	60.8	28.8	77.2	17.4	60.5	33.8	16.0	14.8	13.8	26.0	37.8	22.7	39.9	53.8	40.6	56.8	13.8	77.2	36.5
9	18.7	38.7	49.8	75.7	79.3	57.2	91.3	52.5	43.0	77.5	43.8	36.1	102.8	41.4	23.8	15.5	14.0	47.3	82.8	31.6	26.2	16.0	15.2	22.1	14.0	102.8	45.9
10	27.4	24.4	39.0	31.0	20.2	89.7	58.5	14.8	36.8	65.3	61.9	30.7	18.2	24.9	14.6	11.2	9.9	21.1	11.0	18.1	15.9	14.6	13.2	12.4	9.9	89.7	28.5
11	41.8	31.0	12.0	11.5	26.2	17.1	8.1	12.9	21.5	12.6	33.1	64.3	43.6	101.1	41.2	13.9	10.9	9.9	94.2	14.3	10.6	65.0	35.4	25.5	8.1	101.1	31.6
12	16.6	48.0	11.9	9.0	29.6	57.8	55.3	19.3	13.1	25.0	34.0	61.1	50.6	37.4	27.2	17.4	12.9	34.6	51.0	14.6	12.0	24.3	43.9	11.9	9.0	61.1	29.9
13	16.6	11.7	34.8	49.6	53.7	57.7	62.5	43.7	52.3	82.0	29.1	26.4	18.5	16.6	16.3	16.0	11.7	32.3	22.7	16.6	40.7	88.3	41.8	29.9	11.7	88.3	36.3
14	32.1	65.0	67.0	29.3	13.5	45.9	32.5	71.6	18.4	15.3	37.0	66.3	16.2	20.3	24.0	17.5	12.6	32.5	54.5	69.0	19.4	29.3	7.3	9.5	7.3	71.6	33.6
15	6.7	13.4	28.8	84.8	29.5	82.3	52.0	89.5	51.0	39.0	49.3	22.8	17.0	21.2	16.8	12.7	12.0	33.0	68.4	56.0	48.4	43.3	39.3	34.4	6.7	89.5	39.7
16	52.3	49.3	41.8	49.3	66.6	40.5	31.4	87.6	52.3	74.6	29.0	40.9	74.4	38.2	35.5	67.1	23.6	38.0	82.5	35.6	30.7	36.2	42.5	51.6	23.6	87.6	48.8
17	43.1	6.5	15.2	12.2	53.1	36.0	82.0	23.7	71.5	57.2	44.0	24.6	41.4	20.3	21.2	16.2	15.6	66.0	28.2	8.0	17.8	31.5	26.0	47.7	6.5	82.0	33.7
18	29.6	18.0	5.6	19.3	27.6	21.3	14.4	38.1	40.3	11.4	17.5	52.7	41.4	61.4	22.0	17.9	12.9	29.4	10.1	101.7	16.1	28.6	31.6	17.7	5.6	101.7	28.6
19	40.5	31.3	23.9	23.2	11.8	15.7	67.8	91.9	31.8	13.3	23.8	26.1	42.2	52.0	45.6	13.5	12.1	23.9	35.9	45.7	22.8	39.2	28.3	12.0	11.8	91.9	32.3
20	35.5	16.4	23.8	28.0	30.6	42.8	32.4	21.2	16.0	10.9	73.2	20.3	22.8	21.5	23.8	16.5	17.1	11.3	10.8	14.6	75.1	60.6	27.2	33.8	10.8	75.1	28.6
21	15.2	8.7	5.4	8.6	22.7	59.9	67.2	70.1	42.4	57.8	68.4	55.5	77.1	29.1	26.1	19.3	11.5	9.4	54.3	68.7	8.5	32.3	18.7	9.6	5.4	77.1	35.3
22	16.1	14.8	20.9	55.0	79.3	60.4	72.6	64.8	20.3	20.3	46.3	51.7	19.2	17.7	15.8	15.0	12.1	14.7	33.0	21.9	11.3	10.8	18.2	14.1	10.8	79.3	30.3
23	23.6	6.1	6.5	10.0	82.6	55.4	60.3	49.2	23.0	53.8	26.4	19.4	19.7	18.4	15.5	15.1	11.9	37.8	27.0	26.9	8.5	18.3	14.7	7.0	6.1	82.6	26.5
24	11.6	6.4	5.5	8.0	52.4	15.2	77.7	29.6	46.0	37.1	64.9	40.7	36.5	25.1	18.3	21.0	13.8	31.9	58.1	8.1	18.7	33.0	25.1	13.7	5.5	77.7	29.1
25	3.3	5.7	13.6	19.9	14.9	97.3	41.1	58.4	52.8	-940	-940	-940	-940	17.1	22.2	14.9	13.9	11.1	80.7	36.0	21.7	9.3	14.5	15.3	3.3	97.3	28.2
26	13.4	15.4	23.6	65.2	80.3	77.2	34.7	30.4	24.3	71.8	37.2	49.8	72.9	50.3	70.8	61.0	11.1	9.5	7.7	7.5	8.0	8.8	18.2	40.2	7.5	80.3	37.1
27	23.1	72.1	17.8	50.9	70.2	86.0	31.9	45.5	39.5	68.8	80.8	50.4	78.8	44.4	82.7	21.4	13.2	80.3	22.8	16.4	8.4	9.9	37.3	56.3	8.4	86.0	46.2
28	78.4	65.3	34.8	21.2	17.2	14.6	14.4	15.4	44.3	14.8	13.0	11.6	11.9	13.6	94.5	83.8	12.0	38.1	79.9	21.2	69.4	84.0	58.0	26.4	11.6	94.5	39.1
Min	3.3	5.7	5.4	8.0	10.3	8.9	8.1	12.4	8.7	10.6	13.0	11.6	11.9	13.6	13.8	11.2	9.9	8.8	7.7	7.5	8.0	4.4	7.3	6.6	3.3		
Max	78.4	83.4	67.0	84.8	82.6	97.3	91.3	91.9	71.5	82.0	80.8	66.3	102.8	101.1	94.5	83.8	31.1	80.3	94.2	101.7	75.1	88.3	58.0	64.6	102.8		
Avg	28.1	30.3	29.1	34.3	38.7	47.5	46.1	44.3	35.7	36.8	40.5	37.1	43.8	36.5	33.9	23.4	14.1	26.8	40.6	29.0	26.8	30.4	28.7	26.6			33.7

Total Data Records Possible: 672
 Total Valid Data Records: 668
 Percent Data Recovery: 99.4

Missing Data Codes

 -910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Running 3-Second Gust
Units: mph
Channel: 15

Site: College of the Desert (data subject to change)
Validation Level: B
Month: February
Printout Date: 03-13-2014
Year: 2014
Printout Time: 12:50:27
Time Zone: PST
Output File Name: CODB0214.15

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	15.0	10.5	10.7	12.1	14.3	13.9	12.6	12.0	12.8	18.8	22.7	24.0	21.1	17.4	15.5	16.2	22.9	16.4	16.0	14.2	11.3	8.3	9.6	10.2	8.3	24.0	14.9
2	8.7	10.2	9.0	13.5	13.1	11.5	8.2	9.9	8.0	7.3	11.5	11.6	13.1	14.5	16.2	16.1	11.9	7.2	5.4	7.8	6.4	9.6	7.6	9.1	5.4	16.2	10.3
3	7.3	8.3	6.6	5.0	4.3	6.3	5.0	5.1	8.3	9.6	13.7	11.8	11.6	11.6	7.1	8.7	12.4	8.8	6.6	6.9	9.7	7.5	12.9	13.5	4.3	13.7	8.7
4	14.5	10.7	7.7	5.7	5.1	6.5	4.6	6.4	3.4	8.0	8.7	9.1	11.1	10.8	8.3	9.9	7.2	7.3	4.4	5.0	6.4	5.8	9.2	9.6	3.4	14.5	7.7
5	6.0	6.3	5.6	9.9	9.6	10.1	10.3	14.3	13.9	13.9	13.5	10.6	9.6	7.8	8.3	13.2	10.5	7.2	6.2	5.4	8.3	6.3	5.8	6.9	5.4	14.3	9.1
6	5.4	5.6	7.1	7.1	7.6	6.7	5.3	6.5	10.1	11.8	12.9	10.3	8.9	7.5	11.3	18.4	20.0	20.5	14.3	15.7	16.3	20.2	17.5	5.6	5.3	20.5	11.3
7	5.7	7.3	7.7	6.7	6.0	7.2	7.2	3.7	5.6	5.8	9.1	9.1	6.8	10.8	10.3	9.3	8.8	6.2	6.8	8.0	9.9	14.3	14.3	6.7	3.7	14.3	8.1
8	6.7	6.9	5.2	11.8	13.7	8.3	7.0	7.9	14.8	10.0	13.1	12.5	7.6	9.4	13.4	10.9	8.7	6.4	5.0	6.7	6.2	7.6	5.0	5.0	5.0	14.8	8.7
9	9.4	7.2	7.5	7.4	5.6	4.2	2.8	5.5	4.4	4.9	8.0	7.5	6.4	8.2	10.1	11.3	9.6	7.5	6.9	6.5	6.7	5.9	9.5	6.8	2.8	11.3	7.1
10	5.6	8.8	10.7	13.8	7.2	5.5	8.3	6.1	6.8	5.6	15.4	11.4	18.6	17.4	17.5	17.0	17.4	12.6	13.2	12.4	12.9	13.6	13.4	14.8	5.5	18.6	11.9
11	11.8	10.9	12.2	11.6	11.0	11.5	11.4	12.1	11.8	9.9	8.1	9.9	9.8	8.0	12.6	11.8	10.9	7.0	7.0	7.2	6.9	8.7	6.3	6.0	6.0	12.6	9.8
12	9.3	6.4	8.3	10.2	9.9	8.0	6.5	7.2	11.1	9.2	8.3	6.0	9.1	8.9	10.1	12.4	8.3	5.3	3.2	7.3	7.5	7.4	5.6	8.8	3.2	12.4	8.1
13	7.3	9.4	10.3	5.7	5.0	5.8	5.6	6.9	3.9	5.1	6.5	7.8	9.5	9.9	11.4	10.3	8.9	5.0	4.3	7.4	4.0	3.9	4.6	6.9	3.9	11.4	6.9
14	9.4	5.0	3.9	5.2	9.6	7.2	6.1	6.9	7.6	9.5	5.9	10.7	11.1	9.6	8.2	8.0	8.0	5.4	5.0	4.9	5.6	4.8	9.0	8.3	3.9	11.1	7.3
15	8.6	6.7	9.8	4.3	5.2	4.5	4.5	4.2	4.4	4.5	5.4	11.3	9.2	9.6	7.8	7.0	6.7	6.0	6.0	6.4	6.5	5.6	7.4	4.6	4.2	11.3	6.5
16	4.9	6.0	5.2	7.9	6.7	6.8	8.8	4.6	6.5	5.4	6.7	6.5	6.0	7.3	6.0	6.1	7.2	6.1	7.7	9.0	8.6	6.3	5.0	3.9	3.9	9.0	6.5
17	8.8	10.5	9.4	12.2	11.0	7.2	6.9	5.5	6.1	4.9	11.3	14.3	11.8	12.2	10.4	10.7	8.1	5.3	8.7	12.1	11.4	10.0	9.8	6.8	4.9	14.3	9.4
18	6.8	10.7	10.4	10.3	11.9	9.6	10.6	7.3	5.6	11.6	9.9	6.9	7.3	8.8	6.5	5.8	4.6	6.6	5.8	5.7	4.6	7.6	7.4	9.6	4.6	11.9	8.0
19	9.1	8.4	11.8	9.2	11.4	8.6	7.3	6.3	8.3	9.2	7.7	9.6	9.7	8.4	10.7	9.9	9.9	8.6	8.0	8.6	8.6	7.6	12.1	8.1	6.3	12.1	9.0
20	14.9	12.4	8.9	10.2	11.7	10.1	12.4	16.4	18.6	16.4	14.8	15.1	13.1	12.8	14.1	11.6	10.9	6.4	6.9	6.1	6.7	5.3	7.8	7.7	5.3	18.6	11.3
21	6.7	9.0	10.2	10.4	7.5	8.8	5.3	3.1	2.3	5.7	3.9	5.3	10.8	10.0	9.5	9.1	8.3	5.8	4.0	7.1	7.2	7.3	5.8	8.3	2.3	10.8	7.1
22	9.9	9.5	8.3	5.8	4.8	3.7	3.9	3.0	6.4	7.0	8.6	9.3	9.8	9.8	12.4	11.3	9.4	7.2	5.3	6.1	6.5	6.2	8.0	9.8	3.0	12.4	7.6
23	9.4	11.5	11.8	10.0	3.9	3.8	4.1	2.8	5.1	4.9	9.4	11.3	11.3	12.6	13.4	11.8	9.4	6.6	2.4	4.1	6.4	5.9	6.8	11.7	2.4	13.4	7.9
24	11.7	9.7	11.1	11.6	7.8	10.2	4.9	6.7	3.5	7.1	5.2	7.8	8.6	11.0	10.1	9.6	8.0	5.6	4.1	5.0	5.6	5.3	6.2	8.7	3.5	11.7	7.7
25	9.1	10.2	10.9	11.8	10.8	6.4	6.1	5.0	6.4	-940	-940	-940	-940	14.9	11.5	13.2	10.2	8.2	5.0	5.2	8.2	8.6	8.1	8.0	5.0	14.9	8.9
26	9.2	11.6	10.2	9.1	5.1	5.2	6.7	6.6	5.3	6.7	9.6	8.1	8.8	9.6	7.8	14.8	14.4	21.7	21.1	19.4	14.6	17.8	19.3	7.6	5.1	21.7	11.3
27	10.2	5.9	8.8	9.3	5.0	7.5	6.5	6.1	7.1	7.2	9.1	15.4	17.7	15.4	13.0	16.4	11.0	7.1	14.3	12.7	11.3	14.1	16.2	7.9	5.0	17.7	10.6
28	6.2	8.8	6.1	7.5	9.9	15.9	21.0	13.1	12.6	13.4	20.0	26.5	28.2	27.8	28.8	34.8	51.9	39.8	22.8	24.8	14.0	11.3	16.2	15.9	6.1	51.9	19.9
Min	4.9	5.0	3.9	4.3	3.9	3.7	2.8	2.8	2.3	4.5	3.9	5.3	6.0	7.3	6.0	5.8	4.6	5.0	2.4	4.1	4.0	3.9	4.6	3.9	2.3		
Max	15.0	12.4	12.2	13.8	14.3	15.9	21.0	16.4	18.6	18.8	22.7	26.5	28.2	27.8	28.8	34.8	51.9	39.8	22.8	24.8	16.3	20.2	19.3	15.9	51.9		
Avg	8.8	8.7	8.8	9.1	8.4	7.9	7.5	7.2	7.9	8.6	10.3	11.1	11.4	11.5	11.5	12.3	12.0	9.4	8.1	8.8	8.5	8.7	9.5	8.4		9.4	

Total Data Records Possible: 672
Total Valid Data Records: 668
Percent Data Recovery: 99.4

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Battery Voltage
Units: volts
Channel: 20

Site: College of the Desert (data subject to change)
Validation Level: B
Month: February
Printout Date: 03-13-2014
Year: 2014
Printout Time: 12:50:34
Time Zone: PST
Output File Name: CODB0214.20

Day	Hour Ending																								Min	Max	Avg	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24				
1	13.4	13.4	13.4	13.4	13.5	13.5	13.5	13.5	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.5	13.3	13.5	13.4	
2	13.5	13.5	13.6	13.6	13.6	13.6	13.6	13.6	13.6	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.5	13.5	13.3	13.6	13.4	
3	13.5	13.5	13.5	13.5	13.5	13.5	13.5	13.5	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.3	13.3	13.4	13.4	13.4	13.4	13.2	13.5	13.4	
4	13.4	13.4	13.5	13.5	13.5	13.5	13.5	13.5	13.6	13.5	13.4	13.3	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.4	13.2	13.6	13.4	
5	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.4	13.3	13.4	13.4	
6	13.5	13.5	13.5	13.5	13.5	13.5	13.5	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.3	13.5	13.4	
7	13.4	13.4	13.5	13.5	13.5	13.5	13.5	13.5	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.3	13.5	13.4	
8	13.4	13.4	13.4	13.5	13.5	13.5	13.5	13.5	13.5	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.3	13.5	13.4	
9	13.4	13.5	13.5	13.5	13.5	13.5	13.5	13.5	13.5	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.3	13.5	13.4	
10	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3	
11	13.3	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.3	13.4	13.3	
12	13.4	13.4	13.4	13.5	13.5	13.5	13.5	13.5	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.3	13.5	13.4	
13	13.4	13.4	13.4	13.4	13.4	13.5	13.5	13.5	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.3	13.5	13.4	
14	13.4	13.4	13.4	13.5	13.5	13.5	13.5	13.5	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3	13.5	13.4	
15	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.5	13.5	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3	13.5	13.3	
16	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.3	13.4	13.4	
17	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3	
18	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3	
19	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.2	13.2	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.2	13.4	13.3	
20	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3	13.4	13.3	
21	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.2	13.4	13.3	
22	13.4	13.4	13.4	13.5	13.5	13.5	13.5	13.5	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.3	13.5	13.4	
23	13.4	13.4	13.4	13.4	13.4	13.5	13.5	13.5	13.5	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.3	13.5	13.4	
24	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.3	13.4	13.3	
25	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	-940	-940	-940	-940	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3
26	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.3	13.3	13.3	13.3	13.3	13.2	13.4	13.3	
27	13.3	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3	
28	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	
Min	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.3	13.2	13.2	13.2	13.3	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.2			
Max	13.5	13.5	13.6	13.6	13.6	13.6	13.6	13.6	13.6	13.6	13.5	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4	13.4	13.5	13.5	13.6		
Avg	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.5	13.5	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.4		13.4	

Total Data Records Possible: 672
Total Valid Data Records: 668
Percent Data Recovery: 99.4

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Ambient Temperature
Units: Deg C
Channel: 16

Site: College of the Desert (data subject to change)
Validation Level: B
Month: February
Printout Date: 03-13-2014
Year: 2014
Printout Time: 12:50:28
Time Zone: PST
Output File Name: CODB0214.16

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	13.4	12.7	12.3	12.3	11.8	11.7	11.1	11.4	13.2	15.4	16.7	17.6	18.0	18.4	18.7	18.6	17.9	16.0	15.2	14.2	13.4	11.4	11.4	11.2	11.1	18.7	14.3
2	10.1	9.2	6.9	4.9	7.1	6.4	5.0	6.3	10.9	12.2	15.0	16.2	16.8	16.9	17.0	17.2	16.1	13.9	12.7	10.5	9.4	8.8	8.0	7.8	4.9	17.2	11.1
3	9.1	9.5	8.3	8.2	8.6	7.8	6.3	6.8	10.4	13.7	15.5	16.8	17.8	18.6	19.1	19.4	18.8	15.7	13.8	13.3	12.3	10.7	12.4	12.6	6.3	19.4	12.7
4	12.4	11.4	10.4	8.8	8.1	7.9	6.6	6.8	10.1	13.9	15.1	16.3	17.2	17.6	18.0	18.0	17.3	15.6	14.2	14.1	14.0	14.4	13.3	13.3	6.6	18.0	13.1
5	13.1	13.4	12.9	12.5	12.2	11.4	11.1	12.4	13.7	15.8	17.6	18.6	19.2	19.8	20.2	19.9	18.6	15.8	14.5	13.1	11.6	11.9	11.6	10.6	10.6	20.2	14.7
6	10.1	9.5	10.4	12.4	11.9	10.5	10.8	11.5	13.6	14.9	16.4	17.0	18.6	19.4	19.6	19.7	18.4	17.1	16.3	15.6	15.0	15.3	14.7	12.9	9.5	19.7	14.7
7	11.4	9.4	9.0	8.9	9.4	8.1	7.7	7.9	10.9	14.6	16.4	17.4	18.5	19.0	19.2	18.8	18.2	16.3	14.8	14.0	12.8	14.8	14.9	12.0	7.7	19.2	13.5
8	12.1	11.7	11.7	12.7	13.8	12.3	11.9	11.8	14.5	17.6	18.9	18.7	20.0	21.2	21.1	21.1	20.8	18.8	15.6	14.9	13.9	13.3	11.0	10.5	10.5	21.2	15.4
9	10.5	10.3	9.5	9.7	8.8	8.1	8.0	10.1	12.0	15.9	19.0	20.4	21.6	22.9	23.3	23.0	22.0	19.8	17.5	17.3	18.1	16.3	16.2	15.4	8.0	23.3	15.7
10	14.0	15.7	15.3	14.2	14.7	11.9	11.1	13.0	17.1	19.4	21.6	22.9	25.2	26.9	27.5	27.7	26.8	24.7	22.1	21.4	20.1	18.7	18.4	18.7	11.1	27.7	19.5
11	17.7	15.6	15.9	17.3	16.8	15.9	15.5	16.5	19.8	21.5	24.4	25.6	26.7	27.3	27.5	26.4	24.2	21.3	19.4	16.7	16.4	14.3	13.0	12.6	12.6	27.5	19.5
12	15.5	11.2	11.5	13.5	14.6	11.1	10.4	12.8	17.6	21.6	23.9	26.0	27.5	27.9	28.3	27.8	26.4	23.3	20.2	17.3	17.5	14.5	12.9	15.5	10.4	28.3	18.7
13	14.1	15.4	14.1	11.9	9.9	9.7	10.2	10.9	15.3	19.9	23.3	24.7	26.2	27.3	27.9	28.0	26.5	23.4	20.2	19.4	15.9	14.3	13.0	13.2	9.7	28.0	18.1
14	12.9	11.1	11.0	10.3	10.4	10.2	10.4	12.1	19.3	23.2	25.6	26.8	27.3	28.6	29.9	30.0	28.4	24.6	21.8	19.6	16.3	15.1	18.0	17.4	10.2	30.0	19.2
15	16.8	15.0	15.8	11.4	11.2	10.0	9.5	11.2	16.6	20.8	24.5	26.4	26.2	28.0	28.5	28.1	27.6	24.4	21.2	19.0	16.4	15.6	14.4	14.0	9.5	28.5	18.9
16	12.5	12.0	12.0	13.3	13.0	12.5	12.2	12.1	13.1	16.4	19.7	21.3	22.6	23.6	25.3	26.3	25.6	22.8	19.8	18.3	15.1	13.5	13.0	12.0	12.0	26.3	17.0
17	11.4	13.7	16.0	16.8	17.0	11.8	11.9	11.6	17.4	20.0	23.6	25.4	26.6	27.5	27.8	27.9	27.2	25.3	20.5	20.9	21.3	19.3	19.2	18.8	11.4	27.9	20.0
18	17.1	16.8	16.8	15.5	16.4	12.7	14.3	14.4	17.9	21.8	24.0	26.3	27.6	28.4	28.2	27.7	27.1	24.0	21.6	19.4	18.0	15.7	16.4	18.5	12.7	28.4	20.3
19	16.2	16.4	17.3	15.5	17.4	17.6	13.8	13.4	16.8	19.4	22.9	25.2	26.3	27.3	27.5	26.7	25.9	22.4	21.6	19.1	19.4	16.1	18.2	16.8	13.4	27.5	20.0
20	16.1	18.1	16.8	17.7	18.0	12.3	15.4	20.7	22.2	23.1	24.6	25.1	25.3	25.5	25.9	25.6	24.5	20.6	18.4	16.5	15.2	14.1	12.2	14.5	12.2	25.9	19.5
21	13.0	13.2	13.9	13.3	12.3	12.0	11.7	12.3	14.9	17.1	19.7	22.1	24.3	25.1	25.4	25.5	24.5	21.8	18.8	16.5	14.6	15.0	11.6	14.2	11.6	25.5	17.2
22	14.0	13.3	13.2	9.8	8.8	8.6	9.5	9.9	14.8	18.8	21.1	23.0	23.2	23.1	24.5	24.7	23.0	21.5	19.0	15.6	15.4	13.2	12.1	13.6	8.6	24.7	16.4
23	15.3	14.1	14.0	13.1	11.0	8.4	8.8	10.8	15.2	19.0	22.0	23.0	24.4	25.5	25.9	25.9	24.7	22.0	20.3	16.7	15.6	13.8	12.0	16.3	8.4	25.9	17.4
24	16.3	16.4	15.9	15.6	12.8	11.5	10.2	12.7	16.4	19.5	21.6	23.8	25.1	25.9	26.6	26.7	26.0	23.4	20.0	17.4	17.3	14.6	12.4	13.5	10.2	26.7	18.4
25	16.0	16.8	16.2	16.6	17.0	13.8	12.6	14.5	16.0	-940	-940	-940	-940	24.5	24.8	24.6	23.1	21.6	19.5	17.0	15.0	17.8	16.9	15.9	12.6	24.8	18.0
26	16.1	16.2	14.9	14.3	12.3	9.8	9.7	13.1	17.4	19.4	20.6	21.5	22.2	23.3	24.0	24.4	23.8	22.3	20.6	19.9	19.2	19.4	19.0	17.0	9.7	24.4	18.4
27	16.3	15.1	14.3	14.6	13.8	12.8	12.1	14.5	17.3	19.4	21.8	24.9	25.6	26.5	26.7	26.7	25.8	24.5	22.3	20.9	21.0	20.5	20.4	19.3	12.1	26.7	19.9
28	19.1	17.9	16.7	17.2	17.4	18.6	19.1	18.0	18.0	18.9	20.1	21.3	22.0	23.2	22.5	24.5	24.6	23.0	20.7	18.6	18.1	18.1	17.5	17.8	16.7	24.6	19.7
Min	9.1	9.2	6.9	4.9	7.1	6.4	5.0	6.3	10.1	12.2	15.0	16.2	16.8	16.9	17.0	17.2	16.1	13.9	12.7	10.5	9.4	8.8	8.0	7.8	4.9		
Max	19.1	18.1	17.3	17.7	18.0	18.6	19.1	20.7	22.2	23.2	25.6	26.8	27.6	28.6	29.9	30.0	28.4	25.3	22.3	21.4	21.3	20.5	20.4	19.3	30.0		
Avg	14.0	13.6	13.3	12.9	12.7	11.3	10.9	12.1	15.4	18.3	20.6	22.0	23.0	23.9	24.3	24.3	23.4	20.9	18.7	17.0	16.0	15.0	14.4	14.5			17.2

Total Data Records Possible: 672
Total Valid Data Records: 668
Percent Data Recovery: 99.4

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Relative Humidity
Units: %RH
Channel: 17

Site: College of the Desert (data subject to change)
Validation Level: B
Month: February
Printout Date: 03-13-2014
Year: 2014
Printout Time: 12:50:30
Time Zone: PST
Output File Name: CODB0214.17

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	47	42	35	34	34	36	38	40	36	28	21	17	16	14	12	11	11	12	13	14	15	20	19	18	11	47	24
2	21	22	32	36	26	29	34	33	25	23	18	17	14	14	13	13	17	28	31	38	41	40	42	45	13	45	27
3	43	43	50	55	55	59	67	67	53	41	35	29	24	23	21	22	23	39	45	39	44	53	53	52	21	67	43
4	52	54	58	64	67	67	70	72	58	49	45	40	33	30	29	29	30	39	44	44	47	45	49	50	29	72	49
5	54	56	59	59	59	61	63	57	53	43	34	30	27	26	24	27	32	44	42	46	53	53	54	56	24	63	46
6	60	65	63	57	59	67	64	65	63	47	43	42	33	31	33	34	39	43	47	51	51	49	52	58	31	67	51
7	66	72	72	73	73	77	80	79	72	57	54	49	43	42	40	40	45	52	55	56	61	51	49	61	40	80	59
8	62	63	62	59	56	61	61	65	57	45	42	44	39	34	33	31	31	36	57	51	54	54	63	65	31	65	51
9	67	66	70	69	73	78	78	70	69	54	43	40	35	32	31	30	32	40	50	47	42	48	49	53	30	78	53
10	60	54	55	59	59	68	70	63	51	44	38	35	27	21	21	20	21	25	32	36	40	45	45	42	20	70	43
11	40	52	48	34	36	38	35	36	27	26	19	15	13	13	14	16	22	26	30	39	37	43	50	47	13	52	31
12	32	49	48	35	30	42	45	41	28	25	18	15	14	12	11	11	13	20	32	39	31	44	46	30	11	49	30
13	33	27	32	40	51	53	49	55	43	29	20	22	17	13	14	14	14	20	29	27	40	47	50	44	13	55	33
14	44	51	51	52	49	49	46	44	27	21	17	22	25	18	11	11	14	22	25	30	38	40	27	26	11	52	32
15	26	31	27	45	41	51	54	58	49	34	19	19	23	14	12	14	15	23	34	36	45	48	50	49	12	58	34
16	55	55	53	49	51	59	65	63	63	51	44	35	32	30	24	22	23	31	38	44	54	57	56	58	22	65	46
17	61	45	34	30	29	54	60	64	44	37	28	23	17	17	15	15	17	22	34	29	24	28	28	28	15	64	33
18	31	29	29	32	27	39	30	36	30	21	19	15	13	13	14	16	16	25	33	36	41	44	34	26	13	44	27
19	35	30	29	35	30	29	43	47	46	42	28	24	20	17	19	20	21	23	22	28	30	42	38	44	17	47	31
20	46	39	41	35	29	52	36	17	16	15	12	11	11	10	10	9	10	25	22	25	28	31	38	26	9	52	25
21	29	27	23	26	31	34	39	38	38	39	30	22	15	10	11	11	12	18	27	43	43	32	47	29	10	47	28
22	28	29	29	43	50	49	45	55	42	31	22	21	25	30	21	17	21	22	34	48	43	43	44	35	17	55	34
23	27	29	29	32	39	53	52	52	44	37	26	28	19	15	13	13	15	21	22	35	34	38	44	26	13	53	31
24	25	23	24	24	35	48	56	60	50	32	26	21	17	15	15	13	14	24	31	43	40	47	52	42	13	60	32
25	31	30	32	34	32	41	51	55	53	-940	-940	-940	-940	23	21	20	27	37	42	50	57	43	45	46	20	57	39
26	48	48	55	56	62	74	77	69	62	47	40	35	33	30	27	26	28	32	37	39	42	43	45	52	26	77	46
27	55	58	65	65	68	74	78	74	64	54	44	32	28	19	22	23	24	28	28	33	34	40	42	47	19	78	46
28	46	55	66	66	65	54	51	60	64	54	50	51	54	50	57	39	24	29	38	45	44	40	42	41	24	66	49
Min	21	22	23	24	26	29	30	17	16	15	12	11	11	10	10	9	10	12	13	14	15	20	19	18	9		
Max	67	72	72	73	73	78	80	79	72	57	54	51	54	50	57	40	45	52	57	56	61	57	63	65		80	
Avg	44	44	45	46	47	53	55	55	47	38	31	28	25	22	21	20	22	29	35	39	41	43	45	43			38

Total Data Records Possible: 672
Total Valid Data Records: 668
Percent Data Recovery: 99.4

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Maximum Sustained wind Speed
Units: mph
Channel: 25

Site: College of the Desert (data subject to change)
Validation Level: B
Month: February
Printout Date: 03-13-2014
Year: 2014
Printout Time: 12:50:35
Time Zone: PST
Output File Name: CODB0214.25

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	10.3	9.6	9.0	10.1	11.7	11.5	11.3	10.4	11.0	15.9	16.3	19.8	17.2	13.2	13.4	14.4	18.0	14.3	14.5	12.6	9.1	7.6	8.9	8.7	7.6	19.8	12.4
2	8.4	9.8	8.2	11.3	11.7	10.7	7.7	8.7	7.4	6.7	9.8	9.5	10.2	11.1	13.7	11.9	9.4	6.7	4.3	7.6	5.8	9.0	6.4	8.4	4.3	13.7	8.9
3	7.0	6.8	6.3	5.0	4.0	5.7	4.7	4.8	7.7	7.9	10.1	10.1	9.5	9.7	5.7	6.5	11.1	7.7	5.8	6.1	8.7	7.3	11.1	11.6	4.0	11.6	7.5
4	12.4	9.1	7.2	5.3	4.9	6.0	4.4	5.8	3.0	6.5	6.9	7.6	9.0	8.8	7.0	8.0	7.3	6.0	3.9	4.4	5.8	5.4	8.9	8.8	3.0	12.4	6.8
5	5.5	5.7	5.5	8.7	8.6	9.2	8.9	12.4	11.2	11.9	10.9	8.3	8.9	6.6	5.8	9.7	9.1	5.9	6.0	4.9	7.2	6.1	5.2	6.7	4.9	12.4	7.9
6	5.1	5.3	6.6	6.8	7.3	6.1	5.1	5.7	8.5	9.7	10.5	8.0	7.6	5.6	10.1	13.5	17.4	18.0	12.1	13.4	14.0	15.4	12.8	5.5	5.1	18.0	9.6
7	5.1	7.0	6.8	6.1	5.8	7.1	6.9	3.4	5.0	4.3	6.4	6.7	5.2	9.4	8.7	8.1	7.5	5.8	6.3	7.1	8.6	10.7	10.6	5.9	3.4	10.7	6.9
8	5.8	5.8	4.2	9.4	11.0	5.5	6.7	7.3	13.2	8.6	10.7	9.9	6.5	7.8	10.6	9.8	6.8	5.4	4.8	6.3	5.4	6.7	4.4	4.8	4.2	13.2	7.4
9	9.0	6.9	6.5	7.1	5.1	4.1	2.4	4.9	4.0	4.1	5.7	6.0	5.0	6.9	8.5	8.2	8.5	6.4	6.4	5.9	6.4	5.7	9.3	6.9	2.4	9.3	6.2
10	5.3	8.7	10.4	11.5	7.4	4.8	7.9	5.4	5.7	4.2	13.5	10.5	16.1	15.6	13.5	14.4	13.7	10.5	12.1	11.0	11.1	11.8	11.8	13.0	4.2	16.1	10.4
11	10.6	9.5	11.3	10.5	10.4	11.0	10.6	10.1	10.3	8.2	6.8	7.0	7.6	6.5	10.8	9.0	8.4	6.0	5.8	7.1	6.8	6.9	6.1	5.8	5.8	11.3	8.5
12	8.9	5.9	7.7	10.0	9.7	7.6	5.8	6.2	9.5	7.8	7.1	4.7	7.3	7.2	8.3	9.3	7.0	5.3	3.1	7.0	7.3	7.2	5.4	8.3	3.1	10.0	7.2
13	7.0	8.6	9.3	5.3	4.5	5.5	4.7	6.0	3.4	3.9	5.4	6.2	8.3	8.5	9.3	8.3	8.4	4.9	4.1	7.2	3.9	3.7	4.5	6.7	3.4	9.3	6.1
14	9.0	4.7	3.7	4.7	9.5	6.5	5.5	6.1	6.5	8.4	5.4	8.6	9.2	8.2	7.0	6.5	6.9	4.9	4.8	4.7	5.4	4.6	8.4	7.8	3.7	9.5	6.5
15	7.7	6.0	8.6	3.9	5.0	4.2	4.1	4.0	4.0	4.0	4.4	9.0	8.1	7.4	6.5	6.1	5.4	5.0	5.6	6.3	6.4	4.9	4.5	4.5	3.9	9.0	5.7
16	4.1	5.7	4.9	7.7	6.2	6.0	8.4	4.7	5.6	5.1	5.7	5.7	5.3	6.3	4.8	5.3	6.1	5.8	7.0	8.5	7.3	6.0	4.7	3.8	3.8	8.5	5.9
17	8.6	9.5	8.7	9.6	10.2	6.6	6.3	5.2	5.5	4.4	7.4	10.4	9.5	9.7	7.9	8.5	6.2	4.8	8.3	10.1	10.0	9.5	8.7	6.2	4.4	10.4	8.0
18	6.3	9.7	9.3	10.0	9.9	9.3	10.0	7.0	5.1	9.9	8.7	6.2	5.7	6.9	5.4	5.1	4.1	6.0	5.8	5.7	4.5	7.4	7.1	9.2	4.1	10.0	7.3
19	8.0	8.2	10.2	8.2	10.3	7.8	6.7	5.9	6.8	7.8	6.3	7.8	7.5	6.9	9.0	8.5	7.6	7.0	7.0	7.5	8.4	7.3	10.0	8.0	5.9	10.3	7.9
20	12.9	10.5	8.3	9.8	11.0	8.6	11.3	13.4	15.6	14.2	12.6	11.4	10.1	10.9	10.4	9.8	8.2	6.2	6.6	5.9	6.4	5.3	6.9	7.5	5.3	15.6	9.7
21	6.5	8.2	9.4	9.2	6.9	7.7	4.9	2.9	2.1	4.9	3.1	3.7	9.3	7.9	6.8	7.4	7.3	5.1	3.3	6.9	7.0	7.1	5.5	7.7	2.1	9.4	6.3
22	9.5	8.4	7.6	5.4	4.6	3.4	3.3	2.5	5.4	5.7	6.5	7.6	8.0	8.4	9.5	9.4	7.6	5.6	4.6	5.9	6.1	6.1	7.7	9.4	2.5	9.5	6.6
23	8.7	9.7	9.7	8.7	3.8	3.7	3.9	2.6	4.4	4.1	7.2	8.5	8.9	9.8	10.6	9.4	8.3	5.9	2.2	3.9	6.3	5.8	6.1	10.3	2.2	10.6	6.8
24	10.3	9.0	9.6	10.1	7.3	9.4	4.7	6.5	2.8	5.5	4.1	5.8	7.5	8.8	8.5	8.0	6.8	4.5	3.4	4.8	5.5	5.2	5.8	8.1	2.8	10.3	6.7
25	8.4	9.3	9.6	10.0	9.4	6.4	4.9	4.2	5.7	-940	-940	-940	-940	11.6	9.4	10.3	7.9	7.1	4.1	5.1	7.8	8.4	7.7	7.4	4.1	11.6	7.7
26	8.2	9.6	9.4	8.5	4.7	5.0	6.2	6.4	4.9	5.6	7.0	5.9	7.4	8.2	6.4	12.5	12.1	17.5	17.4	16.8	11.7	13.8	15.5	6.5	4.7	17.5	9.5
27	8.4	5.3	8.4	7.8	4.3	6.9	6.4	5.5	5.7	5.5	7.8	13.0	15.3	14.5	9.9	12.6	8.9	6.2	10.5	10.1	9.4	11.6	12.7	7.1	4.3	15.3	8.9
28	5.3	7.9	5.1	6.3	8.0	12.1	15.8	10.3	10.8	11.7	15.9	21.1	23.9	22.4	23.9	27.2	40.2	32.1	18.6	20.0	12.2	8.9	13.0	11.4	5.1	40.2	16.0
Min	4.1	4.7	3.7	3.9	3.8	3.4	2.4	2.5	2.1	3.9	3.1	3.7	5.0	5.6	4.8	5.1	4.1	4.5	2.2	3.9	3.9	3.7	4.4	3.8	2.1		
Max	12.9	10.5	11.3	11.5	11.7	12.1	15.8	13.4	15.6	15.9	16.3	21.1	23.9	22.4	23.9	27.2	40.2	32.1	18.6	20.0	14.0	15.4	15.5	13.0	40.2		
Avg	7.9	7.9	7.9	8.1	7.6	7.1	6.8	6.4	6.8	7.3	8.2	8.9	9.4	9.5	9.3	9.9	9.9	8.1	7.1	8.0	7.7	7.7	8.2	7.7			8.0

Total Data Records Possible: 672
Total Valid Data Records: 668
Percent Data Recovery: 99.4

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4