

Desert Hot Springs Meteorological Data

February 2005

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 6

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 03-08-2005
Printout Time: 11:16:23
Output File Name: DHSB0205.6

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	6.7	4.9	4.8	7.3	5.6	6.3	4.2	5.3	10.8	12.9	21.2	21.2	20.0	21.9	16.9	12.3	12.4	8.3	7.0	9.5	6.3	6.2	6.1	7.3	4.2	21.9	10.2
2	7.0	6.1	5.2	4.6	8.9	5.4	5.1	6.8	6.1	10.7	15.1	7.8	10.8	9.4	9.6	9.6	14.9	19.4	18.4	15.0	7.1	6.2	5.4	5.9	4.6	19.4	9.2
3	4.5	6.8	6.6	5.2	3.1	6.4	3.4	6.3	9.2	12.6	16.6	16.6	19.1	14.7	12.9	14.3	12.5	8.3	3.7	4.4	8.0	6.3	5.0	5.7	3.1	19.1	8.8
4	7.6	8.1	8.0	6.0	9.4	10.1	8.8	8.1	5.4	4.7	9.8	10.3	12.3	11.0	9.9	7.9	8.1	5.3	7.2	8.4	8.6	5.2	6.6	4.7	4.7	12.3	8.0
5	6.6	7.8	7.3	8.8	9.2	6.7	5.2	4.8	2.3	3.2	4.8	5.2	3.9	4.0	3.3	2.6	2.1	3.2	6.3	6.0	4.1	3.7	6.1	4.1	2.1	9.2	5.1
6	4.2	4.6	3.5	5.8	8.1	8.3	5.6	14.2	20.1	22.5	19.9	18.2	15.2	13.6	15.6	17.5	18.6	18.6	11.7	13.2	8.1	9.3	11.9	6.7	3.5	22.5	12.3
7	11.0	10.5	10.7	9.7	9.7	9.5	6.7	3.3	6.4	20.4	21.2	20.8	22.1	22.2	20.5	19.0	18.9	14.7	10.3	5.5	7.1	6.0	5.0	5.3	3.3	22.2	12.4
8	7.2	6.5	9.1	7.0	6.9	7.9	7.4	3.9	3.4	4.2	4.4	6.4	7.7	8.9	7.4	8.0	6.2	4.1	3.7	4.7	2.1	2.9	2.4	1.9	1.9	9.1	5.6
9	3.7	4.6	8.2	5.4	5.4	4.3	7.1	7.6	5.0	2.7	5.5	5.4	6.6	6.6	6.0	6.9	5.1	3.4	4.6	5.4	6.2	7.6	7.2	6.9	2.7	8.2	5.7
10	7.0	5.1	4.8	2.8	2.3	2.0	3.0	7.2	7.3	6.3	4.4	3.5	5.8	5.8	6.4	6.4	5.3	5.2	7.7	4.2	3.2	4.0	3.1	2.3	2.0	7.7	4.8
11	3.2	2.7	2.5	2.9	2.1	1.7	2.3	2.5	3.1	3.9	5.4	2.7	4.0	3.9	6.1	8.3	9.1	7.9	7.3	6.5	6.9	6.6	3.5	1.8	1.7	9.1	4.5
12	2.1	2.5	2.6	2.7	1.6	1.4	3.0	1.6	3.1	4.3	4.7	4.2	7.0	5.2	5.4	6.8	9.1	8.6	4.1	2.9	6.1	4.1	4.7	3.1	1.4	9.1	4.2
13	3.9	4.2	6.5	6.1	4.6	4.2	4.5	3.8	1.9	2.5	4.8	5.8	4.9	5.9	5.2	6.4	7.0	5.0	3.7	3.7	2.1	3.2	4.5	4.6	1.9	7.0	4.5
14	4.5	3.6	3.9	4.7	5.6	5.4	5.1	3.2	2.4	2.2	2.2	4.3	5.3	6.9	8.3	11.0	12.2	10.7	13.5	10.1	5.7	6.3	5.3	5.7	2.2	13.5	6.2
15	4.2	4.0	5.7	5.2	5.4	5.7	4.2	5.6	2.6	3.3	4.4	3.2	3.7	5.3	5.8	5.7	4.5	9.6	4.6	5.5	6.7	2.9	3.3	5.2	2.6	9.6	4.8
16	6.3	4.4	5.3	6.9	6.4	4.2	4.6	3.6	2.8	2.4	3.3	4.0	3.8	4.0	5.5	5.4	5.6	3.0	5.0	5.0	6.1	6.8	5.3	4.1	2.4	6.9	4.7
17	3.3	4.4	3.9	3.6	3.9	3.8	5.6	6.4	2.9	3.2	4.5	4.5	5.0	5.5	6.3	4.5	2.6	4.0	3.2	4.6	4.6	2.0	4.1	4.2	2.0	6.4	4.2
18	4.7	4.3	4.8	3.9	3.2	5.4	5.2	3.7	5.3	5.1	5.1	4.7	2.8	3.8	4.7	5.0	4.6	6.3	3.3	4.2	2.5	2.4	5.2	5.3	2.4	6.3	4.4
19	3.3	4.8	4.2	3.2	3.3	3.4	3.0	1.9	1.7	3.5	4.8	2.1	4.2	4.4	3.0	2.9	4.6	8.1	4.3	10.2	12.9	15.7	14.2	16.7	1.7	16.7	5.8
20	14.2	11.2	8.5	5.2	5.6	6.7	2.6	3.0	3.2	4.1	6.1	8.5	9.7	10.7	10.5	7.9	5.6	3.6	2.0	4.6	3.1	2.8	2.3	1.8	1.8	14.2	6.0
21	1.7	2.0	1.2	1.3	2.7	4.4	1.9	3.0	3.2	3.1	3.6	2.6	2.2	3.8	2.9	3.5	3.5	2.0	1.8	1.8	1.9	1.6	1.9	2.4	1.2	4.4	2.5
22	3.0	2.6	1.6	3.0	3.0	5.5	2.8	3.0	5.5	7.2	7.2	7.2	6.3	4.4	9.4	8.6	6.5	7.3	3.1	2.7	3.5	2.7	2.8	2.5	1.6	9.4	4.6
23	2.4	2.3	3.1	4.0	2.0	3.7	2.9	3.9	6.4	4.8	2.8	3.8	4.7	9.2	6.5	5.3	4.8	6.1	5.7	4.5	2.5	4.1	4.1	5.5	2.0	9.2	4.4
24	5.0	5.2	7.0	5.3	4.1	4.6	6.1	4.0	2.3	2.6	4.5	5.0	5.0	6.5	7.3	7.6	7.0	5.6	4.4	4.6	5.4	6.2	7.2	7.8	2.3	7.8	5.4
25	7.9	5.2	5.4	5.4	5.5	6.1	5.4	4.9	3.6	4.0	3.8	5.0	5.5	5.7	3.3	7.3	6.5	5.4	4.7	4.8	4.6	6.6	6.5	9.5	3.3	9.5	5.5
26	8.9	6.8	6.7	6.9	6.9	7.1	7.4	5.7	3.6	10.7	11.1	12.4	16.1	19.9	18.5	16.7	16.4	13.5	8.4	11.1	10.8	6.7	5.9	6.2	3.6	19.9	10.2
27	6.9	5.9	7.0	7.1	5.8	5.2	4.1	3.0	1.5	2.4	4.0	5.6	6.0	7.0	7.3	6.3	11.9	8.7	7.8	3.5	5.1	4.4	5.1	5.3	1.5	11.9	5.7
28	6.2	6.5	7.2	6.5	7.4	5.4	6.0	3.9	4.4	6.8	13.0	15.6	18.6	17.9	18.5	17.4	17.6	16.7	8.6	4.3	6.3	5.9	5.9	6.8	3.9	18.6	9.7
Min	1.7	2.0	1.2	1.3	1.6	1.4	1.9	1.6	1.5	2.2	2.2	2.1	2.2	3.8	2.9	2.6	2.1	2.0	1.8	1.8	1.9	1.6	1.9	1.8	1.2		
Max	14.2	11.2	10.7	9.7	9.7	10.1	8.8	14.2	20.1	22.5	21.2	21.2	22.1	22.2	20.5	19.0	18.9	19.4	18.4	15.0	12.9	15.7	14.2	16.7		22.5	
Avg	5.6	5.3	5.5	5.2	5.3	5.4	4.8	4.8	4.8	6.3	7.8	7.7	8.5	8.9	8.7	8.6	8.7	8.0	6.3	6.1	5.6	5.3	5.4	5.3			6.4

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 7

Site: Desert Hot Springs (data subject to change)
 Month: February
 Year: 2005
 Time Zone: PST

Validation Level: B
 Printout Date: 03-08-2005
 Printout Time: 11:16:23
 Output File Name: DHSB0205.7

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	334	346	346	15	345	126	58	47	9	7	11	10	19	19	24	30	25	22	353	48	294	310	336	360	[NNE]
2	24	24	56	189	6	15	34	22	38	43	17	50	42	34	45	27	11	17	15	8	321	324	333	285	[NNE]
3	298	137	7	354	212	137	41	69	75	43	41	40	32	37	36	39	37	39	53	272	311	358	338	344	[NE]
4	348	357	351	350	334	313	309	323	340	35	19	28	27	30	23	27	12	25	310	300	308	306	315	323	[NNE]
5	332	323	319	339	327	332	353	343	30	128	126	154	158	158	159	206	222	329	329	344	339	322	336	353	[NNW]
6	344	334	31	312	291	280	314	265	265	267	264	249	250	249	256	263	264	266	285	290	288	305	304	325	[W]
7	316	313	325	312	311	301	307	93	225	268	267	266	262	262	258	261	263	274	307	313	322	323	352	344	[NW]
8	312	327	326	332	324	318	333	13	108	119	139	164	163	169	156	161	121	70	20	340	345	334	345	16	[NNW]
9	19	7	341	318	323	333	353	345	352	204	159	148	154	149	153	158	170	123	14	6	4	8	2	1	[N]
10	6	19	18	111	59	123	60	6	358	6	27	171	167	155	126	120	116	115	91	321	81	73	36		[ESE]
11	360	177	356	323	185	135	173	139	345	347	208	55	172	125	147	135	140	133	145	160	158	162	162	316	[SE]
12	294	306	353	350	345	56	32	317	103	156	140	123	165	175	159	135	178	220	153	150	102	108	342	341	[SSE]
13	329	346	334	333	341	333	339	350	145	108	167	179	175	192	164	169	150	155	155	193	154	329	329	341	[NNW]
14	348	290	322	338	325	336	328	350	125	91	213	160	145	202	215	242	252	257	265	245	264	273	310	327	[NNW]
15	350	5	323	302	329	343	330	340	91	87	113	132	143	139	199	180	250	261	260	159	150	249	305	336	[NNW]
16	325	332	336	310	325	332	7	303	208	165	149	174	164	194	166	139	161	266	338	343	333	331	340	9	[NNW]
17	321	344	345	52	67	52	33	15	93	127	128	157	162	184	283	253	206	120	319	316	330	342	342	356	[NNW]
18	360	2	336	354	341	299	46	129	113	208	282	273	150	132	134	151	182	141	153	148	271	266	275	33	[SSE]
19	68	4	348	332	17	344	0	244	74	163	203	172	261	259	210	162	30	293	203	279	289	291	293	293	[WNW]
20	284	298	275	272	299	266	150	170	164	182	172	165	143	157	154	137	119	143	328	356	316	330	297	315	[SSE]
21	34	326	21	351	204	322	53	359	359	321	314	11	359	271	302	325	310	298	284	66	354	42	307	359	[NW]
22	342	13	313	343	304	247	123	122	137	145	148	182	212	215	130	148	172	311	265	316	323	353	336	11	[NW]
23	348	319	342	288	39	313	309	138	50	209	124	144	160	112	172	282	349	18	36	333	339	338	326	327	[NNW]
24	356	343	316	352	340	347	338	332	142	179	196	175	179	187	245	280	320	357	57	359	333	352	323	321	[NNW]
25	320	300	333	325	337	334	327	328	296	196	163	156	243	330	347	325	346	341	306	313	312	322	347	330	[NNW]
26	315	325	322	321	331	328	332	329	356	268	258	254	260	262	266	264	269	271	284	279	284	291	322	333	[W]
27	325	328	325	323	314	325	320	6	148	114	185	161	175	153	173	196	257	265	284	350	320	337	334	316	[NW]
28	311	308	310	319	331	324	332	355	111	290	256	251	254	268	263	265	267	272	325	309	324	325	326	318	[NW]

Prev [NNW] [NNW] [NW] [NW] [NNW] [NNW] [NNW] [N] [N] [SSW] [SSE] [SSE] [SSE] [SSE] [SSE] [SSE] [W] [W] [NW] [NW] [NW] [NW] [NNW] [NNW] [NNW]

Total Data Records Possible: 672
 Total Valid Data Records: 672
 Percent Data Recovery: 100.0

Missing Data Codes

 -910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 7

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 03-08-2005
Printout Time: 11:16:23
Output File Name: DHSB0205.7t

Day	Hour Ending																								Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	[NNW]	[NNW]	[NNW]	[NNE]	[NNW]	[SE]	[ENE]	[NE]	[N]	[N]	[N]	[N]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[N]	[NE]	[WNW]	[NW]	[NNW]	[N]	[NNE]	
2	[NNE]	[NNE]	[ENE]	[S]	[N]	[NNE]	[NE]	[NNE]	[NE]	[NE]	[NNE]	[NE]	[NE]	[NE]	[NE]	[NE]	[NE]	[NE]	[N]	[NW]	[NW]	[NNW]	[WNW]	[NNE]	
3	[WNW]	[SE]	[N]	[N]	[SSW]	[SE]	[NE]	[ENE]	[ENE]	[NE]	[NE]	[NE]	[NNE]	[NE]	[NE]	[NE]	[NE]	[NE]	[W]	[NW]	[N]	[NNW]	[NNW]	[NE]	
4	[NNW]	[N]	[N]	[N]	[NNW]	[NW]	[NW]	[NW]	[NNW]	[NE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NNE]	
5	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNE]	[SE]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSW]	[SW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[N]	[NNW]	
6	[NNW]	[NNW]	[NNE]	[NW]	[WNW]	[W]	[NW]	[W]	[W]	[W]	[W]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[W]	
7	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]	[E]	[SW]	[W]	[W]	[W]	[W]	[W]	[W]	[WSW]	[W]	[W]	[W]	[NW]	[NW]	[NW]	[N]	[NNW]	
8	[NW]	[NNW]	[NW]	[NNW]	[NW]	[NW]	[NNW]	[NNE]	[ESE]	[ESE]	[SE]	[SSE]	[SSE]	[SSE]	[S]	[SSE]	[SSE]	[ESE]	[ENE]	[NNE]	[NNW]	[NNW]	[NNW]	[NNW]	
9	[NNE]	[N]	[NNW]	[NW]	[NW]	[NNW]	[N]	[NNW]	[N]	[SSW]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[S]	[ESE]	[NNE]	[N]	[N]	[N]	[N]	[N]	
10	[N]	[NNE]	[NNE]	[ESE]	[ENE]	[ESE]	[ENE]	[N]	[N]	[N]	[NNE]	[S]	[SSE]	[SSE]	[SE]	[ESE]	[ESE]	[ESE]	[ESE]	[E]	[NW]	[E]	[ENE]	[NE]	
11	[N]	[S]	[N]	[NW]	[S]	[SE]	[S]	[SE]	[NNW]	[NNW]	[SSW]	[NE]	[S]	[SE]	[SSE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SSE]	[SSE]	[SSE]	[NW]	
12	[WNW]	[NW]	[N]	[N]	[NNW]	[NE]	[NNE]	[NW]	[ESE]	[SSE]	[SE]	[ESE]	[SSE]	[S]	[SSE]	[SE]	[S]	[SW]	[SSE]	[SSE]	[ESE]	[ESE]	[NNW]	[NNW]	
13	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[SE]	[ESE]	[SSE]	[S]	[S]	[SSW]	[SSE]	[S]	[SSE]	[SSE]	[SSE]	[SSW]	[SSE]	[NNW]	[NNW]	[NNW]	
14	[NNW]	[WNW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[N]	[SE]	[E]	[SSW]	[SSE]	[SE]	[SSW]	[SW]	[WSW]	[WSW]	[WSW]	[W]	[WSW]	[W]	[W]	[NW]	[NNW]	
15	[N]	[N]	[NW]	[WNW]	[NNW]	[NNW]	[NNW]	[NW]	[E]	[E]	[ESE]	[SE]	[SE]	[SE]	[SSW]	[S]	[WSW]	[W]	[W]	[SSE]	[SSE]	[WSW]	[NW]	[NNW]	
16	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[N]	[WNW]	[SSW]	[SSE]	[SSE]	[S]	[SSE]	[SSW]	[SSE]	[SE]	[SSE]	[W]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	
17	[NW]	[NNW]	[NNW]	[NE]	[ENE]	[NE]	[NNE]	[NNE]	[E]	[SE]	[SE]	[SSE]	[SSE]	[S]	[WNW]	[WSW]	[SSW]	[ESE]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	
18	[N]	[N]	[NNW]	[N]	[NNW]	[WNW]	[NE]	[SE]	[ESE]	[SSW]	[WNW]	[W]	[SSE]	[SE]	[SE]	[SSE]	[S]	[SE]	[SSE]	[SSE]	[W]	[W]	[W]	[NNE]	
19	[ENE]	[N]	[NNW]	[NNW]	[NNE]	[NNW]	[N]	[WSW]	[ENE]	[SSE]	[SSW]	[S]	[W]	[W]	[SSW]	[SSE]	[NNE]	[WNW]	[SSW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	
20	[WNW]	[WNW]	[W]	[W]	[WNW]	[W]	[SSE]	[S]	[SSE]	[S]	[S]	[SSE]	[SE]	[SSE]	[SSE]	[SE]	[ESE]	[SE]	[NNW]	[N]	[NW]	[NNW]	[WNW]	[NW]	
21	[NE]	[NNW]	[NNE]	[N]	[SSW]	[NW]	[NE]	[N]	[N]	[NW]	[NW]	[NNE]	[N]	[W]	[WNW]	[NW]	[NW]	[WNW]	[WNW]	[ENE]	[N]	[NE]	[NW]	[N]	
22	[NNW]	[NNE]	[NW]	[NNW]	[WNW]	[WSW]	[ESE]	[ESE]	[SE]	[SE]	[SSE]	[S]	[SSW]	[SW]	[SE]	[SSE]	[S]	[NW]	[W]	[NW]	[N]	[NNW]	[N]	[NW]	
23	[NNW]	[NW]	[NNW]	[WNW]	[NE]	[NW]	[NW]	[SE]	[NE]	[SSW]	[ESE]	[SE]	[SSE]	[ESE]	[S]	[WNW]	[N]	[NNE]	[NE]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	
24	[N]	[NNW]	[NW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[SE]	[S]	[SSW]	[S]	[S]	[S]	[WSW]	[W]	[NW]	[N]	[ENE]	[N]	[NNW]	[N]	[NW]	[NNW]	
25	[NW]	[WNW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[SSW]	[SSE]	[SSE]	[WSW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	
26	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[W]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[W]	[WNW]	[WNW]	[NW]	[NNW]	
27	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[N]	[SSE]	[ESE]	[S]	[SSE]	[S]	[SSE]	[S]	[SSW]	[WSW]	[W]	[WNW]	[N]	[NW]	[NNW]	[NNW]	[NW]	
28	[NW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NNW]	[N]	[ESE]	[WNW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	

Prev [NNW] [NNW] [NW] [NW] [NNW] [NNW] [NNW] [N] [N] [SSW] [SSE] [SSE] [SSE] [SSE] [SSE] [SSE] [SSE] [W] [W] [NW] [NW] [NW] [NW] [NNW] [NNW] [NNW]

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)
Units: degrees
Channel: 8

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 03-08-2005
Printout Time: 11:16:24
Output File Name: DHSB0205.8

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	14.7	26.8	26.7	19.5	42.8	35.1	42.5	26.1	13.9	13.1	12.7	12.6	14.1	13.6	17.1	18.3	19.1	16.5	18.0	18.9	44.7	42.0	42.3	35.1	12.6	44.7	24.4
2	22.5	44.0	52.6	44.5	50.1	27.0	36.2	18.0	43.5	43.0	15.8	50.5	30.9	37.2	31.6	32.5	18.0	14.4	14.0	15.3	31.2	32.0	34.0	27.0	14.0	52.6	31.9
3	58.0	66.3	47.1	44.3	58.7	26.1	59.3	24.6	23.2	17.8	18.5	16.9	13.8	18.2	19.3	14.8	15.0	17.7	61.8	37.1	12.1	26.4	30.8	20.4	12.1	66.3	31.2
4	16.8	10.9	11.9	29.0	10.7	8.5	13.0	18.6	40.1	43.2	15.8	16.1	13.6	15.2	17.9	18.5	14.6	12.9	17.9	6.6	19.9	30.1	19.9	34.5	6.6	43.2	19.0
5	11.0	6.9	14.4	10.0	9.2	18.8	10.3	12.1	19.7	12.7	21.4	20.3	30.2	20.1	28.6	19.6	17.2	10.5	7.2	21.9	37.4	46.3	15.0	18.1	6.9	46.3	18.3
6	21.1	32.2	45.3	39.2	19.2	18.6	47.3	15.7	10.3	10.5	10.5	13.4	13.6	16.1	12.0	13.2	11.2	11.2	12.3	10.9	14.3	13.9	10.9	30.2	10.3	47.3	18.9
7	15.3	17.4	12.9	18.2	13.9	18.3	26.4	48.0	38.0	10.0	10.2	10.3	9.9	10.7	10.9	12.6	10.8	14.5	13.3	15.9	10.2	11.4	11.3	17.4	9.9	48.0	16.2
8	9.3	9.9	5.7	10.4	7.8	6.8	8.5	25.5	16.7	18.1	30.0	22.7	21.7	19.8	22.9	11.4	9.7	10.0	8.7	6.1	27.9	22.5	45.2	36.7	5.7	45.2	17.2
9	9.4	15.9	8.1	32.3	43.2	26.1	11.4	11.4	25.0	48.5	25.4	25.2	27.2	31.2	25.3	18.2	13.8	15.0	7.4	9.4	10.6	10.0	9.4	9.4	7.4	48.5	19.5
10	9.5	10.6	26.5	28.9	41.7	55.5	19.1	13.1	12.0	14.5	44.3	31.1	16.6	12.6	13.0	9.6	12.9	7.6	9.7	17.5	41.4	13.2	14.6	17.1	7.6	55.5	20.5
11	22.5	30.8	32.2	12.2	50.2	54.1	29.4	30.1	38.1	38.1	20.1	24.5	28.0	40.7	13.1	10.0	10.5	11.6	11.7	12.9	9.1	10.2	12.2	39.1	9.1	54.1	24.6
12	15.5	13.9	19.9	12.4	44.4	38.7	26.7	36.7	22.3	19.8	22.6	21.8	16.5	43.9	31.1	21.7	15.3	17.2	48.2	28.7	13.1	13.2	18.5	47.2	12.4	48.2	25.4
13	27.4	16.0	12.6	10.7	13.5	10.5	14.7	40.9	38.4	60.9	24.4	19.6	30.0	20.3	22.6	15.7	9.9	11.6	16.5	18.0	17.8	23.4	13.4	12.0	9.9	60.9	20.9
14	23.3	39.0	18.3	13.4	5.7	6.3	6.4	18.3	25.8	46.7	52.4	46.7	44.4	24.3	18.6	11.5	11.8	11.4	10.9	13.7	22.0	21.3	30.0	14.9	5.7	52.4	22.4
15	22.1	41.3	6.1	13.8	16.3	7.3	20.6	11.2	41.3	18.6	15.5	27.8	41.6	18.5	26.4	18.4	23.6	10.8	38.8	28.5	29.3	40.8	39.5	10.9	6.1	41.6	23.7
16	8.2	28.0	12.8	18.9	10.2	28.5	20.8	16.3	27.7	41.7	44.0	41.6	47.0	32.4	33.3	21.6	10.4	16.0	5.0	8.6	8.5	6.2	7.4	16.9	5.0	47.0	21.3
17	18.1	8.8	16.8	15.3	17.1	15.0	14.3	12.9	27.2	15.9	16.9	21.8	18.5	11.9	19.0	12.8	32.8	9.9	19.6	13.9	10.3	49.1	21.7	17.3	8.8	49.1	18.2
18	13.4	11.9	10.3	17.7	17.4	18.4	12.1	36.3	17.7	31.8	50.9	28.7	48.5	17.8	15.2	15.2	15.5	10.1	29.1	16.2	43.4	44.5	41.5	41.4	10.1	50.9	25.2
19	43.3	15.1	21.2	18.5	23.8	32.9	19.0	45.3	50.0	27.0	56.3	55.4	45.0	43.2	42.6	46.5	45.0	38.0	61.8	31.0	10.8	9.6	11.2	9.9	9.6	61.8	33.4
20	12.7	12.4	15.2	36.8	16.8	29.1	43.9	30.8	42.1	36.4	25.6	17.6	16.7	11.7	13.2	12.9	17.3	24.9	53.6	15.2	28.9	22.5	26.5	32.8	11.7	53.6	24.8
21	47.6	25.2	20.1	49.1	20.5	24.1	68.2	52.9	36.8	16.8	20.2	40.0	64.7	14.6	22.0	15.9	16.9	46.5	50.2	46.0	34.3	49.0	63.1	20.2	14.6	68.2	36.0
22	28.6	23.2	42.8	12.6	10.1	10.2	51.8	40.6	18.6	14.0	19.6	17.3	18.0	41.2	13.2	12.7	11.6	20.2	40.3	17.9	29.5	19.5	13.8	53.3	10.1	53.3	24.2
23	11.2	25.7	44.6	37.3	57.4	47.6	51.9	48.1	23.0	21.9	54.1	33.5	41.3	14.4	20.4	29.4	40.3	15.9	33.0	12.1	29.1	16.0	19.1	12.1	11.2	57.4	30.8
24	20.9	12.9	31.7	14.4	32.5	14.4	10.5	11.6	34.8	46.1	33.7	39.2	55.0	37.1	18.3	13.4	9.0	20.5	55.8	43.4	42.1	11.9	5.5	5.5	5.5	55.8	25.8
25	7.8	48.9	16.8	8.9	10.4	12.6	15.0	9.5	15.0	31.3	42.3	29.2	32.2	21.7	42.3	17.5	15.8	12.2	14.5	18.7	19.1	8.1	10.5	10.4	7.8	48.9	19.6
26	9.4	8.1	7.4	7.8	10.1	13.8	11.4	12.7	32.5	14.6	13.1	12.5	10.2	9.9	11.1	11.4	10.5	13.6	13.6	11.6	12.7	11.9	10.5	13.5	7.4	32.5	12.2
27	14.3	14.6	8.6	7.3	11.7	11.4	35.7	16.1	57.2	52.7	46.0	29.3	26.8	28.9	17.5	23.9	11.7	8.9	16.5	37.7	19.1	21.9	26.0	26.0	7.3	57.2	23.7
28	18.3	30.7	19.0	13.9	13.4	10.8	10.9	43.1	23.1	44.2	18.9	14.8	11.5	10.1	10.1	10.7	11.3	9.6	13.8	17.0	9.9	11.0	10.0	7.3	7.3	44.2	16.4
Min	7.8	6.9	5.7	7.3	5.7	6.3	6.4	9.5	10.3	10.0	10.2	10.3	9.9	9.9	10.1	9.6	9.0	7.6	5.0	6.1	8.5	6.2	5.5	5.5	5.0		
Max	58.0	66.3	52.6	49.1	58.7	55.5	68.2	52.9	57.2	60.9	56.3	55.4	64.7	43.9	42.6	46.5	45.0	46.5	61.8	46.0	44.7	49.1	63.1	53.3		68.2	
Avg	19.7	23.1	21.7	21.3	24.2	26.3	26.3	25.9	29.1	28.9	27.9	26.4	28.1	22.8	21.0	17.5	16.5	15.7	25.1	19.7	22.8	22.8	21.9	22.7			23.1

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust
Units: mph
Channel: 9

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 03-08-2005
Printout Time: 11:16:25
Output File Name: DHSB0205.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	11.2	10.6	8.7	19.2	20.3	14.6	10.7	16.2	21.2	28.8	38.0	38.3	38.7	37.4	32.7	25.8	35.4	20.4	17.0	24.6	13.2	15.2	18.5	19.5	8.7	38.7	22.3
2	22.8	17.6	13.4	11.7	22.6	12.8	13.7	17.9	15.2	25.7	28.6	20.7	28.6	24.0	24.0	24.9	32.4	35.8	33.1	30.9	15.8	14.2	11.1	13.8	11.1	35.8	21.3
3	11.9	15.7	22.4	12.6	6.7	15.2	8.0	20.0	21.5	27.9	33.6	31.6	35.6	29.1	25.6	26.5	24.9	19.3	10.1	8.2	15.6	12.2	13.2	10.6	6.7	35.6	19.1
4	16.6	14.7	13.7	10.8	16.5	16.1	15.1	14.5	15.2	15.2	18.8	19.5	20.8	19.1	17.1	15.2	14.2	11.4	12.8	12.1	14.9	10.0	10.7	8.1	8.1	20.8	14.7
5	9.7	12.2	15.4	14.1	13.7	10.2	7.9	8.0	4.6	4.9	10.6	11.3	6.4	7.4	5.7	4.9	3.3	5.4	8.2	9.1	8.5	8.9	11.3	7.0	3.3	15.4	8.7
6	8.0	8.8	7.2	18.4	18.1	16.7	22.4	26.5	35.1	37.0	34.5	31.0	25.9	25.5	26.4	31.0	33.9	30.3	22.9	23.2	15.1	19.8	20.6	20.0	7.2	37.0	23.3
7	26.2	23.1	20.8	20.3	19.1	22.6	15.8	6.6	24.1	33.0	33.8	32.9	35.3	34.0	34.2	33.8	32.7	26.3	17.9	17.2	10.5	8.7	8.7	7.8	6.6	35.3	22.7
8	10.9	9.5	12.1	13.3	8.8	12.3	11.9	10.2	5.9	6.9	9.0	11.7	14.1	16.7	13.3	13.5	11.3	7.3	5.3	6.3	4.5	5.4	4.9	4.0	4.0	16.7	9.6
9	5.6	7.0	12.3	13.2	13.5	8.0	12.7	14.0	11.9	7.2	12.0	10.9	12.9	13.1	12.3	12.6	9.2	5.5	7.0	9.7	11.3	11.9	11.5	11.5	5.5	14.0	10.7
10	10.8	8.8	10.9	5.6	4.2	5.3	5.7	14.2	13.0	12.9	9.4	7.7	10.0	9.1	9.5	9.1	9.0	9.1	12.4	13.0	5.9	6.6	6.2	4.0	4.0	14.2	8.8
11	5.7	4.1	4.4	4.3	7.1	3.6	3.5	4.2	7.5	9.0	9.6	4.5	7.1	7.4	11.3	13.7	15.0	15.0	14.6	12.7	11.1	11.0	7.8	4.0	3.5	15.0	8.3
12	3.5	3.4	4.0	4.1	3.7	3.3	5.3	3.4	5.9	7.4	8.4	8.2	11.1	10.2	10.8	12.2	14.6	13.7	8.3	4.8	10.1	7.1	7.4	6.2	3.3	14.6	7.4
13	8.0	7.2	9.0	8.9	6.8	7.1	6.3	6.7	4.0	6.0	9.3	9.9	9.9	11.3	9.1	10.3	10.0	8.6	5.5	7.8	3.8	5.0	7.4	7.2	3.8	11.3	7.7
14	6.4	8.1	6.7	7.1	8.1	7.0	7.6	5.5	4.1	4.4	6.9	10.9	12.2	12.7	15.7	18.7	21.2	19.1	22.6	22.8	14.7	19.4	11.2	8.9	4.1	22.8	11.7
15	6.9	9.2	7.5	8.7	8.2	8.3	8.3	9.2	5.1	6.0	7.5	6.3	8.0	10.2	15.9	12.2	10.2	19.9	11.6	8.8	13.7	7.1	7.1	8.1	5.1	19.9	9.3
16	8.1	8.1	7.2	12.1	10.6	7.0	7.0	5.2	5.3	5.5	7.3	8.5	8.2	8.5	10.8	9.1	9.0	5.6	6.7	7.3	9.1	9.5	8.9	5.0	5.0	12.1	7.9
17	5.6	7.8	6.6	6.8	6.3	7.5	10.1	12.6	9.9	5.0	7.4	7.0	9.3	8.7	10.8	7.8	5.8	6.7	5.6	8.2	7.1	4.1	7.3	7.1	4.1	12.6	7.5
18	7.3	6.5	6.9	4.9	4.3	10.4	9.4	7.3	10.6	10.4	11.9	11.9	6.3	7.2	7.8	10.2	7.4	11.2	6.6	9.1	4.3	6.7	21.1	19.5	4.3	21.1	9.1
19	6.6	7.0	6.5	5.8	5.3	6.4	4.6	3.9	3.6	7.1	12.1	6.4	8.8	8.1	6.1	8.5	13.2	26.4	19.2	26.7	24.6	28.1	31.1	32.3	3.6	32.3	12.8
20	26.9	22.7	22.0	12.4	14.8	15.6	7.3	6.4	7.3	9.3	12.0	16.8	17.6	16.3	16.4	13.9	12.7	7.5	4.3	8.4	6.1	5.2	5.3	3.0	3.0	26.9	12.1
21	3.1	3.2	2.5	3.1	5.7	8.3	4.5	6.6	5.3	6.2	6.6	6.6	5.9	6.0	6.5	6.4	6.1	4.9	4.9	3.8	3.2	3.3	3.9	3.8	2.5	8.3	5.0
22	5.6	5.3	4.1	5.6	4.1	10.3	5.8	5.6	8.8	14.3	12.2	12.2	10.1	14.8	16.0	14.1	10.9	21.2	7.7	5.1	6.0	4.7	4.5	5.3	4.1	21.2	8.9
23	3.8	4.9	4.9	8.0	5.8	9.2	7.3	8.0	13.0	7.5	6.4	9.9	12.1	17.1	11.6	10.6	11.3	10.6	11.9	7.6	3.9	7.5	6.8	7.8	3.8	17.1	8.6
24	8.9	8.7	10.8	8.4	6.2	7.5	9.9	6.4	4.1	6.5	10.0	16.9	11.5	13.3	12.7	13.4	10.6	12.1	8.0	8.8	12.6	9.4	10.4	10.2	4.1	16.9	9.9
25	10.6	8.8	8.3	8.7	7.9	8.8	8.6	8.6	8.2	8.1	8.7	9.6	12.6	13.0	8.9	13.4	12.1	8.1	8.1	8.6	7.7	10.1	11.4	17.4	7.7	17.4	9.8
26	14.8	9.5	9.5	11.5	10.7	10.6	12.3	10.9	10.9	19.4	17.4	19.5	25.3	30.4	31.9	28.4	26.0	29.8	22.1	21.4	20.3	13.1	9.2	11.1	9.2	31.9	17.7
27	10.4	9.4	9.6	9.7	11.7	9.1	9.0	5.8	3.6	5.3	10.8	12.4	12.5	13.4	13.4	12.1	17.6	15.2	16.0	10.0	10.2	8.3	11.2	15.0	3.6	17.6	10.9
28	14.3	14.8	11.0	9.4	10.9	7.3	8.1	7.4	8.4	20.5	25.3	25.2	28.5	27.8	28.1	27.8	36.4	26.8	20.7	7.8	9.2	8.2	8.5	9.3	7.3	36.4	16.7
Min	3.1	3.2	2.5	3.1	3.7	3.3	3.5	3.4	3.6	4.4	6.4	4.5	5.9	6.0	5.7	4.9	3.3	4.9	4.3	3.8	3.2	3.3	3.9	3.0	2.5		
Max	26.9	23.1	22.4	20.3	22.6	22.6	22.4	26.5	35.1	37.0	38.0	38.3	38.7	37.4	34.2	33.8	36.4	35.8	33.1	30.9	24.6	28.1	31.1	32.3	38.7		
Avg	10.4	9.9	9.9	10.0	10.1	10.0	9.2	9.7	10.5	12.8	14.9	14.9	15.9	16.1	15.9	15.7	16.3	15.5	12.6	12.3	10.5	10.0	10.6	10.3			12.2

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage
Units: volts
Channel: 11

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 03-08-2005
Printout Time: 11:16:26
Output File Name: DHSB0205.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.1	12.3	12.9	12.6	12.8	13.6	13.5	12.7	12.4	12.4	12.3	12.3	12.2	12.2	12.2	12.1	12.0	13.6	12.4
2	12.1	12.1	12.1	12.1	12.0	12.0	12.1	12.8	13.4	13.3	13.1	12.9	13.1	13.4	13.6	12.7	12.4	12.4	12.3	12.3	12.2	12.2	12.1	12.1	12.0	13.6	12.5
3	12.1	12.1	12.1	12.1	12.0	12.0	12.1	12.9	13.6	13.6	13.6	13.0	12.9	12.8	13.6	12.7	12.4	12.4	12.3	12.3	12.2	12.2	12.2	12.1	12.0	13.6	12.6
4	12.1	12.1	12.1	12.1	12.0	12.0	12.1	12.8	13.3	13.8	13.1	13.0	13.4	12.7	12.8	12.7	12.4	12.4	12.3	12.2	12.2	12.2	12.1	12.1	12.0	13.8	12.5
5	12.1	12.1	12.1	12.1	12.0	12.0	12.1	12.3	12.5	12.7	12.8	12.7	12.6	12.6	12.6	12.5	12.3	12.2	12.2	12.1	12.1	12.0	12.0	12.0	12.0	12.8	12.3
6	11.9	11.9	11.9	11.9	11.9	11.9	11.9	12.0	12.3	13.2	13.4	13.0	12.9	12.9	13.4	12.7	12.5	12.4	12.4	12.3	12.2	12.2	12.2	12.1	11.9	13.4	12.4
7	12.1	12.1	12.1	12.1	12.0	12.0	12.0	12.0	12.1	12.3	12.6	12.8	13.2	13.3	13.2	12.8	12.5	12.4	12.3	12.3	12.2	12.2	12.1	12.1	12.0	13.3	12.4
8	12.0	12.0	12.0	11.9	11.9	11.9	12.0	12.9	13.5	13.0	13.1	13.0	12.8	13.5	12.6	12.5	12.4	12.3	12.3	12.2	12.2	12.1	12.1	12.1	11.9	13.5	12.4
9	12.1	12.0	12.0	12.0	11.9	11.9	12.1	12.9	13.4	13.8	13.6	12.8	12.8	12.8	13.3	12.6	12.4	12.3	12.3	12.2	12.2	12.2	12.2	12.1	11.9	13.8	12.5
10	12.1	12.1	12.1	12.1	12.0	12.0	12.0	12.0	12.1	12.4	12.5	12.7	12.4	12.5	12.4	12.3	12.2	12.1	12.1	12.0	12.0	11.9	11.9	11.9	11.9	12.7	12.1
11	11.8	11.5	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	12.0	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.5	12.0	11.9
12	11.9	11.8	11.8	11.8	11.8	11.8	11.8	12.0	12.6	12.7	12.6	12.6	12.8	12.8	12.5	12.5	12.4	12.3	12.3	12.2	12.2	12.1	12.1	12.1	11.8	12.8	12.2
13	12.0	12.0	12.0	11.9	11.9	11.9	12.0	12.7	13.1	13.1	13.2	13.3	13.0	13.2	12.7	12.5	12.4	12.3	12.3	12.3	12.2	12.2	12.2	12.1	11.9	13.3	12.4
14	12.1	12.1	12.1	12.1	12.1	12.0	12.0	12.1	12.3	12.5	12.8	13.5	13.1	13.1	12.6	12.5	12.4	12.3	12.3	12.2	12.1	12.1	12.1	12.0	12.0	13.5	12.4
15	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	13.0	13.1	12.8	12.9	12.8	12.6	12.5	12.5	12.3	12.3	12.2	12.2	12.2	12.1	12.1	12.0	12.0	13.1	12.3
16	12.0	12.0	12.0	11.9	11.9	11.9	12.0	12.7	13.3	12.9	13.4	13.1	12.6	12.6	12.8	12.6	12.4	12.3	12.2	12.2	12.2	12.1	12.1	12.1	11.9	13.4	12.4
17	12.1	12.1	12.0	12.0	12.0	12.0	12.0	12.2	12.6	12.7	12.6	12.6	12.6	12.4	12.3	12.3	12.2	12.1	12.1	12.0	12.0	12.0	12.0	12.0	12.0	12.7	12.2
18	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	12.2	12.1	12.1	12.0	12.1	12.1	12.0	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.8	11.8	12.2	12.0
19	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.9	11.9	11.9	11.9	11.8	12.0	12.0	11.9	11.9	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	12.0	11.8
20	11.8	11.8	11.8	11.8	11.8	11.8	11.9	12.1	12.5	12.7	12.8	12.8	12.6	12.5	12.4	12.3	12.3	12.2	12.2	12.1	12.1	12.1	12.1	12.0	11.8	12.8	12.2
21	12.0	12.0	12.0	11.9	11.9	11.9	11.9	11.9	11.8	11.9	11.9	11.8	11.9	12.0	11.8	11.9	11.8	11.8	11.8	11.8	11.8	11.8	11.7	11.8	11.7	12.0	11.9
22	11.7	11.7	11.7	11.7	11.7	11.7	11.7	12.4	12.6	12.6	12.5	12.4	12.6	12.6	12.5	12.4	12.3	12.2	12.2	12.1	12.1	12.0	12.0	12.0	11.7	12.6	12.1
23	12.0	11.9	11.9	11.9	11.9	11.8	11.8	11.8	11.8	12.9	13.0	13.1	12.6	12.5	12.6	12.4	12.3	12.2	12.2	12.1	12.1	12.1	12.0	12.0	11.8	13.1	12.2
24	11.9	11.9	11.9	11.9	11.8	11.8	11.9	12.7	13.1	13.1	13.1	12.9	12.8	12.6	12.5	12.4	12.3	12.3	12.2	12.2	12.1	12.1	12.1	12.1	11.8	13.1	12.3
25	12.0	12.0	12.0	12.0	11.9	11.9	12.2	12.8	13.2	13.3	12.9	12.7	12.5	12.5	11.9	12.6	12.4	12.3	12.3	12.2	12.2	12.1	12.1	12.1	11.9	13.3	12.3
26	12.1	12.1	12.0	12.0	12.0	12.0	12.2	12.8	13.3	13.2	13.0	13.5	12.9	13.2	13.0	12.6	12.5	12.4	12.3	12.3	12.2	12.2	12.2	12.1	12.0	13.5	12.5
27	12.1	12.1	12.1	12.1	12.0	12.0	12.0	12.6	13.1	13.7	13.6	12.9	12.6	12.6	13.1	12.6	12.4	12.3	12.3	12.2	12.2	12.1	12.1	12.1	12.0	13.7	12.5
28	12.1	12.1	12.1	12.0	12.0	12.0	12.2	12.9	13.4	13.0	13.6	12.9	12.9	12.9	13.6	12.7	12.4	12.4	12.3	12.3	12.2	12.2	12.1	12.1	12.0	13.6	12.5
Min	11.7	11.5	11.7	11.7	11.7	11.7	11.7	11.8	11.8	11.9	11.9	11.8	11.8	11.9	11.8	11.9	11.8	11.8	11.8	11.8	11.8	11.7	11.8	11.5			
Max	12.1	12.1	12.1	12.1	12.1	12.0	12.2	12.9	13.6	13.8	13.6	13.5	13.4	13.6	13.6	12.8	12.5	12.4	12.4	12.3	12.2	12.2	12.2	12.1	13.8		
Avg	12.0	12.0	12.0	12.0	11.9	11.9	12.0	12.3	12.7	12.8	12.9	12.8	12.7	12.7	12.7	12.5	12.3	12.2	12.2	12.1	12.1	12.1	12.0				12.3

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2