

# Desert Hot Springs Meteorological Data

February 2006

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed  
Units: mph  
Channel: 9

Site: Desert Hot Springs (data subject to change)  
Month: February  
Year: 2006  
Time Zone: PST

Validation Level: B  
Printout Date: 03-17-2006  
Printout Time: 11:16:11  
Output File Name: DHSB0206.9

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	5.8	5.5	5.4	5.4	5.1	3.3	4.3	4.4	2.4	5.5	12.9	13.9	12.4	11.5	12.2	12.0	9.7	3.6	3.6	2.8	2.7	3.1	5.4	5.7	2.4	13.9	6.6
2	4.7	5.1	4.4	4.0	4.0	3.4	4.2	3.2	4.3	2.3	2.4	2.9	3.5	4.5	7.6	6.2	6.0	6.8	7.8	7.0	5.5	2.2	4.3	4.4	2.2	7.8	4.6
3	6.2	4.2	3.7	4.0	3.9	3.8	4.8	2.6	1.2	3.6	4.3	6.0	5.7	7.2	5.8	6.3	5.4	2.6	5.1	5.8	6.4	7.2	5.9	5.7	1.2	7.2	4.9
4	6.2	4.7	5.2	5.5	4.8	5.9	6.4	5.6	1.8	1.5	1.9	2.5	3.0	2.8	4.4	4.1	3.4	2.6	4.4	5.1	5.7	4.2	3.7	5.0	1.5	6.4	4.2
5	3.6	5.0	5.6	6.3	5.3	7.4	10.0	12.3	10.0	11.3	8.3	6.6	7.9	8.1	10.1	9.7	9.2	7.9	14.5	10.9	11.9	8.4	8.4	3.7	3.6	14.5	8.4
6	2.9	3.0	5.1	5.8	9.5	9.2	5.9	3.2	2.1	2.5	3.4	3.7	4.9	5.8	5.7	6.1	4.9	9.1	7.7	8.7	8.2	7.5	7.1	3.4	2.1	9.5	5.6
7	3.6	6.1	4.1	2.5	4.2	4.4	5.7	4.7	2.3	3.1	2.5	4.9	5.5	10.8	11.8	11.7	10.6	3.5	9.1	7.8	4.2	7.1	6.8	4.6	2.3	11.8	5.9
8	9.9	6.3	4.8	4.0	3.1	3.4	5.3	4.1	3.7	4.6	7.3	10.2	9.4	10.3	7.7	9.3	5.5	3.2	3.0	6.4	7.0	5.0	5.8	6.5	3.0	10.3	6.1
9	11.3	8.8	3.5	5.2	6.6	7.1	5.7	3.8	6.1	15.1	19.6	18.4	15.2	12.8	10.6	13.9	12.0	10.1	5.1	3.1	4.4	6.2	5.9	6.5	3.1	19.6	9.0
10	5.3	6.6	5.6	5.4	6.8	6.1	6.9	6.0	1.7	2.2	5.8	5.6	5.9	4.7	4.4	4.2	4.9	2.2	4.6	4.7	5.3	6.9	4.3	3.9	1.7	6.9	5.0
11	2.4	4.9	6.4	4.8	5.5	5.9	6.1	4.2	4.9	5.1	5.5	8.7	8.7	7.9	8.6	5.6	5.4	5.0	5.1	4.8	3.3	3.9	4.2	5.8	2.4	8.7	5.5
12	7.5	9.0	10.9	10.2	6.1	3.2	2.5	4.4	4.1	5.1	4.9	5.8	5.3	6.2	6.1	9.1	8.4	10.5	5.8	6.3	6.1	7.2	7.8	6.4	2.5	10.9	6.6
13	4.3	5.4	6.8	6.8	7.8	4.8	4.3	5.8	9.3	8.2	12.0	10.8	4.7	6.4	6.5	3.6	3.7	2.0	6.3	6.5	5.8	6.3	5.9	4.7	2.0	12.0	6.2
14	4.7	5.1	5.7	6.3	5.5	4.4	5.8	4.0	2.6	3.2	6.1	7.5	6.9	13.6	12.8	16.8	13.8	10.9	16.7	18.1	19.1	23.1	26.1	29.9	2.6	29.9	11.2
15	31.7	35.4	28.3	23.0	22.4	21.6	19.9	19.2	16.6	20.4	23.4	24.3	23.1	21.9	18.0	19.5	22.4	23.3	25.1	24.1	21.2	16.9	10.9	8.1	8.1	35.4	21.7
16	5.9	5.3	5.8	10.1	7.3	6.7	5.6	5.0	4.1	6.3	4.6	5.8	4.3	6.5	6.1	4.8	5.5	5.0	3.0	2.3	4.8	4.6	9.3	12.0	2.3	12.0	5.9
17	13.4	11.2	12.5	12.9	12.6	9.3	6.5	5.4	3.3	3.5	10.8	15.2	17.3	19.6	18.8	18.0	18.8	17.3	17.8	18.2	18.2	19.4	14.7	13.7	3.3	19.6	13.7
18	15.2	16.4	16.3	16.2	14.6	15.3	16.3	15.9	15.7	16.4	15.9	15.3	13.8	15.4	13.9	14.1	12.5	12.8	12.9	12.9	13.9	12.8	11.0	11.8	11.0	16.4	14.5
19	8.0	6.1	1.9	1.5	2.2	8.7	10.4	7.6	9.1	10.6	10.6	13.3	15.2	16.7	15.4	15.8	13.9	10.1	3.2	7.0	8.4	6.0	5.3	5.9	1.5	16.7	8.9
20	5.0	5.6	6.7	7.4	7.4	7.5	8.4	6.5	5.9	5.2	6.3	6.0	4.3	4.1	4.9	6.3	10.3	9.4	6.7	7.3	8.8	8.9	7.6	6.8	4.1	10.3	6.8
21	8.2	8.8	9.1	7.6	6.7	8.4	8.8	7.6	5.5	10.4	11.3	9.5	8.5	10.4	11.3	11.9	9.1	8.1	4.7	8.7	7.8	5.4	5.6	5.4	4.7	11.9	8.3
22	3.3	3.6	4.4	4.6	5.4	4.4	3.6	2.6	6.5	13.4	11.8	10.4	10.1	10.9	14.3	14.3	8.5	8.8	8.8	8.4	5.3	7.0	6.1	6.7	2.6	14.3	7.6
23	6.9	6.0	7.7	8.1	8.7	6.4	4.7	3.1	4.3	3.4	4.2	3.5	6.1	6.0	5.2	5.3	4.8	2.3	4.6	6.3	9.1	8.3	8.6	8.6	2.3	9.1	5.9
24	7.6	7.7	8.8	9.1	8.5	8.1	7.6	6.6	3.3	4.5	5.3	6.2	8.4	15.2	16.0	14.8	11.2	7.8	5.5	6.1	7.0	6.7	6.4	5.9	3.3	16.0	8.1
25	6.1	7.8	7.8	7.6	6.2	5.4	5.1	3.3	1.9	3.1	4.3	5.9	6.8	8.3	8.7	8.3	5.5	2.1	4.4	4.5	4.6	5.5	5.7	5.3	1.9	8.7	5.6
26	5.9	5.3	5.3	6.2	4.1	5.6	5.0	4.1	1.1	1.0	3.6	7.4	9.5	7.9	9.1	8.5	7.3	5.5	7.1	7.1	3.3	10.5	11.1	5.1	1.0	11.1	6.1
27	2.9	3.5	7.3	5.6	8.6	7.3	6.4	2.6	2.3	4.4	5.0	1.7	4.3	6.8	7.6	5.7	2.2	4.7	10.6	6.4	3.1	3.1	6.8	6.5	1.7	10.6	5.2
28	5.8	3.5	3.6	2.8	2.7	4.4	5.0	4.7	12.6	14.9	15.3	17.5	20.0	21.3	20.8	19.4	19.1	15.9	15.5	7.1	5.8	8.9	5.1	6.3	2.7	21.3	10.8
Min	2.4	3.0	1.9	1.5	2.2	3.2	2.5	2.6	1.1	1.0	1.9	1.7	3.0	2.8	4.4	3.6	2.2	2.0	3.0	2.3	2.7	2.2	3.7	3.4	1.0		
Max	31.7	35.4	28.3	23.0	22.4	21.6	19.9	19.2	16.6	20.4	23.4	24.3	23.1	21.9	20.8	19.5	22.4	23.3	25.1	24.1	21.2	23.1	26.1	29.9		35.4	
Avg	7.3	7.3	7.2	7.1	7.0	6.8	6.8	5.8	5.3	6.8	8.2	8.9	8.9	10.1	10.2	10.2	9.1	7.6	8.2	8.0	7.7	7.9	7.7	7.3			7.8

Total Data Records Possible: 672  
Total Valid Data Records: 672  
Percent Data Recovery: 100.0

#### Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction  
 Units: degrees  
 Channel: 10

Site: Desert Hot Springs (data subject to change)  
 Month: February  
 Year: 2006  
 Time Zone: PST

Validation Level: B  
 Printout Date: 03-17-2006  
 Printout Time: 11:16:12  
 Output File Name: DHSB0206.10

Day	Hour Ending																								Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	339	325	339	324	314	339	338	333	68	85	242	236	224	228	225	237	260	267	227	146	328	340	309	324	[NNW]
2	345	328	353	343	342	12	67	107	143	94	127	123	162	162	125	119	195	46	85	111	94	26	332	349	[NNW]
3	340	338	4	67	21	353	354	8	144	127	154	166	149	169	180	171	150	114	328	326	323	333	341	357	[NNW]
4	352	345	337	345	360	344	339	332	28	104	154	167	143	158	162	174	182	116	333	332	317	2	353	333	[NNW]
5	330	336	332	339	19	7	14	17	19	20	38	67	97	95	76	76	71	44	32	29	26	28	22	139	[NNE]
6	284	83	11	345	24	33	11	236	83	130	130	173	150	156	157	164	227	357	3	8	6	1	14	31	[ N ]
7	26	345	19	70	47	34	17	35	46	137	161	56	65	29	17	26	34	26	25	37	58	62	33	4	[NNE]
8	360	1	28	41	38	21	346	334	33	91	75	59	41	35	52	44	39	9	341	358	359	300	250	9	[NE ]
9	17	12	289	330	309	296	292	286	314	15	22	29	40	50	39	22	23	28	266	304	291	339	336	336	[NNE]
10	353	341	336	346	331	344	335	341	46	204	169	191	196	196	178	171	183	214	342	348	335	331	343	342	[NNW]
11	20	360	334	318	349	336	337	32	90	157	146	80	75	72	71	74	61	57	24	330	332	355	337	356	[NNW]
12	5	356	18	15	16	81	102	53	123	133	147	158	157	167	116	62	65	69	357	35	297	331	333	327	[SSE]
13	339	344	334	343	337	321	337	38	81	67	48	32	22	169	167	152	160	125	338	330	327	335	344	349	[NNW]
14	344	340	333	335	335	353	328	19	129	99	140	148	199	251	240	261	265	261	285	285	288	296	294	287	[WNW]
15	287	277	276	282	274	275	280	271	293	294	288	284	280	288	300	319	318	295	289	282	284	285	304	311	[WNW]
16	333	352	319	340	298	303	282	283	29	41	156	158	196	159	158	164	160	147	120	16	326	332	255	260	[SSE]
17	264	275	279	292	320	330	329	338	293	354	261	262	261	269	275	294	298	302	306	309	305	312	301	295	[ W ]
18	292	293	293	303	285	291	293	287	284	285	284	277	265	277	268	272	281	274	275	287	293	289	291	293	[WNW]
19	290	296	46	101	110	275	297	309	273	284	267	262	266	284	277	279	270	280	0	312	294	314	321	328	[ W ]
20	323	326	322	327	327	323	318	302	273	239	191	201	136	157	248	252	255	277	318	298	312	312	313	319	[NW ]
21	295	301	310	305	284	304	307	303	335	38	44	46	32	29	33	12	302	323	350	14	329	327	320	343	[NW ]
22	27	38	344	354	348	356	0	103	72	33	44	37	58	67	48	49	57	40	45	36	308	333	331	332	[NE ]
23	340	347	348	317	308	305	267	222	35	127	58	211	185	177	215	181	162	152	324	345	320	324	319	322	[NW ]
24	322	313	317	317	319	327	322	315	306	235	227	233	251	263	267	272	272	277	329	329	327	331	330	337	[NW ]
25	344	330	329	332	340	332	336	345	75	149	151	157	146	148	149	147	127	123	346	338	346	345	331	349	[NNW]
26	321	349	323	334	348	327	347	345	5	79	152	156	144	141	155	162	159	185	281	276	331	290	280	283	[NNW]
27	326	254	277	248	209	125	115	148	181	164	143	159	170	185	228	239	269	217	256	244	103	130	269	246	[WSW]
28	290	255	19	273	256	359	3	171	274	269	273	270	276	275	276	281	273	275	285	331	330	274	315	312	[ W ]

Prev [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNE] [SE ] [SSE] [SSE] [ W ] [SSE] [SSE] [SSE] [ W ] [ W ] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW]

Total Data Records Possibe: 672  
 Total Valid Data Records: 672  
 Percent Data Recovery: 100.0

#### Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Site: Desert Hot Springs (data subject to change) Validation Level: B  
Month: February Printout Date: 03-17-2006  
Year: 2006 Printout Time: 11:16:12  
Time Zone: PST Output File Name: DHSB0206.10t

Day	Hour Ending																								Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	[NNW]	[NW ]	[NNW]	[NW ]	[NW ]	[NNW]	[NNW]	[ENE]	[ E ]	[WSW]	[WSW]	[SW ]	[SW ]	[SW ]	[WSW]	[ W ]	[ W ]	[SW ]	[SE ]	[NNW]	[NNW]	[NW ]	[NW ]	[NNW]	
2	[NNW]	[NNW]	[ N ]	[NNW]	[NNW]	[NNE]	[ENE]	[ESE]	[SE ]	[ E ]	[SE ]	[ESE]	[SSE]	[SSE]	[SE ]	[ESE]	[SSW]	[NE ]	[ E ]	[ESE]	[ E ]	[NNE]	[NNW]	[ N ]	[NNW]
3	[NNW]	[NNW]	[ N ]	[ENE]	[NNE]	[ N ]	[ N ]	[ N ]	[SE ]	[SE ]	[SSE]	[SSE]	[SSE]	[ S ]	[ S ]	[ S ]	[SSE]	[ESE]	[NNW]	[NW ]	[NW ]	[NNW]	[NNW]	[ N ]	[NNW]
4	[ N ]	[NNW]	[NNW]	[NNW]	[ N ]	[NNW]	[NNW]	[NNW]	[NNE]	[ESE]	[SSE]	[SSE]	[SE ]	[SSE]	[SSE]	[ S ]	[ S ]	[ESE]	[NNW]	[NNW]	[NW ]	[ N ]	[ N ]	[NNW]	[NNW]
5	[NNW]	[NNW]	[NNW]	[NNW]	[NNE]	[ N ]	[NNE]	[NNE]	[NNE]	[NNE]	[NE ]	[ENE]	[ E ]	[ E ]	[ENE]	[ENE]	[ENE]	[NE ]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[SE ]	[NNE]
6	[NNW]	[ E ]	[ N ]	[NNW]	[NNE]	[NNE]	[ N ]	[SW ]	[ E ]	[SE ]	[SE ]	[ S ]	[SSE]	[SSE]	[SSE]	[SSE]	[SW ]	[ N ]	[ N ]	[ N ]	[ N ]	[ N ]	[NNE]	[NNE]	[ N ]
7	[NNE]	[NNW]	[NNE]	[ENE]	[NE ]	[NE ]	[NNE]	[NE ]	[NE ]	[SE ]	[SSE]	[NE ]	[ENE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NE ]	[NE ]	[ENE]	[ENE]	[ N ]	[NNW]
8	[ N ]	[ N ]	[NNE]	[NE ]	[NE ]	[NNE]	[NNW]	[NNW]	[NNE]	[ E ]	[ENE]	[ENE]	[NE ]	[NE ]	[NE ]	[NE ]	[NE ]	[ N ]	[NNW]	[ N ]	[ N ]	[WNW]	[WSW]	[ N ]	[NE ]
9	[NNE]	[NNE]	[WNW]	[NNW]	[NW ]	[WNW]	[WNW]	[WNW]	[NW ]	[NNE]	[NNE]	[NNE]	[NE ]	[NE ]	[NE ]	[NNE]	[NNE]	[NNE]	[ W ]	[WNW]	[WNW]	[NNW]	[NNW]	[NNW]	[NNE]
10	[ N ]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NE ]	[SSW]	[ S ]	[SSW]	[SSW]	[SSW]	[ S ]	[ S ]	[ S ]	[SSW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
11	[NNE]	[ N ]	[NNW]	[NW ]	[ N ]	[NNW]	[NNW]	[NNE]	[ E ]	[SSE]	[SE ]	[ E ]	[ENE]	[ENE]	[ENE]	[ENE]	[ENE]	[ENE]	[NNE]	[NNW]	[NNW]	[ N ]	[NNW]	[ N ]	[NNW]
12	[ N ]	[ N ]	[NNE]	[NNE]	[NNE]	[ E ]	[ESE]	[NE ]	[ESE]	[SE ]	[SSE]	[SSE]	[SSE]	[SSE]	[ESE]	[ENE]	[ENE]	[ENE]	[ N ]	[NE ]	[WNW]	[NNW]	[NNW]	[NNW]	[SSE]
13	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW ]	[NNW]	[NE ]	[ E ]	[ENE]	[NE ]	[NNE]	[NNE]	[ S ]	[SSE]	[SSE]	[SSE]	[SE ]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[ N ]	[NNW]
14	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[ N ]	[NNW]	[NNE]	[SE ]	[ E ]	[SE ]	[SSE]	[SSW]	[WSW]	[WSW]	[ W ]	[ W ]	[ W ]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
15	[WNW]	[ W ]	[ W ]	[WNW]	[ W ]	[ W ]	[ W ]	[WNW]	[WNW]	[WNW]	[WNW]	[ W ]	[WNW]	[WNW]	[WNW]	[NW ]	[NW ]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW ]	[NW ]	[WNW]
16	[NNW]	[ N ]	[NW ]	[NNW]	[WNW]	[WNW]	[WNW]	[NNE]	[NE ]	[SSE]	[SSE]	[SSW]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[NNE]	[NNW]	[NNW]	[NNW]	[WSW]	[ W ]	[SSE]
17	[ W ]	[ W ]	[ W ]	[WNW]	[NW ]	[NNW]	[NNW]	[NNW]	[NW ]	[ W ]	[WNW]	[ W ]	[ W ]	[ W ]	[ W ]	[WNW]	[WNW]	[WNW]	[NW ]	[NW ]	[NW ]	[NW ]	[WNW]	[WNW]	[ W ]
18	[WNW]	[WNW]	[NNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
19	[WNW]	[WNW]	[NE ]	[ E ]	[ESE]	[ W ]	[WNW]	[NW ]	[ W ]	[WNW]	[ W ]	[ W ]	[WNW]	[ W ]	[ W ]	[ W ]	[ W ]	[ N ]	[NW ]	[WNW]	[NW ]	[NW ]	[NNW]	[ W ]	[NNW]
20	[NW ]	[NW ]	[NW ]	[NNW]	[NNW]	[NW ]	[NW ]	[WNW]	[ W ]	[WSW]	[ S ]	[SSW]	[SE ]	[SSE]	[WSW]	[WSW]	[WSW]	[ W ]	[NW ]	[WNW]	[NW ]	[NW ]	[NW ]	[NW ]	[NW ]
21	[WNW]	[NNW]	[NW ]	[NW ]	[WNW]	[NW ]	[NW ]	[WNW]	[NNW]	[NE ]	[NE ]	[NE ]	[NNE]	[NNE]	[NNE]	[NNE]	[WNW]	[NW ]	[ N ]	[NNE]	[NNW]	[NNW]	[NW ]	[NNW]	[NW ]
22	[NNE]	[NE ]	[NNW]	[ N ]	[NNW]</																				

Prev [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNE] [SE] [SSE] [SSE] [W] [SSE] [SSE] [SSE] [W] [W] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW]

```
Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0
```

## Missing Data Codes

```
-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor
```

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)  
 Units: degrees  
 Channel: 11

Site: Desert Hot Springs (data subject to change)  
 Month: February  
 Year: 2006  
 Time Zone: PST

Validation Level: B  
 Printout Date: 03-17-2006  
 Printout Time: 11:16:13  
 Output File Name: DHSB0206.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	8.1	10.8	16.1	15.6	14.3	33.8	27.2	23.4	27.5	52.9	13.3	12.6	14.2	15.9	12.6	12.5	15.0	48.3	42.3	31.4	47.8	33.8	10.2	24.2	8.1	52.9	23.5
2	16.1	16.7	30.0	18.6	51.2	48.1	17.9	25.6	17.2	39.4	52.8	44.2	34.5	34.9	16.5	32.1	58.9	26.1	13.5	11.1	48.9	50.1	21.8	13.6	11.1	58.9	30.8
3	9.2	18.5	48.1	50.7	21.4	10.7	15.0	20.0	32.1	14.8	19.9	19.3	21.3	21.0	21.0	13.3	11.1	15.9	7.3	5.0	6.0	5.8	7.2	9.8	5.0	50.7	17.7
4	8.6	9.0	8.6	6.9	12.3	8.6	9.0	10.3	51.1	26.1	25.3	37.5	40.3	45.3	26.2	27.6	18.2	37.4	12.0	7.6	16.9	13.0	8.9	15.9	6.9	51.1	20.1
5	25.4	13.3	8.0	11.0	25.4	16.1	15.5	16.1	14.2	16.7	22.8	28.1	26.0	27.8	22.6	18.0	18.7	20.1	14.9	19.1	17.4	15.3	17.6	47.3	8.0	47.3	19.9
6	54.8	60.1	18.0	11.8	13.4	12.0	19.1	50.6	52.3	17.5	28.3	28.3	32.1	27.8	22.8	26.6	32.7	11.3	13.2	11.7	11.3	11.2	11.6	20.2	11.2	60.1	24.9
7	17.1	10.7	12.9	23.5	14.0	44.6	12.1	20.2	18.3	45.3	57.1	43.2	48.6	15.9	14.4	13.2	14.3	21.5	12.6	17.0	25.6	14.7	26.3	36.8	10.7	57.1	24.2
8	11.2	19.5	26.3	27.7	29.5	42.0	47.9	35.0	62.3	35.2	28.0	20.2	18.3	18.3	26.2	19.2	15.7	40.6	44.9	46.7	34.6	23.7	34.8	51.2	11.2	62.3	31.6
9	18.0	36.5	57.4	35.1	23.5	13.4	16.4	42.4	47.6	16.6	14.4	14.3	16.2	17.3	20.2	15.8	16.6	13.6	52.3	33.2	22.4	9.2	7.8	11.5	7.8	57.4	23.8
10	8.2	8.6	14.2	7.2	7.8	11.4	11.6	11.0	22.1	48.5	16.7	17.4	19.2	22.4	28.4	21.8	12.8	24.2	17.7	9.2	11.8	5.8	25.7	20.0	5.8	48.5	16.8
11	67.7	18.6	10.3	12.7	15.0	16.3	18.2	27.2	24.6	20.1	26.5	20.4	22.0	23.8	25.4	38.5	28.9	17.3	17.5	20.7	30.2	27.2	39.2	17.2	10.3	67.7	24.4
12	11.9	10.7	13.0	11.8	25.4	21.8	65.6	37.0	18.1	14.8	19.6	22.8	26.5	25.7	33.6	18.8	20.1	15.5	30.8	36.2	10.1	9.5	11.1	11.8	9.5	65.6	21.8
13	13.7	10.2	13.9	18.9	10.4	25.9	30.1	21.9	14.1	19.5	17.5	14.9	53.7	29.8	25.5	41.7	16.9	23.3	8.9	7.8	5.6	6.8	10.3	11.6	5.6	53.7	18.9
14	9.9	12.8	12.9	13.3	13.8	20.9	7.9	26.3	57.3	53.3	18.4	18.1	48.4	31.6	33.8	15.4	15.4	15.2	14.6	14.2	13.5	11.8	11.6	12.5	7.9	57.3	21.0
15	12.3	12.4	13.1	13.6	13.3	14.2	14.9	15.5	17.4	16.4	15.2	15.5	16.5	16.3	19.4	17.4	16.4	15.5	15.0	14.4	14.6	13.9	12.5	18.4	12.3	19.4	15.2
16	9.1	14.8	31.9	13.3	12.5	13.9	17.1	29.0	46.8	44.0	50.1	23.3	55.4	34.3	24.3	26.1	14.5	9.0	9.2	32.6	11.7	25.3	22.0	13.6	9.0	55.4	24.3
17	15.1	14.6	13.3	15.2	14.9	14.1	12.0	14.4	17.9	59.3	29.9	14.0	14.7	14.6	14.3	12.5	10.7	10.8	10.9	10.1	10.7	10.7	12.1	13.6	10.1	59.3	15.8
18	13.4	13.6	12.7	12.3	13.8	12.1	12.0	12.2	13.2	14.1	13.6	14.9	16.2	15.0	15.9	14.4	13.0	13.3	13.4	12.3	11.5	12.9	13.1	12.6	11.5	16.2	13.4
19	13.6	16.1	55.7	19.9	29.5	16.6	16.0	11.8	23.4	23.0	19.2	17.3	15.5	14.3	14.1	13.1	14.7	17.6	53.6	23.6	16.4	14.8	14.9	8.0	8.0	55.7	20.1
20	11.3	11.2	12.0	7.6	7.8	7.8	8.4	11.6	14.4	24.2	25.1	44.1	52.0	52.0	37.4	42.5	14.1	14.6	14.8	11.9	15.2	12.5	10.7	8.2	7.6	52.0	19.6
21	13.0	14.5	11.4	12.8	10.0	9.6	9.3	12.1	28.2	16.8	18.1	25.8	28.1	22.8	22.8	29.4	15.6	24.6	16.8	10.7	17.0	21.7	14.8	25.9	9.3	29.4	18.0
22	49.3	32.0	24.1	16.1	17.4	31.6	34.5	46.2	25.7	18.4	20.2	24.6	23.0	22.2	17.0	16.0	18.9	15.9	13.9	10.9	39.3	14.7	13.5	16.5	10.9	49.3	23.4
23	13.1	17.2	17.0	8.7	10.4	13.7	19.2	51.0	53.9	56.7	49.2	54.8	44.5	31.4	27.7	25.1	17.1	35.6	14.9	14.8	11.2	7.7	7.5	11.0	7.5	56.7	25.5
24	8.1	6.8	6.1	6.6	7.0	7.2	9.0	8.0	14.7	20.4	38.1	29.7	39.7	14.3	14.3	13.7	13.8	13.1	15.6	8.6	14.3	8.3	8.8	13.8	6.1	39.7	14.2
25	14.8	12.6	12.2	14.7	39.9	27.8	18.6	14.0	34.2	16.3	24.7	25.4	23.0	14.6	13.9	12.5	10.3	11.6	20.1	6.3	6.0	9.5	5.3	27.5	5.3	39.9	17.3
26	7.6	11.6	9.5	8.9	11.5	5.1	6.8	10.7	28.8	32.4	33.3	28.6	16.6	19.0	15.5	16.5	33.2	33.6	53.5	22.0	23.5	18.7	14.2	17.8	5.1	53.5	20.0
27	30.9	49.9	17.5	27.8	35.1	20.2	16.8	37.3	49.8	19.2	23.5	60.3	33.8	16.4	24.4	12.2	40.7	18.8	13.8	36.2	38.7	41.6	52.4	34.2	12.2	60.3	31.3
28	50.2	57.2	35.2	54.1	72.7	48.8	44.9	49.3	16.3	14.6	17.4	14.9	14.8	13.9	14.0	13.5	12.5	14.0	13.5	29.6	22.7	17.9	29.5	11.3	11.3	72.7	28.5
Min	7.6	6.8	6.1	6.6	7.0	5.1	6.8	8.0	13.2	14.1	13.3	12.6	14.2	13.9	12.6	12.2	10.3	9.0	7.3	5.0	5.6	5.8	5.3	8.0	5.0		
Max	67.7	60.1	57.4	54.1	72.7	48.8	65.6	51.0	62.3	59.3	57.1	60.3	55.4	52.0	37.4	42.5	58.9	48.3	53.6	46.7	48.9	50.1	52.4	51.2	72.7		
Avg	19.3	19.3	20.1	17.7	20.5	20.3	19.7	24.6	30.1	28.4	26.4	26.2	29.1	23.5	21.6	20.7	19.3	20.6	20.8	18.4	19.8	16.7	17.0	19.2			21.6

Total Data Records Possible: 672  
 Total Valid Data Records: 672  
 Percent Data Recovery: 100.0

#### Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust  
Units: mph  
Channel: 17

Site: Desert Hot Springs (data subject to change)  
Month: February  
Year: 2006  
Time Zone: PST

Validation Level: B  
Printout Date: 03-17-2006  
Printout Time: 11:16:17  
Output File Name: DHSB0206.17

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	8.6	9.4	9.6	7.8	7.3	7.2	9.3	8.5	5.6	16.2	23.5	23.9	21.3	19.7	20.9	21.3	21.3	13.1	7.6	6.9	6.0	6.4	9.9	9.4	5.6	23.9	12.5
2	9.4	8.8	9.3	8.1	8.5	9.0	7.2	7.6	7.5	5.7	5.8	7.9	9.9	9.9	14.5	14.0	20.5	14.0	12.8	12.2	11.9	7.4	7.8	6.6	5.7	20.5	9.8
3	9.9	7.8	11.8	9.8	6.1	6.1	8.0	5.3	3.6	6.6	7.4	11.1	10.4	13.2	12.1	10.4	8.9	5.6	6.9	7.5	8.2	9.4	8.5	9.1	3.6	13.2	8.5
4	9.5	9.0	7.4	8.0	8.3	8.9	9.4	8.3	7.4	3.2	4.7	6.0	7.1	7.4	9.1	8.8	6.5	5.5	6.8	7.4	8.8	7.2	5.1	9.3	3.2	9.5	7.5
5	8.6	8.0	8.3	9.1	8.3	15.1	19.6	22.0	18.9	24.1	23.0	18.3	19.1	21.2	22.0	18.4	20.5	19.2	28.0	33.1	27.3	21.9	20.2	14.0	8.0	33.1	18.7
6	7.3	14.3	9.6	15.5	19.3	18.3	15.6	7.9	6.5	6.1	7.1	8.2	10.7	12.9	11.7	17.2	14.4	15.3	12.9	14.5	14.0	12.2	12.9	7.2	6.1	19.3	12.1
7	5.6	8.6	6.4	6.4	7.2	9.9	11.4	10.4	4.4	6.1	9.7	12.4	14.7	18.9	19.1	20.8	22.5	11.3	16.7	15.6	9.3	12.4	14.8	15.2	4.4	22.5	12.1
8	16.6	10.9	12.8	9.2	8.3	12.3	17.8	14.8	12.1	11.8	20.0	24.3	19.5	22.4	17.2	19.4	13.7	9.2	9.1	22.4	15.0	14.2	16.4	24.3	8.3	24.3	15.6
9	25.6	25.4	11.5	19.1	17.8	11.9	9.9	8.6	19.4	32.2	32.4	35.5	27.4	28.4	23.5	26.9	24.1	19.9	14.3	6.6	9.6	8.8	8.6	10.2	6.6	35.5	19.1
10	7.4	8.7	7.6	7.2	10.4	9.6	9.8	8.8	3.9	6.7	10.2	10.4	9.7	9.2	9.0	8.1	8.1	4.4	7.5	6.5	9.2	9.6	10.5	8.6	3.9	10.5	8.4
11	9.1	9.0	9.1	8.9	10.2	9.9	11.1	9.4	10.9	10.7	14.3	20.2	22.9	18.2	20.5	13.6	11.6	15.0	10.4	9.1	8.8	8.0	9.9	10.3	8.0	22.9	12.1
12	12.4	14.7	18.9	18.4	13.3	12.2	6.1	14.5	9.8	8.1	9.7	10.1	11.0	14.5	16.5	18.2	19.7	19.1	13.2	14.8	11.0	11.3	14.7	12.9	6.1	19.7	13.5
13	7.1	9.3	10.4	11.8	13.9	11.6	8.7	14.2	17.4	19.2	26.1	21.3	12.4	13.2	14.0	11.5	7.0	4.5	8.8	9.4	9.4	8.1	9.1	6.9	4.5	26.1	11.9
14	6.8	8.0	8.2	9.1	8.3	6.9	8.5	7.7	6.8	8.0	10.6	13.0	22.2	32.6	27.3	29.5	25.9	23.8	31.9	33.3	35.4	38.8	46.4	49.3	6.8	49.3	20.8
15	51.4	54.7	50.6	37.8	39.8	40.9	40.5	37.0	33.3	39.4	46.4	43.8	43.5	44.1	38.1	38.4	43.3	44.2	48.5	45.7	39.5	30.8	25.9	16.4	16.4	54.7	40.6
16	9.6	9.8	11.0	20.9	14.3	12.4	9.8	9.6	13.7	17.3	10.8	13.4	13.9	13.0	16.2	12.0	9.6	9.4	4.8	5.1	9.3	7.8	24.6	22.6	4.8	24.6	12.5
17	30.2	21.9	21.7	27.7	26.5	15.5	11.3	11.0	5.9	8.4	22.7	26.3	31.6	36.9	32.4	30.1	28.8	28.6	29.2	30.3	30.4	34.7	28.9	27.4	5.9	36.9	24.9
18	28.8	30.5	31.2	31.3	32.2	26.8	26.5	28.0	28.7	27.7	27.3	27.2	25.1	27.7	26.2	28.1	21.8	23.2	23.8	22.4	23.0	25.3	22.8	20.3	20.3	32.2	26.5
19	15.3	13.5	4.1	3.7	8.8	19.6	18.2	12.5	25.5	27.3	22.1	24.8	28.9	29.0	28.9	26.5	26.2	25.3	10.0	16.9	18.7	14.4	9.9	8.7	3.7	29.0	18.3
20	9.2	9.6	10.2	11.8	11.2	12.6	12.5	11.2	10.0	10.4	13.0	12.7	11.3	12.1	13.1	14.8	17.7	18.7	17.3	13.0	17.0	14.5	12.9	11.3	9.2	18.7	12.8
21	12.5	13.3	12.6	11.0	10.4	13.5	12.6	12.5	20.3	20.0	22.4	23.8	20.2	22.6	27.5	24.3	21.4	18.1	8.9	17.6	14.7	12.8	10.4	8.9	8.9	27.5	16.3
22	8.9	7.0	9.9	9.0	9.1	8.8	9.2	10.7	20.2	28.4	23.1	21.9	22.3	23.4	26.5	28.9	20.1	17.5	16.4	15.1	9.9	12.4	10.2	11.2	7.0	28.9	15.8
23	12.4	11.0	15.7	13.6	13.7	10.4	9.8	9.2	15.3	10.1	12.4	11.8	13.4	13.1	13.1	11.2	11.0	6.1	7.9	13.6	15.2	13.7	12.4	14.9	6.1	15.7	12.1
24	10.2	11.5	11.2	13.3	11.6	12.4	11.8	10.7	6.3	9.1	11.4	15.7	19.1	28.5	26.9	27.3	21.7	15.2	10.0	9.2	11.5	10.0	10.1	8.4	6.3	28.5	13.9
25	10.1	11.0	11.1	12.9	9.8	9.3	9.5	8.3	4.7	6.6	10.7	10.3	14.0	14.6	14.0	13.7	9.6	5.1	6.4	6.2	6.2	7.5	7.0	8.3	4.7	14.6	9.5
26	8.8	9.8	9.0	9.7	7.9	6.7	6.5	7.2	3.2	4.5	8.6	14.6	17.5	14.8	15.9	15.1	17.4	14.5	14.0	17.0	9.9	20.8	23.2	12.8	3.2	23.2	12.1
27	7.8	14.3	17.0	16.2	16.6	14.0	11.8	8.9	5.3	9.4	9.4	5.6	11.5	11.8	17.2	10.2	9.7	12.5	19.6	17.7	8.0	6.6	20.9	17.9	5.3	20.9	12.5
28	16.5	9.5	14.4	8.3	9.1	9.8	15.3	21.4	31.9	29.7	33.1	35.2	39.8	41.9	35.6	37.0	32.6	30.7	28.3	19.7	16.7	18.9	14.1	9.9	8.3	41.9	23.3
Min	5.6	7.0	4.1	3.7	6.1	6.1	6.1	5.3	3.2	3.2	4.7	5.6	7.1	7.4	9.0	8.1	6.5	4.4	4.8	5.1	6.0	6.4	5.1	6.6	3.2		
Max	51.4	54.7	50.6	37.8	39.8	40.9	40.5	37.0	33.3	39.4	46.4	43.8	43.5	44.1	38.1	38.4	43.3	44.2	48.5	45.7	39.5	38.8	46.4	49.3	54.7		
Avg	13.4	13.5	13.2	13.4	13.1	12.9	12.8	12.4	12.8	14.8	17.1	18.2	18.9	20.5	20.3	19.8	18.4	16.0	15.4	16.0	14.8	14.5	15.3	14.0			15.5

Total Data Records Possible: 672  
Total Valid Data Records: 672  
Percent Data Recovery: 100.0

#### Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage  
Units: volts  
Channel: 7

Site: Desert Hot Springs (data subject to change)  
Month: February  
Year: 2006  
Time Zone: PST

Validation Level: B  
Printout Date: 03-17-2006  
Printout Time: 11:16:10  
Output File Name: DHSB0206.7

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	12.9	12.9	12.9	12.9	12.8	12.8	12.8	13.6	14.4	13.9	14.4	13.7	13.6	13.7	13.5	13.6	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.8	14.4	13.3
2	13.0	12.9	12.9	12.9	12.8	12.8	12.8	13.4	14.4	14.3	14.1	13.7	13.5	13.4	13.3	13.5	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.8	14.4	13.3
3	12.9	12.9	12.9	12.8	12.8	12.8	12.8	14.4	13.8	13.7	13.6	13.6	13.4	13.3	13.6	13.5	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.8	14.4	13.2
4	12.9	12.9	12.9	12.8	12.8	12.8	12.9	14.5	13.7	13.7	13.6	13.6	13.5	13.2	13.2	13.5	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.9	12.8	14.5	13.2
5	12.9	12.9	12.8	12.8	12.8	12.8	12.8	13.0	13.6	14.4	13.7	13.6	13.5	13.3	13.5	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.9	12.8	14.4	13.2
6	12.9	12.9	12.8	12.8	12.8	12.8	12.9	14.3	13.9	13.9	14.6	13.6	13.4	13.4	13.3	13.7	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.8	14.6	13.3
7	12.9	12.8	12.8	12.8	12.8	12.7	12.9	14.8	14.4	13.8	13.7	14.0	13.4	13.4	13.4	13.9	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.7	14.8	13.3
8	12.9	12.9	12.9	12.8	12.8	12.8	12.9	13.8	13.7	13.8	13.7	13.6	13.4	13.3	13.2	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.8	13.8	13.2
9	12.9	12.9	12.8	12.8	12.8	12.8	12.9	14.3	14.1	14.2	13.6	13.5	13.3	13.2	13.2	13.5	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.8	14.3	13.2
10	12.8	12.8	12.8	12.8	12.7	12.7	13.0	14.2	13.7	13.9	14.3	13.9	13.4	13.2	13.2	13.5	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.7	14.3	13.2
11	12.8	12.8	12.8	12.7	12.7	12.7	13.0	14.1	13.7	13.8	14.1	14.2	13.4	13.2	13.2	13.5	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.7	14.2	13.2
12	12.9	12.8	12.8	12.8	12.8	12.8	13.1	14.0	13.7	13.8	14.0	13.6	13.4	13.2	13.2	13.5	13.2	13.1	13.1	13.1	13.0	13.0	12.9	12.9	12.8	14.0	13.2
13	12.9	12.8	12.8	12.8	12.8	12.7	13.1	13.9	14.4	13.7	13.7	13.6	13.3	13.3	13.2	13.5	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.7	14.4	13.2
14	12.8	12.8	12.8	12.7	12.7	12.7	12.7	12.9	13.0	13.9	13.9	13.9	13.4	13.4	14.0	13.7	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.7	14.0	13.2
15	12.9	12.8	12.8	12.8	12.7	12.7	12.9	14.7	14.1	14.5	14.3	14.3	14.3	13.9	14.0	14.2	13.4	13.3	13.2	13.1	13.1	13.1	13.0	13.0	12.7	14.7	13.5
16	12.9	12.9	12.9	12.8	12.8	12.8	13.1	14.4	14.1	14.0	14.0	14.8	13.9	13.7	13.7	13.5	13.4	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.8	14.8	13.4
17	12.9	12.9	12.9	12.8	12.8	12.8	12.7	13.1	14.1	14.1	14.0	14.2	14.7	14.3	14.3	14.1	13.4	13.3	13.2	13.2	13.1	13.1	13.0	13.0	12.7	14.7	13.4
18	12.9	12.9	12.8	12.8	12.8	12.7	12.7	14.0	14.1	14.1	14.0	14.2	14.3	14.2	13.8	13.5	13.4	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.7	14.3	13.4
19	12.9	12.8	12.8	12.8	12.7	12.7	12.7	12.9	14.7	13.9	14.1	13.9	13.8	13.8	13.6	14.1	13.4	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.7	14.7	13.3
20	12.8	12.8	12.7	12.7	12.7	12.6	13.0	14.6	14.3	14.1	14.0	13.9	13.7	13.7	13.6	13.9	13.4	13.3	13.2	13.1	13.1	13.1	13.0	12.9	12.6	14.6	13.3
21	12.9	12.9	12.8	12.8	12.8	12.7	12.9	13.2	14.5	14.9	14.3	13.9	13.9	14.2	13.9	14.1	13.4	13.3	13.2	13.2	13.1	13.1	13.0	13.0	12.7	14.9	13.4
22	12.9	12.9	12.8	12.8	12.7	12.7	13.2	14.5	14.0	14.0	13.9	13.9	13.6	13.5	13.7	13.8	13.3	13.2	13.2	13.1	13.1	13.0	13.0	12.9	12.7	14.5	13.3
23	12.9	12.9	12.9	12.8	12.8	12.8	13.2	14.8	13.8	13.7	13.6	13.5	13.4	13.4	13.3	13.5	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.8	14.8	13.2
24	12.9	12.9	12.8	12.8	12.8	12.7	13.2	14.6	14.0	14.3	13.6	13.5	13.4	13.4	14.2	13.6	13.3	13.2	13.1	13.1	13.1	13.0	13.0	12.9	12.7	14.6	13.3
25	12.9	12.9	12.9	12.8	12.8	12.8	13.0	14.3	13.8	13.9	13.7	13.6	13.5	13.4	13.6	13.5	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.8	14.3	13.2
26	12.9	12.9	12.8	12.8	12.8	12.8	12.8	13.1	13.7	13.8	14.5	13.9	13.4	13.4	13.5	13.6	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.8	14.5	13.2
27	12.9	12.9	12.8	12.8	12.8	12.8	12.8	12.9	13.0	13.9	13.5	13.7	13.6	13.5	13.5	13.4	13.2	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.8	13.9	13.1
28	12.9	12.8	12.8	12.8	12.8	12.8	12.7	12.8	12.9	13.3	13.5	13.9	13.9	14.0	14.1	13.9	13.4	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.7	14.1	13.2
Min	12.8	12.8	12.7	12.7	12.7	12.6	12.7	12.8	12.9	13.3	13.5	13.5	13.3	13.2	13.2	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.6		
Max	13.0	12.9	12.9	12.9	12.8	12.8	13.2	14.8	14.7	14.9	14.6	14.8	14.7	14.3	14.3	14.2	13.4	13.3	13.2	13.2	13.1	13.1	13.0	13.0		14.9	
Avg	12.9	12.9	12.8	12.8	12.8	12.7	12.9	13.9	13.9	14.0	13.9	13.8	13.6	13.5	13.6	13.7	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.9			13.3

Total Data Records Possible: 672  
Total Valid Data Records: 672  
Percent Data Recovery: 100.0

#### Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2