

Desert Hot Springs Meteorological Data

February 2010

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2010
Time Zone: PST

Validation Level: B
Printout Date: 03-03-2010
Printout Time: 11:52:22
Output File Name: DHSB0210.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	3.1	1.7	4.0	3.1	2.6	5.0	3.9	3.7	2.7	0.9	2.5	4.1	4.9	6.0	5.6	4.8	3.8	3.0	2.9	5.5	4.4	4.0	4.3	5.2	0.9	6.0	3.8
2	3.9	5.4	5.6	6.5	6.1	4.5	2.7	3.1	1.6	1.2	2.1	1.7	2.6	3.8	4.3	4.1	3.6	1.8	3.5	4.5	6.6	7.0	9.3	6.3	1.2	9.3	4.2
3	5.3	5.9	8.2	8.6	8.7	7.4	7.6	8.2	7.0	4.4	5.3	7.2	10.2	7.8	10.5	10.5	7.7	7.7	8.8	11.9	12.6	9.1	6.2	7.3	4.4	12.6	8.1
4	9.0	7.1	5.7	5.2	2.7	6.1	5.5	3.8	5.2	4.1	1.9	3.9	8.4	10.2	13.3	15.4	10.2	12.5	11.8	9.6	11.1	13.4	16.0	14.5	1.9	16.0	8.6
5	13.4	13.0	13.9	16.8	14.1	13.5	7.8	9.5	11.9	11.6	11.2	11.6	11.3	10.2	3.7	3.0	3.7	3.9	2.2	2.8	1.7	2.3	1.6	3.3	1.6	16.8	8.2
6	4.0	3.2	2.2	2.3	2.8	3.0	2.7	1.6	3.0	3.2	3.3	3.4	5.6	3.6	3.8	4.0	2.9	5.3	13.7	8.2	6.3	10.3	11.1	9.2	1.6	13.7	4.9
7	11.1	13.5	16.5	17.5	13.7	12.8	11.2	11.8	15.0	16.0	18.4	18.1	17.9	18.0	17.7	15.3	12.8	9.9	8.5	8.1	6.2	4.8	5.0	3.3	3.3	18.4	12.6
8	6.1	5.3	5.5	5.9	4.8	4.8	6.0	3.9	1.7	1.1	2.7	3.5	6.0	5.6	5.0	5.1	5.2	5.6	3.3	4.3	3.6	5.0	4.7	3.9	1.1	6.1	4.5
9	3.8	2.0	1.6	1.9	2.2	1.9	2.6	2.4	1.7	2.1	5.5	6.1	5.4	5.7	5.7	7.6	5.1	2.7	3.1	9.2	7.3	3.1	3.1	3.8	1.6	9.2	4.0
10	3.3	3.3	5.2	7.0	7.5	5.4	2.0	2.2	2.2	6.7	6.2	7.6	7.4	4.0	6.4	8.7	8.9	5.0	5.4	4.9	6.0	5.9	5.7	7.5	2.0	8.9	5.6
11	7.2	7.0	6.3	7.1	6.5	6.3	6.0	7.0	5.1	3.3	3.4	4.2	7.3	11.4	11.4	10.4	10.0	5.1	4.8	1.9	3.4	3.8	3.1	3.7	1.9	11.4	6.1
12	3.4	2.4	2.9	3.2	4.9	5.0	3.2	4.1	2.0	2.7	2.2	1.9	3.8	3.8	4.8	4.3	3.8	1.9	3.0	4.7	3.9	3.7	4.4	3.7	1.9	5.0	3.5
13	4.2	5.0	4.3	3.4	5.0	5.7	3.6	2.7	0.6	1.9	2.3	2.5	3.5	3.7	3.8	3.2	2.8	1.5	3.7	5.4	5.1	6.1	7.2	6.5	0.6	7.2	3.9
14	5.7	6.3	6.5	5.4	6.9	7.3	7.6	5.0	4.3	6.6	7.4	8.5	9.3	8.1	5.6	4.5	3.0	3.1	3.8	4.0	4.5	4.8	5.4	7.8	3.0	9.3	5.9
15	6.7	7.3	6.8	4.7	5.2	4.1	6.5	4.0	1.1	3.9	4.6	4.2	5.1	3.7	4.0	3.8	2.6	1.6	4.8	6.5	4.5	4.7	7.6	6.7	1.1	7.6	4.8
16	6.5	4.7	6.0	5.6	4.7	7.4	8.0	9.5	8.7	4.2	4.0	3.9	4.9	5.6	5.6	6.4	4.6	3.2	4.1	6.1	6.6	5.3	5.9	4.2	3.2	9.5	5.7
17	6.1	8.7	7.6	5.3	8.8	8.6	5.6	6.5	2.7	2.4	4.2	6.4	4.2	6.1	4.8	4.8	4.6	2.3	2.7	5.8	3.8	5.8	6.1	5.8	2.3	8.8	5.4
18	6.4	5.9	4.6	6.5	5.4	4.3	4.2	3.6	1.3	3.5	5.0	8.4	9.5	13.8	14.3	15.8	15.0	10.8	5.5	10.4	13.4	11.8	16.0	15.3	1.3	16.0	8.8
19	11.9	6.4	3.6	4.5	4.4	4.4	10.9	9.5	17.3	21.0	19.4	23.2	24.9	22.9	23.8	23.9	15.6	9.8	13.9	15.0	16.3	18.5	19.4	18.4	3.6	24.9	14.9
20	11.4	14.3	8.4	15.4	14.7	10.5	5.3	4.2	4.7	7.6	10.1	11.4	15.8	19.0	20.3	18.9	20.4	19.0	17.4	18.3	16.3	17.4	19.8	16.5	4.2	20.4	14.0
21	16.7	19.3	17.0	16.6	17.5	15.2	15.6	17.8	18.0	20.2	22.0	21.1	21.6	21.1	20.7	20.7	16.8	17.5	14.1	17.3	18.3	14.2	14.1	18.0	14.1	22.0	18.0
22	18.2	17.8	14.9	17.1	16.8	19.2	17.0	11.4	13.8	18.9	21.5	22.7	21.8	18.4	13.5	13.2	10.4	9.9	6.2	2.9	5.3	3.1	3.1	4.5	2.9	22.7	13.4
23	4.7	3.9	7.3	6.7	5.1	4.3	5.6	5.5	4.4	4.3	3.9	3.3	3.8	4.3	5.0	5.3	4.9	2.9	4.1	2.5	3.0	2.7	3.5	3.3	2.5	7.3	4.3
24	3.8	3.3	4.0	4.1	3.9	3.6	3.3	3.1	2.2	4.2	7.4	7.8	7.9	4.9	18.4	21.3	20.7	20.0	20.3	20.0	12.3	6.3	11.1	11.6	2.2	21.3	9.4
25	11.5	8.0	6.5	6.1	5.7	6.5	4.0	3.2	2.6	3.2	5.0	6.0	5.6	4.4	4.3	7.7	6.6	5.4	5.0	2.8	4.2	6.5	5.9	4.5	2.6	11.5	5.5
26	7.6	6.0	7.2	2.2	3.7	4.5	5.3	3.0	2.1	3.1	4.0	3.6	5.6	5.6	5.7	6.4	7.3	4.6	4.0	4.1	5.1	4.8	4.3	3.4	2.1	7.6	4.7
27	3.5	3.6	4.1	2.4	3.0	4.5	4.8	3.8	3.2	5.5	4.2	3.3	5.3	5.5	7.5	13.6	13.0	12.7	17.0	11.2	6.7	5.2	5.5	7.9	2.4	17.0	6.5
28	6.7	5.3	7.8	7.5	7.1	5.6	4.8	2.8	1.3	6.6	12.7	15.1	15.4	15.0	15.0	14.3	13.7	8.9	7.0	7.6	7.6	4.8	3.3	3.1	1.3	15.4	8.3
Min	3.1	1.7	1.6	1.9	2.2	1.9	2.0	1.6	0.6	0.9	1.9	1.7	2.6	3.6	3.7	3.0	2.6	1.5	2.2	1.9	1.7	2.3	1.6	3.1	0.6		
Max	18.2	19.3	17.0	17.5	17.5	19.2	17.0	17.8	18.0	21.0	22.0	23.2	24.9	22.9	23.8	23.9	20.7	20.0	20.3	20.0	18.3	18.5	19.8	18.4		24.9	
Avg	7.3	7.0	6.9	7.1	6.9	6.8	6.2	5.6	5.3	6.2	7.2	8.0	9.1	9.0	9.4	9.9	8.6	7.1	7.3	7.7	7.4	6.9	7.6	7.5			7.4

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Desert Hot Springs (data subject to change)
 Month: February
 Year: 2010
 Time Zone: PST

Validation Level: B
 Printout Date: 03-03-2010
 Printout Time: 11:52:22
 Output File Name: DHSB0210.10

Day	Hour Ending																								Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	43	2	327	345	342	332	333	358	4	113	117	146	148	161	169	167	153	117	34	317	333	328	350	354	[NNW]
2	348	339	354	352	8	354	11	329	32	116	155	191	255	209	177	199	192	262	331	333	326	328	332	325	[NNW]
3	314	319	320	317	330	324	317	309	306	7	311	262	258	253	258	262	257	269	284	285	282	310	325	336	[NW]
4	330	330	311	296	6	302	302	338	309	270	73	239	238	208	234	257	250	255	251	241	244	266	266	258	[WSW]
5	260	256	252	256	265	246	247	269	254	239	217	238	242	230	208	123	152	191	125	349	59	225	357	342	[WSW]
6	344	347	9	143	303	356	337	346	92	142	310	315	274	20	148	154	133	15	282	312	284	306	315	308	[NW]
7	306	295	289	282	301	318	299	304	294	284	283	280	281	278	276	275	274	290	309	304	313	327	320	335	[WNW]
8	330	331	323	329	331	331	326	325	34	118	196	190	205	190	190	194	235	247	284	157	270	316	344	331	[NNW]
9	327	330	54	48	360	19	345	78	229	97	194	197	174	181	230	334	337	343	304	301	320	168	319	306	[NNW]
10	128	257	300	312	301	292	5	166	249	261	268	231	221	240	239	241	268	288	330	313	319	329	329	333	[WSW]
11	338	332	333	328	327	318	328	335	350	347	261	245	254	252	255	253	259	274	280	329	333	336	348	322	[NNW]
12	6	37	299	338	336	334	340	347	165	114	172	203	175	165	170	155	190	186	341	331	336	5	341	330	[NNW]
13	337	337	344	348	352	351	13	10	44	138	172	192	171	174	186	184	200	219	342	335	345	329	321	335	[NNW]
14	322	323	340	356	332	332	337	315	50	53	66	80	87	82	115	181	97	25	0	351	336	331	329	334	[NNW]
15	343	341	336	351	13	354	349	32	345	204	188	165	160	138	171	178	163	84	334	327	329	332	333	325	[NNW]
16	335	353	350	8	355	339	353	6	1	74	177	175	162	163	154	155	141	108	328	325	330	326	358	358	[N]
17	335	325	325	328	336	340	333	346	290	226	156	163	156	178	165	178	173	144	321	329	0	321	340	332	[NNW]
18	327	329	332	323	344	328	320	348	104	134	121	197	225	243	249	255	264	261	270	274	282	281	268	286	[W]
19	297	274	210	244	180	198	224	252	254	263	263	261	267	258	265	268	275	268	282	290	281	280	279	287	[W]
20	278	278	269	274	279	283	246	128	174	215	226	245	266	276	272	274	276	276	272	279	281	283	277	275	[W]
21	290	286	291	293	295	303	301	305	291	273	267	263	264	261	264	269	283	313	302	308	316	307	297	284	[WNW]
22	280	300	297	299	321	286	297	304	312	2	9	12	8	3	2	14	11	14	13	269	33	136	88	51	[N]
23	324	319	327	335	323	309	335	10	170	193	184	158	156	148	162	152	174	167	132	140	284	344	318	341	[SSE]
24	330	342	332	331	339	335	350	314	173	159	150	149	178	163	258	261	273	287	290	290	325	313	297	332	[NNW]
25	315	319	318	331	334	326	346	17	221	166	201	204	212	210	13	39	45	40	309	327	347	340	358	345	[NNW]
26	343	5	8	66	30	35	18	352	23	123	152	131	133	155	154	151	145	138	113	336	332	347	333	336	[NNW]
27	357	337	340	352	70	358	354	11	188	326	126	241	159	262	315	287	294	308	309	295	306	340	329	324	[NW]
28	334	347	326	329	329	332	332	12	175	282	263	252	253	258	261	264	272	306	302	322	304	324	338	350	[NNW]

Prev [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [S] [ESE] [S] [WSW] [WSW] [WSW] [SSE] [W] [W] [W] [WNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW]

Total Data Records Possible: 672
 Total Valid Data Records: 672
 Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2010
Time Zone: PST

Validation Level: B
Printout Date: 03-03-2010
Printout Time: 11:52:22
Output File Name: DHSB0210.10t

Day	1	2	3	4	5	6	7	8	9	10	11	Hour Ending	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[NE]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[N]	[ESE]	[ESE]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[ESE]	[NE]	[NW]	[NNW]	[NNW]	[N]	[N]	[NNW]
2	[NNW]	[NNW]	[N]	[N]	[N]	[N]	[N]	[NNW]	[NNE]	[ESE]	[SSE]	[S]	[WSW]	[SSW]	[S]	[SSW]	[SSW]	[SSW]	[W]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NW]	[NNW]
3	[NW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[N]	[NW]	[W]	[WSW]	[WSW]	[WSW]	[W]	[WSW]	[W]	[WSW]	[W]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NNW]
4	[NNW]	[NNW]	[NW]	[WNW]	[N]	[WNW]	[WNW]	[NNW]	[NW]	[W]	[ENE]	[WSW]	[WSW]	[SSW]	[SW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[WSW]	[WSW]
5	[W]	[WSW]	[WSW]	[WSW]	[W]	[WSW]	[WSW]	[W]	[WSW]	[WSW]	[SW]	[WSW]	[WSW]	[SW]	[SSW]	[ESE]	[SSE]	[S]	[SE]	[N]	[ENE]	[SW]	[N]	[NNW]	[WSW]	[WSW]
6	[NNW]	[NNW]	[N]	[SE]	[WNW]	[N]	[NNW]	[NNW]	[E]	[SE]	[NW]	[NW]	[W]	[NNE]	[SSE]	[SSE]	[SE]	[NNE]	[WNW]	[NW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]
7	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[NW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[WNW]
8	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNE]	[ESE]	[SSW]	[S]	[SSW]	[S]	[S]	[SSW]	[SW]	[WSW]	[WNW]	[SSE]	[W]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]
9	[NNW]	[NNW]	[NE]	[NE]	[N]	[NNE]	[NNW]	[ENE]	[SW]	[E]	[SSW]	[SSW]	[S]	[S]	[SW]	[NNW]	[NNW]	[NNW]	[NW]	[WNW]	[NW]	[SSE]	[NW]	[NW]	[NW]	[NNW]
10	[SE]	[WSW]	[WNW]	[NW]	[WNW]	[WNW]	[N]	[SSE]	[WSW]	[W]	[W]	[SW]	[SW]	[WSW]	[WSW]	[WSW]	[W]	[WNW]	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[WSW]
11	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[N]	[NNW]	[W]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]
12	[N]	[NE]	[WNW]	[NNW]	[NNW]	[NNW]	[NNW]	[SSE]	[ESE]	[S]	[SSW]	[S]	[SSE]	[S]	[SSE]	[S]	[S]	[S]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]
13	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[N]	[NNE]	[N]	[NE]	[SE]	[S]	[SSW]	[S]	[S]	[S]	[S]	[SSW]	[SW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]
14	[NW]	[NW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NW]	[NE]	[NE]	[ENE]	[E]	[E]	[E]	[ESE]	[S]	[E]	[NNE]	[N]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
15	[NNW]	[NNW]	[NNW]	[N]	[NNE]	[N]	[N]	[NNE]	[NNW]	[SSW]	[S]	[SSE]	[SSE]	[SE]	[S]	[S]	[SSE]	[E]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]
16	[NNW]	[N]	[N]	[N]	[N]	[NNW]	[N]	[N]	[N]	[ENE]	[S]	[S]	[SSE]	[SSE]	[SSE]	[SSE]	[SE]	[ESE]	[NNW]	[NW]	[NNW]	[NW]	[N]	[N]	[N]	[N]
17	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[WNW]	[SW]	[SSE]	[SSE]	[SSE]	[S]	[SSE]	[S]	[S]	[SE]	[NW]	[NNW]	[N]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]
18	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NW]	[NNW]	[ESE]	[SE]	[ESE]	[SSW]	[SW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[WNW]	[W]	[W]	[WNW]	[W]
19	[WNW]	[W]	[SSW]	[WSW]	[S]	[SSW]	[SW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[W]	[W]	[W]	[WNW]	[W]	[W]
20	[W]	[W]	[W]	[W]	[W]	[WNW]	[WSW]	[SE]	[S]	[SW]	[SW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[W]	[W]	[W]	[W]
21	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]
22	[W]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[N]	[N]	[NNE]	[N]	[N]	[NNE]	[N]	[NNE]	[NNE]	[W]	[NNE]	[SE]	[E]	[NE]	[N]	[N]	[N]
23	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[N]	[S]	[SSW]	[S]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[S]	[SSE]	[SE]	[SE]	[WNW]	[NNW]	[NW]	[NNW]	[SSE]	[SSE]
24	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NW]	[S]	[SSE]	[SSE]	[SSE]	[S]	[SSE]	[WSW]	[W]	[W]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[NNW]	[NNW]	[NNW]
25	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NNW]	[NNE]	[SW]	[SSE]	[SSW]	[SSW]	[SSW]	[SSW]	[NNE]	[NE]	[NE]	[NE]	[NW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]
26	[NNW]	[N]	[N]	[ENE]	[NNE]	[NE]	[NNE]	[N]	[NNE]	[ESE]	[SSE]	[SE]	[SE]	[SSE]	[SSE]	[SE]	[SE]	[ESE]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
27	[N]	[NNW]	[NNW]	[N]	[ENE]	[N]	[N]	[N]	[S]	[NW]	[SE]	[WSW]	[SSE]	[W]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[WNW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NW]
28	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNE]	[S]	[WNW]	[W]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[NW]	[WNW]	[NW]	[WNW]	[NW]	[NNW]	[N]	[NNW]	[NNW]
Prev	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[S]	[ESE]	[S]	[WSW]	[WSW]	[WSW]	[SSE]	[W]	[W]	[W]	[WNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)
Units: degrees
Channel: 11

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2010
Time Zone: PST

Validation Level: B
Printout Date: 03-03-2010
Printout Time: 11:52:22
Output File Name: DHSB0210.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	42.9	54.9	11.5	13.6	11.7	7.7	6.3	7.3	9.2	41.3	42.0	35.6	26.5	23.2	19.9	18.2	11.5	9.4	16.3	7.2	5.3	5.1	7.1	7.4	5.1	54.9	18.4
2	10.3	9.3	7.6	9.2	19.4	14.6	26.4	5.4	19.7	18.1	25.1	55.4	55.0	54.2	31.4	32.9	15.1	12.5	3.3	6.1	6.9	6.3	7.0	12.3	3.3	55.4	19.3
3	9.5	10.9	7.9	8.4	7.4	7.8	8.5	10.3	16.7	46.3	46.0	22.8	18.7	24.5	18.1	14.4	12.6	14.3	16.0	12.9	14.3	14.8	18.3	17.5	7.4	46.3	16.6
4	11.6	28.8	39.6	35.3	57.6	26.7	42.5	12.8	23.2	23.8	45.1	38.1	17.1	22.0	15.0	14.8	15.5	13.0	15.4	16.2	12.2	14.4	12.8	12.8	11.6	57.6	23.6
5	13.1	13.7	13.9	14.5	13.7	12.8	21.8	20.7	14.7	12.6	22.6	16.3	14.3	14.9	21.4	22.9	23.3	23.5	21.9	12.4	41.0	30.1	23.2	12.8	12.4	41.0	18.8
6	13.8	19.2	20.8	75.5	19.8	14.6	23.6	39.3	35.1	28.3	29.4	35.8	54.1	71.1	27.0	39.1	39.5	23.8	13.5	18.6	27.3	14.1	15.0	19.7	13.5	75.5	29.9
7	15.8	13.5	12.3	12.6	11.7	11.1	12.3	14.2	16.3	14.9	14.2	14.4	14.1	14.1	14.3	14.1	14.4	18.4	12.5	12.9	13.2	26.7	21.6	26.6	11.1	26.7	15.3
8	14.0	17.8	9.9	12.5	13.2	10.9	8.8	11.9	30.3	51.2	53.8	35.8	31.5	22.9	29.4	22.4	16.8	11.9	25.1	24.4	19.8	11.8	12.3	12.8	8.8	53.8	21.3
9	12.8	51.7	36.6	25.6	28.9	51.7	53.0	62.9	49.9	43.3	28.1	20.5	32.5	20.3	26.7	16.4	21.5	20.7	17.9	16.0	15.8	42.2	25.5	14.3	12.8	62.9	30.6
10	26.2	19.3	14.5	15.9	16.5	37.9	63.8	48.2	42.1	21.0	44.2	23.6	20.0	49.8	18.9	12.3	12.7	20.0	12.3	11.7	13.9	12.4	11.3	9.6	9.6	63.8	24.1
11	15.3	12.9	16.3	13.6	14.5	16.3	23.9	24.6	15.7	35.0	40.2	36.6	23.0	12.7	13.6	12.5	13.2	17.9	17.2	52.0	47.3	10.7	21.2	23.4	10.7	52.0	22.0
12	12.7	50.6	40.0	10.6	16.1	14.4	14.3	14.8	21.9	21.1	48.4	59.2	36.3	44.0	26.5	19.2	17.3	8.2	36.0	5.0	14.8	10.5	7.5	7.0	5.0	59.2	23.2
13	12.1	13.4	32.7	22.3	12.7	8.6	12.5	26.6	51.9	23.5	39.4	37.0	29.3	27.6	27.9	29.1	13.4	38.2	8.6	7.6	15.8	11.0	7.4	34.5	7.4	51.9	22.6
14	11.3	8.5	8.0	30.3	10.0	9.1	6.8	19.0	33.8	23.5	23.9	19.6	19.4	20.0	26.9	23.3	43.5	27.4	15.0	14.5	11.1	8.6	11.2	11.1	6.8	43.5	18.2
15	8.6	14.3	13.6	18.9	22.1	29.8	11.5	41.1	37.7	15.0	21.7	37.4	23.8	33.5	32.1	34.1	26.1	19.3	7.8	5.9	9.8	9.1	7.8	8.5	5.9	41.1	20.4
16	9.6	28.4	12.4	16.4	21.6	17.8	10.9	11.7	12.8	26.4	26.5	31.1	28.7	27.1	24.0	19.9	12.3	10.8	11.0	5.1	5.8	7.5	12.1	16.0	5.1	31.1	16.9
17	12.6	5.9	7.5	21.9	9.7	9.2	44.9	14.7	27.3	27.3	32.5	23.5	47.1	28.5	26.8	31.4	17.2	24.7	17.9	10.4	20.5	6.4	6.0	9.4	5.9	47.1	20.1
18	6.0	9.2	7.5	13.3	10.8	15.6	17.2	63.6	52.8	29.4	53.7	24.5	42.2	17.9	15.4	14.2	14.4	16.6	23.0	16.5	12.8	15.6	13.4	12.7	6.0	63.6	21.6
19	13.2	64.2	22.6	45.4	55.6	44.6	25.0	24.5	12.6	14.2	13.9	13.4	13.8	14.3	13.9	13.8	16.7	22.2	14.8	13.9	13.5	13.2	14.1	14.0	12.6	64.2	22.0
20	18.1	14.5	18.3	15.0	12.6	16.5	24.7	29.7	24.6	29.4	28.4	18.0	16.0	13.9	13.4	13.8	13.0	12.8	13.5	13.9	13.2	13.4	12.9	13.8	12.6	29.7	17.2
21	13.0	13.3	11.8	12.8	12.3	11.6	12.3	12.0	13.3	15.0	13.7	14.6	13.9	13.9	14.0	12.9	13.0	13.6	13.0	12.8	11.6	13.9	14.4	14.2	11.6	15.0	13.2
22	13.3	12.6	12.5	12.2	10.9	12.9	12.8	20.4	14.7	15.6	14.8	16.5	16.5	17.5	22.8	23.6	29.8	22.1	30.2	69.8	32.9	45.2	38.6	31.6	10.9	69.8	22.9
23	28.0	26.2	11.3	14.1	33.1	51.2	23.5	56.2	27.7	23.5	32.5	56.3	57.1	46.6	32.9	20.7	15.7	10.9	11.9	19.9	14.8	9.7	14.6	7.0	7.0	57.1	26.9
24	4.7	6.0	7.6	9.4	15.8	7.4	28.2	58.6	47.9	36.4	21.3	24.5	22.1	72.2	20.0	14.1	14.1	14.3	12.5	13.2	17.5	15.9	18.3	20.5	4.7	72.2	21.8
25	15.4	17.2	17.5	16.1	15.9	14.6	44.9	32.9	36.8	40.3	21.3	26.5	32.5	36.7	40.3	20.3	27.4	30.6	22.4	39.2	35.0	20.9	15.0	30.9	14.6	44.9	27.1
26	11.2	21.3	13.8	42.4	17.0	17.1	11.3	27.2	33.5	25.3	28.9	43.0	25.5	31.9	22.2	15.3	11.6	10.1	10.8	39.3	7.8	12.3	11.7	19.6	7.8	43.0	21.2
27	22.0	8.4	13.1	45.9	61.4	17.7	19.0	24.9	36.8	23.5	30.6	54.9	19.7	29.1	36.5	17.2	12.5	12.8	12.4	15.5	15.5	27.5	15.4	12.4	8.4	61.4	24.4
28	10.3	20.8	11.2	9.1	11.6	13.4	20.3	21.8	51.2	36.7	13.8	13.1	12.3	13.0	13.3	13.7	12.9	17.2	16.5	21.3	14.9	11.4	17.5	12.8	9.1	51.2	17.1
Min	4.7	5.9	7.5	8.4	7.4	7.4	6.3	5.4	9.2	12.6	13.7	13.1	12.3	12.7	13.3	12.3	11.5	8.2	3.3	5.0	5.3	5.1	6.0	7.0	3.3		
Max	42.9	64.2	40.0	75.5	61.4	51.7	63.8	63.6	52.8	51.2	53.8	59.2	57.1	72.2	40.3	39.1	43.5	38.2	36.0	69.8	47.3	45.2	38.6	34.5		75.5	
Avg	14.6	20.9	16.2	21.2	20.1	18.7	22.5	27.0	28.9	27.2	30.6	30.3	27.2	29.2	23.0	19.9	18.1	17.8	16.0	18.4	17.3	15.7	14.8	15.9			21.3

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2010
Time Zone: PST

Validation Level: B
Printout Date: 03-03-2010
Printout Time: 11:52:22
Output File Name: DHSB0210.17

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	7.8	6.4	6.4	6.4	3.9	7.8	6.6	5.6	5.3	3.1	6.6	9.4	11.7	13.1	9.7	10.4	8.4	6.9	5.9	8.1	6.5	6.2	6.2	7.2	3.1	13.1	7.3
2	6.6	7.8	8.3	10.7	11.0	7.5	6.2	4.7	4.0	3.3	5.6	5.5	7.6	10.5	10.2	10.7	6.6	3.4	5.0	6.9	9.4	10.6	14.5	12.3	3.3	14.5	7.9
3	10.8	12.1	12.2	12.3	14.3	11.9	12.2	13.7	15.9	11.2	12.4	16.3	20.8	15.5	19.9	19.1	15.0	15.4	23.5	22.3	23.0	24.2	11.7	11.6	10.8	24.2	15.7
4	15.0	12.9	10.4	11.7	9.0	13.3	11.4	6.3	14.2	11.5	5.4	12.2	15.6	17.8	26.6	34.7	20.3	24.5	24.8	20.2	20.1	29.4	27.3	25.8	5.4	34.7	17.5
5	23.7	25.1	26.7	32.0	31.9	21.6	19.1	23.1	23.2	21.1	21.8	23.4	25.1	18.9	7.5	6.3	8.5	9.4	5.8	5.3	3.8	4.5	3.6	6.6	3.6	32.0	16.6
6	6.1	5.3	4.7	6.8	7.0	5.8	5.5	5.2	7.8	7.4	6.7	9.1	11.8	8.0	8.6	9.3	7.7	27.4	28.1	16.1	18.0	20.8	21.9	21.5	4.7	28.1	11.5
7	25.1	27.3	27.7	32.9	29.9	23.8	19.1	21.3	30.1	29.4	33.5	33.9	31.8	32.2	33.0	26.6	25.7	21.3	17.0	14.3	15.1	13.0	13.6	6.4	6.4	33.9	24.3
8	9.8	8.0	10.0	9.5	7.8	7.0	8.6	6.4	5.3	4.2	8.3	8.0	11.8	11.6	11.0	9.6	11.4	11.5	6.5	9.4	8.3	8.6	8.6	6.5	4.2	11.8	8.7
9	5.6	5.5	4.7	4.6	6.9	4.7	7.8	7.9	5.7	7.5	11.4	11.6	11.6	10.8	14.8	13.7	11.7	7.8	7.2	19.2	17.0	6.8	6.4	6.8	4.6	19.2	9.1
10	7.3	8.3	9.4	13.8	16.4	14.5	4.6	5.7	5.9	14.4	18.7	19.8	13.4	10.1	12.6	16.2	15.9	11.6	10.0	9.1	9.1	10.4	9.6	11.8	4.6	19.8	11.6
11	12.1	11.3	10.7	13.4	10.6	10.2	11.5	13.1	9.1	6.8	10.3	10.4	14.3	18.9	18.7	17.0	18.3	12.1	10.4	4.8	6.6	6.0	5.8	8.0	4.8	18.9	11.3
12	5.8	5.5	5.9	5.1	8.3	8.4	6.1	7.6	3.9	6.6	5.8	6.1	8.0	9.7	9.4	8.8	8.2	3.9	5.1	6.2	6.9	5.5	6.6	6.6	3.9	9.7	6.7
13	6.9	7.9	6.9	7.2	7.5	9.0	7.1	6.2	2.6	4.5	5.9	6.2	6.9	10.4	8.4	6.5	4.7	4.0	5.8	8.0	9.4	9.1	11.0	11.0	2.6	11.0	7.2
14	8.3	9.7	9.9	10.9	11.0	10.7	12.1	9.9	13.0	14.9	17.0	16.2	17.0	16.6	14.3	9.4	8.0	8.2	8.8	7.8	7.8	9.2	9.0	12.4	7.8	17.0	11.3
15	9.4	13.6	11.5	7.5	10.9	13.3	14.5	9.4	2.8	7.9	8.3	8.6	10.3	9.1	9.6	8.3	6.1	5.0	6.5	11.0	8.3	8.8	12.4	10.2	2.8	14.5	9.3
16	10.4	10.7	9.6	9.4	9.1	12.8	13.2	15.6	15.1	12.4	7.5	9.1	10.4	10.7	11.2	11.3	7.8	5.4	5.9	8.9	9.6	9.0	10.6	9.9	5.4	15.6	10.2
17	11.3	13.1	11.9	12.6	15.3	13.9	13.3	11.3	4.7	5.6	11.8	12.9	12.6	12.3	11.1	9.2	7.8	5.2	5.7	10.7	6.7	8.8	9.3	9.5	4.7	15.3	10.3
18	9.1	8.9	7.8	11.3	10.7	7.6	6.4	7.4	4.6	9.1	14.3	16.4	23.7	24.1	24.2	29.3	27.8	24.1	17.1	25.9	23.6	24.8	26.7	26.3	4.6	29.3	17.1
19	28.1	22.0	9.4	11.8	11.5	16.9	23.1	22.6	32.2	36.1	36.6	42.2	47.4	43.0	46.4	43.3	33.8	27.9	31.0	28.2	28.9	32.2	33.3	35.2	9.4	47.4	30.1
20	24.0	27.3	19.2	32.7	29.8	22.1	11.8	9.3	12.5	20.1	23.1	22.4	30.7	33.5	33.0	35.8	35.2	36.0	36.1	35.2	30.9	29.6	32.7	33.8	9.3	36.1	27.4
21	29.5	34.3	29.0	29.6	28.4	28.7	25.4	30.1	31.8	35.3	37.3	37.3	44.0	36.3	36.0	37.1	28.4	32.1	25.8	33.8	30.3	26.9	29.9	33.7	25.4	44.0	32.1
22	32.2	34.8	29.6	30.5	30.8	33.5	31.3	28.1	30.0	36.0	37.6	41.5	40.3	34.3	31.8	30.0	27.8	25.3	17.0	13.3	13.8	9.1	8.5	9.9	8.5	41.5	27.4
23	11.2	11.5	12.7	11.4	10.7	7.7	9.4	12.6	8.2	8.3	8.6	8.4	10.3	11.5	11.4	10.7	9.4	5.8	8.3	5.7	5.1	4.5	7.0	5.6	4.5	12.7	9.0
24	6.4	5.3	6.1	7.2	8.6	6.1	7.4	10.7	5.6	10.8	15.6	14.8	13.9	14.3	36.5	39.9	36.0	38.7	37.8	33.8	29.1	12.6	24.8	27.3	5.3	39.9	18.7
25	26.0	19.6	15.8	10.4	9.7	9.7	9.9	8.0	8.8	7.7	11.3	12.3	11.6	10.4	13.6	16.1	16.7	15.3	9.6	8.2	13.0	13.2	12.4	10.4	7.7	26.0	12.5
26	15.1	12.7	13.1	10.4	8.0	9.1	9.3	6.7	4.6	6.7	8.0	12.5	10.4	11.7	11.5	11.3	12.8	9.3	7.2	7.2	7.6	7.3	7.1	8.0	4.6	15.1	9.5
27	5.8	7.2	7.3	7.0	7.4	7.0	9.9	6.5	6.6	10.5	10.1	8.1	9.8	16.7	20.4	27.9	22.8	22.9	30.5	33.3	14.0	11.5	10.7	11.6	5.8	33.3	13.6
28	10.8	10.6	11.5	12.9	12.1	12.8	8.8	5.9	3.9	17.1	22.1	25.1	27.8	24.8	25.0	26.7	25.8	22.4	14.9	14.7	15.0	7.9	6.6	6.7	3.9	27.8	15.5
Min	5.6	5.3	4.7	4.6	3.9	4.7	4.6	4.7	2.6	3.1	5.4	5.5	6.9	8.0	7.5	6.3	4.7	3.4	5.0	4.8	3.8	4.5	3.6	5.6	2.6		
Max	32.2	34.8	29.6	32.9	31.9	33.5	31.3	30.1	32.2	36.1	37.6	42.2	47.4	43.0	46.4	43.3	36.0	38.7	37.8	35.2	30.9	32.2	33.3	35.2	47.4		
Avg	13.6	13.7	12.4	13.6	13.5	12.8	11.8	11.5	11.3	13.2	15.0	16.4	18.2	17.7	18.8	19.1	16.7	15.8	14.9	15.3	14.2	13.2	13.8	14.0			14.6

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2010
Time Zone: PST

Validation Level: B
Printout Date: 03-03-2010
Printout Time: 11:52:22
Output File Name: DHSB0210.7

Day	Hour Ending																								Min	Max	Avg	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24				
1	12.8	12.7	12.7	12.7	12.7	12.7	12.7	12.8	13.6	14.4	14.3	13.6	14.3	13.5	13.4	13.2	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.8	12.7	14.4	13.1	
2	12.8	12.8	12.7	12.7	12.7	12.7	12.7	13.0	13.2	13.4	13.4	13.5	14.3	13.9	14.0	13.2	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.8	12.7	14.3	13.1	
3	12.8	12.8	12.7	12.7	12.7	12.7	12.7	13.4	14.4	13.8	13.6	13.8	14.1	13.9	13.9	13.4	13.1	13.1	13.0	12.9	12.9	12.9	12.9	12.8	12.7	14.4	13.2	
4	12.8	12.8	12.8	12.7	12.7	12.7	12.7	13.2	13.6	14.6	13.7	13.8	13.8	14.3	13.6	13.3	13.1	13.1	13.0	12.9	12.9	12.9	12.9	12.8	12.7	14.6	13.2	
5	12.8	12.8	12.8	12.8	12.7	12.7	12.7	12.7	12.8	12.9	13.0	12.9	13.0	13.1	12.9	12.8	12.7	12.7	12.7	12.7	12.6	12.6	12.6	12.6	12.6	12.6	13.1	12.8
6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.7	12.8	12.6	12.6	12.6	12.6	12.5	12.5	12.5	12.5	12.5	12.5	12.8	12.6	
7	12.5	12.5	12.5	12.5	12.5	12.5	12.6	13.3	13.7	13.9	14.0	13.9	14.0	14.1	13.8	13.5	13.3	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.5	14.1	13.2	
8	12.8	12.8	12.8	12.8	12.7	12.7	12.8	13.5	14.4	14.5	13.9	14.1	13.6	13.8	14.1	13.2	13.0	13.0	13.0	12.9	12.9	12.9	12.8	12.8	12.7	14.5	13.2	
9	12.8	12.8	12.8	12.8	12.7	12.7	12.7	12.9	12.9	13.3	13.3	13.5	13.5	13.4	13.1	13.0	12.9	12.9	12.8	12.8	12.7	12.7	12.7	12.7	12.7	13.5	12.9	
10	12.7	12.7	12.7	12.7	12.6	12.6	12.6	12.7	13.3	13.8	14.7	14.3	13.5	13.8	14.1	13.4	13.2	13.1	13.0	12.9	12.9	12.9	12.8	12.8	12.6	14.7	13.2	
11	12.8	12.8	12.8	12.7	12.7	12.7	12.8	13.4	14.0	13.8	14.4	13.6	14.3	13.9	14.0	13.3	13.2	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.7	14.4	13.2	
12	12.8	12.8	12.8	12.8	12.7	12.7	12.7	13.4	14.1	13.9	13.6	13.9	14.0	13.5	13.8	13.3	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.8	12.7	14.1	13.2	
13	12.8	12.8	12.7	12.7	12.7	12.7	12.8	13.4	14.2	13.6	13.4	13.3	13.2	13.2	13.6	13.3	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.8	12.7	14.2	13.1	
14	12.8	12.7	12.7	12.7	12.7	12.7	12.8	13.4	13.7	14.0	13.4	13.4	13.4	13.3	13.9	13.3	13.1	13.0	12.9	12.9	12.9	12.8	12.8	12.8	12.7	14.0	13.1	
15	12.8	12.8	12.7	12.7	12.7	12.7	12.8	13.4	14.2	14.2	13.4	13.2	13.3	13.9	13.6	13.3	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.8	12.7	14.2	13.1	
16	12.8	12.7	12.7	12.7	12.7	12.7	12.8	13.4	14.1	13.4	13.3	13.1	13.2	13.8	13.5	13.2	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.8	12.7	14.1	13.1	
17	12.8	12.7	12.7	12.7	12.7	12.7	12.8	13.2	13.7	13.4	13.3	13.2	13.2	13.8	13.6	13.3	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.8	12.7	13.8	13.0	
18	12.8	12.7	12.7	12.7	12.6	12.6	12.7	13.4	14.0	13.5	14.1	13.4	13.8	13.4	13.9	13.3	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.8	12.6	14.1	13.1	
19	12.8	12.8	12.7	12.7	12.6	12.6	12.6	12.6	12.7	12.8	13.0	14.6	13.9	14.1	14.6	13.6	13.4	13.2	13.1	13.0	12.9	12.9	12.7	12.8	12.6	14.6	13.1	
20	12.8	12.7	12.7	12.6	12.6	12.6	12.6	13.4	13.9	13.8	13.6	13.6	14.4	14.4	13.5	13.5	13.2	13.1	13.0	13.0	12.9	12.9	12.9	12.9	12.6	14.4	13.2	
21	12.8	12.8	12.8	12.7	12.7	12.6	12.8	13.5	14.5	14.4	14.6	13.9	14.5	13.6	13.8	13.5	13.4	13.3	13.1	13.0	12.9	12.9	12.9	12.8	12.6	14.6	13.3	
22	12.8	12.8	12.7	12.7	12.6	12.6	12.6	13.2	13.5	13.8	14.4	13.9	13.8	14.3	14.6	13.6	13.4	13.3	13.1	13.0	13.0	12.9	12.9	12.8	12.6	14.6	13.3	
23	12.8	12.7	12.7	12.6	12.6	12.6	12.9	13.7	14.6	13.8	13.5	13.4	13.4	13.9	14.1	13.3	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.8	12.6	14.6	13.2	
24	12.8	12.7	12.7	12.7	12.6	12.6	12.6	12.9	13.3	14.4	13.8	13.8	13.7	13.3	13.4	13.5	13.2	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.6	14.4	13.1	
25	12.8	12.8	12.7	12.7	12.6	12.6	12.9	13.6	14.4	13.7	14.1	13.4	13.5	13.3	13.6	13.3	13.1	13.0	13.0	12.9	12.9	12.8	12.8	12.8	12.6	14.4	13.1	
26	12.8	12.8	12.7	12.7	12.6	12.6	12.7	13.1	13.3	13.6	13.9	13.7	13.8	13.5	13.5	13.3	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.8	12.6	13.9	13.1	
27	12.8	12.7	12.7	12.7	12.6	12.6	12.6	12.8	12.7	12.6	13.4	13.6	13.3	13.3	13.3	13.2	13.0	12.9	12.8	12.8	12.7	12.6	12.6	12.6	12.6	13.6	12.9	
28	12.6	12.6	12.6	12.5	12.5	12.5	12.9	13.6	14.1	13.8	13.7	14.0	13.7	13.8	14.2	13.5	13.3	13.2	13.1	13.0	13.0	12.9	12.9	12.9	12.5	14.2	13.2	
Min	12.5	12.5	12.5	12.5	12.5	12.5	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.7	12.8	12.6	12.6	12.6	12.6	12.5	12.5	12.5	12.5	12.5	12.5			
Max	12.8	12.8	12.8	12.8	12.7	12.7	12.9	13.7	14.6	14.6	14.7	14.6	14.5	14.4	14.6	13.6	13.4	13.3	13.1	13.0	13.0	12.9	12.9	12.9		14.7		
Avg	12.8	12.7	12.7	12.7	12.7	12.7	13.2	13.7	13.7	13.7	13.7	13.6	13.7	13.7	13.7	13.3	13.1	13.0	13.0	12.9	12.9	12.8	12.8	12.8			13.1	

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2