

Desert Hot Springs Meteorological Data

February 2011

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2011
Time Zone: PST

Validation Level: B
Printout Date: 03-10-2011
Printout Time: 13:47:38
Output File Name: DHSB0211.9

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	5.0	5.5	5.5	5.1	5.4	5.2	5.4	3.7	1.3	4.2	4.7	4.6	5.0	7.0	8.6	11.8	18.9	10.4	5.7	6.4	9.9	12.1	7.9	6.5	1.3	18.9	6.9
2	12.3	12.5	9.9	10.0	8.8	8.6	9.4	11.6	11.8	12.1	12.5	11.7	11.1	9.3	8.1	7.1	7.4	6.7	6.3	6.6	8.2	6.4	6.6	7.8	6.3	12.5	9.3
3	4.2	5.1	4.6	3.7	5.1	4.0	3.1	4.3	2.7	5.1	4.8	4.3	4.3	3.3	3.6	4.2	4.7	2.5	2.2	2.4	2.8	2.8	3.7	3.4	2.2	5.1	3.8
4	3.8	4.3	4.8	4.5	3.0	3.8	4.4	4.0	2.5	3.5	3.1	3.6	4.2	3.5	3.2	4.0	3.8	1.9	3.0	3.1	3.3	3.6	3.5	3.8	1.9	4.8	3.6
5	5.5	3.7	4.1	5.3	4.6	6.3	5.8	6.1	2.8	1.5	2.1	4.0	2.9	3.7	4.0	4.1	1.8	2.5	3.4	5.6	2.5	5.4	3.4	2.2	1.5	6.3	3.9
6	7.6	6.3	6.4	10.6	5.1	3.8	12.4	14.7	13.3	10.9	10.9	9.4	9.3	9.7	11.5	9.0	8.1	7.5	8.4	5.2	5.1	4.7	5.0	6.4	3.8	14.7	8.4
7	5.9	5.8	6.3	4.2	2.8	6.0	6.2	4.1	1.5	1.3	2.8	4.4	5.9	7.4	8.3	7.1	7.5	5.3	3.3	3.4	4.5	5.8	4.9	16.9	1.3	16.9	5.5
8	12.9	13.5	15.9	20.1	18.6	6.3	8.2	12.8	12.3	16.7	17.5	15.8	13.1	12.1	14.4	14.5	15.3	14.3	14.1	8.4	5.5	6.9	6.2	3.2	3.2	20.1	12.4
9	3.8	2.4	3.0	3.4	5.5	2.5	5.7	12.7	7.6	5.3	5.3	7.7	8.0	8.5	8.9	9.9	12.0	11.6	6.7	8.2	8.6	7.0	4.3	2.9	2.4	12.7	6.7
10	4.4	6.7	7.9	4.4	3.6	3.7	4.9	3.3	4.3	6.4	8.3	10.8	11.9	9.7	11.1	9.4	8.1	7.8	8.1	10.4	8.2	7.1	10.4	5.2	3.3	11.9	7.3
11	6.3	2.8	3.4	2.6	2.9	2.7	2.7	3.0	3.9	3.5	3.6	7.8	7.3	4.6	4.5	5.0	4.2	3.1	5.4	7.0	6.5	7.3	3.4	3.2	2.6	7.8	4.4
12	2.9	2.3	2.3	3.5	2.8	3.0	4.0	3.1	1.3	2.1	4.2	4.6	4.9	5.5	5.4	3.9	3.3	1.8	5.4	5.3	5.4	7.3	7.2	5.9	1.3	7.3	4.1
13	7.7	6.3	6.9	5.7	5.4	6.0	4.6	2.5	1.6	1.0	3.2	3.4	4.2	4.4	7.0	7.2	6.0	2.9	5.0	5.6	2.9	4.8	4.0	4.7	1.0	7.7	4.7
14	8.6	3.9	3.2	4.0	6.5	10.1	6.7	14.9	16.4	17.7	22.3	18.0	16.4	15.3	14.8	15.1	14.9	14.3	15.7	12.0	8.1	11.4	14.6	16.5	3.2	22.3	12.5
15	18.1	9.4	7.3	5.5	3.3	2.6	3.9	9.4	16.1	18.1	15.7	12.1	18.2	21.7	23.8	22.2	20.7	16.5	16.5	16.4	15.3	16.9	19.7	25.6	2.6	25.6	14.8
16	24.2	22.1	16.7	10.3	13.9	8.4	5.1	5.9	6.3	11.0	14.2	26.2	22.1	25.3	23.2	21.2	19.3	16.4	15.3	13.9	20.0	20.6	19.4	17.6	5.1	26.2	16.6
17	19.1	19.4	23.1	23.2	19.3	14.4	5.4	4.6	4.3	12.8	13.0	10.3	7.5	10.0	13.0	16.7	15.2	15.4	12.8	11.9	8.6	4.8	3.3	7.0	3.3	23.2	12.3
18	6.1	3.8	2.6	3.1	7.1	8.3	3.9	3.1	1.5	6.6	12.4	6.1	6.4	7.3	9.4	10.3	6.9	2.7	3.6	3.8	3.3	1.9	3.1	7.0	1.5	12.4	5.4
19	11.4	9.8	7.2	9.5	4.2	6.5	4.7	5.3	6.7	10.0	13.8	15.0	15.9	16.4	14.5	14.5	15.6	9.1	9.3	5.8	6.1	5.0	4.9	3.5	3.5	16.4	9.4
20	3.8	2.1	4.2	6.5	11.0	12.4	11.6	12.7	15.5	11.9	10.9	9.8	10.9	13.0	12.8	11.2	11.5	12.0	9.8	5.2	3.4	4.1	4.4	5.3	2.1	15.5	9.0
21	4.8	3.5	3.4	4.1	5.0	3.9	4.8	2.0	1.0	0.9	1.5	4.7	6.6	6.2	7.2	7.0	7.1	6.2	3.7	3.3	7.1	5.5	5.4	5.7	0.9	7.2	4.6
22	6.2	6.6	6.7	5.6	6.2	4.2	4.4	4.4	1.8	1.8	2.2	4.6	6.1	5.9	4.7	3.5	4.3	2.1	2.9	4.5	4.5	6.4	4.8	5.3	1.8	6.7	4.6
23	4.6	6.1	4.3	4.8	6.1	5.0	4.9	2.4	5.4	13.9	16.9	19.9	20.0	20.6	20.9	20.0	19.0	17.5	17.0	16.5	16.2	16.1	17.5	17.5	2.4	20.9	13.0
24	16.4	14.9	10.1	10.4	14.7	12.7	12.3	9.9	6.3	9.0	13.1	10.1	6.5	13.1	19.9	20.8	19.4	17.9	20.0	19.5	18.6	20.7	24.4	23.6	6.3	24.4	15.2
25	24.0	21.4	18.7	12.2	16.8	12.9	17.7	22.4	25.1	22.5	24.6	25.3	24.5	26.7	25.8	24.3	22.7	22.0	19.0	19.8	17.0	10.6	10.3	4.3	4.3	26.7	19.6
26	4.2	3.3	4.4	3.2	10.8	10.3	11.1	7.8	6.5	3.6	4.8	13.9	18.0	16.6	18.1	15.6	12.5	13.7	12.8	12.9	15.0	12.8	12.4	9.5	3.2	18.1	10.6
27	8.8	11.8	7.1	7.4	5.0	4.1	5.1	6.5	12.4	14.7	12.7	7.7	7.0	5.1	3.8	4.0	3.8	2.1	3.5	3.0	3.5	4.3	4.3	3.8	2.1	14.7	6.3
28	5.1	5.9	5.9	4.0	3.6	3.9	3.5	2.1	1.6	2.8	3.7	4.0	4.3	4.2	3.7	3.3	1.9	2.3	2.8	3.7	5.3	5.3	4.9	4.7	1.6	5.9	3.9
Min	2.9	2.1	2.3	2.6	2.8	2.5	2.7	2.0	1.0	0.9	1.5	3.4	2.9	3.3	3.2	3.3	1.8	1.8	2.2	2.4	2.5	1.9	3.1	2.2	0.9		
Max	24.2	22.1	23.1	23.2	19.3	14.4	17.7	22.4	25.1	22.5	24.6	26.2	24.5	26.7	25.8	24.3	22.7	22.0	20.0	19.8	20.0	20.7	24.4	25.6		26.7	
Avg	8.8	7.9	7.4	7.0	7.4	6.5	6.5	7.1	6.9	8.2	9.5	10.0	10.1	10.6	11.2	11.0	10.6	8.9	8.6	8.2	8.1	8.1	8.0	8.2			8.5

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Desert Hot Springs (data subject to change)
 Month: February
 Year: 2011
 Time Zone: PST

Validation Level: B
 Printout Date: 03-10-2011
 Printout Time: 13:47:39
 Output File Name: DHSB0211.10

Day	Hour Ending													24	Prev										
	1	2	3	4	5	6	7	8	9	10	11	12	13			14	15	16	17	18	19	20	21	22	23
1	331	327	333	328	323	327	320	346	254	222	109	155	77	57	55	31	16	348	358	6	22	23	353	84	[NNW]
2	27	29	65	76	68	70	73	82	95	97	90	66	68	59	83	73	79	110	130	119	123	91	104	112	[ENE]
3	58	336	341	343	2	341	7	340	353	151	136	152	190	184	162	175	185	172	343	345	352	349	342	343	[NNW]
4	339	335	334	342	19	346	336	341	201	139	165	174	195	189	179	190	163	191	328	331	352	1	6	11	[NNW]
5	350	335	353	333	326	336	343	333	12	144	140	160	143	181	174	179	168	243	330	334	20	341	348	109	[NNW]
6	359	9	25	28	329	328	1	6	8	21	29	66	42	64	60	54	36	20	10	33	43	360	328	325	[N]
7	331	344	333	353	338	342	329	345	81	188	206	156	166	138	139	150	143	130	153	127	92	129	315	306	[NNW]
8	320	322	310	304	304	337	14	14	18	16	16	17	26	36	30	24	27	29	21	354	331	4	11	57	[NNE]
9	326	3	317	7	223	30	51	29	36	165	39	27	33	27	21	31	29	21	13	11	1	8	344	60	[NNE]
10	47	8	15	56	74	90	21	15	58	66	54	59	51	50	47	55	47	51	57	26	30	32	23	70	[NE]
11	71	11	78	222	183	182	301	93	117	117	112	35	30	160	205	173	163	73	3	349	355	1	65	51	[N]
12	46	56	18	44	7	50	48	51	142	154	141	167	170	160	158	164	161	116	326	327	329	330	344	335	[SSE]
13	328	333	331	335	342	330	329	337	58	135	167	159	148	156	155	149	134	147	330	335	24	282	328	338	[NNW]
14	247	73	18	243	231	250	203	273	270	274	269	266	269	264	266	265	258	272	273	297	320	324	303	285	[W]
15	292	310	315	340	353	343	343	306	284	276	271	281	272	273	266	259	259	263	268	260	270	281	280	273	[W]
16	267	279	270	266	286	276	252	146	142	184	223	265	260	270	276	280	270	269	263	284	292	307	311	307	[W]
17	298	270	269	261	277	308	330	320	312	254	254	235	219	238	249	251	258	257	257	268	279	301	325	292	[WSW]
18	312	324	20	277	258	272	335	5	96	253	250	208	164	145	162	148	102	118	327	314	310	135	208	209	[NW]
19	127	130	176	151	232	263	247	236	251	252	263	259	271	273	279	277	283	280	335	278	336	337	280	104	[W]
20	155	101	190	282	267	277	283	284	272	270	261	260	266	274	272	264	269	273	291	313	302	329	326	346	[W]
21	316	340	331	333	332	334	337	10	310	186	213	150	126	129	128	137	147	133	127	184	211	314	324	316	[NNW]
22	307	315	308	326	333	326	329	315	93	159	153	148	133	167	140	143	195	173	291	255	309	306	322	321	[NW]
23	320	327	325	327	322	331	325	350	314	265	260	267	260	262	259	260	270	268	274	279	277	282	277	282	[W]
24	288	300	307	306	303	308	298	297	307	276	257	258	256	263	266	264	263	269	275	283	288	289	293	309	[WNW]
25	310	297	301	313	302	302	294	279	279	261	260	260	257	251	261	274	292	309	311	305	298	303	257	131	[WNW]
26	331	162	136	155	245	303	296	293	257	136	198	261	268	265	276	282	280	322	305	261	264	277	290	301	[W]
27	301	292	323	319	332	329	331	326	291	281	256	246	245	248	204	230	203	185	2	248	2	330	335	335	[NNW]
28	329	324	323	325	337	331	336	9	39	175	136	166	153	181	196	188	192	215	316	333	326	327	333	328	[NNW]

Prev [NW] [NNW] [NW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [E] [W] [W] [SSE] [W] [W] [W] [W] [W] [W] [W] [NNW] [NNW] [N] [NNW] [NNW] [NW] [NNW]

Total Data Records Possible: 672
 Total Valid Data Records: 672
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Desert Hot Springs (data subject to change)
 Month: February
 Year: 2011
 Time Zone: PST

Validation Level: B
 Printout Date: 03-10-2011
 Printout Time: 13:47:39
 Output File Name: DHSB0211.10t

Day	Hour Ending																								Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NW]	[NNW]	[WSW]	[SW]	[ESE]	[SSE]	[ENE]	[ENE]	[NE]	[NNE]	[NNE]	[NNW]	[N]	[N]	[NNE]	[NNE]	[N]	[E]	[NNW]
2	[NNE]	[NNE]	[ENE]	[ENE]	[ENE]	[ENE]	[ENE]	[E]	[E]	[E]	[ENE]	[ENE]	[ENE]	[ENE]	[E]	[ENE]	[ENE]	[ENE]	[ESE]	[SE]	[ESE]	[ESE]	[E]	[ESE]	[ENE]
3	[ENE]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[N]	[NNW]	[N]	[SSE]	[SE]	[SSE]	[S]	[S]	[SSE]	[S]	[S]	[S]	[S]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]
4	[NNW]	[NNW]	[NNW]	[NNW]	[NNE]	[NNW]	[NNW]	[NNW]	[SSW]	[SE]	[SSE]	[S]	[SSW]	[S]	[S]	[S]	[S]	[SSE]	[S]	[NNW]	[NNW]	[N]	[N]	[N]	[NNW]
5	[N]	[NNW]	[N]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNE]	[SE]	[SE]	[SSE]	[SE]	[S]	[S]	[S]	[S]	[SSE]	[WSW]	[NNW]	[NNW]	[NNE]	[NNW]	[NNW]	[ESE]
6	[N]	[N]	[NNE]	[NNE]	[NNW]	[NNW]	[N]	[N]	[N]	[NNE]	[NNE]	[ENE]	[NE]	[ENE]	[ENE]	[NE]	[NE]	[NNE]	[N]	[NNE]	[NE]	[N]	[NNW]	[NW]	[N]
7	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[E]	[S]	[SSW]	[SSE]	[SSE]	[SE]	[SE]	[SSE]	[SE]	[SE]	[SSE]	[SE]	[E]	[SE]	[NW]	[NW]	[NNW]
8	[NW]	[NW]	[NW]	[WNW]	[NW]	[NNW]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[N]	[NNW]	[N]	[N]	[ENE]
9	[NW]	[N]	[NW]	[N]	[SW]	[NNE]	[NE]	[NNE]	[NE]	[SSE]	[NE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[N]	[N]	[N]	[NNW]	[ENE]
10	[NE]	[N]	[NNE]	[NE]	[ENE]	[E]	[NNE]	[NNE]	[ENE]	[ENE]	[NE]	[ENE]	[NE]	[NE]	[NE]	[NE]	[NE]	[NE]	[NE]	[ENE]	[NNE]	[NNE]	[NNE]	[ENE]	[NE]
11	[ENE]	[N]	[ENE]	[SW]	[S]	[S]	[WNW]	[E]	[ESE]	[ESE]	[ESE]	[NE]	[NNE]	[SSE]	[SSW]	[S]	[SSE]	[ENE]	[N]	[N]	[N]	[N]	[ENE]	[NE]	[N]
12	[NE]	[NE]	[NNE]	[NE]	[N]	[NE]	[NE]	[NE]	[SE]	[SSE]	[SE]	[SSE]	[S]	[SSE]	[SSE]	[SSE]	[SSE]	[ESE]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[SSE]
13	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[ENE]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SE]	[SSE]	[NNW]	[NNW]	[NNE]	[WNW]	[NNW]	[NNW]	[NNW]
14	[WSW]	[ENE]	[NNE]	[WSW]	[SW]	[WSW]	[SSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WSW]	[W]	[W]	[WNW]	[NW]	[NW]	[WNW]	[WNW]	[W]
15	[WNW]	[NW]	[NW]	[NNW]	[N]	[NNW]	[NNW]	[NW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
16	[W]	[W]	[W]	[W]	[WNW]	[W]	[WSW]	[SE]	[SE]	[S]	[SW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[W]
17	[WNW]	[W]	[W]	[W]	[W]	[NW]	[NNW]	[NW]	[NW]	[WSW]	[WSW]	[SW]	[SW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[WNW]	[NW]	[WNW]
18	[NW]	[NW]	[NNE]	[W]	[WSW]	[W]	[NNW]	[N]	[E]	[WSW]	[WSW]	[SSW]	[SSE]	[SE]	[SSE]	[SSE]	[ESE]	[ESE]	[NNW]	[NW]	[NW]	[SE]	[SSW]	[SSW]	[NW]
19	[SE]	[SE]	[S]	[SSE]	[SW]	[W]	[WSW]	[SW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[W]	[NNW]	[W]	[NNW]	[NNW]	[W]	[ESE]	[W]
20	[SSE]	[E]	[S]	[WNW]	[W]	[W]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[NW]	[WNW]	[NNW]	[NW]	[NNW]	[W]
21	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NW]	[S]	[SSW]	[SSE]	[SE]	[SE]	[SE]	[SE]	[SSE]	[SE]	[SE]	[SE]	[S]	[SSW]	[NW]	[NW]	[NNW]
22	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NW]	[E]	[SSE]	[SSE]	[SSE]	[SE]	[SSE]	[SE]	[SE]	[SSW]	[S]	[WNW]	[WSW]	[NW]	[NW]	[NW]	[NW]	[NW]
23	[NW]	[NNW]	[NW]	[NNW]	[NW]	[NNW]	[NW]	[N]	[NW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[W]	[WNW]	[W]
24	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[NW]	[WNW]	[WNW]	[NW]	[W]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]
25	[NW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[WSW]	[WSW]	[W]	[W]	[WNW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WSW]	[SE]	[WNW]
26	[NNW]	[SSE]	[SE]	[SSE]	[WSW]	[WNW]	[WNW]	[WNW]	[WSW]	[SE]	[SSW]	[W]	[W]	[W]	[W]	[WNW]	[W]	[NW]	[NW]	[W]	[W]	[W]	[WNW]	[WNW]	[W]
27	[WNW]	[WNW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[WNW]	[WNW]	[WSW]	[WSW]	[WSW]	[WSW]	[SSW]	[SW]	[SSW]	[S]	[N]	[WSW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]
28	[NNW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[N]	[NE]	[S]	[SE]	[SSE]	[SSE]	[S]	[SSW]	[S]	[SSW]	[SW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]
Prev	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[E]	[W]	[W]	[SSE]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NW]

Total Data Records Possible: 672
 Total Valid Data Records: 672
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)
 Units: degrees
 Channel: 11

Site: Desert Hot Springs (data subject to change)
 Month: February
 Year: 2011
 Time Zone: PST

Validation Level: B
 Printout Date: 03-10-2011
 Printout Time: 13:47:40
 Output File Name: DHSB0211.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	17.6	11.6	13.6	9.5	13.6	21.1	13.8	24.2	55.9	38.6	48.8	39.3	35.0	46.8	26.8	19.3	15.9	17.7	20.0	19.3	17.7	15.8	18.3	46.7	9.5	55.9	25.3
2	17.4	14.9	18.1	18.7	23.2	23.8	23.7	22.8	22.3	24.7	22.6	27.7	26.3	29.5	33.2	50.5	33.7	22.7	15.6	10.9	12.4	7.8	9.4	16.6	7.8	50.5	22.0
3	54.0	17.9	11.4	10.4	10.8	7.7	22.0	8.2	44.0	17.6	24.3	31.4	37.5	42.9	32.4	28.9	15.1	12.3	22.6	15.8	12.8	12.6	6.3	7.5	6.3	54.0	21.1
4	7.6	6.0	6.0	10.2	30.2	14.9	7.9	11.9	49.3	25.1	35.5	35.1	27.8	30.1	33.0	20.4	21.6	29.3	28.6	15.8	27.3	17.1	37.8	25.2	6.0	49.3	23.1
5	22.4	23.2	35.2	31.1	27.4	14.4	18.5	16.1	29.6	59.2	40.5	21.0	31.1	23.9	23.0	15.2	66.7	72.1	53.2	35.1	61.8	44.6	68.6	65.4	14.4	72.1	37.5
6	23.4	26.6	26.3	14.3	45.8	47.5	14.6	16.5	22.5	28.0	31.4	34.6	34.9	26.3	25.0	25.2	25.0	19.6	15.0	36.4	24.6	23.2	15.2	16.2	14.3	47.5	25.8
7	11.6	12.0	11.8	11.9	37.6	5.1	4.8	13.8	19.5	30.3	42.2	36.8	25.4	17.0	15.4	20.1	19.0	25.1	79.8	62.1	41.5	55.5	52.6	13.0	4.8	79.8	27.7
8	15.2	15.2	17.0	16.2	16.8	35.9	57.0	20.2	23.5	17.3	16.8	17.7	20.2	24.2	18.4	17.7	16.5	17.1	15.3	31.4	43.7	22.7	25.5	68.2	15.2	68.2	24.6
9	55.9	53.8	57.4	65.6	42.8	66.0	21.6	13.3	50.5	32.1	27.8	27.0	42.1	26.1	29.9	17.9	14.8	13.5	14.3	15.6	16.3	15.2	39.9	76.9	13.3	76.9	34.8
10	52.0	40.5	21.4	65.1	69.8	60.2	52.0	62.0	46.3	46.3	30.9	26.6	24.8	27.6	24.0	27.3	27.1	24.4	21.7	16.8	18.4	19.6	18.6	23.3	16.8	69.8	35.3
11	24.3	25.8	53.0	52.0	63.0	38.4	60.3	37.5	48.6	25.0	58.0	40.4	30.9	52.6	38.7	24.5	17.7	18.9	12.7	9.8	11.8	13.4	22.9	28.9	9.8	63.0	33.7
12	18.5	14.7	25.7	22.3	26.5	24.2	14.1	17.1	12.8	56.2	21.3	33.4	27.9	27.2	20.6	22.1	20.3	30.2	3.7	10.2	5.6	7.1	8.5	7.5	3.7	56.2	19.9
13	6.2	8.8	8.5	6.4	7.4	9.6	10.5	15.8	18.7	45.8	24.8	48.1	30.0	34.9	18.5	14.8	13.1	25.1	7.1	11.9	51.9	19.1	23.1	23.0	6.2	51.9	20.1
14	43.9	46.0	58.1	59.9	49.4	17.3	57.9	15.2	15.2	14.5	13.9	16.2	16.4	15.4	16.3	15.9	17.3	17.2	14.0	14.0	14.4	11.6	15.9	13.5	11.6	59.9	24.6
15	14.4	14.2	19.8	16.9	62.7	71.5	37.7	15.4	13.7	13.3	15.9	18.3	15.3	14.3	13.9	14.1	13.3	13.9	13.8	13.6	14.0	13.4	13.4	12.3	12.3	71.5	20.0
16	12.5	12.6	12.7	14.3	14.3	32.0	31.4	42.3	24.0	23.1	33.2	14.1	14.2	14.1	14.3	14.4	13.8	14.4	14.8	18.9	14.0	13.2	12.0	15.8	12.0	42.3	18.3
17	14.7	15.0	17.0	15.7	14.8	12.9	42.3	50.0	36.4	15.4	14.8	19.9	28.3	25.1	17.2	14.1	14.1	13.6	13.6	13.1	14.1	17.4	51.4	18.1	12.9	51.4	21.2
18	23.1	35.0	60.7	56.5	25.0	15.2	69.9	37.7	48.9	58.1	19.7	48.5	30.8	25.9	16.2	12.7	17.0	37.7	30.1	12.9	30.5	39.4	23.4	26.0	12.7	69.9	33.4
19	12.0	13.0	34.0	26.7	42.9	40.7	41.5	16.2	17.8	29.0	14.5	15.3	14.2	15.2	15.2	13.8	19.2	20.8	15.8	31.9	17.5	25.9	24.8	29.0	12.0	42.9	22.8
20	23.6	59.1	55.6	48.6	33.1	17.4	17.0	13.9	14.2	15.4	14.6	21.9	18.9	15.6	16.1	14.4	14.1	12.8	16.7	16.6	28.8	13.3	8.4	9.4	8.4	59.1	21.7
21	10.4	21.0	10.0	16.0	12.9	12.3	8.2	22.7	34.6	37.9	69.9	42.9	19.1	26.6	18.6	16.6	14.8	10.6	40.3	20.4	18.9	18.5	15.4	16.0	8.2	69.9	22.3
22	12.9	11.9	9.7	10.7	9.1	12.0	7.9	10.8	28.6	41.2	55.1	34.4	25.0	22.5	43.5	42.2	14.6	9.8	26.1	33.2	13.1	12.1	11.8	9.8	7.9	55.1	21.2
23	13.0	8.9	17.1	10.1	8.5	14.0	15.1	50.5	41.8	15.1	14.3	14.1	14.4	14.2	14.4	14.5	14.0	14.0	14.0	14.2	15.1	15.7	15.4	13.8	8.5	50.5	16.5
24	13.6	16.4	17.0	18.1	13.8	14.2	14.8	18.5	35.3	19.8	16.9	27.1	31.0	20.8	14.3	15.0	14.7	14.2	12.6	13.1	13.6	12.6	12.3	12.1	12.1	35.3	17.2
25	12.6	14.3	13.9	17.4	15.6	15.5	15.6	14.1	13.8	14.6	14.4	13.6	13.8	12.5	12.8	12.8	12.2	11.3	12.3	12.6	13.6	16.8	17.8	75.1	11.3	75.1	16.6
26	59.3	34.7	11.9	24.4	18.7	34.8	13.4	18.2	29.2	48.3	36.1	16.0	14.2	13.7	13.7	14.0	14.8	12.2	19.3	13.1	13.0	14.3	12.8	14.0	11.9	59.3	21.4
27	17.3	12.8	11.2	14.2	16.6	33.7	21.9	14.7	14.5	14.1	14.9	35.0	28.1	30.9	35.0	30.5	23.6	19.0	16.0	36.0	25.9	4.6	3.8	5.6	3.8	36.0	20.0
28	2.7	3.8	4.5	5.8	10.8	6.3	8.9	15.8	44.3	34.1	36.2	52.0	45.0	32.6	38.7	38.3	23.8	13.0	11.2	7.1	3.6	4.8	6.3	10.2	2.7	52.0	19.2
Min	2.7	3.8	4.5	5.8	7.4	5.1	4.8	8.2	12.8	13.3	13.9	13.6	13.8	12.5	12.8	12.7	12.2	9.8	3.7	7.1	3.6	4.6	3.8	5.6	2.7		
Max	59.3	59.1	60.7	65.6	69.8	71.5	69.9	62.0	55.9	59.2	69.9	52.0	45.0	52.6	43.5	50.5	66.7	72.1	79.8	62.1	61.8	55.5	68.6	76.9		79.8	
Avg	21.9	21.1	23.5	24.6	27.2	25.7	25.9	22.7	30.6	30.0	28.9	28.9	25.8	25.3	22.8	21.0	19.6	20.1	20.7	20.1	21.3	18.1	21.1	25.0			23.8

Total Data Records Possible: 672
 Total Valid Data Records: 672
 Percent Data Recovery: 100.0

Missing Data Codes

 -910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2011
Time Zone: PST

Validation Level: B
Printout Date: 03-10-2011
Printout Time: 13:47:44
Output File Name: DHSB0211.17

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	7.5	8.4	8.4	8.7	8.5	9.3	10.1	8.9	5.6	8.8	13.7	12.8	15.9	22.6	21.3	25.7	34.3	21.6	15.3	17.9	21.7	24.0	17.4	17.2	5.6	34.3	15.2
2	25.9	25.9	21.5	20.3	20.7	20.0	23.7	23.7	23.8	24.4	27.8	30.5	25.4	25.6	20.0	24.2	22.4	16.8	11.2	12.2	16.0	11.8	10.1	14.1	10.1	30.5	20.7
3	11.6	8.0	7.2	5.6	7.0	5.9	5.0	6.8	6.7	10.2	10.2	10.0	10.0	7.4	7.8	9.0	8.3	4.9	4.5	5.6	6.5	4.5	6.1	5.8	4.5	11.6	7.3
4	6.1	6.1	8.6	6.5	7.4	6.2	6.3	7.2	6.2	8.3	7.7	8.6	10.3	8.4	6.7	7.6	7.2	4.4	5.2	6.2	7.3	7.2	7.9	8.8	4.4	10.3	7.2
5	13.7	8.5	9.6	9.1	8.9	11.1	11.7	10.2	8.0	4.0	8.8	10.0	6.9	8.7	8.8	7.2	5.0	6.3	8.0	12.5	8.2	12.4	9.7	6.3	4.0	13.7	8.9
6	19.0	15.1	19.3	20.4	20.0	13.9	34.0	31.6	27.4	28.1	35.7	26.1	25.6	21.1	25.6	22.9	18.9	16.5	15.4	15.2	11.7	9.5	9.6	9.5	9.5	35.7	20.5
7	10.4	10.9	9.5	7.4	6.1	7.7	8.6	8.4	3.4	4.4	7.7	9.6	11.1	14.0	14.6	14.3	13.2	12.6	8.8	11.0	11.3	22.3	16.1	27.5	3.4	27.5	11.3
8	26.5	27.1	31.9	43.0	39.4	22.4	26.0	33.0	31.0	34.3	35.7	29.5	26.8	25.6	33.0	29.4	31.4	29.4	30.7	21.3	15.7	16.9	16.2	10.3	10.3	43.0	27.8
9	13.1	8.6	8.6	12.0	16.6	10.3	16.7	21.8	23.1	12.5	17.2	19.0	18.9	17.8	21.0	20.1	22.5	23.1	17.5	18.3	18.7	19.5	14.9	10.9	8.6	23.1	16.8
10	16.7	18.4	20.0	15.9	14.6	13.2	18.5	12.8	13.0	21.3	21.6	24.8	27.3	26.0	25.2	27.4	23.4	22.0	16.7	21.5	19.1	19.9	19.4	12.3	12.3	27.4	19.6
11	25.0	6.4	7.0	6.1	9.6	6.3	9.2	8.8	16.4	7.1	16.0	20.7	19.5	11.5	10.3	9.2	8.0	7.1	8.5	11.8	12.1	14.0	7.3	9.2	6.1	25.0	11.1
12	5.9	4.4	4.9	7.0	5.7	6.7	6.8	6.4	2.6	5.3	7.6	11.0	10.6	10.4	11.2	8.3	6.6	5.0	7.2	7.3	8.8	10.8	11.9	9.4	2.6	11.9	7.6
13	12.1	10.2	10.7	9.1	8.0	9.5	7.0	4.1	3.8	3.5	7.4	8.2	8.4	11.0	13.9	12.3	10.0	7.9	8.3	9.1	6.6	9.8	11.9	9.9	3.5	13.9	8.9
14	24.3	9.4	11.0	15.1	19.7	18.7	23.8	30.5	31.6	34.0	38.4	35.6	33.3	29.9	25.9	29.1	28.7	31.2	31.3	24.5	15.6	22.1	30.3	32.3	9.4	38.4	26.1
15	32.4	22.5	18.9	10.7	10.4	8.1	9.7	30.4	27.6	34.6	32.2	24.0	30.4	41.9	39.0	38.3	36.6	30.8	29.1	32.4	29.1	31.0	43.0	44.8	8.1	44.8	28.7
16	43.1	38.0	35.9	20.8	31.6	25.4	11.8	17.1	15.6	25.1	39.8	44.9	38.4	46.8	43.6	39.2	37.1	34.3	32.4	32.5	39.5	38.0	32.0	38.1	11.8	46.8	33.4
17	37.3	39.2	45.8	42.8	34.7	36.5	12.9	13.1	16.1	24.3	22.7	18.9	18.3	20.5	26.5	30.0	26.7	28.9	26.8	23.3	22.8	12.3	9.9	17.2	9.9	45.8	25.3
18	17.9	12.1	9.6	12.7	21.0	17.5	15.5	8.6	3.5	21.6	27.5	14.5	13.7	18.1	17.5	18.3	18.8	7.4	7.7	7.2	6.0	5.9	8.3	13.7	3.5	27.5	13.5
19	21.3	20.0	21.2	24.6	11.2	19.7	16.5	12.5	15.6	25.8	24.6	25.9	28.8	29.5	27.2	27.5	30.4	22.0	23.1	16.3	16.3	10.0	12.6	7.8	7.8	30.4	20.4
20	9.7	7.8	15.8	18.3	26.6	26.5	23.7	25.9	26.6	23.2	20.0	20.2	19.7	22.5	24.0	19.4	23.4	20.6	22.3	11.1	7.5	7.2	7.9	8.5	7.2	26.6	18.3
21	8.3	7.8	5.4	6.7	8.2	6.4	7.8	6.9	3.4	2.6	6.6	11.4	14.3	12.4	13.2	14.0	11.1	10.2	7.4	6.4	16.8	12.0	9.1	10.7	2.6	16.8	9.1
22	12.8	10.5	10.8	8.6	9.7	6.1	6.7	6.9	5.3	5.3	5.5	11.8	12.9	12.9	10.9	8.8	9.5	3.7	5.8	9.4	11.1	11.4	8.5	9.1	3.7	12.9	8.9
23	7.9	11.1	9.1	8.8	9.7	8.3	9.9	7.1	15.8	24.0	32.0	33.7	36.6	36.8	37.2	34.2	33.7	33.3	29.9	30.6	32.7	36.2	33.3	34.6	7.1	37.2	24.4
24	29.5	31.2	24.1	24.8	26.4	26.3	26.6	21.9	21.7	21.7	22.8	22.9	17.2	29.7	33.7	37.0	38.0	35.4	35.8	35.2	37.8	38.3	39.8	40.1	17.2	40.1	29.9
25	40.3	37.8	38.4	24.3	34.3	34.1	37.5	39.4	44.3	38.4	41.2	43.0	41.7	44.3	48.4	40.1	36.4	37.8	36.8	32.9	36.2	24.2	24.5	19.1	19.1	48.4	36.5
26	19.7	11.0	8.2	5.6	24.0	28.3	23.6	16.4	14.9	11.8	17.5	29.7	31.9	34.5	31.6	32.4	28.7	29.1	26.7	22.4	26.5	22.6	29.5	20.8	5.6	34.5	22.8
27	18.6	21.4	13.4	15.6	10.2	15.6	10.5	12.6	25.6	26.6	23.5	19.4	15.0	11.5	9.3	9.1	7.6	4.4	7.1	5.7	5.6	5.8	5.9	6.1	4.4	26.6	12.8
28	6.5	7.4	8.5	7.4	5.9	5.9	4.7	4.4	3.9	6.3	9.1	10.6	12.8	8.9	8.3	7.1	6.9	3.4	3.9	5.0	7.0	6.7	7.4	7.6	3.4	12.8	6.9
Min	5.9	4.4	4.9	5.6	5.7	5.9	4.7	4.1	2.6	2.6	5.5	8.2	6.9	7.4	6.7	7.1	5.0	3.4	3.9	5.0	5.6	4.5	5.9	5.8	2.6		
Max	43.1	39.2	45.8	43.0	39.4	36.5	37.5	39.4	44.3	38.4	41.2	44.9	41.7	46.8	48.4	40.1	38.0	37.8	36.8	35.2	39.5	38.3	43.0	44.8	48.4		
Avg	18.7	15.9	15.8	14.9	16.3	15.2	15.2	15.6	15.8	17.8	20.7	21.0	20.8	21.8	22.0	21.5	20.9	18.2	17.3	16.6	16.9	16.7	16.5	16.5			17.9

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2011
Time Zone: PST

Validation Level: B
Printout Date: 03-10-2011
Printout Time: 13:47:37
Output File Name: DHSB0211.7

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	12.7	12.6	12.6	12.6	12.6	12.5	12.6	13.5	14.6	13.8	13.8	13.5	14.3	13.4	14.2	13.3	13.1	13.0	12.9	12.8	12.8	12.8	12.8	12.7	12.5	14.6	13.1
2	12.7	12.6	12.6	12.6	12.6	12.5	12.6	13.7	15.1	14.2	14.2	14.1	13.9	13.9	14.4	13.6	13.3	13.2	13.0	12.9	12.8	12.8	12.7	12.7	12.5	15.1	13.3
3	12.6	12.6	12.5	12.5	12.5	12.4	12.6	13.8	14.8	14.1	13.9	13.8	13.8	13.7	13.9	13.5	13.2	13.1	12.9	12.9	12.8	12.7	12.7	12.7	12.4	14.8	13.2
4	12.6	12.6	12.5	12.5	12.5	12.4	12.6	13.6	14.5	14.8	13.8	14.0	13.6	13.8	14.3	13.4	13.1	13.0	12.9	12.8	12.8	12.8	12.7	12.7	12.4	14.8	13.2
5	12.7	12.6	12.6	12.6	12.5	12.5	12.5	13.0	13.7	13.8	13.6	13.9	13.3	13.8	13.5	13.2	13.0	12.9	12.9	12.8	12.8	12.8	12.7	12.7	12.5	13.9	13.0
6	12.7	12.7	12.6	12.6	12.6	12.6	12.6	13.2	13.7	13.6	13.8	13.6	13.3	13.4	13.3	13.3	13.0	12.9	12.9	12.9	12.8	12.8	12.8	12.7	12.6	13.8	13.0
7	12.7	12.7	12.6	12.6	12.6	12.6	12.7	13.5	14.2	14.4	13.4	13.3	13.2	13.2	13.7	13.3	13.0	12.9	12.9	12.8	12.8	12.8	12.7	12.7	12.6	14.4	13.0
8	12.7	12.6	12.6	12.6	12.6	12.6	12.6	13.2	13.8	13.8	13.7	13.6	13.6	13.7	14.5	13.5	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.8	12.6	14.5	13.1
9	12.7	12.7	12.6	12.6	12.6	12.5	12.7	13.7	14.5	13.7	13.7	13.6	13.6	13.9	14.4	13.4	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.7	12.5	14.5	13.2
10	12.7	12.7	12.6	12.6	12.6	12.6	12.7	13.6	14.4	14.6	13.9	13.7	14.2	13.7	14.1	13.5	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.7	12.6	14.6	13.2
11	12.7	12.7	12.6	12.6	12.6	12.5	12.7	13.7	14.5	14.4	13.5	13.5	13.4	13.5	13.9	13.3	13.0	12.9	12.9	12.8	12.8	12.8	12.7	12.7	12.5	14.5	13.1
12	12.7	12.6	12.6	12.6	12.6	12.5	12.7	13.7	14.5	14.1	14.1	13.6	14.0	13.5	13.6	13.3	13.0	12.9	12.9	12.8	12.8	12.7	12.7	12.7	12.5	14.5	13.1
13	12.6	12.6	12.6	12.6	12.5	12.5	12.7	13.6	14.2	13.7	14.1	13.2	13.3	13.7	13.6	13.3	13.0	12.9	12.8	12.8	12.8	12.7	12.6	12.7	12.5	14.2	13.0
14	12.7	12.6	12.6	12.6	12.5	12.5	12.7	13.5	14.2	14.3	14.0	13.6	14.1	14.0	14.1	13.4	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.8	12.5	14.3	13.2
15	12.7	12.7	12.7	12.6	12.6	12.6	12.6	12.9	13.1	13.9	13.7	14.1	14.3	13.6	14.2	13.4	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.8	12.6	14.3	13.1
16	12.7	12.7	12.6	12.6	12.6	12.6	12.6	13.5	13.9	13.6	14.0	13.8	14.4	14.2	14.1	13.5	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.8	12.6	14.4	13.2
17	12.7	12.7	12.6	12.6	12.6	12.6	12.8	13.7	14.7	13.9	13.9	13.7	13.6	13.9	14.6	13.6	13.2	13.1	13.0	12.9	12.8	12.8	12.8	12.7	12.6	14.7	13.2
18	12.7	12.7	12.6	12.6	12.6	12.6	12.5	12.6	13.1	13.6	14.6	14.4	13.9	13.7	13.3	13.0	12.9	12.9	12.8	12.8	12.7	12.7	12.7	12.6	12.5	14.6	13.0
19	12.6	12.6	12.5	12.5	12.5	12.5	12.5	12.5	12.8	13.7	14.5	14.7	14.4	14.6	14.3	13.4	13.2	13.1	13.0	12.9	12.8	12.8	12.7	12.7	12.5	14.7	13.2
20	12.6	12.6	12.6	12.5	12.5	12.5	12.7	13.2	14.4	14.3	14.1	14.5	13.9	14.1	14.5	13.6	13.3	13.2	13.1	13.0	12.9	12.8	12.8	12.7	12.5	14.5	13.3
21	12.7	12.6	12.6	12.6	12.5	12.5	12.5	13.2	13.4	14.1	13.8	13.7	13.9	14.3	14.4	13.4	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.7	12.5	14.4	13.1
22	12.7	12.7	12.6	12.6	12.5	12.5	12.8	13.8	14.7	13.8	13.7	13.6	13.5	13.5	14.3	13.3	13.1	12.9	12.9	12.8	12.8	12.8	12.7	12.7	12.5	14.7	13.1
23	12.7	12.6	12.6	12.6	12.5	12.5	12.6	13.6	14.5	14.0	14.2	13.9	14.6	14.4	14.7	13.6	13.3	13.2	13.0	12.9	12.9	12.8	12.8	12.8	12.5	14.7	13.3
24	12.7	12.7	12.6	12.6	12.6	12.5	12.7	13.6	14.3	14.3	14.7	14.4	13.8	14.1	14.6	13.6	13.2	13.1	13.0	12.9	12.8	12.8	12.8	12.8	12.5	14.7	13.3
25	12.7	12.7	12.6	12.6	12.5	12.5	12.7	13.7	14.5	14.7	13.9	14.3	14.7	14.3	14.5	13.6	13.3	13.2	13.0	12.9	12.9	12.8	12.8	12.7	12.5	14.7	13.3
26	12.7	12.7	12.6	12.6	12.5	12.5	12.5	12.5	12.5	12.6	12.9	14.4	13.9	13.4	13.4	13.4	13.1	13.0	12.9	12.8	12.7	12.6	12.6	12.5	12.5	14.4	12.9
27	12.5	12.5	12.4	12.4	12.4	12.4	12.8	13.9	14.6	14.8	14.0	14.0	13.9	13.7	13.9	13.5	13.3	13.1	13.0	12.9	12.8	12.8	12.8	12.7	12.4	14.8	13.2
28	12.7	12.6	12.6	12.6	12.6	12.5	12.9	13.9	14.7	13.8	14.3	14.3	13.6	13.8	13.5	13.5	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.7	12.5	14.7	13.2
Min	12.5	12.5	12.4	12.4	12.4	12.4	12.5	12.5	12.5	12.6	12.9	13.2	13.2	13.2	13.3	13.0	12.9	12.9	12.8	12.8	12.7	12.6	12.6	12.5	12.4		
Max	12.7	12.7	12.7	12.6	12.6	12.6	12.9	13.9	15.1	14.8	14.7	14.7	14.7	14.6	14.7	13.6	13.3	13.2	13.1	13.0	12.9	12.8	12.8	12.8		15.1	
Avg	12.7	12.6	12.6	12.6	12.5	12.6	13.4	14.1	14.0	13.9	13.9	13.9	13.8	14.1	13.4	13.1	13.0	12.9	12.9	12.8	12.8	12.7	12.7			13.2	

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2