

# Desert Hot Springs Meteorological Data

February 2013

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed  
Units: mph  
Channel: 9

Site: Desert Hot Springs (data subject to change)  
Month: February  
Year: 2013  
Time Zone: PST

Validation Level: B  
Printout Date: 03-22-2013  
Printout Time: 14:05:10  
Output File Name: DHSB0213.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	5.5	4.4	5.3	4.5	5.2	3.4	4.5	2.8	3.9	4.2	3.9	5.5	4.6	4.6	4.1	2.6	3.5	0.9	2.9	4.6	4.7	4.0	4.1	4.4	0.9	5.5	4.1
2	4.5	5.4	4.3	4.2	2.8	3.0	3.8	3.2	2.3	1.9	2.8	4.0	3.5	5.0	4.6	4.0	2.5	2.6	3.2	2.4	2.6	2.1	2.5	3.4	1.9	5.4	3.3
3	5.2	8.3	8.2	8.7	10.3	7.9	5.3	6.0	6.3	4.3	2.9	3.2	6.1	5.6	4.5	5.2	4.6	3.1	1.7	4.5	3.5	4.4	5.1	5.2	1.7	10.3	5.4
4	4.8	3.5	3.9	4.0	4.4	4.4	4.3	4.4	2.1	3.7	3.0	4.0	6.6	5.3	6.0	4.8	4.8	3.1	4.3	5.6	6.3	5.5	6.0	5.5	2.1	6.6	4.6
5	6.9	6.2	6.8	9.1	7.5	4.8	5.9	3.0	2.6	4.9	5.2	5.6	8.2	7.9	8.3	11.8	14.3	12.4	13.1	10.9	11.5	11.6	10.6	8.4	2.6	14.3	8.2
6	9.4	13.0	10.9	4.3	4.7	3.2	2.5	3.5	7.4	9.9	9.8	10.8	11.1	9.9	9.3	10.1	9.4	5.1	3.1	5.0	5.2	4.6	3.2	2.9	2.5	13.0	7.0
7	3.9	3.9	4.5	4.6	4.6	4.2	5.3	2.2	1.4	2.2	4.0	4.4	7.5	9.2	8.0	7.1	7.6	11.7	13.3	14.9	18.1	18.1	18.2	22.1	1.4	22.1	8.4
8	24.9	22.1	14.8	20.1	19.1	19.9	19.8	18.4	17.0	21.8	23.1	21.6	21.0	13.1	7.5	11.5	5.9	6.6	8.8	14.6	15.3	15.6	12.2	11.0	5.9	24.9	16.1
9	9.1	8.4	9.1	11.1	5.5	9.3	8.0	8.1	13.8	17.7	18.6	18.2	17.4	17.5	17.5	16.5	13.7	11.7	9.7	8.1	8.7	5.3	7.3	7.7	5.3	18.6	11.6
10	9.5	8.2	4.4	6.5	6.0	5.2	5.7	3.7	1.4	8.6	12.1	14.1	14.5	13.8	13.5	12.8	12.1	9.0	9.4	7.5	6.2	5.1	5.4	6.7	1.4	14.5	8.4
11	5.6	12.3	11.2	2.8	3.2	4.2	8.5	3.6	5.6	14.5	15.6	15.8	18.6	13.3	15.4	13.9	15.4	14.7	13.0	9.9	4.8	3.2	4.6	4.4	2.8	18.6	9.8
12	5.7	5.4	5.8	5.4	5.0	3.8	3.4	3.1	1.0	2.8	2.9	3.1	4.1	3.8	4.2	4.3	3.0	2.5	2.3	1.5	4.7	3.6	4.8	5.7	1.0	5.8	3.8
13	4.9	3.8	4.6	4.8	3.3	4.9	4.4	2.9	1.7	1.4	2.3	3.3	3.3	2.7	7.2	4.1	3.3	3.4	4.8	4.0	4.0	4.0	4.2	5.1	1.4	7.2	3.8
14	5.1	4.6	4.9	6.2	4.5	5.7	5.0	4.3	2.0	7.1	10.2	11.3	10.3	13.3	14.0	9.1	7.0	5.0	3.5	4.4	2.7	3.3	4.1	4.1	2.0	14.0	6.3
15	4.2	7.1	6.5	5.1	3.4	6.4	4.7	4.6	6.4	5.1	6.9	8.3	11.3	9.7	10.2	12.3	10.9	6.9	2.2	5.0	8.4	8.4	9.9	9.3	2.2	12.3	7.2
16	9.5	10.0	9.3	9.2	9.4	8.3	4.8	2.0	1.5	2.3	3.8	4.3	4.3	4.0	2.9	4.2	3.2	2.1	5.9	7.0	7.5	5.2	6.1	6.6	1.5	10.0	5.6
17	4.4	4.9	7.2	6.0	3.9	6.0	6.4	7.0	9.6	14.1	16.3	19.1	18.4	17.5	15.1	15.6	14.4	15.5	15.1	10.1	5.5	5.6	4.7	6.2	3.9	19.1	10.4
18	7.1	5.3	5.8	4.6	3.8	3.8	3.2	2.1	1.5	1.9	3.3	4.6	5.8	8.0	6.6	6.8	6.7	10.3	10.1	8.7	6.9	9.3	6.9	4.0	1.5	10.3	5.7
19	7.1	11.8	18.2	17.9	19.6	19.7	22.0	16.1	11.9	15.5	22.0	21.7	24.9	29.6	27.9	28.0	25.4	23.8	19.7	18.3	22.5	16.9	15.5	16.5	7.1	29.6	19.7
20	8.0	4.1	10.5	10.3	15.4	14.2	13.4	13.8	11.7	12.9	11.2	13.4	17.3	20.2	17.1	15.1	15.5	13.5	13.8	13.9	13.9	11.1	9.4	6.3	4.1	20.2	12.8
21	6.5	7.4	7.4	6.2	5.0	4.4	4.4	4.3	9.3	15.1	15.5	12.5	5.5	6.0	3.9	3.5	4.3	2.6	2.8	5.9	7.6	6.5	3.6	3.8	2.6	15.5	6.4
22	5.2	5.8	6.4	4.0	5.1	5.5	5.1	2.2	1.0	2.8	4.7	4.8	5.6	5.2	4.4	4.6	3.5	3.0	2.4	4.5	2.3	3.3	3.7	5.2	1.0	6.4	4.2
23	3.4	1.9	2.6	1.9	2.3	2.8	2.6	2.7	4.1	7.4	9.2	14.5	19.7	23.0	22.1	22.3	24.8	18.3	15.7	9.9	10.4	10.0	21.3	23.8	1.9	24.8	11.5
24	25.6	24.0	21.6	20.3	21.0	19.2	11.6	10.9	15.7	16.7	18.9	15.9	15.4	14.9	15.8	13.5	11.6	9.5	11.3	14.6	12.1	3.8	7.9	7.3	3.8	25.6	15.0
25	8.6	5.9	3.6	5.2	5.0	4.5	5.8	2.8	2.4	2.1	3.5	-940	-940	5.7	6.3	6.8	6.0	3.9	2.5	3.3	3.2	4.3	3.9	4.9	2.1	8.6	4.6
26	5.2	3.6	4.3	3.9	4.3	3.3	4.8	3.6	1.9	6.3	11.4	12.6	10.9	13.3	11.1	10.5	8.5	5.3	5.8	3.0	4.1	2.9	6.6	6.2	1.9	13.3	6.4
27	7.8	6.5	7.3	5.6	5.2	5.3	6.2	5.3	2.8	5.2	10.1	9.4	9.6	12.2	13.4	8.4	5.5	6.9	6.9	6.8	4.3	5.4	4.1	5.7	2.8	13.4	6.9
28	5.1	7.3	6.9	6.9	6.8	6.6	7.0	4.9	2.1	2.5	4.2	5.6	3.6	6.2	8.1	8.7	6.8	5.8	4.9	4.3	5.9	4.6	6.1	4.7	2.1	8.7	5.7
Min	3.4	1.9	2.6	1.9	2.3	2.8	2.5	2.0	1.0	1.4	2.3	3.1	3.3	2.7	2.9	2.6	2.5	0.9	1.7	1.5	2.3	2.1	2.5	2.9	0.9		
Max	25.6	24.0	21.6	20.3	21.0	19.9	22.0	18.4	17.0	21.8	23.1	21.7	24.9	29.6	27.9	28.0	25.4	23.8	19.7	18.3	22.5	18.1	21.3	23.8		29.6	
Avg	7.6	7.7	7.7	7.3	7.0	6.9	6.7	5.4	5.4	7.7	9.2	10.1	10.7	10.7	10.3	9.9	9.1	7.8	7.6	7.6	7.6	6.7	7.2	7.4			8.0

Total Data Records Possible: 672  
Total Valid Data Records: 670  
Percent Data Recovery: 99.7

#### Missing Data Codes

-----  
-910 No data collected - system not set up  
-920 Instrument Malfunction  
-930 Data Logger Malfunction  
-940 Calibration  
-950 Audit  
-960 Maintenance  
-970 Data invalid - Does not meet consistency or an obvious problem  
-971 Local Interference  
-980 Power failure  
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Unit Vector Wind Direction  
 Units: degrees  
 Channel: 10

Site: Desert Hot Springs (data subject to change)  
 Month: February  
 Year: 2013  
 Time Zone: PST

Validation Level: B  
 Printout Date: 03-22-2013  
 Printout Time: 14:05:12  
 Output File Name: DHSB0213.10

Day	1	2	3	4	5	6	7	8	9	10	11	Hour Ending 12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	336	341	337	337	335	5	339	56	100	151	173	155	133	155	175	172	183	190	328	331	327	331	346	354	[NNW]
2	344	336	346	346	346	355	355	347	39	98	140	157	147	164	159	162	182	274	343	341	8	46	10	343	[NNW]
3	331	341	321	329	317	304	313	312	316	229	189	216	197	188	225	228	181	101	30	331	329	353	328	333	[NNW]
4	332	328	330	347	345	341	333	347	256	183	180	207	46	62	78	49	66	89	4	326	327	327	321	327	[NNW]
5	328	329	321	329	329	334	325	332	84	149	122	178	159	165	196	246	257	259	243	235	251	262	280	299	[NNW]
6	325	312	306	295	326	8	51	320	255	261	251	240	245	248	247	248	256	300	300	310	315	334	322	341	[NW ]
7	338	342	340	342	336	348	332	342	101	104	138	180	156	139	149	230	253	258	263	267	267	269	272	275	[NNW]
8	285	280	294	287	286	291	300	295	280	281	281	285	289	271	301	271	241	261	287	285	288	292	291	297	[WNW]
9	320	314	321	303	322	325	324	320	296	274	275	274	275	269	269	271	266	266	284	294	296	305	308	319	[NW ]
10	314	326	328	321	332	334	323	332	354	282	256	255	257	259	257	260	270	277	283	307	302	312	305	298	[NW ]
11	312	350	352	285	300	317	352	203	246	346	8	349	347	7	19	18	11	19	26	35	38	327	10	346	[ N ]
12	340	342	332	333	338	349	357	7	50	174	154	220	210	157	200	228	211	139	12	46	322	344	359	339	[NNW]
13	330	349	337	337	351	332	342	356	310	135	196	184	233	248	223	237	201	104	275	331	344	338	337	338	[NNW]
14	338	340	340	339	336	333	338	336	159	153	44	37	32	33	20	27	21	7	350	7	290	356	357	346	[NNW]
15	358	21	54	125	68	44	51	82	122	54	69	41	28	18	16	21	28	30	360	357	1	355	1	2	[NNE]
16	3	5	6	7	4	0	9	73	125	339	148	140	136	175	100	133	142	194	330	322	325	341	348	335	[ N ]
17	340	339	328	337	298	336	326	329	295	259	262	262	265	258	263	267	268	270	274	301	289	323	328	329	[ w ]
18	328	332	340	344	330	340	343	356	106	130	168	167	145	133	153	148	206	263	264	299	318	299	319	339	[NNW]
19	322	296	284	280	269	273	276	278	283	279	274	279	271	285	296	290	292	296	294	287	291	301	294	287	[WNW]
20	304	354	297	261	286	303	326	309	311	295	292	278	276	275	270	275	276	277	284	290	286	293	299	326	[WNW]
21	317	318	315	309	323	314	326	328	288	265	266	266	231	245	306	228	198	179	8	327	329	332	354	343	[NW ]
22	337	326	333	335	339	333	341	342	120	250	221	187	169	190	171	179	171	182	215	170	290	314	330	331	[NNW]
23	323	305	21	63	34	360	269	125	142	159	161	242	270	269	268	277	269	276	282	288	283	343	2	13	[ w ]
24	13	5	358	359	8	15	16	23	11	5	2	10	12	4	20	22	11	33	41	32	13	308	305	300	[NNE]
25	302	328	341	338	344	324	331	49	102	138	147	-940	-940	156	153	171	166	157	160	350	326	107	127	115	[SSE]
26	109	63	330	329	11	358	359	336	236	122	48	44	48	36	38	32	37	41	30	354	13	15	19	355	[NE ]
27	1	7	352	306	339	346	329	338	254	158	85	76	54	35	25	38	46	11	21	34	348	318	329	345	[NNW]
28	351	338	336	338	329	332	342	9	157	174	193	155	36	52	68	88	73	73	74	18	329	339	333	335	[NNW]

Prev [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [ESE] [ W ] [SSE] [ W ] [ W ] [SSE] [NNE] [ W ] [ W ] [ W ] [WNW] [WNW] [WNW] [NNW] [NNW] [NNW] [NNW]

Total Data Records Possible: 672  
 Total Valid Data Records: 670  
 Percent Data Recovery: 99.7

#### Missing Data Codes

-910 No data collected - system not set up  
 -920 Instrument Malfunction  
 -930 Data Logger Malfunction  
 -940 Calibration  
 -950 Audit  
 -960 Maintenance  
 -970 Data invalid - Does not meet consistency or an obvious problem  
 -971 Local Interference  
 -980 Power failure  
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Unit Vector Wind Direction  
Units: degrees  
Channel: 10

Site: Desert Hot Springs (data subject to change)  
Month: February  
Year: 2013  
Time Zone: PST

Validation Level: B  
Printout Date: 03-22-2013  
Printout Time: 14:05:12  
Output File Name: DHSB0213.10t

Day	Hour Ending																								Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[ N ]	[NNW]	[NE ]	[ E ]	[SSE]	[ S ]	[SSE]	[SE ]	[SSE]	[ S ]	[ S ]	[ S ]	[ S ]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[ N ]	[NNW]
2	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[ N ]	[ N ]	[NNW]	[NE ]	[ E ]	[SE ]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[ S ]	[ W ]	[NNW]	[NNW]	[ N ]	[NE ]	[ N ]	[NNW]	[NNW]
3	[NNW]	[NNW]	[NW ]	[NNW]	[NW ]	[NW ]	[NW ]	[NW ]	[NW ]	[SW ]	[ S ]	[SW ]	[SSW]	[ S ]	[SW ]	[SW ]	[ S ]	[ E ]	[NNE]	[NNW]	[NNW]	[ N ]	[NNW]	[NNW]	[NNW]
4	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[WSW]	[ S ]	[ S ]	[SSW]	[NE ]	[ENE]	[ENE]	[NE ]	[ENE]	[ E ]	[ N ]	[NW ]	[NNW]	[NNW]	[NW ]	[NNW]	[NNW]
5	[NNW]	[NNW]	[NW ]	[NNW]	[NNW]	[NNW]	[NW ]	[NNW]	[ E ]	[SSE]	[ESE]	[ S ]	[SSE]	[SSE]	[SSW]	[WSW]	[WSW]	[ W ]	[WSW]	[SW ]	[WSW]	[ W ]	[ W ]	[WNW]	[NNW]
6	[NW ]	[NW ]	[NW ]	[WNW]	[NW ]	[ N ]	[NE ]	[NW ]	[WSW]	[ W ]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WNW]	[WNW]	[NW ]	[NW ]	[NNW]	[NW ]	[NNW]	[NW ]	[NW ]
7	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[ESE]	[ESE]	[SE ]	[ S ]	[SSE]	[SE ]	[SSE]	[SW ]	[WSW]	[WSW]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[NNW]
8	[WNW]	[ W ]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[ W ]	[ W ]	[ W ]	[WNW]	[WNW]	[ W ]	[WNW]	[ W ]	[WSW]	[ W ]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
9	[NW ]	[NW ]	[NW ]	[WNW]	[NW ]	[NW ]	[NW ]	[NW ]	[WNW]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[WNW]	[WNW]	[WNW]	[NW ]	[NW ]	[NW ]	[NW ]
10	[NW ]	[NW ]	[NNW]	[NW ]	[NNW]	[NNW]	[NW ]	[NNW]	[ N ]	[WNW]	[WSW]	[WSW]	[WSW]	[ W ]	[WSW]	[ W ]	[ W ]	[ W ]	[WNW]	[NW ]	[WNW]	[NW ]	[NW ]	[WNW]	[NW ]
11	[NW ]	[ N ]	[ N ]	[WNW]	[WNW]	[NW ]	[ N ]	[SSW]	[WSW]	[NNW]	[ N ]	[ N ]	[NNW]	[ N ]	[NNE]	[NNE]	[ N ]	[NNE]	[NNE]	[NE ]	[NE ]	[NNW]	[ N ]	[NNW]	[ N ]
12	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[ N ]	[ N ]	[NE ]	[ S ]	[SSE]	[SW ]	[SSW]	[SSE]	[SSW]	[SW ]	[SSW]	[SE ]	[NNE]	[NE ]	[NW ]	[NNW]	[ N ]	[NNW]	[NNW]
13	[NNW]	[ N ]	[NNW]	[NNW]	[ N ]	[NNW]	[NNW]	[ N ]	[NW ]	[SE ]	[SSW]	[ S ]	[SW ]	[WSW]	[SW ]	[WSW]	[SSW]	[ESE]	[ W ]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
14	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[SSE]	[SSE]	[NE ]	[NE ]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[ N ]	[ N ]	[ N ]	[WNW]	[ N ]	[ N ]	[NNW]	[NNW]
15	[ N ]	[NNE]	[NE ]	[SE ]	[ENE]	[NE ]	[NE ]	[ E ]	[ESE]	[NE ]	[ENE]	[NE ]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[ N ]	[ N ]	[ N ]	[ N ]	[ N ]	[ N ]	[ N ]	[NNE]
16	[ N ]	[ N ]	[ N ]	[ N ]	[ N ]	[ N ]	[ N ]	[ENE]	[SE ]	[NNW]	[SSE]	[SE ]	[SE ]	[ S ]	[ E ]	[SE ]	[SE ]	[SSW]	[NNW]	[NW ]	[NW ]	[NNW]	[NNW]	[NNW]	[ N ]
17	[NNW]	[NNW]	[NNW]	[NNW]	[WNW]	[NNW]	[NW ]	[NNW]	[WNW]	[ W ]	[ W ]	[ W ]	[ W ]	[WSW]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[WNW]	[WNW]	[NW ]	[NNW]	[NNW]	[ W ]
18	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[ N ]	[ESE]	[SE ]	[SSE]	[SSE]	[SE ]	[SE ]	[SSE]	[SSE]	[SSW]	[ W ]	[ W ]	[WNW]	[NW ]	[WNW]	[NW ]	[NNW]	[NNW]
19	[NW ]	[WNW]	[WNW]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[WNW]	[ W ]	[ W ]	[ W ]	[ W ]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
20	[NW ]	[ N ]	[WNW]	[ W ]	[WNW]	[WNW]	[NW ]	[NW ]	[NW ]	[WNW]	[WNW]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NNW]	[WNW]
21	[NW ]	[NW ]	[NW ]	[NW ]	[NW ]	[NW ]	[NW ]	[NNW]	[WNW]	[ W ]	[ W ]	[ W ]	[SW ]	[WSW]	[NW ]	[SW ]	[SSW]	[ S ]	[ N ]	[NNW]	[NNW]	[NNW]	[ N ]	[NNW]	[NW ]
22	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[ESE]	[WSW]	[SW ]	[ S ]	[ S ]	[ S ]	[ S ]	[ S ]	[ S ]	[ S ]	[SW ]	[ S ]	[WNW]	[NW ]	[NNW]	[NNW]	[NNW]
23	[NW ]	[NW ]	[NNE]	[ENE]	[NE ]	[ N ]	[ W ]	[SE ]	[SE ]	[SSE]	[SSE]	[WSW]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[ W ]	[WNW]	[WNW]	[WNW]	[NNW]	[ N ]	[NNE]	[ W ]
24	[NNE]	[ N ]	[ N ]	[ N ]	[ N ]	[NNE]	[NNE]	[NNE]	[ N ]	[ N ]	[ N ]	[ N ]	[NNE]	[ N ]	[NNE]	[NNE]	[ N ]	[NNE]	[NE ]	[NNE]	[NNE]	[NW ]	[NW ]	[WNW]	[NNE]
25	[WNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW ]	[NNW]	[NE ]	[ESE]	[SE ]	[SSE]	-940	-940	[SSE]	[SSE]	[ S ]	[SSE]	[SSE]	[SSE]	[ N ]	[NW ]	[ESE]	[SE ]	[ESE]	[SSE]
26	[ESE]	[ENE]	[NNW]	[NNW]	[ N ]	[ N ]	[ N ]	[NNW]	[SW ]	[ESE]	[NE ]	[NE ]	[NE ]	[NE ]	[NE ]	[NNE]	[NE ]	[NE ]	[NNE]	[ N ]	[NNE]	[NNE]	[NNE]	[ N ]	[NE ]
27	[ N ]	[ N ]	[ N ]	[NW ]	[NNW]	[NNW]	[NNW]	[NNW]	[WSW]	[SSE]	[ E ]	[ENE]	[NE ]	[NE ]	[NNE]	[NE ]	[NE ]	[ N ]	[NNE]	[NE ]	[NNW]	[NW ]	[NNW]	[NNW]	[NNW]
28	[ N ]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[ N ]	[SSE]	[ S ]	[SSW]	[SSE]	[NE ]	[NE ]	[ENE]	[ E ]	[ENE]	[ENE]	[ENE]	[ENE]	[NNE]	[NNW]	[NNW]	[NNW]	[NNW]
Prev	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[ESE]	[ W ]	[SSE]	[ W ]	[ W ]	[SSE]	[NNE]	[ W ]	[ W ]	[ W ]	[WNW]	[WNW]	[WNW]	[NNW]	[NNW]	[NNW]	[NNW]

Total Data Records Possible: 672  
Total Valid Data Records: 670  
Percent Data Recovery: 99.7

#### Missing Data Codes

-910 No data collected - system not set up  
-920 Instrument Malfunction  
-930 Data Logger Malfunction  
-940 Calibration  
-950 Audit  
-960 Maintenance  
-970 Data invalid - Does not meet consistency or an obvious problem  
-971 Local Interference  
-980 Power failure  
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Sigma Theta (Yamartino)  
 Units: degrees  
 Channel: 11

Site: Desert Hot Springs (data subject to change)  
 Month: February  
 Year: 2013  
 Time Zone: PST

Validation Level: B  
 Printout Date: 03-22-2013  
 Printout Time: 14:05:13  
 Output File Name: DHSB0213.11

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	6.7	8.6	6.7	6.6	11.8	17.8	10.7	28.0	13.0	16.9	21.5	20.3	33.5	23.2	22.4	27.1	10.9	5.4	17.3	3.6	3.1	4.5	9.6	8.5	3.1	33.5	14.1
2	8.0	6.4	10.7	9.4	11.7	18.6	14.4	21.6	24.3	14.4	14.0	13.8	30.8	22.4	19.4	15.1	9.3	17.2	15.1	8.1	11.1	18.8	18.2	7.2	6.4	30.8	15.0
3	7.8	9.6	9.8	9.4	10.5	14.0	12.0	12.5	16.9	15.0	49.2	33.2	20.8	23.3	25.5	24.2	15.5	8.8	24.3	7.1	25.5	24.5	7.0	6.6	6.6	49.2	17.2
4	9.1	6.0	7.0	9.1	10.8	12.3	25.6	13.7	41.7	28.9	28.3	34.7	32.7	28.4	32.2	29.0	24.7	23.4	35.7	8.4	12.4	8.5	8.5	10.8	6.0	41.7	20.1
5	8.7	6.8	8.4	5.6	6.6	8.7	7.2	8.8	20.9	14.2	20.8	24.0	20.3	23.5	23.2	17.4	13.4	13.4	12.1	11.9	13.4	14.2	18.0	19.2	5.6	24.0	14.2
6	20.2	15.8	15.7	36.0	42.7	34.4	62.4	36.6	18.8	13.7	12.5	11.1	12.0	13.8	13.2	13.1	12.9	25.8	20.6	19.0	17.7	15.2	21.3	12.2	11.1	62.4	21.5
7	7.8	9.5	12.8	11.3	9.6	12.3	11.8	17.3	23.6	39.7	20.7	47.0	20.4	15.0	21.0	27.3	20.7	14.7	14.5	15.2	13.7	14.2	15.1	17.7	7.8	47.0	18.0
8	14.3	14.4	13.8	12.8	13.1	13.3	11.6	13.2	14.8	13.5	13.1	13.0	13.5	14.5	25.1	17.7	43.3	44.2	42.3	13.1	13.0	11.9	12.9	13.5	11.6	44.2	17.7
9	12.2	13.5	11.5	14.4	15.5	15.9	20.6	21.7	17.7	15.2	14.2	14.5	14.8	15.5	16.4	15.3	14.1	14.8	14.8	14.6	13.2	15.8	14.8	15.1	11.5	21.7	15.2
10	14.0	15.4	19.2	9.9	12.7	9.1	7.0	13.8	54.2	32.8	14.5	15.0	14.1	15.2	14.1	14.8	13.0	13.9	13.9	13.6	15.1	13.1	16.3	26.2	7.0	54.2	16.7
11	27.4	15.7	15.3	23.7	39.3	34.6	13.5	46.9	36.8	15.5	18.0	16.4	15.5	22.1	16.2	17.2	15.2	13.5	11.9	11.9	7.8	22.9	12.8	29.8	7.8	46.9	20.8
12	9.8	15.9	12.0	6.9	8.4	17.6	27.3	30.6	50.3	29.1	35.2	50.8	54.6	60.1	38.9	30.2	26.7	67.4	55.9	61.7	14.4	13.7	9.8	11.7	6.9	67.4	30.8
13	9.3	21.0	7.1	19.0	25.5	13.0	12.4	30.2	45.1	52.3	41.3	30.2	34.0	52.2	20.3	26.6	29.4	39.9	29.1	9.9	8.9	4.2	5.2	13.4	4.2	52.3	24.1
14	14.3	11.2	11.0	6.3	10.2	7.9	7.7	12.8	28.5	25.3	22.6	22.1	25.9	21.1	20.6	23.2	26.0	32.7	29.0	25.6	55.0	64.7	12.7	37.1	6.3	64.7	23.1
15	30.1	15.3	28.7	55.1	64.2	23.2	19.1	21.4	16.9	46.9	30.2	28.9	23.8	20.7	22.6	14.6	14.5	17.5	38.8	16.3	11.4	12.0	13.1	12.8	11.4	64.2	24.9
16	12.9	12.9	12.4	13.8	13.4	12.1	14.3	10.9	13.5	61.0	25.4	32.8	47.2	43.3	53.9	26.1	18.4	19.5	5.4	4.7	7.3	10.3	10.3	10.5	4.7	61.0	20.5
17	27.6	13.8	19.1	34.3	58.6	22.9	14.4	18.7	16.2	14.6	14.2	14.3	17.0	15.8	15.5	14.3	14.1	14.1	14.4	15.0	16.5	13.0	27.6	14.6	13.0	58.6	19.2
18	11.2	16.9	12.4	12.1	16.3	22.0	11.7	14.6	32.3	26.0	48.0	30.5	26.5	15.5	21.8	18.8	19.1	14.3	14.7	20.3	21.2	17.6	31.1	36.1	11.2	48.0	21.3
19	31.0	24.8	14.5	14.5	13.4	13.6	13.6	14.6	16.2	14.9	14.3	14.0	13.9	12.6	11.9	12.1	12.2	10.6	12.5	12.8	11.5	11.8	13.8	13.4	10.6	31.0	14.5
20	13.2	33.9	19.3	23.1	14.1	15.0	15.2	16.4	18.4	15.0	16.4	16.1	14.5	13.5	14.4	14.3	13.9	14.6	13.9	14.0	15.6	14.4	13.9	25.8	13.2	33.9	16.6
21	16.4	18.5	22.9	15.8	23.5	32.3	17.9	33.9	25.0	14.3	15.8	17.7	38.7	23.6	56.6	38.3	33.8	37.9	29.5	7.1	5.7	8.1	11.5	12.8	5.7	56.6	23.2
22	11.1	7.4	14.2	17.5	8.9	5.8	12.0	36.5	32.5	28.6	23.0	25.9	25.9	37.5	36.8	26.9	22.1	17.4	27.7	38.8	43.4	11.8	5.9	14.9	5.8	43.4	22.2
23	16.3	53.1	35.8	44.9	22.3	41.0	71.1	51.7	26.9	20.0	19.8	34.7	14.8	15.1	15.9	15.8	14.1	19.3	15.6	23.3	26.8	31.8	15.8	15.8	14.1	71.1	27.6
24	14.6	15.0	14.2	14.2	14.6	14.4	18.0	19.2	17.5	19.4	19.6	21.9	24.4	22.2	18.6	20.5	23.6	22.7	17.0	14.8	22.9	30.9	10.9	10.0	10.0	30.9	18.4
25	12.8	20.0	17.2	19.9	25.6	18.0	8.2	38.0	25.3	29.6	63.8	-940	-940	23.9	28.5	17.8	15.1	16.2	18.7	38.6	37.4	19.3	19.9	12.8	8.2	63.8	23.9
26	11.3	30.1	12.6	8.0	17.0	24.3	11.4	15.2	43.1	29.1	24.8	23.6	26.1	23.5	21.9	20.6	21.6	20.0	15.9	63.8	15.5	33.9	19.9	11.6	8.0	63.8	22.7
27	11.2	13.8	9.3	12.4	14.7	11.3	7.1	7.3	34.4	18.1	26.4	27.0	27.9	21.5	18.4	24.4	29.0	19.2	16.5	21.2	29.5	15.9	26.6	10.7	7.1	34.4	18.9
28	12.9	6.4	12.8	16.6	6.5	3.8	6.1	47.3	28.0	29.7	38.3	43.7	53.6	31.3	25.1	24.2	26.5	23.1	18.4	38.0	7.0	28.8	12.3	14.0	3.8	53.6	23.1
Min	6.7	6.0	6.7	5.6	6.5	3.8	6.1	7.3	13.0	13.5	12.5	11.1	12.0	12.6	11.9	12.1	9.3	5.4	5.4	3.6	3.1	4.2	5.2	6.6	3.1		
Max	31.0	53.1	35.8	55.1	64.2	41.0	71.1	51.7	54.2	61.0	63.8	50.8	54.6	60.1	56.6	38.3	43.3	67.4	55.9	63.8	55.0	64.7	31.1	37.1	71.1		
Avg	14.4	16.1	14.5	17.2	19.3	17.5	17.3	23.3	26.9	24.8	25.2	25.1	25.8	23.9	23.9	21.0	19.8	21.5	21.3	19.7	17.7	18.1	14.8	15.9			20.2

Total Data Records Possible: 672  
 Total Valid Data Records: 670  
 Percent Data Recovery: 99.7

#### Missing Data Codes

-----  
 -910 No data collected - system not set up  
 -920 Instrument Malfunction  
 -930 Data Logger Malfunction  
 -940 Calibration  
 -950 Audit  
 -960 Maintenance  
 -970 Data invalid - Does not meet consistency or an obvious problem  
 -971 Local Interference  
 -980 Power failure  
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Running 3-Second Gust  
Units: mph  
Channel: 17

Site: Desert Hot Springs (data subject to change)  
Month: February  
Year: 2013  
Time Zone: PST

Validation Level: B  
Printout Date: 03-22-2013  
Printout Time: 14:05:22  
Output File Name: DHSB0213.17

Day	1	2	3	4	5	6	7	8	9	10	11	Hour Ending 12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	8.3	6.9	8.3	6.3	7.7	6.4	7.8	8.0	6.9	7.9	9.0	9.5	9.6	9.9	8.3	5.7	5.8	2.5	4.8	5.6	6.1	5.1	7.1	7.1	2.5	9.9	7.1
2	6.7	8.2	6.4	5.9	5.3	4.7	6.3	5.8	3.9	3.8	5.1	6.6	7.7	9.9	9.0	7.6	4.2	4.0	5.8	4.4	4.2	4.1	5.7	6.1	3.8	9.9	5.9
3	9.1	13.1	13.6	13.5	22.5	16.6	9.4	10.3	15.4	7.4	8.0	8.2	11.5	11.1	13.1	10.4	8.0	5.0	5.0	8.4	8.0	8.2	8.8	7.9	5.0	22.5	10.5
4	8.3	5.2	5.7	6.4	6.4	7.5	8.0	7.4	6.7	6.9	6.6	11.2	15.6	12.9	14.8	12.9	13.5	8.2	8.6	8.4	11.8	8.8	8.9	8.2	5.2	15.6	9.1
5	11.0	9.6	10.7	13.5	12.6	7.5	10.2	5.0	5.2	7.9	9.8	12.1	14.8	17.2	17.4	23.1	26.5	25.0	25.4	21.0	25.1	25.0	23.4	20.5	5.0	26.5	15.8
6	17.2	25.9	20.6	12.1	11.5	7.2	6.1	17.2	19.6	19.0	15.5	18.5	18.0	16.9	15.6	16.7	18.4	12.8	8.7	8.7	9.2	6.9	6.4	5.8	5.8	25.9	13.9
7	6.1	5.8	9.5	9.8	7.9	7.4	9.1	3.9	3.7	6.2	7.1	9.9	16.2	15.3	15.2	15.9	15.3	22.9	28.5	29.4	35.2	33.5	41.4	49.7	3.7	49.7	16.9
8	48.4	42.0	28.7	37.3	36.8	35.5	34.2	37.6	32.7	37.6	41.3	36.0	38.4	27.8	19.4	21.6	16.2	22.9	26.2	28.6	30.6	27.8	24.2	21.9	16.2	48.4	31.4
9	17.9	17.8	16.3	24.5	16.4	18.0	20.0	19.6	31.9	32.4	35.1	34.6	33.5	29.6	32.8	30.9	24.8	22.7	20.2	19.5	22.1	10.7	16.1	15.9	10.7	35.1	23.5
10	17.0	19.8	8.9	11.0	11.5	7.7	7.7	6.8	5.4	23.1	22.4	25.6	24.4	21.9	24.0	24.7	21.8	18.8	19.4	15.3	14.0	10.0	9.6	16.0	5.4	25.6	16.1
11	17.2	31.2	31.2	9.0	11.0	13.1	17.2	7.6	20.8	27.7	28.5	31.2	31.9	27.7	29.7	27.8	26.9	28.5	23.3	18.9	9.4	7.6	8.0	7.8	7.6	31.9	20.5
12	9.6	8.7	9.0	7.9	7.9	6.6	8.6	8.3	3.8	6.6	7.0	7.8	9.5	9.1	10.2	9.5	5.7	8.2	9.4	5.3	7.8	6.4	7.4	9.7	3.8	10.2	7.9
13	8.3	6.6	6.6	8.3	6.9	8.5	8.6	5.8	4.5	4.5	7.9	8.5	10.3	8.3	15.3	9.7	10.6	9.1	7.9	5.8	6.0	6.1	6.5	9.1	4.5	15.3	7.9
14	8.3	6.4	7.7	8.6	7.6	9.0	6.9	6.9	6.6	20.2	26.5	23.7	23.8	33.2	30.4	22.9	17.9	13.4	10.6	13.1	6.4	8.8	7.7	9.1	6.4	33.2	14.0
15	13.1	14.3	18.9	13.5	13.1	17.2	16.1	9.9	11.8	14.8	26.0	21.9	23.5	19.4	21.0	23.3	19.7	18.3	6.3	8.6	14.5	15.7	18.6	16.8	6.3	26.0	16.5
16	16.2	16.1	16.2	15.7	16.9	15.1	9.7	4.0	4.2	5.5	9.1	9.6	10.3	8.8	9.2	8.7	6.5	3.3	9.2	9.5	10.2	7.5	10.2	11.3	3.3	16.9	10.1
17	7.0	7.7	12.4	12.5	12.3	11.4	14.5	14.1	22.4	26.5	28.8	34.0	35.0	32.7	26.3	28.3	28.8	30.0	27.0	22.4	11.3	9.0	9.3	11.5	7.0	35.0	19.8
18	11.0	9.1	8.8	8.0	7.7	6.4	6.4	4.5	3.4	6.6	8.6	10.5	17.1	16.7	11.6	11.9	17.4	19.8	19.4	19.6	16.0	21.3	22.3	14.0	3.4	22.3	12.4
19	25.2	30.8	33.5	33.0	32.9	34.8	41.9	30.0	23.9	31.4	41.9	37.8	43.5	46.0	45.8	45.2	42.8	42.7	32.2	36.8	45.7	33.5	35.2	31.7	23.9	46.0	36.6
20	16.9	8.8	26.3	26.5	31.9	25.8	25.7	27.8	26.1	24.2	21.1	25.6	33.5	36.6	30.0	26.5	28.2	24.8	26.2	27.8	28.2	26.0	18.5	12.1	8.8	36.6	25.2
21	16.8	19.4	14.4	9.6	12.5	10.4	9.1	11.1	25.4	26.9	27.7	25.8	17.6	12.9	14.5	9.1	9.3	5.8	8.1	9.1	11.5	11.1	8.0	7.3	5.8	27.7	13.9
22	9.0	9.4	11.0	9.1	8.6	8.6	8.0	5.8	4.2	6.9	10.8	10.4	13.3	12.4	9.6	9.2	8.1	6.3	7.1	12.4	9.6	5.8	7.1	8.8	4.2	13.3	8.8
23	7.0	6.0	8.6	4.2	4.9	6.9	10.0	7.9	8.9	12.6	19.4	30.0	38.8	41.9	51.7	45.7	46.1	41.9	29.1	22.4	22.9	27.6	43.7	46.3	4.2	51.7	24.4
24	49.2	44.5	41.1	36.4	39.2	35.7	27.8	28.2	31.4	35.9	41.1	38.5	31.0	34.3	30.3	29.7	25.6	25.2	24.2	28.0	25.9	10.5	12.9	11.8	10.5	49.2	30.8
25	16.5	14.6	7.4	8.1	8.1	8.1	9.2	10.3	4.9	5.8	11.3	-940	-940	12.9	12.6	12.5	11.1	9.4	4.7	6.1	6.9	10.2	7.4	8.6	4.7	16.5	9.4
26	9.8	8.3	7.2	6.8	7.7	8.5	8.2	6.5	5.0	17.9	27.8	31.8	26.5	30.8	24.5	25.7	21.5	13.0	16.7	13.0	12.1	8.7	15.0	10.7	5.0	31.8	15.1
27	13.1	12.5	11.1	11.0	8.5	8.5	11.0	10.9	8.0	10.7	23.3	20.2	22.4	25.8	25.9	23.2	18.4	14.3	16.1	18.0	14.5	11.0	9.1	9.6	8.0	25.9	14.9
28	7.8	10.0	11.0	10.8	9.9	8.6	9.6	8.3	6.8	7.1	10.4	12.7	16.1	21.7	18.9	18.8	13.9	12.8	12.2	9.1	9.3	9.9	10.0	8.7	6.8	21.7	11.4
Min	6.1	5.2	5.7	4.2	4.9	4.7	6.1	3.9	3.4	3.8	5.1	6.6	7.7	8.3	8.3	5.7	4.2	2.5	4.7	4.4	4.2	4.1	5.7	5.8	2.5		
Max	49.2	44.5	41.1	37.3	39.2	35.7	41.9	37.6	32.7	37.6	41.9	38.5	43.5	46.0	51.7	45.7	46.1	42.7	32.2	36.8	45.7	33.5	43.7	49.7	51.7		
Avg	14.7	14.9	14.7	13.5	13.8	12.9	13.1	11.8	12.6	15.9	19.2	20.4	22.0	21.6	21.0	19.9	18.3	16.8	15.8	15.5	15.5	13.5	14.6	14.4			16.1

Total Data Records Possible: 672  
Total Valid Data Records: 670  
Percent Data Recovery: 99.7

#### Missing Data Codes

-----  
-910 No data collected - system not set up  
-920 Instrument Malfunction  
-930 Data Logger Malfunction  
-940 Calibration  
-950 Audit  
-960 Maintenance  
-970 Data invalid - Does not meet consistency or an obvious problem  
-971 Local Interference  
-980 Power failure  
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Battery Voltage  
Units: volts  
Channel: 7

Site: Desert Hot Springs (data subject to change)  
Month: February  
Year: 2013  
Time Zone: PST

Validation Level: B  
Printout Date: 03-22-2013  
Printout Time: 14:05:08  
Output File Name: DHSB0213.7

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	12.4	12.3	12.3	12.3	12.3	12.3	12.6	13.4	13.2	13.1	13.1	13.0	13.0	13.0	13.0	13.1	12.6	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.3	13.4	12.7
2	12.4	12.4	12.3	12.3	12.3	12.3	12.3	12.4	12.8	13.0	13.1	13.0	13.0	13.1	12.9	12.7	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.4	12.3	13.1	12.6
3	12.4	12.4	12.4	12.3	12.3	12.3	12.3	13.2	13.0	13.2	13.1	13.0	13.1	13.1	13.0	12.9	12.6	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.3	13.2	12.7
4	12.3	12.3	12.3	12.3	12.3	12.3	12.6	13.3	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	12.6	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.3	13.3	12.7
5	12.4	12.4	12.3	12.3	12.3	12.3	12.6	13.3	13.1	13.1	13.0	13.0	13.0	13.0	13.0	13.1	12.6	12.5	12.5	12.5	12.5	12.4	12.4	12.4	12.3	13.3	12.7
6	12.4	12.4	12.3	12.3	12.3	12.3	12.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.1	13.1	12.6	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.3	13.3	12.7
7	12.4	12.3	12.3	12.3	12.3	12.3	12.5	13.4	13.1	13.1	13.0	13.0	13.0	13.0	13.0	13.1	12.6	12.6	12.5	12.4	12.4	12.4	12.4	12.4	12.3	13.4	12.7
8	12.4	12.3	12.3	12.3	12.3	12.3	12.6	13.4	13.3	13.3	13.4	13.3	13.3	13.5	13.0	12.6	12.5	12.5	12.4	12.4	12.4	12.4	12.4	12.3	12.3	13.5	12.7
9	12.3	12.2	12.2	12.2	12.2	12.2	12.6	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.4	12.6	12.6	12.5	12.5	12.4	12.4	12.4	12.2	13.4	12.7
10	12.4	12.4	12.3	12.3	12.3	12.2	12.6	13.5	13.3	13.3	13.2	13.2	13.2	13.3	13.2	13.3	12.6	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.2	13.5	12.7
11	12.4	12.4	12.4	12.3	12.3	12.3	12.7	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.3	12.6	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.3	13.4	12.7
12	12.4	12.3	12.3	12.3	12.3	12.2	12.7	13.5	13.2	13.2	13.1	13.1	13.1	13.1	13.1	13.1	12.7	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.2	13.5	12.7
13	12.4	12.3	12.3	12.3	12.3	12.2	12.8	13.4	13.2	13.1	13.1	13.0	13.0	13.0	13.0	13.0	12.7	12.6	12.5	12.5	12.4	12.4	12.4	12.4	12.2	13.4	12.7
14	12.4	12.3	12.3	12.3	12.3	12.3	12.8	13.3	13.1	13.1	13.1	13.1	13.0	13.1	13.1	13.1	12.6	12.6	12.6	12.5	12.5	12.4	12.4	12.4	12.3	13.3	12.7
15	12.4	12.4	12.4	12.3	12.3	12.3	12.7	13.2	13.1	13.0	13.1	13.0	13.0	13.0	13.0	13.1	12.6	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.3	13.2	12.7
16	12.4	12.4	12.4	12.4	12.3	12.3	12.8	13.2	13.1	13.1	13.0	13.0	13.0	13.0	13.0	13.0	12.7	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.3	13.2	12.7
17	12.4	12.3	12.3	12.3	12.3	12.3	12.8	13.2	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	12.6	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.3	13.2	12.7
18	12.4	12.4	12.3	12.3	12.3	12.2	12.7	13.3	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.1	12.7	12.6	12.5	12.5	12.4	12.4	12.4	12.4	12.2	13.3	12.7
19	12.4	12.3	12.3	12.3	12.3	12.3	12.9	13.1	12.9	13.0	13.3	13.3	13.3	13.4	13.3	13.4	12.8	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.3	13.4	12.7
20	12.4	12.3	12.3	12.3	12.2	12.2	12.8	13.5	13.4	13.1	13.4	13.3	13.3	13.3	13.3	13.3	12.7	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.2	13.5	12.8
21	12.4	12.3	12.3	12.3	12.2	12.2	12.9	13.4	13.3	13.3	13.3	13.3	13.2	13.2	13.3	13.2	12.7	12.6	12.5	12.5	12.5	12.4	12.4	12.3	12.2	13.4	12.8
22	12.4	12.3	12.3	12.3	12.2	12.2	13.1	13.4	13.2	13.1	13.1	13.1	13.1	13.1	13.1	13.1	12.7	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.2	13.4	12.7
23	12.4	12.3	12.3	12.3	12.3	12.2	12.8	13.3	13.2	13.1	13.1	13.1	13.1	13.1	13.2	13.2	12.6	12.6	12.5	12.5	12.5	12.5	12.4	12.4	12.2	13.3	12.7
24	12.4	12.4	12.4	12.3	12.3	12.3	13.0	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.2	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.4	12.3	13.3	12.8
25	12.4	12.4	12.3	12.3	12.3	12.2	13.2	13.3	13.2	13.1	13.1	13.1	13.1	13.0	13.1	13.1	12.7	12.6	12.5	12.5	12.4	12.4	12.4	12.4	12.2	13.3	12.7
26	12.4	12.3	12.3	12.3	12.3	12.2	13.2	13.4	13.2	13.1	13.1	13.1	13.1	13.1	13.1	13.1	12.7	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.2	13.4	12.7
27	12.4	12.4	12.3	12.3	12.3	12.3	13.1	13.3	13.2	13.1	13.1	13.1	13.1	13.0	13.1	13.0	12.6	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.3	13.3	12.7
28	12.4	12.4	12.3	12.3	12.3	12.3	13.0	13.3	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	12.7	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.3	13.3	12.7
Min	12.3	12.2	12.2	12.2	12.2	12.2	12.3	12.4	12.8	13.0	13.0	13.0	13.0	13.0	12.9	12.6	12.5	12.5	12.4	12.4	12.4	12.4	12.4	12.3	12.2		
Max	12.4	12.4	12.4	12.4	12.3	12.3	13.2	13.5	13.4	13.3	13.4	13.3	13.3	13.5	13.3	13.4	12.8	12.6	12.6	12.5	12.5	12.5	12.4	12.4		13.5	
Avg	12.4	12.3	12.3	12.3	12.3	12.3	12.7	13.3	13.2	13.1	13.1	13.1	13.1	13.1	13.1	13.1	12.6	12.6	12.5	12.5	12.5	12.4	12.4	12.4			12.7

Total Data Records Possible: 672  
Total Valid Data Records: 672  
Percent Data Recovery: 100.0

#### Missing Data Codes

-----  
-910 No data collected - system not set up  
-920 Instrument Malfunction  
-930 Data Logger Malfunction  
-940 Calibration  
-950 Audit  
-960 Maintenance  
-970 Data invalid - Does not meet consistency or an obvious problem  
-971 Local Interference  
-980 Power failure  
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4