

Desert Hot Springs Meteorological Data

February 2014

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:51:10
Output File Name: DHSB0214.9

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	5.6	5.4	6.2	8.0	10.6	8.3	6.8	5.4	13.4	13.6	14.5	12.7	11.6	13.0	14.6	13.5	12.4	11.0	10.8	9.5	8.9	6.2	5.2	5.7	5.2	14.6	9.7
2	5.0	6.7	4.9	6.6	7.1	6.0	6.3	4.1	0.8	2.9	3.8	6.8	9.6	8.9	9.9	9.3	8.3	4.7	3.0	8.4	10.9	10.9	10.1	8.6	0.8	10.9	6.8
3	6.0	8.0	7.8	8.9	9.3	2.7	2.5	3.5	4.0	3.8	6.6	6.9	7.6	11.9	12.6	14.1	13.4	12.9	12.1	8.6	12.0	12.1	10.7	12.1	2.5	14.1	8.7
4	12.5	13.4	14.0	9.4	8.5	9.1	7.5	6.7	5.6	11.4	11.6	9.1	10.3	12.6	12.0	10.9	9.1	7.3	5.6	4.8	7.8	11.0	8.4	7.8	4.8	14.0	9.4
5	8.1	3.7	3.5	5.2	3.2	4.5	6.8	6.0	5.0	2.8	8.5	6.2	4.5	3.2	5.2	9.2	8.4	6.8	6.1	3.1	2.9	2.5	3.0	2.5	2.5	9.2	5.0
6	2.8	3.9	2.0	7.4	8.3	12.8	12.7	9.6	11.3	12.0	14.0	19.5	20.4	21.0	21.2	20.5	20.0	20.1	18.3	17.6	17.9	16.6	13.3	14.4	2.0	21.2	14.1
7	12.5	15.1	11.1	9.9	4.1	4.8	11.4	4.7	11.8	17.7	18.3	19.6	17.2	16.7	17.0	18.1	16.2	14.2	7.9	5.7	12.1	20.2	16.7	18.8	4.1	20.2	13.4
8	19.0	11.5	5.7	4.5	2.7	2.8	3.7	2.9	3.3	4.4	7.5	4.4	3.5	5.8	8.3	8.9	13.1	9.3	6.9	4.7	4.6	3.0	5.1	3.0	2.7	19.0	6.2
9	2.4	2.6	2.7	3.0	4.0	3.7	4.6	4.7	5.9	5.9	6.1	9.1	16.8	22.0	20.6	20.9	21.3	9.2	3.4	3.6	4.9	3.3	7.9	7.0	2.4	22.0	8.1
10	5.2	4.1	6.6	7.0	8.1	20.6	20.6	20.8	17.9	9.5	7.8	13.8	16.3	15.1	15.4	14.0	11.8	7.7	7.4	6.0	6.9	5.0	4.1	3.6	3.6	20.8	10.6
11	3.6	3.7	3.6	4.3	3.8	4.5	5.8	5.1	3.7	3.4	4.1	4.3	4.2	3.2	5.7	4.0	2.4	3.0	3.6	1.6	2.6	5.3	6.3	8.1	1.6	8.1	4.2
12	3.5	6.3	6.7	5.3	4.4	4.4	3.3	2.9	1.5	2.6	2.4	2.9	4.2	5.0	5.6	5.9	4.5	2.9	3.2	5.6	5.2	3.2	3.5	4.6	1.5	6.7	4.1
13	4.6	5.2	4.4	5.2	3.7	4.0	3.9	3.1	1.1	2.1	3.6	3.6	3.4	5.0	6.7	6.7	6.3	2.8	2.8	4.3	3.2	2.8	4.5	4.0	1.1	6.7	4.0
14	4.4	3.5	3.9	4.6	4.5	4.6	5.5	5.0	3.9	1.3	1.4	2.8	3.8	4.7	6.2	6.4	5.7	2.5	4.3	5.5	6.0	5.9	5.4	5.3	1.3	6.4	4.4
15	4.7	5.4	4.9	5.4	5.0	5.1	6.8	3.2	1.6	4.0	2.7	4.5	3.9	6.2	8.8	6.1	9.4	9.9	9.1	3.6	2.8	1.9	2.1	1.7	1.6	9.9	4.9
16	2.8	4.1	4.6	6.7	8.1	5.9	4.3	2.4	2.1	0.9	3.5	5.3	6.3	7.6	7.0	6.8	6.5	4.5	4.1	1.9	3.9	4.8	4.8	3.4	0.9	8.1	4.7
17	4.2	4.6	4.9	7.3	5.3	4.9	5.2	2.5	1.2	2.1	4.8	7.1	7.2	7.9	8.8	11.4	15.1	14.9	15.1	10.6	4.5	4.4	2.7	5.2	1.2	15.1	6.7
18	3.2	3.5	4.6	3.0	2.4	1.8	3.0	2.1	1.8	1.7	2.9	2.5	4.3	4.0	3.3	4.6	4.6	3.2	2.1	2.3	5.3	5.6	4.6	2.3	1.7	5.6	3.3
19	3.6	5.8	5.0	4.6	3.9	2.3	3.8	12.7	12.0	5.2	11.3	16.1	15.9	15.8	15.0	15.2	15.7	13.1	5.1	6.6	4.5	3.1	3.7	4.6	2.3	16.1	8.5
20	2.6	4.4	11.2	9.1	7.2	7.2	10.4	10.1	9.5	6.8	6.9	5.4	5.4	5.8	5.1	5.4	5.6	4.6	3.4	4.3	5.7	5.5	5.0	3.7	2.6	11.2	6.3
21	5.1	6.7	5.0	2.8	4.2	3.3	3.3	3.4	1.9	3.0	3.6	4.9	5.4	4.5	5.5	5.6	5.9	3.7	2.6	4.9	4.4	4.9	3.8	4.6	1.9	6.7	4.3
22	5.5	5.0	4.2	4.1	5.5	5.0	4.9	2.7	1.0	2.9	2.9	2.9	5.1	5.3	6.2	4.5	5.9	4.1	2.6	4.8	5.1	4.9	5.2	5.2	1.0	6.2	4.4
23	5.9	4.9	4.2	5.7	4.5	5.9	4.1	0.9	1.9	5.1	5.1	4.6	7.1	8.1	6.8	7.0	6.7	4.7	2.2	5.1	5.5	5.4	5.2	4.7	0.9	8.1	5.1
24	5.4	5.7	4.4	4.8	6.0	2.3	3.9	2.0	3.0	1.0	3.8	3.7	4.5	6.8	7.1	5.7	4.6	3.3	2.5	5.1	1.8	2.6	3.8	3.9	1.0	7.1	4.1
25	3.9	4.4	4.5	4.1	3.7	3.4	3.5	2.7	1.9	2.0	5.0	5.4	5.5	7.2	7.5	6.8	6.7	6.9	6.4	6.1	11.6	12.1	6.1	4.3	1.9	12.1	5.5
26	5.3	3.6	4.5	2.6	3.4	4.0	6.1	10.6	20.6	14.8	10.9	-940	-940	-940	14.1	18.5	17.6	18.1	15.3	16.5	22.6	22.2	17.9	21.5	2.6	22.6	12.9
27	17.2	15.6	18.5	13.7	10.7	9.1	8.9	12.3	14.1	19.3	19.4	19.5	22.0	22.6	22.1	21.3	17.8	12.9	14.7	14.3	12.2	10.3	7.9	12.0	7.9	22.6	15.4
28	8.5	4.7	3.5	1.9	5.2	4.5	8.3	6.2	4.6	2.6	4.5	5.4	3.3	8.3	5.8	3.4	7.6	19.2	19.0	9.4	6.1	6.4	6.5	9.2	1.9	19.2	6.8
Min	2.4	2.6	2.0	1.9	2.4	1.8	2.5	0.9	0.8	0.9	1.4	2.5	3.3	3.2	3.3	3.4	2.4	2.5	2.1	1.6	1.8	1.9	2.1	1.7	0.8		
Max	19.0	15.6	18.5	13.7	10.7	20.6	20.6	20.8	20.6	19.3	19.4	19.6	22.0	22.6	22.1	21.3	21.3	20.1	19.0	17.6	22.6	22.2	17.9	21.5		22.6	
Avg	6.2	6.1	6.0	5.9	5.6	5.6	6.3	5.6	5.9	5.9	7.0	7.7	8.5	9.6	10.1	10.2	10.1	8.5	7.1	6.6	7.2	7.2	6.6	6.9			7.2

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Desert Hot Springs (data subject to change)
 Month: February
 Year: 2014
 Time Zone: PST

Validation Level: B
 Printout Date: 03-13-2014
 Printout Time: 12:51:11
 Output File Name: DHSB0214.10

Day	Hour Ending													24	Prev										
	1	2	3	4	5	6	7	8	9	10	11	12	13			14	15	16	17	18	19	20	21	22	23
1	313	327	339	335	341	310	316	339	6	22	26	32	35	32	28	22	26	29	28	34	35	321	340	327	[NNE]
2	349	323	334	325	344	4	344	352	65	109	155	174	152	149	147	143	155	157	186	297	289	293	295	293	[SSE]
3	281	277	287	285	259	160	350	2	305	251	253	237	260	276	283	275	269	269	284	310	307	299	297	282	[W]
4	298	303	302	321	329	330	336	333	318	277	274	255	246	272	276	270	266	252	255	249	253	258	277	286	[W]
5	278	316	333	331	347	328	319	317	333	326	254	253	215	173	207	264	272	269	293	342	323	340	320	359	[NNW]
6	354	330	346	254	238	302	298	297	294	295	264	271	267	276	280	291	289	295	288	285	289	283	298	302	[WNW]
7	309	315	326	336	198	182	288	221	277	275	270	271	269	268	274	273	277	281	238	235	279	285	295	298	[W]
8	298	311	344	352	64	16	350	5	330	292	227	174	163	166	159	156	209	225	189	4	115	97	120	97	[N]
9	42	35	42	50	81	108	116	131	164	133	117	233	286	288	286	286	283	326	70	311	193	168	279	280	[WNW]
10	130	239	291	304	343	287	284	290	297	309	271	272	279	272	258	256	263	298	297	315	324	327	339	29	[WNW]
11	329	357	342	354	333	345	336	343	279	215	160	160	148	260	199	206	189	201	154	360	36	335	351	341	[NNW]
12	32	347	331	349	344	351	358	357	327	171	114	122	148	178	159	165	161	161	7	337	336	350	358	346	[NNW]
13	341	343	356	7	355	359	355	0	59	155	141	172	175	164	152	159	162	181	293	350	12	8	345	360	[N]
14	342	356	355	357	346	350	341	336	343	332	230	194	139	168	163	170	168	160	311	336	336	331	346	349	[NNW]
15	338	347	348	344	348	345	336	357	80	136	141	176	169	158	147	181	244	250	269	124	77	6	43	72	[NNW]
16	352	346	352	325	310	257	337	349	359	274	159	142	166	156	160	198	200	145	203	56	345	329	340	352	[NNW]
17	349	345	352	341	346	337	350	28	47	139	158	180	187	224	249	250	281	268	277	275	278	343	140	144	[NNW]
18	328	346	355	2	353	3	348	35	6	105	128	124	165	179	262	281	79	292	351	329	316	335	328	19	[NNW]
19	338	340	333	345	342	351	31	300	309	330	229	206	206	229	274	283	281	283	307	236	312	335	335	335	[NNW]
20	2	359	8	10	17	17	10	14	12	16	14	176	186	157	160	148	147	160	101	16	339	351	342	355	[N]
21	350	0	347	1	350	341	354	349	308	159	163	174	154	157	158	172	166	149	6	338	337	343	348	351	[NNW]
22	334	337	341	346	335	354	338	341	42	124	182	183	184	178	158	139	171	170	185	320	333	335	346	359	[NNW]
23	341	338	344	342	347	331	354	24	31	131	140	159	174	140	148	147	146	148	360	333	338	337	340	332	[NNW]
24	331	339	333	340	334	11	358	20	117	216	187	150	152	156	140	134	164	177	307	333	17	23	341	346	[NNW]
25	339	341	346	341	342	348	348	354	80	225	169	158	153	160	166	174	193	165	201	215	263	276	331	307	[NNW]
26	295	328	358	6	15	272	283	305	279	274	263	-940	-940	-940	263	269	270	283	292	303	278	278	289	291	[W]
27	295	301	314	307	303	298	299	302	289	296	284	296	283	282	280	268	272	264	266	271	277	287	261	271	[WNW]
28	289	256	160	91	119	342	327	323	278	320	307	292	293	280	160	295	300	285	288	285	183	211	238	285	[WNW]

Prev [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [N] [NW] [SE] [SSE] [S] [SSE] [SSE] [SSE] [SSE] [W] [W] [SSE] [WNW] [NNW] [NNW] [NNW] [NNW] [NNW] [N] [NNW]

Total Data Records Possible: 672
 Total Valid Data Records: 669
 Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:51:11
Output File Name: DHB0214.10t

Day	Hour Ending																								Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[N]	[NNE]	[NNE]	[NNE]	[NE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NE]	[NW]	[NNW]	[NNW]	[NNE]
2	[NNW]	[NW]	[NNW]	[NW]	[NNW]	[N]	[NNW]	[N]	[ENE]	[ESE]	[SSE]	[S]	[SSE]	[SSE]	[SSE]	[SE]	[SSE]	[SSE]	[S]	[S]	[WNW]	[WNW]	[WNW]	[WNW]	[SSE]
3	[W]	[W]	[WNW]	[WNW]	[WSW]	[SSE]	[N]	[N]	[NW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[WNW]	[W]	[W]	[W]	[W]	[W]	[WNW]	[NW]	[NW]	[WNW]	[WNW]
4	[WNW]	[WNW]	[WNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[W]	[W]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[WNW]
5	[W]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[WSW]	[WSW]	[SW]	[S]	[SSW]	[W]	[W]	[W]	[W]	[WNW]	[NNW]	[NW]	[NNW]	[NW]	[NNW]
6	[N]	[NNW]	[NNW]	[WSW]	[WSW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
7	[NW]	[NW]	[NNW]	[NNW]	[SSW]	[S]	[WNW]	[SW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WSW]	[SW]	[W]	[WNW]	[WNW]	[WNW]	[W]
8	[WNW]	[NW]	[NNW]	[N]	[ENE]	[NNE]	[N]	[N]	[NNW]	[WNW]	[SW]	[S]	[SSE]	[SSE]	[SSE]	[SSE]	[SSW]	[SW]	[S]	[N]	[ESE]	[E]	[ESE]	[E]	[N]
9	[NE]	[NE]	[NE]	[NE]	[E]	[ESE]	[ESE]	[SE]	[SSE]	[SE]	[ESE]	[SW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[ENE]	[NW]	[SSW]	[SSE]	[W]	[W]	[WNW]
10	[SE]	[WSW]	[WNW]	[NW]	[NNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[W]	[W]	[W]	[W]	[WSW]	[WSW]	[W]	[WNW]	[WNW]	[NW]	[NW]	[NNW]	[NNW]	[NNE]	[WNW]
11	[NNW]	[N]	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[W]	[SW]	[SSE]	[SSE]	[SSE]	[W]	[SSW]	[SSW]	[S]	[SSW]	[SSE]	[N]	[NE]	[NNW]	[N]	[NNW]	[NNW]
12	[NNE]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[N]	[N]	[NNW]	[S]	[ESE]	[ESE]	[SSE]	[S]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[N]	[NNW]	[NNW]	[N]	[N]	[NNW]
13	[NNW]	[NNW]	[N]	[N]	[N]	[N]	[N]	[N]	[ENE]	[SSE]	[SE]	[S]	[S]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[S]	[WNW]	[N]	[NNE]	[N]	[NNW]	[N]
14	[NNW]	[N]	[N]	[N]	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[SW]	[SSW]	[SE]	[SSE]	[SSE]	[S]	[SSE]	[SSE]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]
15	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[E]	[SE]	[SE]	[S]	[SSE]	[SSE]	[SSE]	[S]	[WSW]	[WSW]	[W]	[SE]	[ENE]	[N]	[NE]	[ENE]	[NNW]
16	[N]	[NNW]	[N]	[NW]	[NW]	[WSW]	[NNW]	[NNW]	[N]	[W]	[SSE]	[SE]	[SSE]	[SSE]	[SSE]	[SSW]	[SSW]	[SE]	[SSW]	[NE]	[NNW]	[NNW]	[NNW]	[N]	[NNW]
17	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[N]	[NNE]	[NE]	[SE]	[SSE]	[S]	[S]	[SW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[NNW]	[SE]	[SE]	[NNW]
18	[NNW]	[NNW]	[N]	[N]	[N]	[N]	[NNW]	[NE]	[N]	[ESE]	[SE]	[ESE]	[SSE]	[S]	[W]	[W]	[E]	[WNW]	[N]	[NNW]	[NW]	[NNW]	[NNW]	[NNE]	[NNW]
19	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNE]	[WNW]	[NW]	[NNW]	[SW]	[SSW]	[SSW]	[SW]	[W]	[WNW]	[W]	[WNW]	[NW]	[SW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]
20	[N]	[N]	[N]	[N]	[NNE]	[NNE]	[N]	[NNE]	[NNE]	[NNE]	[NNE]	[S]	[S]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[E]	[NNE]	[NNW]	[N]	[NNW]	[N]	[N]
21	[N]	[N]	[NNW]	[N]	[N]	[NNW]	[N]	[NNW]	[NW]	[SSE]	[SSE]	[S]	[SSE]	[SSE]	[SSE]	[S]	[SSE]	[SSE]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]
22	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NE]	[SE]	[S]	[S]	[S]	[S]	[SSE]	[SE]	[S]	[S]	[S]	[NW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]
23	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNE]	[NNE]	[SE]	[SE]	[SSE]	[S]	[SE]	[SSE]	[SSE]	[SE]	[SSE]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
24	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNE]	[N]	[NNE]	[ESE]	[SW]	[S]	[SSE]	[SSE]	[SSE]	[SE]	[SE]	[SSE]	[S]	[NW]	[NNW]	[NNE]	[NNE]	[NNW]	[NNW]	[NNW]
25	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[E]	[SW]	[S]	[SSE]	[SSE]	[SSE]	[SSE]	[S]	[SSW]	[SSE]	[SSW]	[SW]	[W]	[W]	[NNW]	[NW]	[NNW]
26	[WNW]	[NNW]	[N]	[N]	[NNE]	[W]	[WNW]	[NW]	[W]	[W]	[W]	-940	-940	-940	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[W]	[W]	[WNW]	[WNW]	[W]
27	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[W]	[W]
28	[WNW]	[WSW]	[SSE]	[E]	[ESE]	[NNW]	[NNW]	[NW]	[W]	[NW]	[NW]	[WNW]	[WNW]	[W]	[SSE]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[S]	[SSW]	[WSW]	[WNW]	[WNW]
Prev	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NW]	[SE]	[SSE]	[S]	[SSE]	[SSE]	[SSE]	[SSE]	[W]	[W]	[SSE]	[WNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Sigma Theta (Yamartino)
Units: degrees
Channel: 11

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:51:12
Output File Name: DHSB0214.11

Day	1	2	3	4	5	6	7	8	9	10	11	Hour Ending 12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	30.2	27.3	14.1	36.0	19.6	13.6	15.7	17.2	17.8	19.8	19.8	22.2	22.8	21.4	19.7	19.7	19.9	20.2	18.9	20.8	20.8	27.6	14.6	15.3	13.6	36.0	20.6
2	23.5	10.6	19.3	6.5	7.3	12.1	11.1	27.4	30.5	13.9	15.5	20.7	15.9	15.9	16.0	14.0	13.4	14.1	54.9	17.3	14.3	13.8	13.5	15.1	6.5	54.9	17.4
3	17.2	17.2	16.5	14.6	13.3	49.5	13.1	16.1	26.0	35.6	22.6	27.6	27.9	19.6	16.6	16.0	16.1	15.3	15.5	14.8	15.7	14.3	12.9	13.1	12.9	49.5	19.5
4	12.8	12.3	13.1	19.7	14.5	16.5	22.5	27.6	18.9	17.0	15.6	22.5	19.4	17.7	17.0	16.5	15.6	15.8	14.8	13.3	12.8	12.3	14.5	14.0	12.3	27.6	16.5
5	14.5	49.5	17.3	7.8	28.7	8.9	11.4	15.5	16.4	42.8	21.5	27.1	48.8	49.6	36.0	16.1	17.0	14.6	18.9	35.0	14.4	15.8	18.1	32.8	7.8	49.6	24.1
6	37.5	21.9	38.8	22.8	17.8	13.5	14.8	28.3	14.2	18.2	16.2	15.2	14.5	14.0	13.2	13.9	14.0	13.2	14.1	14.7	14.5	13.6	20.0	15.6	13.2	38.8	18.1
7	16.2	12.8	13.4	18.0	61.2	56.4	21.0	50.2	24.3	15.2	15.0	15.8	16.2	15.8	15.5	15.9	15.4	25.9	47.4	24.0	13.9	14.4	13.4		12.8	61.2	23.1
8	13.6	17.4	19.3	30.2	41.6	40.7	24.0	37.2	47.2	63.7	19.3	29.1	41.3	25.3	21.6	18.0	17.2	20.8	24.3	30.4	24.6	46.1	24.1	32.9	13.6	63.7	29.6
9	50.4	34.3	40.2	36.5	63.4	61.9	49.6	29.2	24.0	22.0	31.9	53.1	16.3	15.0	16.5	15.5	15.7	27.1	63.1	74.4	61.1	64.1	36.0	35.3	15.0	74.4	39.0
10	38.9	82.2	36.2	46.9	56.4	14.0	14.4	14.1	15.1	24.9	22.1	15.0	14.5	14.9	13.6	13.8	15.5	22.9	19.8	20.4	17.2	16.5	34.5	46.5	13.6	82.2	26.3
11	43.0	32.6	47.3	24.3	57.1	14.9	10.2	14.9	12.0	33.2	37.3	28.6	43.9	52.5	28.8	24.7	32.6	22.7	18.2	47.7	19.1	6.6	12.1	8.5	6.6	57.1	28.0
12	35.7	9.1	6.9	11.2	18.6	20.5	18.0	8.4	26.3	21.1	34.6	34.4	37.3	33.4	33.0	18.4	14.6	10.2	30.9	4.2	6.7	20.3	14.1	8.4	4.2	37.3	19.8
13	13.9	12.3	16.5	9.9	13.5	16.0	12.3	23.6	19.4	41.3	29.2	29.3	39.7	32.0	18.8	17.9	15.4	35.7	53.8	18.5	38.3	27.6	19.7	19.8	9.9	53.8	23.9
14	21.2	36.2	20.8	13.3	14.5	9.2	7.6	6.3	9.7	49.1	65.7	52.0	43.8	29.7	20.1	15.4	12.8	26.5	23.8	7.4	5.2	8.8	9.1	13.4	5.2	65.7	21.7
15	11.1	9.4	9.4	8.4	15.8	12.0	10.6	11.3	36.0	15.0	40.8	22.8	28.7	17.6	24.1	27.8	39.1	13.5	15.7	63.6	71.6	58.6	66.1	62.7	8.4	71.6	28.8
16	19.2	13.7	11.7	16.6	10.0	33.7	26.6	30.0	45.5	55.4	19.8	21.7	23.8	19.1	19.4	37.1	27.9	48.1	46.7	26.5	26.1	9.7	11.8	18.4	9.7	55.4	25.8
17	10.7	10.2	10.5	10.9	12.7	17.8	19.6	27.8	45.1	40.5	21.8	20.7	29.0	33.9	20.6	19.1	14.5	14.4	14.0	15.7	31.1	34.4	42.4	43.5	10.2	45.1	23.4
18	49.8	38.1	13.3	27.8	16.1	26.6	39.1	29.5	19.2	22.7	33.5	41.6	33.0	53.9	43.0	53.6	29.4	24.8	45.0	20.2	13.2	17.5	13.1	46.5	13.1	53.9	31.3
19	27.1	10.4	17.1	43.1	23.2	44.5	54.1	15.5	16.7	33.8	20.0	11.8	13.6	14.3	14.4	14.1	14.4	14.0	62.8	32.3	24.9	26.8	49.3	16.5	10.4	62.8	25.6
20	20.6	26.3	17.4	21.5	26.3	22.1	18.1	19.7	20.8	30.2	34.7	28.3	27.8	24.6	25.2	27.8	20.0	12.3	15.8	19.7	5.6	8.2	7.5	8.9	5.6	34.7	20.4
21	9.4	10.3	11.0	19.0	10.8	9.1	7.6	5.5	21.6	21.7	33.9	27.0	28.8	39.3	25.8	25.7	14.4	10.3	23.6	6.2	5.7	10.8	16.6	11.2	5.5	39.3	16.9
22	7.2	8.0	10.2	13.1	9.8	11.3	13.2	20.2	35.9	23.1	51.4	37.9	26.5	24.4	16.9	17.0	13.9	11.4	23.9	16.7	7.0	3.8	5.7	10.0	3.8	51.4	17.4
23	10.0	9.3	9.4	7.0	7.7	4.9	14.6	17.6	24.1	13.7	19.6	24.5	19.8	18.7	22.1	18.3	14.0	10.7	26.1	7.4	4.6	3.9	9.0	5.5	3.9	26.1	13.4
24	6.5	7.1	13.3	7.2	8.9	16.3	8.0	39.1	14.9	40.8	32.5	30.9	44.0	25.9	22.1	19.6	25.6	9.9	17.2	7.8	18.8	20.3	10.2	8.0	6.5	44.0	19.0
25	8.8	6.8	11.2	15.3	7.6	11.5	11.5	20.5	16.1	62.2	19.7	24.0	25.6	20.9	21.5	30.2	39.8	26.5	23.8	22.4	15.2	14.7	21.9	50.9	6.8	62.2	22.0
26	29.3	25.8	25.4	31.8	43.8	39.7	35.9	16.8	13.6	14.5	14.9	-940	-940	-940	37.7	14.3	14.6	15.0	16.6	16.6	13.2	13.2	13.6	12.4	12.4	43.8	21.9
27	12.9	15.7	12.6	14.6	17.0	14.5	20.8	15.0	16.0	13.2	16.0	15.8	16.3	15.3	14.6	14.9	14.9	15.1	14.1	13.8	13.6	15.2	20.2	15.0	12.6	20.8	15.3
28	16.0	33.9	19.3	46.8	16.1	14.6	10.8	10.3	23.8	38.0	51.1	19.2	41.7	23.4	26.2	51.8	54.7	16.7	15.2	29.1	45.2	50.4	40.8	22.4	10.3	54.7	29.9
Min	6.5	6.8	6.9	6.5	7.3	4.9	7.6	5.5	9.7	13.2	14.9	11.8	13.6	14.0	13.2	13.8	12.8	9.9	14.0	4.2	4.6	3.8	5.7	5.5	3.8		
Max	50.4	82.2	47.3	46.9	63.4	61.9	54.1	50.2	47.2	63.7	65.7	53.1	48.8	53.9	43.0	53.6	54.7	48.1	63.1	74.4	71.6	64.1	66.1	62.7	82.2		
Avg	21.7	21.5	18.3	20.7	23.3	22.4	19.1	21.2	23.3	30.1	27.7	26.6	28.2	25.5	22.1	21.7	20.5	18.5	27.1	23.7	20.9	21.0	20.9	22.0			22.8

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:51:20
Output File Name: DHSB0214.17

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	11.4	10.3	10.2	23.9	24.1	16.1	12.8	16.1	30.3	36.5	34.8	34.2	26.7	29.0	33.9	30.3	28.9	24.9	27.0	23.9	23.2	13.8	13.8	10.2	10.2	36.5	22.8
2	10.8	10.7	11.6	10.0	11.2	10.9	12.9	9.1	2.6	5.8	7.4	12.9	15.9	15.8	16.4	15.2	14.8	11.6	10.3	18.6	20.2	21.4	18.9	20.3	2.6	21.4	13.1
3	15.6	20.2	15.2	18.3	16.8	9.7	5.0	6.6	7.7	10.0	12.8	13.4	17.2	21.6	23.6	24.4	28.5	24.5	23.8	16.4	24.7	21.3	20.6	23.8	5.0	28.5	17.6
4	21.8	22.6	23.6	23.1	14.2	15.9	12.9	15.1	12.6	20.2	21.9	18.4	21.0	23.2	22.4	22.1	17.6	14.6	11.5	10.6	20.5	20.0	15.8	15.9	10.6	23.6	18.2
5	16.9	10.2	6.1	8.6	6.3	8.8	10.7	12.6	10.6	10.2	15.3	13.4	11.3	8.6	12.6	16.8	17.4	13.3	14.4	9.2	7.1	6.4	6.7	6.6	6.1	17.4	10.8
6	5.9	8.3	6.9	18.8	17.8	24.5	24.7	27.5	21.9	24.0	29.2	37.6	37.9	36.6	37.6	37.2	36.2	36.0	34.5	31.6	32.8	33.8	32.4	31.9	5.9	37.9	27.7
7	28.1	27.5	21.6	26.3	12.9	14.5	26.2	14.5	28.5	36.3	33.9	35.7	32.0	32.7	31.1	37.0	33.9	28.4	20.0	14.5	31.0	38.8	32.0	32.5	12.9	38.8	27.9
8	37.1	28.3	12.1	8.3	8.6	7.7	7.8	7.8	8.5	11.3	15.0	8.6	9.9	10.4	16.0	16.9	25.2	20.9	22.4	20.4	10.4	8.7	11.8	7.2	7.2	37.1	14.2
9	5.9	8.8	7.4	8.1	13.6	17.7	12.2	11.3	12.4	10.4	12.4	25.2	31.9	38.1	37.3	39.8	43.0	33.8	9.7	9.4	18.3	9.0	22.3	18.9	5.9	43.0	19.0
10	10.8	12.6	23.1	21.8	34.5	37.0	39.5	35.6	39.1	23.0	19.2	24.8	30.5	28.5	30.2	25.2	22.5	19.7	17.2	13.4	13.6	10.2	8.5	10.7	8.5	39.5	23.0
11	8.6	7.8	8.3	8.4	6.9	8.9	8.5	8.6	7.8	7.1	8.8	8.9	9.4	10.8	11.7	11.1	5.8	8.0	7.6	4.6	5.8	8.0	12.2	11.9	4.6	12.2	8.6
12	8.6	10.1	10.2	8.6	7.6	8.6	6.6	4.9	3.2	6.4	5.8	6.9	10.8	9.6	11.5	10.8	9.9	5.3	6.7	8.5	8.3	5.7	5.6	6.6	3.2	11.5	7.8
13	9.2	9.1	8.2	10.0	7.1	6.7	6.3	4.9	3.2	4.5	7.4	8.1	7.4	11.5	12.4	12.6	11.3	6.6	6.7	7.4	8.2	7.3	9.9	8.3	3.2	12.6	8.1
14	7.2	8.6	7.6	8.1	7.5	7.8	9.6	7.8	6.3	3.9	4.6	7.2	11.3	11.3	11.6	11.6	9.3	6.1	8.6	8.5	8.0	9.6	7.1	9.6	3.9	11.6	8.3
15	7.1	7.4	6.6	7.8	8.5	8.3	10.2	6.3	4.2	6.3	6.3	7.9	7.6	11.5	16.1	14.8	18.7	18.8	19.0	8.9	8.3	8.4	10.7	5.5	4.2	19.0	9.8
16	6.4	7.8	8.9	12.5	13.1	14.8	11.9	5.3	5.7	3.7	7.4	9.9	11.9	13.2	13.6	18.0	18.1	12.0	9.3	4.5	7.7	8.4	8.8	6.0	3.7	18.1	10.0
17	6.7	6.7	9.1	11.0	9.2	8.6	10.5	6.3	5.3	5.7	10.1	14.4	15.1	18.0	18.0	22.4	25.9	29.2	27.3	22.9	15.5	11.0	7.5	9.0	5.3	29.2	13.6
18	7.8	7.3	8.0	8.8	5.4	4.2	6.3	5.2	4.2	4.4	7.3	6.3	9.0	8.6	6.8	11.8	12.9	8.3	4.7	6.3	8.7	11.5	8.2	6.3	4.2	12.9	7.4
19	7.8	9.6	7.3	8.5	7.1	5.3	14.5	28.6	23.2	18.9	19.2	27.3	28.0	26.8	26.6	27.2	31.9	24.1	21.1	16.3	13.9	8.3	7.8	8.6	5.3	31.9	17.4
20	6.4	17.5	22.6	22.1	20.7	18.7	24.7	21.9	22.7	18.4	19.4	12.4	10.6	11.1	11.5	13.1	10.0	8.3	7.4	8.3	8.6	7.9	8.3	5.6	5.6	24.7	14.1
21	8.9	11.6	8.0	6.1	6.4	5.4	5.5	5.4	3.5	6.9	8.6	10.9	11.0	11.7	10.6	11.5	12.4	9.1	6.0	8.1	6.1	7.4	7.3	8.1	3.5	12.4	8.2
22	8.8	8.8	6.0	7.4	8.6	8.2	7.3	4.9	2.9	6.2	7.5	7.6	11.0	11.2	10.4	9.5	10.7	8.3	6.2	8.2	7.6	6.9	7.8	8.5	2.9	11.2	7.9
23	8.6	7.7	5.7	7.8	7.1	8.6	7.7	2.9	4.5	8.9	11.0	11.0	13.8	15.1	13.4	12.9	11.3	8.6	5.0	7.6	8.4	7.2	7.1	7.3	2.9	15.1	8.7
24	7.4	9.6	8.0	8.1	8.4	4.9	6.5	5.1	5.3	4.5	8.7	8.1	12.0	15.3	13.9	15.0	8.7	7.8	5.4	8.0	5.9	5.9	6.6	6.6	4.5	15.3	8.2
25	6.4	6.6	7.8	7.3	6.0	7.1	5.3	5.0	4.8	8.6	8.8	11.0	13.2	14.9	15.2	13.5	14.3	20.5	14.3	12.4	23.8	21.5	17.3	13.1	4.8	23.8	11.6
26	16.6	8.8	10.4	5.8	12.4	12.5	17.4	24.6	37.0	32.5	22.9	-940	-940	-940	34.1	31.7	37.6	37.3	31.0	37.6	44.4	39.6	33.2	35.7	5.8	44.4	26.8
27	30.8	35.7	35.3	26.2	25.9	19.3	18.0	26.0	30.7	36.0	36.3	35.9	42.2	40.1	37.6	39.2	33.0	27.5	27.5	27.9	22.6	22.2	19.4	23.8	18.0	42.2	30.0
28	21.1	14.4	7.1	5.8	11.0	10.9	14.5	9.8	9.3	7.2	12.4	11.4	9.4	21.1	21.6	11.5	33.8	46.4	42.4	27.7	15.4	22.1	18.3	18.9	5.8	46.4	17.6
Min	5.9	6.6	5.7	5.8	5.4	4.2	5.0	2.9	2.6	3.7	4.6	6.3	7.4	8.6	6.8	9.5	5.8	5.3	4.7	4.5	5.8	5.7	5.6	5.5	2.6		
Max	37.1	35.7	35.3	26.3	34.5	37.0	39.5	35.6	39.1	36.5	36.3	37.6	42.2	40.1	37.6	39.8	43.0	46.4	42.4	37.6	44.4	39.6	33.2	35.7	46.4		
Avg	12.5	12.7	11.5	12.4	12.1	11.8	12.7	12.1	12.8	13.5	14.8	15.9	17.3	18.8	19.9	20.1	20.8	18.6	16.0	14.3	15.3	14.4	13.8	13.5			14.9

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Desert Hot Springs (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:51:07
Output File Name: DHSB0214.7

Day	Hour Ending																								Min	Max	Avg	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24				
1	12.2	12.2	12.1	12.1	12.1	12.1	12.2	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.3	12.6	12.5	12.4	12.4	12.4	12.3	12.3	12.3	12.3	12.1	13.4	12.6
2	12.2	12.2	12.2	12.1	12.1	12.1	12.3	12.6	13.4	13.1	13.2	13.2	13.1	13.1	13.1	13.1	12.5	12.4	12.4	12.4	12.3	12.3	12.3	12.3	12.3	12.1	13.4	12.6
3	12.3	12.3	12.2	12.2	12.1	12.1	12.1	13.4	13.3	13.2	13.1	13.1	13.1	13.2	13.2	13.2	12.6	12.4	12.4	12.4	12.3	12.3	12.3	12.3	12.3	12.1	13.4	12.6
4	12.3	12.3	12.2	12.2	12.2	12.1	12.3	12.9	13.3	13.2	13.2	13.1	13.2	13.2	13.2	12.7	12.5	12.4	12.4	12.4	12.4	12.3	12.3	12.3	12.3	12.1	13.3	12.6
5	12.3	12.2	12.2	12.2	12.1	12.1	12.1	13.3	13.3	13.2	13.1	13.1	13.1	13.1	13.1	13.0	12.6	12.5	12.4	12.4	12.4	12.3	12.3	12.3	12.3	12.1	13.3	12.6
6	12.3	12.2	12.2	12.2	12.2	12.2	12.1	12.1	12.6	12.9	12.9	13.2	13.0	13.0	12.8	12.7	12.4	12.4	12.4	12.3	12.3	12.3	12.3	12.3	12.3	12.1	13.2	12.5
7	12.2	12.2	12.2	12.1	12.1	12.1	12.1	12.2	13.0	13.2	13.2	13.2	13.2	13.2	13.2	12.8	13.3	12.5	12.4	12.4	12.4	12.3	12.3	12.3	12.3	12.1	13.3	12.6
8	12.3	12.2	12.2	12.1	12.1	12.1	12.1	13.1	13.2	13.1	13.1	13.1	13.1	13.0	13.0	13.1	12.6	12.5	12.4	12.4	12.4	12.3	12.3	12.3	12.3	12.1	13.2	12.6
9	12.3	12.3	12.2	12.1	12.2	12.2	12.3	13.3	13.2	13.1	13.1	13.1	13.1	13.1	13.1	13.2	12.6	12.5	12.4	12.4	12.4	12.4	12.3	12.3	12.3	12.1	13.3	12.6
10	12.3	12.3	12.3	12.2	12.2	12.2	12.4	13.0	13.1	13.1	13.1	13.1	13.1	13.0	13.1	13.1	12.6	12.5	12.4	12.4	12.4	12.3	12.3	12.3	12.3	12.2	13.1	12.6
11	12.3	12.3	12.2	12.2	12.2	12.1	12.4	13.3	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	12.6	12.5	12.5	12.5	12.4	12.4	12.4	12.3	12.3	12.1	13.3	12.6
12	12.3	12.3	12.2	12.2	12.2	12.2	12.5	13.3	13.1	13.0	13.0	13.0	12.9	12.9	12.9	13.0	13.0	12.6	12.5	12.5	12.4	12.4	12.4	12.3	12.3	12.2	13.3	12.6
13	12.3	12.3	12.2	12.2	12.2	12.2	12.2	13.0	13.1	13.0	13.0	13.0	13.0	12.9	12.9	12.9	13.0	12.6	12.5	12.4	12.4	12.4	12.3	12.3	12.3	12.2	13.1	12.6
14	12.3	12.3	12.2	12.2	12.2	12.2	12.4	13.2	13.1	13.0	13.0	12.9	12.9	12.9	12.9	13.0	12.6	12.5	12.5	12.4	12.4	12.3	12.3	12.3	12.3	12.2	13.2	12.6
15	12.3	12.3	12.2	12.2	12.1	12.2	12.4	13.2	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	12.8	12.6	12.5	12.5	12.4	12.4	12.3	12.3	12.3	12.1	13.2	12.6
16	12.3	12.3	12.2	12.2	12.2	12.2	12.2	12.3	12.7	12.8	13.0	13.0	12.9	13.0	13.0	13.0	13.0	12.6	12.5	12.4	12.4	12.4	12.3	12.3	12.3	12.2	13.0	12.5
17	12.3	12.2	12.2	12.2	12.2	12.2	12.6	13.2	13.1	13.0	13.0	13.0	12.9	13.0	13.0	13.1	12.6	12.4	12.4	12.4	12.4	12.4	12.3	12.3	12.3	12.2	13.2	12.6
18	12.3	12.2	12.2	12.2	12.2	12.1	12.4	13.3	13.1	13.0	13.0	12.9	13.0	12.9	13.0	13.0	13.0	12.6	12.5	12.4	12.4	12.4	12.4	12.3	12.3	12.1	13.3	12.6
19	12.3	12.3	12.2	12.2	12.2	12.1	12.1	12.9	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.1	12.6	12.5	12.4	12.4	12.4	12.4	12.3	12.3	12.3	12.1	13.1	12.6
20	12.3	12.3	12.3	12.2	12.2	12.2	12.4	13.2	13.1	13.1	13.0	13.0	13.0	13.1	13.0	13.0	13.0	12.6	12.5	12.4	12.4	12.4	12.3	12.3	12.3	12.2	13.2	12.6
21	12.3	12.3	12.2	12.2	12.2	12.2	12.1	13.3	13.1	13.0	13.0	13.0	12.9	13.0	13.0	13.0	12.6	12.5	12.4	12.4	12.4	12.3	12.3	12.3	12.3	12.1	13.3	12.6
22	12.3	12.3	12.2	12.2	12.2	12.1	12.5	13.3	13.1	13.1	13.0	13.0	13.0	13.0	13.1	13.1	12.6	12.5	12.4	12.4	12.4	12.3	12.3	12.3	12.3	12.1	13.3	12.6
23	12.3	12.3	12.2	12.2	12.2	12.2	12.6	13.3	13.1	13.0	13.0	13.0	13.0	13.0	12.9	13.0	13.0	12.6	12.5	12.4	12.4	12.3	12.3	12.3	12.3	12.2	13.3	12.6
24	12.3	12.3	12.2	12.2	12.2	12.2	12.7	13.2	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	12.6	12.5	12.4	12.4	12.4	12.3	12.3	12.3	12.3	12.2	13.2	12.6
25	12.3	12.3	12.2	12.1	12.2	12.1	12.4	13.3	13.1	13.0	13.0	13.0	12.9	13.0	13.0	13.0	12.6	12.5	12.4	12.4	12.3	12.3	12.3	12.3	12.3	12.1	13.3	12.6
26	12.3	12.2	12.2	12.2	12.1	12.1	12.8	13.3	13.3	13.2	13.2	13.1	13.2	13.1	12.8	13.2	12.5	12.5	12.4	12.4	12.4	12.3	12.3	12.3	12.3	12.1	13.3	12.6
27	12.3	12.2	12.3	12.2	12.2	12.2	12.9	13.2	13.1	13.1	13.2	13.1	13.1	13.1	13.1	13.0	12.6	12.5	12.5	12.4	12.4	12.4	12.3	12.3	12.3	12.2	13.2	12.7
28	12.3	12.3	12.3	12.2	12.2	12.1	12.1	12.2	12.3	12.4	12.4	12.4	12.1	12.4	12.7	12.6	12.2	12.1	12.1	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.7	12.2
Min	12.2	12.2	12.1	12.1	12.1	12.1	12.1	12.1	12.3	12.4	12.4	12.4	12.1	12.4	12.7	12.6	12.2	12.1	12.1	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	
Max	12.3	12.3	12.3	12.2	12.2	12.2	12.9	13.4	13.4	13.3	13.2	13.2	13.2	13.2	13.2	13.3	12.6	12.5	12.5	12.4	12.4	12.4	12.4	12.3	12.3		13.4	
Avg	12.3	12.2	12.2	12.2	12.2	12.1	12.3	13.1	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	12.6	12.5	12.4	12.4	12.4	12.3	12.3	12.3			12.6	

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4