

Desert Hot Springs Meteorological Data

March 2006

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Desert Hot Springs (data subject to change)
Month: March
Year: 2006
Time Zone: PST

Validation Level: B
Printout Date: 04-05-2006
Printout Time: 11:15:49
Output File Name: DHSB0306.9

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	6.5	7.4	6.6	5.8	5.7	4.8	4.9	2.6	1.2	2.0	10.7	13.6	15.1	15.1	14.6	16.0	15.4	11.9	8.0	7.5	9.8	7.7	5.0	5.4	1.2	16.0	8.5
2	5.7	6.3	10.3	9.3	7.5	3.6	4.3	4.3	2.4	1.9	2.4	6.8	7.4	5.5	9.6	13.4	14.3	11.5	9.9	8.4	7.8	7.3	5.5	7.3	1.9	14.3	7.2
3	3.9	4.0	5.6	9.3	13.7	18.2	16.9	17.9	18.7	14.3	17.9	16.0	23.9	25.4	25.8	26.0	24.2	25.6	20.5	22.6	23.4	21.0	10.2	10.8	3.9	26.0	17.3
4	7.0	8.8	9.1	8.8	6.5	4.5	5.7	4.9	7.5	5.9	10.1	10.5	7.2	8.1	6.8	7.4	10.4	8.6	5.3	1.2	4.6	5.4	4.3	5.0	1.2	10.5	6.8
5	6.0	4.1	3.7	4.8	3.7	4.7	3.9	2.4	2.2	2.4	3.0	5.6	6.8	6.3	7.2	8.2	7.4	6.0	3.5	2.5	5.0	5.2	5.1	4.7	2.2	8.2	4.8
6	4.4	4.8	4.6	2.9	4.5	4.0	3.5	4.0	9.5	10.8	7.6	5.6	5.5	7.6	8.5	15.7	16.6	14.1	17.1	13.2	14.7	18.7	19.8	19.8	2.9	19.8	9.9
7	17.9	16.0	14.4	15.1	16.0	13.5	15.4	15.3	18.8	21.6	23.9	24.5	26.9	24.8	24.0	21.7	18.4	17.6	18.0	15.9	20.2	22.4	20.9	20.9	13.5	26.9	19.3
8	16.7	16.2	15.6	11.9	14.4	14.2	10.4	10.8	13.7	14.2	14.5	14.0	12.7	10.7	12.9	13.6	13.2	13.4	14.6	13.1	9.6	7.4	5.8	10.1	5.8	16.7	12.7
9	18.3	14.5	15.2	18.0	17.9	17.9	18.6	18.8	22.3	22.1	18.8	21.1	22.1	22.3	22.6	24.2	22.2	16.3	10.0	10.9	14.3	16.9	19.4	16.8	10.0	24.2	18.4
10	17.6	17.7	16.0	15.6	16.3	14.8	17.1	14.6	15.0	16.4	10.8	16.1	16.3	16.7	17.0	16.1	11.0	4.7	11.1	9.2	9.5	8.4	7.8	2.4	2.4	17.7	13.3
11	4.3	4.4	2.9	3.6	2.6	2.3	3.6	5.1	4.1	5.4	5.1	2.0	3.2	3.6	5.2	6.8	6.1	6.1	10.8	8.2	8.7	9.1	11.6	10.6	2.0	11.6	5.6
12	15.7	17.1	16.6	15.1	15.2	12.9	8.2	10.4	14.1	17.7	20.4	17.2	14.2	15.4	15.3	17.0	14.1	15.0	14.0	11.5	12.6	10.9	7.9	1.9	1.9	20.4	13.8
13	7.1	7.5	7.0	6.8	6.6	3.6	2.9	1.7	1.2	1.9	2.9	3.4	3.5	5.3	3.7	4.0	3.5	2.4	1.9	4.3	4.4	5.1	5.6	5.3	1.2	7.5	4.2
14	6.0	4.8	4.4	5.4	5.3	3.5	4.0	1.4	0.9	1.8	4.5	4.3	5.1	6.7	7.4	6.1	9.4	13.1	15.2	16.7	20.6	20.5	20.1	19.3	0.9	20.6	8.6
15	17.6	23.0	21.8	16.9	11.1	10.2	8.7	3.8	4.5	5.5	9.6	6.8	5.4	4.5	6.4	9.8	12.3	12.2	10.8	11.1	9.9	8.6	6.3	4.3	3.8	23.0	10.0
16	4.7	5.0	4.4	4.5	4.1	5.3	3.6	2.4	2.0	1.9	4.9	4.2	5.8	7.0	9.0	10.3	7.6	8.8	11.4	4.5	9.0	16.1	13.7	8.8	1.9	16.1	6.6
17	6.4	4.7	7.5	4.7	2.3	2.2	3.6	6.3	7.1	16.8	20.7	22.5	22.5	22.1	20.8	21.8	22.4	22.2	18.7	15.2	13.9	15.2	17.3	14.6	2.2	22.5	13.8
18	17.5	16.7	15.2	20.7	19.0	16.7	20.0	17.6	19.2	17.1	18.4	18.6	18.2	18.8	18.0	17.1	13.2	13.6	14.9	18.1	17.4	13.7	11.4	11.4	11.4	20.7	16.8
19	9.9	10.6	6.9	5.4	6.7	7.4	5.4	6.7	13.4	15.2	17.1	19.2	19.8	20.9	19.8	19.2	18.7	13.5	15.9	12.1	11.7	14.7	13.5	9.6	5.4	20.9	13.0
20	7.5	5.4	5.2	4.0	5.1	3.5	3.5	2.6	13.4	12.6	10.4	16.2	16.5	18.3	19.8	19.6	17.5	18.9	19.4	19.3	17.6	11.9	7.9	3.7	2.6	19.8	11.7
21	2.9	1.2	6.6	15.0	12.2	13.7	14.0	15.9	17.0	16.4	21.8	22.2	23.3	23.4	20.9	20.6	19.6	16.4	15.4	14.9	12.6	12.7	8.8	5.5	1.2	23.4	14.7
22	4.8	6.8	5.8	5.5	5.8	5.2	4.4	1.4	1.8	3.6	5.9	6.4	6.9	6.0	4.8	6.8	4.6	4.4	3.0	5.2	7.2	6.6	6.3	5.1	1.4	7.2	5.2
23	4.9	5.1	5.8	3.0	4.1	6.9	3.5	5.8	7.5	4.7	5.5	3.6	4.8	4.6	5.9	5.5	5.8	3.5	2.6	6.7	7.1	8.5	8.2	6.8	2.6	8.5	5.4
24	6.8	7.6	5.5	8.1	7.5	6.1	3.4	1.7	1.3	2.8	4.4	5.6	5.8	4.6	4.9	6.2	6.1	4.5	2.8	6.8	8.8	8.9	4.7	7.7	1.3	8.9	5.5
25	5.8	4.6	3.3	5.1	3.3	6.1	2.8	4.5	12.3	10.3	13.3	18.2	18.3	22.0	22.3	23.5	22.9	22.5	22.3	22.9	23.1	21.7	22.1	19.2	2.8	23.5	14.7
26	18.8	16.9	9.8	7.6	3.2	3.3	5.0	4.3	5.0	8.0	11.5	9.1	6.7	9.1	6.4	4.5	5.2	6.3	4.5	4.2	4.5	3.4	3.7	2.3	2.3	18.8	6.8
27	3.3	1.8	2.2	2.9	3.4	3.9	2.7	2.6	2.5	2.2	6.1	8.1	7.7	10.3	14.2	16.4	18.3	17.9	17.5	13.0	13.5	13.4	9.0	9.5	1.8	18.3	8.4
28	12.0	10.3	10.0	7.8	11.6	8.7	8.1	3.9	5.5	10.4	11.0	9.6	7.8	8.8	14.8	15.4	12.4	11.5	8.9	8.6	6.5	15.1	13.3	12.6	3.9	15.4	10.2
29	8.0	15.4	16.0	18.5	19.3	20.9	17.4	19.2	18.6	20.6	18.2	19.7	22.1	23.2	21.8	21.5	20.9	17.8	19.2	19.7	18.8	18.7	15.7	14.2	8.0	23.2	18.6
30	7.2	4.3	3.5	3.9	5.5	7.4	6.7	3.1	1.9	5.8	4.4	4.6	4.9	5.0	7.1	6.4	10.4	13.0	10.8	10.9	13.4	9.8	4.1	10.6	1.9	13.4	6.8
31	15.9	11.9	15.0	17.4	12.5	14.9	16.0	16.2	16.8	16.5	17.3	19.1	16.5	20.4	19.2	17.1	15.9	17.1	15.0	17.5	16.7	18.8	16.9	12.9	11.9	20.4	16.4
Min	2.9	1.2	2.2	2.9	2.3	2.2	2.7	1.4	0.9	1.8	2.4	2.0	3.2	3.6	3.7	4.0	3.5	2.4	1.9	1.2	4.4	3.4	3.7	1.9	0.9		
Max	18.8	23.0	21.8	20.7	19.3	20.9	20.0	19.2	22.3	22.1	23.9	24.5	26.9	25.4	25.8	26.0	24.2	25.6	22.3	22.9	23.4	22.4	22.1	20.9		26.9	
Avg	9.4	9.2	8.9	9.1	8.8	8.5	8.0	7.5	9.1	10.0	11.4	12.1	12.3	13.0	13.4	14.1	13.5	12.6	12.0	11.5	12.2	12.4	10.7	9.7			10.8

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Desert Hot Springs (data subject to change)
 Month: March
 Year: 2006
 Time Zone: PST

Validation Level: B
 Printout Date: 04-05-2006
 Printout Time: 11:15:50
 Output File Name: DHSB0306.10

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	312	316	330	321	332	348	332	336	69	58	257	263	265	264	270	270	274	280	301	308	300	290	317	319	[W]
2	327	317	319	325	332	340	333	338	108	153	220	223	230	205	234	253	259	273	278	287	318	327	327	310	[NNW]
3	327	3	110	278	290	290	284	287	286	274	257	257	282	288	297	295	287	288	293	296	288	277	296	305	[WNW]
4	320	327	337	326	314	304	331	320	279	256	247	250	233	231	239	240	263	260	307	25	331	324	335	344	[NW]
5	344	351	354	338	339	337	336	23	143	157	196	153	137	162	158	157	141	125	133	251	335	333	327	342	[NNW]
6	335	342	337	349	45	107	122	160	273	236	167	151	176	201	230	279	283	292	295	298	303	298	306	313	[WNW]
7	308	293	276	285	290	295	291	289	277	272	264	261	256	254	258	261	277	302	297	309	309	321	318	331	[NNW]
8	306	281	308	310	303	303	311	310	285	282	278	274	268	252	254	263	268	273	275	291	317	296	320	286	[W]
9	289	280	279	283	283	291	297	290	285	283	273	273	271	276	276	282	284	307	326	305	296	292	289	295	[WNW]
10	270	281	282	315	334	318	303	303	297	285	271	283	287	283	258	264	262	248	264	274	302	320	315	104	[WNW]
11	200	123	140	328	299	274	202	110	144	177	201	131	352	134	36	342	63	252	280	280	321	304	287	294	[SE]
12	282	282	274	273	286	293	286	298	273	268	261	274	275	276	279	278	274	275	288	279	277	278	298	55	[W]
13	299	318	314	320	323	327	352	344	353	16	226	254	228	187	164	191	176	229	226	337	343	331	326	335	[NNW]
14	327	333	332	334	339	338	345	327	192	180	140	154	162	157	152	168	252	285	287	286	291	287	275	272	[NNW]
15	286	262	273	285	302	304	316	330	254	270	240	244	216	208	226	259	259	255	266	277	293	304	313	319	[W]
16	2	318	349	339	339	332	328	353	131	166	212	195	168	155	150	153	184	214	241	285	264	258	239	251	[NNW]
17	264	199	225	213	47	257	19	274	230	274	290	289	285	271	261	270	285	303	301	313	302	296	303	310	[WNW]
18	298	307	296	294	299	308	293	291	276	273	272	270	264	258	250	267	292	305	312	313	311	319	315	313	[NW]
19	313	304	321	329	331	337	327	293	269	264	266	268	272	278	272	258	282	268	292	277	294	273	282	324	[W]
20	321	321	321	324	325	339	334	113	272	251	244	267	268	281	284	294	300	294	300	296	295	283	298	352	[WNW]
21	17	134	259	273	277	272	293	282	271	270	266	267	266	265	270	273	274	284	292	299	308	301	317	350	[W]
22	342	320	329	343	335	333	339	106	178	163	137	62	184	157	185	189	166	161	106	322	314	337	327	357	[NNW]
23	335	342	337	340	337	345	45	21	355	152	164	150	143	187	164	165	165	165	69	328	324	337	352	341	[NNW]
24	336	334	341	325	332	342	14	32	117	135	149	171	153	168	135	161	172	168	179	302	307	303	334	315	[NNW]
25	326	344	3	336	4	338	354	103	236	218	255	282	284	281	287	285	272	263	269	268	274	272	258	266	[W]
26	285	301	333	325	336	346	314	341	73	28	21	32	34	25	14	351	10	346	346	292	306	305	323	322	[NW]
27	349	336	340	346	355	337	25	106	96	177	208	232	208	246	263	271	280	278	288	280	276	284	268	259	[W]
28	268	272	264	281	284	283	289	220	173	240	250	254	239	239	262	263	261	264	280	272	345	280	279	276	[W]
29	257	273	306	299	304	313	320	301	277	269	278	262	258	254	262	261	260	258	256	262	279	280	284	296	[W]
30	339	303	326	333	318	325	331	327	85	249	218	153	197	174	170	183	247	270	274	273	270	286	329	289	[NNW]
31	271	298	282	281	292	286	282	285	273	263	260	268	275	269	270	269	270	271	280	287	296	292	283	292	[W]

Prev [NNW] [NW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [WNW] [W] [W] [W] [W] [W] [W] [W] [W] [W] [WNW] [WNW] [WNW] [WNW] [NW] [NW] [W]

Total Data Records Possibe: 744
 Total Valid Data Records: 744
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Desert Hot Springs (data subject to change)
Month: March
Year: 2006
Time Zone: PST

Validation Level: B
Printout Date: 04-05-2006
Printout Time: 11:15:50
Output File Name: DHSB0306.10t

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[NW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[ENE]	[ENE]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
2	[NNW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[ESE]	[SSE]	[SW]	[SW]	[SW]	[SSW]	[SW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
3	[NNW]	[N]	[ESE]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WSW]	[WSW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[NW]	[W]	[W]
4	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[W]	[WSW]	[WSW]	[WSW]	[SW]	[SW]	[WSW]	[WSW]	[W]	[W]	[NW]	[NNE]	[NNW]	[NW]	[NNW]	[NNW]	[NW]
5	[NNW]	[N]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNE]	[SE]	[SSE]	[SSW]	[SSE]	[SE]	[SSE]	[SSE]	[SSE]	[SE]	[SE]	[SE]	[W]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
6	[NNW]	[NNW]	[NNW]	[NNW]	[NE]	[ESE]	[ESE]	[SSE]	[W]	[SW]	[SSE]	[SSE]	[S]	[SSW]	[SW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[W]	[W]
7	[NW]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[WSW]	[WSW]	[WSW]	[W]	[W]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[WNW]
8	[NW]	[W]	[NW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[WNW]	[W]	[W]	[W]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[WNW]	[NW]	[WNW]	[NW]	[W]
9	[WNW]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
10	[W]	[W]	[WNW]	[NW]	[NNW]	[NW]	[NNW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[WSW]	[WSW]	[W]	[W]	[WSW]	[W]	[W]	[WNW]	[NW]	[NW]	[ESE]	[WNW]
11	[SSW]	[ESE]	[SE]	[NNW]	[WNW]	[W]	[SSW]	[ESE]	[SE]	[S]	[SSW]	[SE]	[N]	[SE]	[NE]	[NNW]	[ENE]	[WSW]	[W]	[W]	[NW]	[NW]	[WNW]	[WNW]	[SE]
12	[WNW]	[WNW]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
13	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[N]	[NNW]	[N]	[NNE]	[SW]	[WSW]	[SW]	[S]	[SSE]	[S]	[S]	[SW]	[SW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
14	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[SSW]	[S]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[WSW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[NNW]
15	[WNW]	[W]	[W]	[WNW]	[WNW]	[NW]	[NW]	[NNW]	[WSW]	[W]	[WSW]	[WSW]	[SW]	[W]	[W]	[W]	[WSW]	[W]	[W]	[WNW]	[NW]	[NW]	[NW]	[W]	[W]
16	[N]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[SE]	[SSE]	[SSW]	[SSW]	[SSE]	[SSE]	[SSE]	[S]	[SSW]	[WSW]	[WNW]	[W]	[WSW]	[WSW]	[WSW]	[NNW]	[NNW]
17	[W]	[SSW]	[SW]	[SSW]	[NE]	[WSW]	[NNE]	[W]	[SW]	[W]	[WNW]	[WNW]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[W]	[WNW]
18	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[WSW]	[WSW]	[W]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
19	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WSW]	[WNW]	[W]	[WNW]	[W]	[WNW]	[W]	[WNW]	[NW]	[W]
20	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[ESE]	[W]	[WSW]	[WSW]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[WNW]
21	[NNE]	[SE]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[NW]	[N]	[W]	[W]
22	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[ESE]	[W]	[SSE]	[SE]	[ENE]	[S]	[SSE]	[S]	[S]	[SSE]	[SSE]	[ESE]	[NW]	[NW]	[NNW]	[NNW]	[N]	[NNW]
23	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNE]	[NNE]	[N]	[SSE]	[SSE]	[SSE]	[SE]	[S]	[SSE]	[SSE]	[SSE]	[SSE]	[ENE]	[NNW]	[NW]	[NNW]	[N]	[NNW]	[NNW]
24	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NNE]	[NNE]	[ESE]	[SE]	[SSE]	[S]	[SSE]	[SSE]	[SE]	[SSE]	[S]	[SSE]	[S]	[WNW]	[NW]	[WNW]	[NNW]	[NW]	[NNW]
25	[NW]	[NNW]	[N]	[NNW]	[N]	[NNW]	[N]	[ESE]	[WSW]	[SW]	[WSW]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[WSW]	[W]	[W]
26	[WNW]	[WNW]	[NNW]	[NW]	[NNW]	[NNW]	[NW]	[NNW]	[ENE]	[NNE]	[NNE]	[NNE]	[NE]	[NNE]	[NNE]	[N]	[N]	[NNW]	[NNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]
27	[N]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNE]	[ESE]	[E]	[S]	[SSW]	[SW]	[SSW]	[WSW]	[W]	[W]	[W]	[W]	[WNW]	[W]	[W]	[WNW]	[W]	[W]	[W]
28	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[NNW]	[SW]	[S]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
29	[WSW]	[W]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[W]	[W]	[W]	[W]	[WSW]	[WSW]	[W]	[W]	[W]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]
30	[NNW]	[WNW]	[NW]	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[E]	[WSW]	[SW]	[SSE]	[SSW]	[S]	[S]	[S]	[WSW]	[W]	[W]	[W]	[W]	[WNW]	[NNW]	[WNW]	[NNW]
31	[W]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]

Prev [NNW] [NW] [NNW] [NNW] [NNW] [NNW] [NNW] [WNW] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W]

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)
 Units: degrees
 Channel: 11

Site: Desert Hot Springs (data subject to change)
 Month: March
 Year: 2006
 Time Zone: PST

Validation Level: B
 Printout Date: 04-05-2006
 Printout Time: 11:15:51
 Output File Name: DHSB0306.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	14.5	12.4	7.9	16.5	20.1	26.6	40.0	31.0	66.8	65.8	40.1	14.0	14.8	13.6	15.0	14.4	13.3	13.8	15.5	16.7	13.6	15.1	14.0	14.0	7.9	66.8	22.1
2	20.1	15.3	13.1	17.0	11.8	23.0	11.0	46.0	32.4	58.2	63.3	24.9	29.1	36.0	22.3	14.3	13.7	13.9	14.8	13.9	15.0	21.8	24.0	18.9	11.0	63.3	23.9
3	26.6	68.5	47.1	16.1	17.0	12.4	13.9	13.8	15.4	23.4	22.1	23.8	14.5	13.5	13.3	12.9	13.3	12.8	12.4	10.8	11.5	13.7	16.6	15.4	10.8	68.5	19.2
4	19.2	20.8	11.3	10.2	19.0	19.5	9.6	13.6	18.4	29.9	15.3	17.3	27.4	20.6	24.1	24.6	13.9	12.7	20.2	54.1	14.7	14.5	13.5	40.4	9.6	54.1	20.2
5	8.1	23.8	15.0	6.7	7.9	5.1	9.3	26.8	14.0	30.3	53.7	36.2	31.6	35.6	18.5	16.9	14.6	10.1	9.9	21.4	7.1	3.8	5.3	8.2	3.8	53.7	17.5
6	9.3	14.6	35.1	40.2	29.4	26.3	32.2	48.2	23.2	14.5	15.8	21.2	37.8	34.1	32.5	15.1	14.3	12.9	12.1	11.8	11.2	11.0	10.3	10.5	9.3	48.2	21.8
7	10.8	12.8	13.9	13.4	12.6	13.6	14.1	14.9	13.6	13.1	12.7	12.7	12.1	13.4	14.4	14.8	15.6	12.7	12.8	13.0	13.1	12.3	11.0	9.0	9.0	15.6	13.0
8	13.0	14.4	11.9	12.6	12.0	12.9	14.2	15.8	13.9	13.7	15.2	16.2	18.8	19.0	15.2	13.9	14.2	13.6	13.1	14.0	12.3	19.1	37.8	20.9	11.9	37.8	15.7
9	12.0	13.4	14.4	13.6	14.2	14.7	13.6	13.2	14.2	14.6	15.5	14.8	13.9	15.6	14.3	13.6	14.0	17.4	24.1	21.4	15.1	14.4	13.2	13.0	12.0	24.1	14.9
10	13.8	13.8	15.3	11.2	11.2	14.9	11.8	12.4	14.0	15.8	44.9	26.7	15.2	14.3	13.5	13.9	21.9	34.5	14.6	22.2	17.4	17.9	38.2	28.8	11.2	44.9	19.1
11	22.4	31.0	59.7	55.6	67.0	65.6	58.5	35.5	17.0	20.1	15.5	41.7	41.3	49.3	46.8	37.8	19.4	33.1	15.1	24.8	46.3	20.1	18.5	18.4	15.1	67.0	35.9
12	15.4	13.3	12.7	12.9	13.5	14.4	18.7	19.1	16.2	14.0	13.9	14.1	15.6	15.4	14.5	13.5	13.7	13.6	12.6	13.8	13.4	14.3	17.4	77.0	12.6	77.0	17.2
13	23.9	16.1	19.3	8.5	9.6	25.8	31.1	51.8	59.8	64.3	61.4	51.9	55.1	36.3	51.2	34.2	43.2	12.4	40.4	6.7	9.0	6.8	4.7	5.6	4.7	64.3	30.4
14	4.2	7.9	10.4	5.7	8.0	14.4	8.3	36.0	49.8	46.5	29.9	47.0	44.4	27.6	19.5	42.1	40.0	14.0	13.2	13.0	12.0	12.0	12.3	12.2	4.2	49.8	22.1
15	12.7	12.6	14.2	14.1	15.9	11.6	11.8	28.1	22.2	35.4	22.0	30.5	36.3	36.7	40.1	17.7	13.4	12.3	14.1	13.7	14.8	13.0	8.8	14.4	8.8	40.1	19.4
16	10.3	7.5	8.4	15.2	8.7	6.2	27.7	21.6	21.1	54.5	33.6	38.8	24.0	22.1	20.7	14.1	25.5	24.9	12.4	53.7	40.6	11.4	9.4	17.1	6.2	54.5	22.1
17	21.3	46.1	16.2	45.5	68.3	62.3	39.9	58.4	31.7	17.1	13.5	13.4	13.4	13.8	13.8	14.1	12.7	11.3	12.5	12.9	13.8	12.0	11.0	10.5	10.5	68.3	24.4
18	10.9	9.8	12.4	11.1	11.3	11.9	11.4	13.4	14.0	15.8	15.4	15.2	15.4	14.9	14.4	14.5	17.4	12.0	11.0	10.9	12.3	11.2	12.6	13.0	9.8	17.4	13.0
19	12.7	14.3	14.6	17.6	11.6	7.4	14.7	16.1	13.7	13.4	13.9	13.3	13.9	14.3	14.3	14.4	13.4	17.2	15.0	14.4	14.3	13.5	14.0	13.9	7.4	17.6	14.0
20	12.7	18.0	19.0	24.1	24.2	30.8	32.0	57.3	14.9	18.3	22.1	15.5	15.9	14.7	13.1	12.5	12.9	12.7	11.2	11.5	10.9	14.1	17.6	46.5	10.9	57.3	20.1
21	23.6	59.7	18.0	14.2	16.5	15.5	14.6	14.6	14.6	15.9	13.7	14.2	13.6	13.9	14.5	14.1	14.6	14.4	14.3	12.3	12.3	11.7	13.1	26.2	11.7	59.7	17.1
22	22.9	10.7	20.9	16.4	13.6	11.7	20.6	47.1	39.4	44.3	37.7	49.8	44.4	38.4	57.6	21.0	20.9	9.5	25.0	9.0	8.6	6.5	6.1	13.8	6.1	57.6	24.8
23	7.2	9.7	5.0	23.8	17.2	8.5	22.5	30.2	14.1	43.3	31.8	65.3	38.3	51.1	37.9	29.6	16.7	11.8	15.1	4.6	6.6	6.7	10.9	11.0	4.6	65.3	21.6
24	8.7	9.6	11.0	6.8	8.9	10.0	17.6	14.9	15.6	21.6	29.1	32.3	39.5	41.5	39.9	25.2	15.1	10.3	49.6	20.4	12.6	14.9	38.3	14.1	6.8	49.6	21.1
25	10.0	27.3	50.5	40.5	37.0	36.7	47.0	55.2	16.6	14.3	16.1	13.8	13.3	13.3	13.0	12.8	13.4	12.7	12.5	12.8	12.3	13.1	12.6	12.9	10.0	55.2	21.7
26	13.8	15.3	19.2	21.9	52.6	58.9	20.1	24.6	43.6	28.2	18.9	25.9	27.1	17.8	23.4	22.7	18.0	9.4	25.3	14.5	17.6	15.9	20.8	31.5	9.4	58.9	24.5
27	20.2	18.8	26.4	18.5	20.9	13.7	26.9	18.3	20.7	41.6	30.6	22.3	26.3	20.1	15.2	13.9	14.0	14.2	14.0	16.8	14.4	12.9	14.8	16.7	12.9	41.6	19.7
28	18.4	22.5	22.8	24.1	20.0	27.6	40.8	59.3	42.8	16.3	16.0	16.3	18.0	22.0	15.4	16.6	18.3	16.0	40.1	38.8	44.2	15.7	16.7	15.1	15.1	59.3	25.2
29	28.8	14.4	11.5	11.5	10.8	11.2	11.5	12.0	13.3	13.8	15.2	14.3	14.5	13.2	13.2	13.3	13.0	12.5	12.1	12.9	13.2	13.3	13.9	11.9	10.8	28.8	13.6
30	16.4	15.4	17.9	13.7	12.2	8.1	9.8	26.0	56.2	33.7	58.2	64.3	47.1	51.0	29.6	28.5	19.5	13.5	14.6	13.8	13.4	20.3	56.8	18.3	8.1	64.3	27.4
31	13.9	16.7	15.4	13.9	15.5	16.4	13.1	14.0	13.8	14.1	14.0	13.3	14.1	13.5	14.1	13.8	13.8	14.0	15.0	14.0	13.2	12.6	13.2	13.3	12.6	16.7	14.1
Min	4.2	7.5	5.0	5.7	7.9	5.1	8.3	12.0	13.3	13.1	12.7	12.7	12.1	13.2	13.0	12.5	12.7	9.4	9.9	4.6	6.6	3.8	4.7	5.6	3.8		
Max	28.8	68.5	59.7	55.6	68.3	65.6	58.5	59.3	66.8	65.8	63.3	65.3	55.1	51.1	57.6	42.1	43.2	34.5	49.6	54.1	46.3	21.8	56.8	77.0		77.0	
Avg	15.4	19.6	19.1	18.5	19.9	20.6	21.6	28.7	25.1	27.9	26.5	26.5	25.4	24.4	22.7	18.7	17.3	14.7	17.6	17.6	15.7	13.4	17.0	19.1			20.5

Total Data Records Possible: 744
 Total Valid Data Records: 744
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Desert Hot Springs (data subject to change)
Month: March
Year: 2006
Time Zone: PST

Validation Level: B
Printout Date: 04-05-2006
Printout Time: 11:15:55
Output File Name: DHSB0306.17

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	11.8	10.8	10.8	8.8	11.1	10.1	9.3	5.7	4.2	5.3	20.8	23.3	25.6	24.8	24.9	27.8	27.3	23.9	17.0	16.0	20.4	17.3	8.6	8.8	4.2	27.8	15.6
2	11.2	15.2	22.9	22.6	11.5	6.6	6.9	9.1	5.3	6.2	7.8	16.1	15.7	11.3	20.4	25.0	24.8	21.1	19.4	16.9	17.9	15.3	22.5	18.0	5.3	25.0	15.4
3	11.2	9.4	22.9	18.3	29.5	31.9	31.7	32.2	35.4	36.0	39.9	39.6	43.4	44.1	45.3	44.7	43.9	43.5	38.6	35.2	38.0	39.7	24.6	22.9	9.4	45.3	33.4
4	14.2	19.7	15.6	14.8	11.8	10.2	9.1	9.7	13.4	14.8	17.2	17.3	15.6	14.9	14.3	16.1	20.2	17.0	12.4	3.9	9.6	8.2	6.0	10.0	3.9	20.2	13.2
5	10.9	8.7	5.8	6.2	6.4	5.8	5.6	4.8	4.5	5.8	8.3	13.7	16.3	13.0	12.8	14.5	12.3	10.5	6.6	5.6	7.6	6.5	6.9	6.4	4.5	16.3	8.6
6	7.4	7.7	14.3	6.6	8.5	7.2	6.6	15.2	22.4	22.2	15.5	10.4	11.8	17.2	24.0	30.0	30.4	28.6	29.4	27.3	32.2	31.9	33.0	33.1	6.6	33.1	19.7
7	30.6	31.3	28.6	28.9	30.2	27.8	31.9	30.9	33.3	36.4	40.3	42.3	46.6	42.2	43.3	41.9	33.5	31.4	30.5	29.1	36.1	39.8	42.5	31.7	27.8	46.6	35.0
8	33.2	29.5	26.2	21.8	29.5	25.2	22.9	23.2	23.2	25.6	24.3	25.5	26.1	21.6	22.6	22.9	25.9	25.2	28.9	26.1	19.6	19.6	18.7	25.7	18.7	33.2	24.7
9	32.4	27.3	27.0	30.8	31.8	32.2	38.5	35.4	47.1	41.8	32.9	38.3	39.7	44.9	43.6	41.0	38.9	35.2	22.2	23.2	28.9	33.8	34.8	29.7	22.2	47.1	34.6
10	34.3	33.3	36.1	26.7	28.9	29.3	33.7	27.1	26.2	30.7	29.9	31.5	31.0	33.6	31.9	28.8	26.6	18.8	25.1	27.6	24.0	20.3	19.4	5.8	5.8	36.1	27.5
11	10.4	9.9	10.0	10.2	7.2	6.5	8.2	17.2	8.1	9.4	8.2	4.6	7.5	6.9	11.8	15.2	11.9	24.4	29.2	22.6	23.6	18.3	30.5	26.4	4.6	30.5	14.1
12	32.4	32.1	31.1	29.7	30.3	26.4	19.7	23.0	34.2	31.6	34.3	30.8	25.2	27.5	27.7	32.0	26.0	28.3	25.7	22.0	22.9	21.3	19.3	7.4	7.4	34.3	26.7
13	17.5	16.7	15.1	10.5	10.5	6.9	5.9	4.2	4.8	4.7	6.9	9.1	11.0	13.8	11.5	12.6	12.1	6.1	5.4	7.0	6.6	6.9	7.2	7.3	4.2	17.5	9.2
14	8.1	7.1	7.3	7.8	7.2	5.6	6.4	4.6	3.3	6.1	11.8	11.6	12.7	14.3	12.6	12.9	24.0	23.9	30.8	30.8	35.7	36.3	34.2	31.3	3.3	36.3	16.1
15	31.1	39.2	37.6	34.8	21.0	24.0	15.0	8.6	9.9	13.7	15.4	15.6	12.4	11.6	16.4	20.3	21.2	22.1	23.5	21.0	22.2	20.8	9.9	7.5	7.5	39.2	19.8
16	7.4	8.6	5.9	6.6	7.8	8.8	6.1	5.9	4.3	4.7	11.3	9.3	12.6	13.7	18.0	18.1	17.2	17.0	20.6	15.0	24.9	28.2	20.8	16.1	4.3	28.2	12.9
17	14.8	10.9	15.6	13.1	5.7	6.1	12.1	15.6	17.8	34.6	36.0	42.8	39.5	36.7	37.8	37.5	37.2	39.8	36.0	28.1	26.4	29.2	33.1	24.1	5.7	42.8	26.3
18	30.9	29.5	29.2	36.2	36.2	29.2	34.8	31.6	33.6	31.7	32.7	32.5	33.6	31.0	32.6	31.6	28.1	22.6	26.0	30.2	28.9	25.1	20.0	21.2	20.0	36.2	30.0
19	19.9	20.0	15.2	10.0	11.3	12.4	9.9	16.6	24.8	27.0	30.9	30.0	34.6	33.9	33.4	32.7	35.8	28.5	31.3	25.3	24.3	27.8	26.7	21.2	9.9	35.8	24.3
20	18.3	12.4	12.1	9.1	10.8	7.2	6.3	18.6	23.1	23.2	21.6	28.9	32.5	34.7	34.6	36.2	33.9	37.1	32.4	32.4	31.2	22.9	19.2	12.3	6.3	37.1	23.0
21	9.2	3.1	23.5	29.2	27.3	31.4	27.7	32.7	30.5	31.9	36.9	37.7	38.8	40.0	40.2	34.8	34.5	31.9	28.1	28.6	21.9	22.7	19.2	12.6	3.1	40.2	28.1
22	9.1	9.9	11.2	9.5	10.7	8.0	9.0	4.7	4.1	10.1	20.2	18.6	17.8	13.6	12.5	14.5	7.8	9.7	5.3	8.6	10.7	10.7	10.4	8.2	4.1	20.2	10.6
23	7.1	8.2	8.2	5.3	7.7	12.5	9.1	14.5	13.7	10.2	11.5	9.6	11.3	14.0	12.3	11.9	10.7	7.6	7.3	9.4	11.6	12.1	12.6	11.0	5.3	14.5	10.4
24	10.2	11.1	11.3	13.2	12.4	11.2	6.2	3.2	3.4	7.1	9.8	12.3	15.5	10.8	12.8	12.1	11.3	9.9	5.8	16.1	19.7	17.1	9.7	12.7	3.2	19.7	11.0
25	8.2	11.0	9.1	10.2	7.2	11.4	8.6	14.8	23.8	18.0	28.4	32.2	35.7	35.9	37.2	38.8	39.8	40.9	37.0	40.0	39.1	37.6	40.1	33.3	7.2	40.9	26.6
26	35.1	32.0	20.3	15.2	7.6	6.5	8.2	10.2	12.6	18.9	24.2	21.0	15.2	16.4	13.1	10.7	9.8	11.2	7.8	7.8	8.2	7.3	6.6	5.4	5.4	35.1	13.8
27	6.4	4.2	4.3	6.0	5.0	6.1	5.0	6.1	5.3	5.9	15.3	16.4	15.9	20.8	24.5	30.0	34.3	35.1	32.2	27.5	28.8	28.4	19.8	20.5	4.2	35.1	16.8
28	26.1	24.7	24.1	20.4	26.9	25.4	21.1	13.2	14.0	19.9	19.3	18.3	15.6	19.3	29.1	30.7	26.2	22.4	21.8	24.8	24.9	31.0	32.9	30.5	13.2	32.9	23.4
29	24.6	30.0	29.2	33.8	33.7	36.5	31.1	37.9	33.3	35.5	35.7	37.2	39.9	37.0	36.6	36.8	35.2	34.3	34.9	33.5	34.3	34.6	29.8	27.2	24.6	39.9	33.9
30	16.3	7.6	7.2	6.6	9.8	12.5	11.5	6.2	7.8	11.4	11.3	10.4	14.3	14.2	15.1	13.2	23.0	22.6	20.5	21.0	23.7	22.8	18.7	25.6	6.2	25.6	14.7
31	29.6	23.0	30.6	28.4	25.7	29.5	28.4	30.8	31.0	33.3	30.7	34.4	34.8	34.6	34.8	32.0	28.2	29.5	27.0	33.1	32.7	35.1	32.5	27.3	23.0	35.1	30.7
Min	6.4	3.1	4.3	5.3	5.0	5.6	5.0	3.2	3.3	4.7	6.9	4.6	7.5	6.9	11.5	10.7	7.8	6.1	5.3	3.9	6.6	6.5	6.0	5.4	3.1		
Max	35.1	39.2	37.6	36.2	36.2	36.5	38.5	37.9	47.1	41.8	40.3	42.8	46.6	44.9	45.3	44.7	43.9	43.5	38.6	40.0	39.1	39.8	42.5	33.3		47.1	
Avg	18.4	17.6	18.3	17.1	16.8	16.5	15.7	16.6	18.0	19.8	22.2	23.3	24.1	24.1	25.4	26.1	25.5	24.5	23.2	22.4	23.8	23.5	21.6	18.7			21.0

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Desert Hot Springs (data subject to change)
Month: March
Year: 2006
Time Zone: PST

Validation Level: B
Printout Date: 04-05-2006
Printout Time: 11:15:48
Output File Name: DHSB0306.7

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	12.9	12.9	12.8	12.8	12.7	12.7	12.7	14.4	13.9	13.7	13.9	13.9	13.7	13.7	13.6	14.0	13.4	13.3	13.2	13.1	13.1	13.1	13.0	13.0	12.7	14.4	13.3
2	12.9	12.9	12.9	12.9	12.8	12.8	13.4	14.6	13.8	13.7	13.7	13.9	13.9	13.8	13.6	13.9	13.3	13.2	13.2	13.1	13.1	13.0	13.0	13.0	12.8	14.6	13.4
3	12.9	12.9	12.9	12.8	12.8	12.8	13.3	14.1	14.7	14.1	14.3	14.0	13.8	14.3	13.8	13.6	13.4	13.3	13.2	13.2	13.1	13.1	13.0	13.0	12.8	14.7	13.4
4	13.0	12.9	12.9	12.9	12.8	12.8	13.5	14.8	14.7	13.9	14.1	14.5	13.7	13.7	13.6	14.0	13.4	13.3	13.2	13.2	13.1	13.1	13.0	13.0	12.8	14.8	13.5
5	13.0	12.9	12.9	12.9	12.8	12.8	13.0	14.2	14.5	13.9	13.9	13.8	13.4	13.4	13.4	14.0	13.3	13.2	13.2	13.1	13.1	13.0	13.0	13.0	12.8	14.5	13.3
6	12.9	12.9	12.9	12.9	12.8	12.8	12.9	13.5	13.6	14.2	14.1	14.1	13.6	13.5	13.7	13.9	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.8	14.2	13.3
7	12.9	12.9	12.9	12.9	12.8	12.8	12.9	14.6	13.9	14.6	14.1	13.8	13.9	13.9	14.2	14.1	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	12.8	14.6	13.4
8	13.0	12.9	12.9	12.9	12.8	12.8	13.5	14.3	14.2	14.2	13.9	14.4	13.7	13.7	14.0	14.0	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	12.8	14.4	13.4
9	13.0	13.0	12.9	12.9	12.9	12.8	12.9	13.5	14.9	14.3	14.8	13.9	14.0	14.2	14.0	14.1	13.5	13.4	13.3	13.2	13.2	13.1	13.1	13.1	12.8	14.9	13.5
10	13.0	13.0	12.9	12.9	12.9	12.8	12.8	13.2	14.3	14.6	14.5	14.3	14.1	13.8	14.2	13.8	13.5	13.4	13.3	13.2	13.2	13.1	13.1	13.0	12.8	14.6	13.5
11	12.9	12.9	12.9	12.8	12.8	12.7	12.7	12.8	12.9	13.1	13.3	14.9	14.0	13.5	13.8	13.5	13.3	13.1	13.0	12.9	12.8	12.8	12.7	12.6	12.6	14.9	13.1
12	12.7	12.7	12.7	12.7	12.6	12.6	13.6	15.2	14.2	14.3	14.1	14.1	14.5	13.9	13.9	13.6	13.5	13.4	13.3	13.2	13.2	13.1	13.1	13.0	12.6	15.2	13.5
13	12.9	12.9	12.9	12.8	12.7	12.7	13.8	14.4	14.0	14.0	13.9	13.9	13.7	13.6	14.0	13.6	13.4	13.3	13.2	13.1	13.1	13.1	13.0	13.0	12.7	14.4	13.4
14	12.9	12.9	12.9	12.8	12.8	12.8	13.9	14.1	13.9	13.7	14.5	13.7	13.8	13.5	14.0	13.5	13.4	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.8	14.5	13.4
15	12.9	12.9	12.9	12.9	12.8	12.8	13.6	14.9	14.8	13.8	13.8	13.9	13.6	13.7	14.0	13.6	13.4	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.8	14.9	13.4
16	12.9	12.9	12.9	12.8	12.8	12.8	13.0	13.4	14.0	14.0	13.8	13.7	13.5	13.5	13.6	13.6	13.3	13.2	13.2	13.1	13.1	13.0	13.0	12.9	12.8	14.0	13.3
17	12.9	12.9	12.9	12.8	12.8	12.8	12.8	13.6	14.4	14.2	14.5	14.2	14.2	14.5	14.5	14.2	13.5	13.3	13.2	13.2	13.1	13.1	13.1	13.0	12.8	14.5	13.5
18	13.0	12.9	12.9	12.9	12.8	12.8	13.9	14.7	14.1	14.0	14.4	14.0	13.9	14.5	14.0	14.0	13.5	13.3	13.3	13.2	13.1	13.1	13.1	13.0	12.8	14.7	13.5
19	13.0	12.9	12.9	12.9	12.8	12.8	13.9	14.2	14.4	14.8	14.6	14.0	13.9	14.3	14.0	14.1	13.5	13.4	13.3	13.2	13.2	13.1	13.1	13.1	12.8	14.8	13.5
20	13.0	13.0	12.9	12.9	12.8	12.8	13.7	14.6	14.4	14.6	14.6	14.0	14.2	13.9	13.8	13.6	13.5	13.4	13.3	13.2	13.2	13.1	13.1	13.1	12.8	14.6	13.5
21	13.0	13.0	12.9	12.9	12.9	12.8	13.8	14.4	14.4	14.4	14.1	14.3	14.3	14.1	14.2	13.9	13.5	13.4	13.3	13.2	13.2	13.1	13.1	13.0	12.8	14.4	13.5
22	13.0	12.9	12.9	12.8	12.8	12.8	14.0	14.1	13.9	13.7	13.7	13.6	13.5	13.4	14.1	13.5	13.3	13.2	13.2	13.1	13.1	13.0	13.0	13.0	12.8	14.1	13.3
23	12.9	12.9	12.9	12.8	12.8	12.7	13.1	14.2	13.8	13.5	13.5	13.4	14.1	13.3	13.6	13.4	13.2	13.2	13.1	13.0	13.0	13.0	12.9	12.9	12.7	14.2	13.2
24	12.9	12.8	12.8	12.8	12.8	12.8	13.3	14.1	13.7	13.6	13.4	13.4	13.2	13.3	13.6	13.4	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.9	12.8	14.1	13.2
25	12.8	12.8	12.8	12.8	12.8	12.7	13.7	13.9	14.3	13.8	14.4	14.5	13.8	13.6	13.6	13.9	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	12.7	14.5	13.4
26	13.0	13.0	13.0	12.9	12.9	12.9	13.1	13.8	14.2	13.9	13.7	14.3	13.5	13.4	13.6	13.6	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	14.3	13.3
27	13.0	12.9	12.9	12.9	12.9	12.8	13.1	13.8	14.0	13.6	14.5	13.6	13.4	13.9	13.8	13.7	13.4	13.2	13.2	13.1	13.1	13.0	13.0	13.0	12.8	14.5	13.3
28	13.0	13.0	12.9	12.9	12.9	12.8	12.8	13.3	13.8	13.7	14.2	13.8	14.2	13.9	13.5	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.8	14.2	13.3
29	12.9	12.9	12.8	12.8	12.8	12.8	13.9	14.4	13.9	13.9	14.0	13.9	14.5	13.8	14.0	13.6	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	12.8	14.5	13.4
30	13.0	12.9	12.9	12.9	12.8	12.7	12.9	14.0	13.9	13.8	13.9	13.6	13.5	13.5	13.5	13.4	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.7	14.0	13.3
31	12.9	12.9	12.9	12.8	12.8	12.8	12.9	13.4	13.7	13.3	14.1	14.4	14.5	14.7	14.0	14.0	13.5	13.4	13.3	13.2	13.2	13.1	13.1	13.0	12.8	14.7	13.4
Min	12.7	12.7	12.7	12.7	12.6	12.6	12.7	12.8	12.9	13.1	13.3	13.4	13.2	13.3	13.4	13.4	13.2	13.1	13.0	12.9	12.8	12.8	12.7	12.6	12.6		
Max	13.0	13.0	13.0	12.9	12.9	12.9	14.0	15.2	14.9	14.8	14.8	14.9	14.5	14.7	14.5	14.2	13.5	13.4	13.3	13.2	13.2	13.1	13.1	13.1	15.2		
Avg	12.9	12.9	12.9	12.8	12.8	12.8	13.3	14.1	14.1	14.0	14.1	14.0	13.9	13.8	13.8	13.8	13.4	13.3	13.2	13.1	13.1	13.1	13.0	13.0		13.4	

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2