

Desert Hot Springs Meteorological Data

March 2012

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Desert Hot Springs (data subject to change)
Month: March
Year: 2012
Time Zone: PST

Validation Level: B
Printout Date: 04-05-2012
Printout Time: 15:07:58
Output File Name: DHSB0312.9

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	21.6	18.7	18.6	18.8	13.6	12.6	7.7	7.2	10.0	13.1	14.1	16.5	21.1	22.1	20.6	21.9	21.0	20.0	21.6	22.3	19.7	17.8	14.8	13.3	7.2	22.3	17.0
2	8.1	4.0	4.2	12.8	17.1	17.4	17.9	22.3	17.6	10.1	10.9	11.5	17.3	12.4	9.1	7.5	11.1	15.8	11.6	6.9	3.5	6.1	5.4	4.5	3.5	22.3	11.0
3	5.8	5.5	5.6	3.3	5.3	4.5	6.4	2.9	5.5	9.8	8.1	5.9	9.0	10.5	7.9	5.9	4.8	3.4	3.4	6.3	4.6	4.9	4.6	2.6	2.6	10.5	5.7
4	2.9	3.3	2.9	2.2	3.9	3.3	2.9	2.6	1.8	2.0	3.8	6.4	6.3	6.0	6.5	5.5	4.4	2.9	3.6	5.7	5.6	5.2	6.0	6.1	1.8	6.5	4.2
5	6.2	5.5	4.7	5.3	4.5	4.7	4.7	2.7	2.3	2.4	1.7	2.3	4.2	3.7	4.8	6.1	6.3	3.1	3.2	3.6	4.7	5.2	2.9	2.7	1.7	6.3	4.1
6	12.4	15.3	9.3	4.5	2.7	2.6	5.1	4.1	6.2	7.1	10.7	17.2	25.0	30.1	28.1	26.2	24.3	22.3	24.1	19.3	17.5	19.5	15.1	12.8	2.6	30.1	15.1
7	12.0	12.2	8.7	8.1	18.9	17.8	18.2	16.3	16.0	15.2	21.5	15.9	11.6	8.6	6.9	8.0	8.8	13.2	10.9	7.3	4.7	3.2	4.6	5.1	3.2	21.5	11.4
8	4.9	5.7	4.0	4.2	7.1	4.4	6.2	16.2	11.8	4.9	6.1	9.2	6.9	7.5	9.4	8.1	5.9	5.8	5.6	3.9	6.1	5.7	6.6	5.2	3.9	16.2	6.7
9	4.7	5.0	6.3	3.7	3.6	1.8	2.3	2.3	2.2	5.7	9.4	7.9	7.1	6.7	5.6	6.6	6.6	5.1	4.3	7.3	6.4	5.7	8.3	7.6	1.8	9.4	5.5
10	7.3	6.3	5.6	4.6	5.3	5.1	3.7	4.4	6.5	8.0	8.7	6.6	5.4	6.9	8.1	7.4	7.3	5.9	2.9	2.1	3.2	2.9	2.5	1.7	1.7	8.7	5.4
11	2.8	2.3	2.9	2.9	3.5	3.9	3.2	3.7	5.1	7.8	10.0	9.7	8.1	10.6	16.0	19.5	18.5	17.3	18.6	16.3	12.9	12.6	11.1	7.7	2.3	19.5	9.5
12	7.1	6.1	6.7	5.2	4.0	5.3	2.6	1.8	1.9	3.9	7.0	5.4	4.9	7.1	6.7	10.3	11.9	10.2	10.1	12.4	11.4	10.3	8.9	5.7	1.8	12.4	7.0
13	2.6	3.3	4.8	4.7	4.4	9.0	5.3	1.5	4.1	5.4	11.6	14.3	14.9	17.5	20.1	21.7	21.6	18.8	16.0	14.6	10.1	7.8	5.5	6.5	1.5	21.7	10.3
14	7.9	7.5	11.9	8.5	8.4	4.7	4.4	3.2	6.5	13.7	13.9	10.7	7.5	10.8	14.9	16.5	15.7	16.0	13.5	11.7	7.0	3.7	5.3	4.5	3.2	16.5	9.5
15	4.3	6.2	6.0	6.2	5.3	5.2	3.3	1.7	3.1	5.8	7.2	6.4	6.7	6.7	12.0	13.4	14.5	14.8	14.7	14.5	10.6	8.8	6.4	8.5	1.7	14.8	8.0
16	7.2	8.0	12.3	14.1	7.1	4.2	5.8	8.0	13.6	17.6	18.6	19.5	21.3	23.1	24.6	23.9	19.8	20.8	19.6	20.5	22.7	24.6	22.7	28.1	4.2	28.1	17.0
17	21.6	20.0	22.8	22.8	19.6	20.2	18.7	16.5	12.2	13.4	11.2	8.3	9.9	21.0	16.7	16.5	19.7	21.5	20.8	16.6	14.6	15.9	12.3	17.1	8.3	22.8	17.1
18	12.9	13.6	10.7	9.6	9.1	11.4	15.9	16.9	18.5	18.3	19.4	15.5	12.5	7.2	17.0	16.2	7.6	13.2	13.9	16.1	18.5	17.9	20.9	16.2	7.2	20.9	14.5
19	16.1	18.5	18.2	17.3	15.9	16.4	12.1	14.2	13.8	10.7	8.7	7.9	10.4	11.4	11.2	11.8	10.6	9.4	5.4	5.1	4.0	5.0	4.1	4.3	4.0	18.5	10.9
20	4.2	3.4	3.6	4.1	3.6	2.4	2.6	0.9	2.1	3.7	4.7	5.5	4.8	4.9	5.3	4.8	3.8	3.7	3.2	2.0	4.1	5.5	5.4	4.0	0.9	5.5	3.9
21	3.4	5.3	4.6	4.5	4.4	3.8	2.0	1.6	3.2	3.6	4.2	5.3	5.1	5.5	5.6	5.6	5.1	4.6	3.0	4.9	5.5	5.3	5.8	4.5	1.6	5.8	4.4
22	4.5	6.5	4.4	3.3	4.0	5.7	4.8	1.9	1.3	2.8	4.3	5.8	8.4	9.3	9.0	6.6	7.9	12.8	11.3	11.7	11.8	10.0	14.5	16.6	1.3	16.6	7.5
23	12.9	13.4	15.2	12.5	7.6	6.4	2.1	2.5	7.2	16.8	9.8	9.2	9.8	6.3	4.8	9.4	12.8	15.8	13.0	10.3	4.4	6.5	3.1	5.2	2.1	16.8	9.0
24	3.6	3.6	3.1	2.7	4.9	3.2	3.5	1.7	1.8	4.0	4.4	4.5	5.4	9.9	11.2	11.0	14.3	12.9	10.6	3.3	2.3	3.6	2.4	2.1	1.7	14.3	5.4
25	1.8	2.7	3.4	3.2	3.8	3.4	2.2	2.6	10.7	18.3	16.8	16.5	11.6	16.8	18.1	12.0	11.6	17.7	25.1	21.2	20.7	19.4	13.8	10.0	1.8	25.1	11.8
26	12.7	20.3	22.6	18.3	13.4	9.7	7.4	8.8	7.6	5.8	5.4	9.1	11.7	16.4	14.8	14.3	12.1	11.0	12.5	9.6	7.5	4.6	1.8	2.1	1.8	22.6	10.8
27	3.4	2.9	3.1	4.0	4.5	4.8	3.2	5.4	5.8	10.3	8.7	5.7	5.0	5.2	10.8	14.0	16.1	15.0	15.3	12.1	8.9	8.0	8.4	7.2	2.9	16.1	7.8
28	5.6	4.8	4.7	4.0	3.7	3.2	4.3	2.7	9.6	14.8	15.9	15.1	17.2	17.5	18.0	18.1	16.9	17.3	17.7	15.8	16.8	15.2	16.6	7.8	2.7	18.1	11.8
29	5.4	5.5	5.4	6.3	7.8	7.9	6.5	4.0	8.5	13.7	10.1	4.9	4.0	4.9	4.8	9.0	14.0	19.4	19.0	13.0	5.2	2.3	2.4	3.9	2.3	19.4	7.8
30	5.0	4.8	3.7	4.2	2.6	2.1	3.0	1.0	1.5	1.5	3.4	6.3	6.6	5.7	8.7	12.2	12.6	14.2	14.0	11.4	3.5	3.8	5.6	2.4	1.0	14.2	5.8
31	2.5	2.3	4.6	7.3	5.1	1.9	6.7	5.8	13.4	16.6	17.3	19.0	26.8	24.0	23.1	24.1	27.6	27.5	29.1	29.1	28.2	26.6	26.3	27.5	1.9	29.1	17.6
Min	1.8	2.3	2.9	2.2	2.6	1.8	2.0	0.9	1.3	1.5	1.7	2.3	4.0	3.7	4.8	4.8	3.8	2.9	2.9	2.0	2.3	2.3	1.8	1.7	0.9		
Max	21.6	20.3	22.8	22.8	19.6	20.2	18.7	22.3	18.5	18.3	21.5	19.5	26.8	30.1	28.1	26.2	27.6	27.5	29.1	29.1	28.2	26.6	26.3	28.1		30.1	
Avg	7.5	7.8	7.9	7.5	7.2	6.7	6.3	6.1	7.5	9.3	9.9	9.8	10.5	11.5	12.3	12.7	12.7	13.3	12.8	11.5	9.9	9.5	8.8	8.2			9.5

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Site: Desert Hot Springs (data subject to change) Validation Level: B
 Month: March Printout Date: 04-05-2012
 Year: 2012 Printout Time: 15:08:00
 Time Zone: PST Output File Name: DHSB0312.10

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Desert Hot Springs (data subject to change)
Month: March
Year: 2012
Time Zone: PST

Validation Level: B
Printout Date: 04-05-2012
Printout Time: 15:08:00
Output File Name: DHSB0312.10t

	Hour Ending																								
Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[WNW]	[NW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
2	[NW]	[N]	[NW]	[NNW]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NE]	[NE]	[NE]	[NE]	[NE]	[ENE]	[NE]	[ENE]	[E]	[E]	[E]	[NNE]	[NW]	[NNW]	[NNW]	[NE]
3	[N]	[NNW]	[NNW]	[N]	[NNW]	[NNE]	[E]	[WNW]	[SSE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[SSE]	[SSE]	[SSE]	[ESE]	[E]	[N]	[NW]	[NNW]	[NNW]	[NNE]	[NNW]
4	[NNE]	[N]	[NNW]	[N]	[NE]	[NNE]	[NNE]	[E]	[SE]	[SE]	[SE]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[S]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[SSE]
5	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[SW]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[N]	[NNW]	[NNW]	[N]	[N]	[W]	[NNW]
6	[W]	[WNW]	[WNW]	[W]	[W]	[SSW]	[SE]	[ESE]	[ESE]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[WNW]	[NNW]	[W]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[W]	[W]
7	[W]	[W]	[WNW]	[NNW]	[NNW]	[N]	[NNE]	[NNE]	[NNW]	[N]	[NNE]	[NNE]	[N]	[SSW]	[SE]	[NNW]	[NNW]	[NNE]	[NNE]	[N]	[NNW]	[E]	[ESE]	[NNW]	[NNW]
8	[NNW]	[NNW]	[NNW]	[NNW]	[NNE]	[N]	[ENE]	[NNE]	[NNE]	[E]	[NE]	[E]	[ENE]	[ENE]	[NE]	[ENE]	[ENE]	[ENE]	[ENE]	[NE]	[NE]	[NNW]	[NNW]	[N]	[ENE]
9	[NNE]	[NNE]	[N]	[N]	[N]	[NNW]	[N]	[W]	[SSW]	[ENE]	[NNE]	[NE]	[NE]	[NE]	[ENE]	[ENE]	[ENE]	[ESE]	[NE]	[NNW]	[NW]	[NW]	[NW]	[NNW]	[NE]
10	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[E]	[SE]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SE]	[SE]	[SSE]	[SE]	[NNW]	[WNW]	[ESE]	[SE]	[WSW]	[NNW]
11	[NNW]	[N]	[SSE]	[SE]	[ESE]	[ESE]	[E]	[SE]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WSW]	[WSW]	[NW]	[W]
12	[NW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[ESE]	[SE]	[SSW]	[S]	[S]	[SSE]	[SSW]	[SW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[WNW]	[NW]
13	[NNW]	[NNW]	[WNW]	[NW]	[W]	[NW]	[NNW]	[ESE]	[S]	[SSW]	[SW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[NW]	[W]
14	[NW]	[NW]	[WNW]	[NW]	[NW]	[NNW]	[NNW]	[ENE]	[ESE]	[WSW]	[SW]	[SW]	[SW]	[WSW]	[WSW]	[W]	[W]	[W]	[WSW]	[WSW]	[WSW]	[WNW]	[NNW]	[NW]	[WSW]
15	[NNW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[SE]	[E]	[SE]	[SW]	[SSW]	[S]	[S]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[WSW]	[SW]	[SW]	[W]	[WNW]
16	[NW]	[NW]	[NW]	[WNW]	[NW]	[E]	[N]	[S]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[W]
17	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[W]	[W]	[WSW]	[WSW]	[W]	[NNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[WNW]
18	[WNW]	[NW]	[NW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[WSW]	[W]	[WNW]	[WSW]	[WNW]	[NNW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[W]	[W]	[WNW]
19	[W]	[W]	[W]	[WNW]	[W]	[W]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[WNW]	[NNW]	[NW]	[WNW]	[NW]	[NNW]
20	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[E]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[S]	[SE]	[SSE]	[SSE]	[SE]	[SSE]	[WSW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]
21	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[E]	[SE]	[SSE]	[SSE]	[SSE]	[SE]	[SSE]	[SSE]	[S]	[SSE]	[S]	[SE]	[NW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]
22	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NW]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SE]	[SE]	[SE]	[SSW]	[W]	[W]	[W]	[WSW]	[WSW]	[W]	[W]	[NNW]
23	[W]	[W]	[W]	[W]	[WNW]	[W]	[N]	[NE]	[S]	[SW]	[SSW]	[SSW]	[SW]	[SSW]	[SSW]	[WSW]	[W]	[W]	[W]	[W]	[NNW]	[W]	[NW]	[NNW]	[W]
24	[NNW]	[NNW]	[NNW]	[NE]	[ESE]	[E]	[N]	[E]	[S]	[SSE]	[SSW]	[SW]	[SSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[SSW]	[W]	[ENE]	[SE]	[WSW]
25	[ESE]	[SSE]	[SE]	[ESE]	[ESE]	[SE]	[E]	[NNE]	[W]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[W]	[WNW]	[W]
26	[WNW]	[NW]	[WNW]	[WNW]	[W]	[W]	[W]	[WSW]	[WSW]	[WSW]	[SW]	[WSW]	[WSW]	[WSW]	[W]	[WSW]	[WSW]	[WSW]	[W]	[WNW]	[WNW]	[NW]	[NNW]	[NNE]	[WSW]
27	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[W]	[NW]	[W]	[WSW]	[WSW]	[SSW]	[S]	[SW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WSW]
28	[NNW]	[WNW]	[NW]	[NNW]	[NW]	[NW]	[N]	[E]	[W]	[W]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]
29	[NW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[WNW]	[W]	[WSW]	[SW]	[WSW]	[SSW]	[SSW]	[SSW]	[SW]	[W]	[W]	[W]	[WNW]	[W]	[WNW]	[N]	[NNW]	[NW]
30	[NW]	[NW]	[NNW]	[NNW]	[NE]	[NE]	[N]	[SSW]	[SE]	[SE]	[ESE]	[SSE]	[S]	[S]	[SSW]	[WSW]	[W]	[W]	[WSW]	[W]	[WNW]	[NW]	[NNW]	[N]	[NNW]
31	[SE]	[E]	[N]	[WNW]	[N]	[SSE]	[WNW]	[SW]	[SW]	[SW]	[WSW]	[WSW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[NW]	[NW]	[NW]	[WNW]
Prev	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[N]	[E]	[SE]	[WSW]	[SW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[NNW]	[W]

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)
Units: degrees
Channel: 11

Site: Desert Hot Springs (data subject to change)
Month: March
Year: 2012
Time Zone: PST

Validation Level: B
Printout Date: 04-05-2012
Printout Time: 15:08:02
Output File Name: DHSB0312.11

Day	1	2	3	4	5	6	7	8	9	10	11	Hour Ending 12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	13.3	14.2	14.6	14.8	13.7	17.0	22.8	29.3	26.1	21.0	17.0	16.2	14.4	15.5	16.5	16.5	17.5	16.0	15.3	15.0	14.9	14.3	13.8	12.7	12.7	29.3	16.8
2	12.5	44.6	42.9	25.4	18.3	15.3	18.3	15.8	20.9	27.6	27.0	26.6	21.0	25.9	29.4	31.8	25.3	16.6	18.1	22.4	50.2	29.0	15.7	30.1	12.5	50.2	25.4
3	9.4	10.7	11.5	49.4	24.8	22.6	27.9	35.8	24.4	22.9	16.0	27.8	20.7	14.7	18.4	24.3	17.3	10.4	34.8	8.6	10.5	11.9	11.4	33.1	8.6	49.4	20.8
4	18.7	23.4	14.5	37.1	16.3	14.5	17.2	12.9	14.8	34.3	52.8	22.9	27.7	26.7	29.5	23.1	17.8	11.5	28.8	4.3	4.8	6.0	4.6	6.1	4.3	52.8	19.6
5	6.1	6.7	5.8	7.4	3.8	5.8	3.9	12.4	17.8	7.2	16.5	24.6	18.9	23.4	23.1	19.5	13.6	12.1	21.5	11.4	12.1	33.5	46.9	59.2	3.8	59.2	17.2
6	14.6	11.6	13.0	40.1	50.0	32.0	10.9	22.7	26.5	47.0	26.5	21.8	14.2	13.3	13.6	14.1	13.7	14.3	14.0	13.8	14.2	11.6	14.4	27.3	10.9	50.0	20.6
7	19.2	17.6	23.9	16.2	13.2	14.3	14.6	15.6	20.1	42.1	15.8	18.3	36.3	37.4	67.9	58.4	39.9	18.2	18.0	19.9	38.5	73.9	47.4	41.7	13.2	73.9	30.4
8	29.1	23.5	41.0	40.8	40.8	58.1	34.2	11.0	53.2	64.6	57.1	26.8	30.6	28.8	25.2	25.6	32.0	27.3	25.4	20.4	20.8	43.1	10.8	25.6	10.8	64.6	33.2
9	12.3	21.1	20.9	45.5	48.0	60.5	55.6	30.5	46.3	26.3	18.9	26.9	36.2	34.8	33.0	25.6	27.3	24.1	20.6	9.0	7.7	11.4	7.2	6.6	6.6	60.5	27.4
10	6.1	8.9	14.7	12.4	10.8	6.8	8.0	26.3	15.2	18.2	18.7	24.0	26.0	23.1	17.6	21.0	16.9	12.9	32.7	42.0	66.8	20.2	25.5	55.1	6.1	66.8	22.1
11	26.8	27.0	60.8	48.5	51.8	39.6	71.5	24.8	21.6	19.1	12.5	17.2	29.0	43.8	15.3	13.9	13.5	13.4	13.3	13.6	15.4	14.0	18.9	19.7	12.5	71.5	26.9
12	18.9	22.3	23.4	17.5	32.4	12.2	20.1	24.4	35.3	41.1	27.5	26.6	35.4	30.2	38.5	18.7	15.1	13.8	13.6	12.5	14.2	16.0	15.7	27.9	12.2	41.1	23.1
13	65.3	50.3	37.2	37.2	28.2	16.9	25.6	63.3	48.8	20.6	15.3	15.8	14.4	13.9	14.3	13.2	13.1	13.4	13.4	12.8	18.2	16.2	23.8	19.4	12.8	65.3	25.4
14	20.5	25.2	16.0	16.3	16.6	33.4	56.0	23.0	44.3	20.6	14.6	20.9	33.0	20.1	15.6	16.9	13.8	13.4	12.8	12.5	13.5	16.9	19.1	21.7	12.5	56.0	21.5
15	24.2	16.0	30.3	12.8	11.0	9.8	27.7	30.0	19.2	44.3	40.0	27.0	28.8	35.4	20.5	15.6	15.1	14.6	13.3	12.5	12.7	18.4	32.6	20.5	9.8	44.3	22.2
16	22.7	20.7	13.5	13.8	31.2	59.4	64.0	20.8	21.4	15.3	14.6	14.4	14.3	13.9	13.5	14.1	14.2	14.0	13.4	13.3	12.1	11.8	11.1	11.4	11.1	64.0	19.5
17	14.6	14.7	13.9	12.4	12.9	13.8	14.9	15.0	18.6	21.2	21.5	38.6	24.4	16.3	14.1	20.9	13.8	13.1	11.9	13.0	15.2	14.9	13.6	13.3	11.9	38.6	16.5
18	13.7	11.6	17.0	24.1	18.6	15.5	13.8	14.1	13.8	14.1	13.7	15.1	34.6	50.7	20.5	12.4	25.2	18.2	26.9	20.5	14.6	12.6	14.4	14.7	11.6	50.7	18.8
19	14.1	13.0	14.0	14.0	13.4	13.5	16.5	14.2	15.5	16.3	27.6	25.0	21.9	16.0	19.3	15.6	13.8	13.0	11.9	11.4	19.1	13.9	11.3	13.9	11.3	27.6	15.8
20	9.4	13.8	7.6	5.3	5.7	6.8	14.8	41.6	31.3	26.1	39.3	33.0	36.8	47.4	44.3	40.5	48.4	12.5	22.7	36.0	4.5	5.0	6.8	12.4	4.5	48.4	23.0
21	7.3	7.4	9.3	7.7	5.3	14.4	40.6	44.2	17.9	30.5	36.2	21.5	32.1	32.9	32.3	28.9	19.2	13.2	7.6	26.0	5.6	8.6	9.0	7.4	5.3	44.2	19.4
22	8.3	8.5	11.7	33.0	26.0	5.0	7.5	14.4	31.7	39.8	50.0	32.1	25.1	17.0	20.6	23.0	24.8	18.0	14.9	14.5	12.5	16.0	16.1	15.5	5.0	50.0	20.3
23	14.8	13.9	13.8	15.8	30.2	23.9	61.8	29.7	18.8	11.5	19.9	29.1	32.0	29.7	57.3	20.3	16.5	14.9	13.2	19.0	26.5	20.3	18.8	17.8	11.5	61.8	23.7
24	17.6	19.9	29.5	43.7	8.6	25.3	16.3	41.2	51.6	29.7	30.2	37.2	46.5	18.1	16.0	18.3	12.4	13.1	17.8	40.1	45.6	43.6	52.3	41.8	8.6	52.3	29.8
25	67.1	44.7	57.8	37.4	24.7	43.2	54.9	43.0	50.0	13.1	11.9	14.2	26.2	14.4	17.8	20.0	15.4	16.5	14.0	13.6	13.1	14.1	15.3	15.6	11.9	67.1	27.4
26	14.8	11.4	12.2	14.5	15.0	15.2	14.9	15.8	17.6	25.7	37.5	18.0	19.4	15.6	15.2	13.1	12.6	13.0	13.5	16.4	14.6	16.6	50.6	24.8	11.4	50.6	18.3
27	15.1	15.8	21.6	13.3	12.2	9.6	33.5	26.9	20.6	19.9	25.4	46.5	41.3	45.4	19.7	16.5	14.0	13.9	14.7	13.4	15.1	17.7	12.6	37.4	9.6	46.5	21.8
28	20.4	35.8	33.8	19.8	56.3	34.2	19.9	42.9	18.4	14.1	12.7	16.2	14.1	12.7	13.8	15.1	14.3	13.8	14.4	13.9	14.4	13.7	13.0	13.4	12.7	56.3	20.5
29	17.0	12.3	11.7	21.5	13.0	14.3	24.4	31.3	23.1	13.7	22.8	59.7	47.4	50.7	35.0	29.5	14.3	12.3	13.4	13.9	24.2	67.8	33.6	12.4	11.7	67.8	25.8
30	12.6	13.2	14.1	15.2	57.8	34.5	40.4	24.1	25.9	62.3	47.2	34.0	37.2	45.7	34.9	16.3	15.0	15.2	12.5	13.6	48.5	29.6	16.3	44.8	12.5	62.3	29.6
31	47.9	49.6	59.3	53.6	46.0	71.8	24.8	25.1	13.8	13.5	13.2	17.6	14.3	13.2	13.3	12.9	12.9	12.2	12.7	13.2	11.7	11.1	10.0	11.5	10.0	71.8	24.4
Min	6.1	6.7	5.8	5.3	3.8	5.0	3.9	11.0	13.8	7.2	11.9	14.2	14.1	12.7	13.3	12.4	12.4	10.4	7.6	4.3	4.5	5.0	4.6	6.1	3.8		
Max	67.1	50.3	60.8	53.6	57.8	71.8	71.5	63.3	53.2	64.6	57.1	59.7	47.4	50.7	67.9	58.4	48.4	27.3	34.8	42.0	66.8	73.9	52.3	59.2	73.9		
Avg	19.8	20.3	23.0	24.7	24.4	24.5	28.3	26.5	26.6	26.6	25.8	25.7	27.5	26.7	24.7	21.2	18.7	14.8	17.1	16.9	19.7	21.1	19.8	23.0			22.8

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Desert Hot Springs (data subject to change)
Month: March
Year: 2012
Time Zone: PST

Validation Level: B
Printout Date: 04-05-2012
Printout Time: 15:08:11
Output File Name: DHSB0312.17

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	39.5	36.3	35.4	36.3	25.9	25.4	16.8	17.0	25.8	25.8	29.7	29.8	38.9	40.7	41.0	44.3	43.0	41.3	46.1	41.4	41.9	33.2	32.2	24.9	16.8	46.1	33.9
2	17.0	10.3	17.9	33.8	34.8	32.4	39.7	49.2	41.7	27.3	29.8	29.7	36.4	30.7	25.6	23.7	29.1	28.1	28.2	17.5	11.2	11.5	8.8	8.9	8.8	49.2	26.0
3	9.6	8.1	10.3	7.4	10.5	9.2	11.9	7.9	10.2	21.6	14.3	13.5	20.3	19.0	15.0	13.4	8.6	9.2	8.5	9.4	7.8	9.1	7.2	5.0	5.0	21.6	11.1
4	5.6	6.4	5.6	4.2	6.2	5.3	5.3	4.7	3.4	5.8	10.4	12.1	11.8	12.1	12.7	11.7	7.7	6.4	7.3	8.5	7.3	7.2	8.9	9.2	3.4	12.7	7.7
5	9.4	8.8	7.4	9.4	5.8	6.4	5.8	5.0	3.9	4.0	3.8	6.1	8.1	8.3	9.1	11.6	10.2	6.4	6.8	6.7	8.6	12.9	8.0	18.0	3.8	18.0	7.9
6	24.8	26.7	21.3	13.4	6.7	8.6	10.3	11.2	13.1	20.5	35.3	37.6	47.0	54.2	50.6	46.0	43.8	48.2	45.1	36.4	33.0	31.4	31.2	26.9	6.7	54.2	30.1
7	27.5	24.0	17.7	30.7	35.8	35.2	34.0	33.2	39.6	39.6	41.9	31.5	26.8	22.1	21.0	26.7	24.6	26.3	23.8	14.9	10.5	8.5	11.9	12.3	8.5	41.9	25.8
8	13.4	11.2	10.3	9.4	19.8	20.4	17.4	30.0	30.2	20.2	21.1	19.4	18.7	17.1	20.7	20.8	15.6	15.6	18.0	10.6	13.5	11.0	10.1	8.8	8.8	30.2	16.8
9	9.8	11.0	17.5	8.6	11.5	6.4	6.1	5.5	6.1	14.5	19.5	17.9	17.3	22.1	16.6	15.4	18.0	9.5	10.4	10.5	9.7	10.0	12.7	10.6	5.5	22.1	12.4
10	10.7	10.1	9.9	7.8	7.5	8.6	5.1	14.5	14.7	14.7	15.0	13.4	12.5	13.7	14.4	13.9	12.6	11.3	7.3	6.4	9.3	6.1	6.9	5.2	5.1	15.0	10.5
11	5.9	5.8	7.0	9.8	11.2	9.5	9.4	9.8	10.4	13.0	16.2	17.6	18.8	28.4	32.2	35.4	35.2	29.0	32.1	32.4	30.3	24.9	23.4	20.6	5.8	35.4	19.5
12	14.8	15.1	14.9	11.0	8.5	8.6	6.3	4.2	6.4	10.7	15.2	12.2	11.4	14.7	18.3	22.4	22.7	19.8	19.0	24.5	20.8	24.3	20.7	14.9	4.2	24.5	15.1
13	8.9	11.4	12.4	14.3	8.9	21.7	12.6	5.7	8.6	12.9	24.6	27.6	27.1	29.0	37.4	35.2	39.1	35.4	31.5	25.5	22.8	17.2	12.6	17.8	5.7	39.1	20.8
14	14.2	25.3	27.2	22.2	14.4	15.3	8.5	8.1	17.0	24.4	23.3	17.5	17.4	23.2	26.7	29.1	28.1	29.1	26.9	18.9	14.0	8.0	9.6	8.6	8.0	29.1	19.0
15	8.5	10.5	10.9	10.4	9.8	10.8	6.3	5.0	7.8	13.9	14.4	13.7	13.1	19.5	22.4	23.9	28.7	30.0	28.3	25.7	20.1	20.9	12.6	18.6	5.0	30.0	16.1
16	17.3	20.5	23.4	27.8	16.0	15.9	18.8	14.8	31.3	31.9	32.8	34.3	36.8	38.6	42.2	41.1	36.9	40.3	34.6	33.7	37.8	44.6	41.3	43.7	14.8	44.6	31.5
17	46.6	37.3	45.2	42.7	36.7	40.3	35.3	31.9	22.7	28.5	26.2	19.5	27.8	47.2	37.3	37.8	40.4	39.4	38.9	31.6	25.9	30.7	24.9	34.6	19.5	47.2	34.6
18	25.1	25.4	28.6	25.3	17.8	23.8	29.9	30.5	34.8	32.3	40.6	32.9	29.3	20.7	29.1	27.7	19.1	27.1	36.4	36.8	33.8	32.6	39.2	34.2	17.8	40.6	29.7
19	31.4	33.3	33.1	34.1	27.9	31.8	28.3	28.5	27.5	21.0	19.2	14.7	21.4	20.1	21.6	20.1	18.4	17.4	13.2	9.3	10.6	9.4	6.4	6.9	6.4	34.1	21.1
20	6.4	6.6	7.0	5.7	5.0	5.3	4.9	3.1	5.8	7.9	10.3	11.0	10.4	12.3	13.4	11.6	10.2	7.2	5.9	4.8	6.2	7.6	8.4	5.7	3.1	13.4	7.6
21	5.8	7.0	7.9	6.3	6.8	6.5	5.0	4.9	6.2	7.3	9.0	11.1	11.4	14.8	11.7	12.8	9.2	7.6	5.9	7.6	8.6	8.4	8.0	8.0	4.9	14.8	8.2
22	6.9	10.9	9.8	6.4	7.9	8.6	8.3	4.5	3.8	8.0	11.8	12.6	16.1	18.0	18.3	13.9	19.1	25.2	23.2	22.2	19.9	21.5	31.4	32.7	3.8	32.7	15.0
23	27.5	30.6	31.6	25.9	23.6	12.1	6.0	8.1	20.8	29.2	18.7	20.2	21.3	15.1	12.6	19.8	24.4	27.0	24.0	23.5	14.6	13.8	7.5	8.3	6.0	31.6	19.4
24	6.4	6.2	7.6	6.2	7.6	6.6	6.1	4.7	5.0	8.8	10.0	10.9	16.2	19.9	21.3	22.5	24.3	23.0	22.2	13.0	8.0	10.8	7.8	5.4	4.7	24.3	11.7
25	6.1	6.1	9.5	6.1	8.0	8.0	6.5	8.3	31.4	33.7	29.1	26.7	26.1	30.2	33.3	39.4	21.4	43.0	45.5	43.3	39.2	37.6	31.0	18.8	6.1	45.5	24.5
26	26.0	35.0	41.2	36.5	26.2	17.7	16.3	16.1	18.1	13.0	14.2	17.3	25.0	30.0	24.5	23.5	19.3	19.1	24.8	19.3	14.5	11.0	5.3	3.9	3.9	41.2	20.7
27	6.6	5.8	6.6	7.2	6.9	7.2	6.3	10.2	17.4	21.8	16.2	15.3	12.9	13.9	24.3	25.6	29.3	25.4	29.5	27.3	19.8	15.6	16.1	17.3	5.8	29.5	16.0
28	10.2	8.9	11.0	7.8	9.1	7.9	9.5	10.4	19.5	26.6	26.2	26.2	30.0	29.9	32.4	32.9	30.8	33.5	33.3	28.6	31.8	28.9	30.9	25.2	7.8	33.5	22.6
29	9.5	10.3	7.8	13.4	14.5	16.6	13.4	15.1	21.3	22.5	20.9	17.0	11.4	11.3	12.6	19.1	25.2	33.0	33.6	30.0	14.1	7.0	6.9	7.2	6.9	33.6	16.4
30	7.7	7.2	6.6	8.3	5.5	4.6	6.1	3.6	5.1	4.5	9.9	13.1	14.3	21.1	22.2	23.5	25.9	27.3	26.0	20.3	13.7	9.3	12.6	7.9	3.6	27.3	12.8
31	9.1	6.9	13.4	18.4	14.0	7.8	25.0	14.6	22.9	27.3	28.7	41.2	45.5	41.2	43.4	44.7	47.9	46.4	49.5	49.4	45.8	44.9	40.5	42.4	6.9	49.5	32.1
Min	5.6	5.8	5.6	4.2	5.0	4.6	4.9	3.1	3.4	4.0	3.8	6.1	8.1	8.3	9.1	11.6	7.7	6.4	5.9	4.8	6.2	6.1	5.3	3.9	3.1		
Max	46.6	37.3	45.2	42.7	36.7	40.3	39.7	49.2	41.7	39.6	41.9	41.2	47.0	54.2	50.6	46.0	47.9	48.2	49.5	49.4	45.8	44.9	41.3	43.7		54.2	
Avg	15.1	15.5	16.6	16.3	14.5	14.3	13.6	13.6	17.2	19.1	20.6	20.1	22.0	23.8	24.6	25.5	24.8	25.4	25.3	22.3	19.5	18.4	17.3	16.5			19.3

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Desert Hot Springs (data subject to change)
Month: March
Year: 2012
Time Zone: PST

Validation Level: B
Printout Date: 04-05-2012
Printout Time: 15:07:55
Output File Name: DHSB0312.7

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	12.6	12.6	12.5	12.5	12.4	12.4	12.7	13.6	14.2	13.8	14.4	13.9	14.3	13.8	14.4	13.4	13.2	13.1	13.0	12.8	12.8	12.7	12.6	12.6	12.4	14.4	13.2
2	12.6	12.6	12.5	12.5	12.4	12.4	12.6	13.5	14.1	14.3	13.7	14.3	13.8	13.5	14.3	13.4	13.1	12.9	12.8	12.7	12.7	12.6	12.6	12.6	12.4	14.3	13.1
3	12.6	12.5	12.5	12.4	12.4	12.4	12.8	13.8	14.2	13.6	13.5	13.3	13.3	13.9	13.5	13.2	12.9	12.8	12.8	12.7	12.6	12.6	12.6	12.6	12.4	14.2	13.0
4	12.5	12.5	12.5	12.4	12.4	12.4	12.8	13.6	14.1	13.3	13.2	13.8	12.9	12.9	13.3	13.1	12.9	12.8	12.7	12.7	12.6	12.6	12.6	12.5	12.4	14.1	12.9
5	12.5	12.5	12.4	12.4	12.4	12.4	12.4	12.5	12.6	12.6	12.7	13.1	13.2	13.4	13.2	13.0	12.9	12.8	12.7	12.6	12.6	12.5	12.5	12.4	12.4	13.4	12.7
6	12.4	12.4	12.4	12.4	12.4	12.3	12.7	13.4	13.9	13.4	13.6	14.0	13.7	13.6	14.5	13.3	13.0	12.9	12.8	12.8	12.7	12.7	12.6	12.6	12.3	14.5	13.0
7	12.6	12.6	12.5	12.5	12.5	12.5	12.9	13.8	14.8	14.7	14.6	13.9	13.7	13.7	14.2	13.4	13.1	13.0	12.9	12.8	12.7	12.7	12.6	12.6	12.5	14.8	13.2
8	12.6	12.5	12.5	12.5	12.5	12.4	12.9	13.7	14.2	13.6	13.5	13.4	13.3	13.9	13.6	13.2	13.0	12.8	12.7	12.7	12.7	12.6	12.6	12.6	12.4	14.2	13.0
9	12.6	12.6	12.5	12.5	12.5	12.4	12.8	13.6	14.1	13.8	13.3	13.3	13.8	13.2	13.5	13.1	12.9	12.8	12.8	12.7	12.6	12.6	12.6	12.6	12.4	14.1	13.0
10	12.6	12.5	12.5	12.5	12.4	12.4	12.9	13.7	14.5	13.5	13.6	13.2	13.1	13.7	13.6	13.2	13.0	12.8	12.7	12.7	12.6	12.6	12.6	12.6	12.4	14.5	13.0
11	12.5	12.5	12.5	12.4	12.4	12.4	12.5	13.6	14.1	13.7	13.5	13.2	13.3	13.7	13.5	13.2	13.0	12.8	12.8	12.7	12.7	12.6	12.6	12.6	12.4	14.1	12.9
12	12.6	12.5	12.5	12.5	12.4	12.4	12.8	13.6	14.0	13.5	13.3	13.2	13.1	13.2	13.4	13.1	12.9	12.8	12.7	12.7	12.6	12.6	12.6	12.6	12.4	14.0	12.9
13	12.5	12.5	12.5	12.4	12.4	12.4	12.8	13.6	14.2	13.7	13.4	13.4	13.4	14.2	13.9	13.3	13.0	12.9	12.8	12.7	12.7	12.7	12.6	12.6	12.4	14.2	13.0
14	12.6	12.6	12.5	12.5	12.4	12.4	12.8	13.6	14.1	13.6	14.0	13.4	13.3	13.9	13.6	13.2	13.0	12.9	12.8	12.7	12.7	12.6	12.6	12.6	12.4	14.1	13.0
15	12.6	12.5	12.5	12.5	12.4	12.4	12.9	13.6	14.1	14.0	13.3	14.0	13.1	13.7	13.4	13.1	12.9	12.8	12.7	12.7	12.6	12.6	12.6	12.6	12.4	14.1	13.0
16	12.6	12.5	12.5	12.5	12.4	12.4	12.8	13.5	14.1	13.6	13.6	13.4	13.8	14.2	13.3	13.2	13.0	12.9	12.8	12.7	12.7	12.7	12.6	12.6	12.4	14.2	13.0
17	12.6	12.5	12.5	12.5	12.4	12.4	12.5	12.8	13.1	13.2	13.0	12.8	12.7	12.6	12.6	12.5	12.4	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	13.2	12.5
18	12.2	12.2	12.2	12.2	12.2	12.2	12.7	13.6	13.4	13.9	14.3	13.9	13.5	13.6	13.2	13.1	13.1	12.9	12.9	12.7	12.6	12.6	12.5	12.4	12.2	14.3	12.9
19	12.4	12.3	12.3	12.3	12.3	12.3	12.5	13.4	14.1	14.2	14.3	14.3	14.1	14.0	13.7	13.4	13.2	13.1	13.0	12.8	12.7	12.7	12.6	12.6	12.3	14.3	13.1
20	12.6	12.5	12.5	12.5	12.5	12.4	13.0	13.8	14.3	13.6	13.8	13.4	13.3	13.8	13.4	13.1	13.0	12.8	12.8	12.7	12.7	12.6	12.6	12.6	12.4	14.3	13.0
21	12.6	12.5	12.5	12.5	12.5	12.5	13.0	13.7	14.4	13.4	13.4	13.2	13.1	13.8	13.6	13.4	13.1	12.9	12.8	12.7	12.7	12.6	12.6	12.6	12.5	14.4	13.0
22	12.6	12.5	12.5	12.5	12.5	12.4	13.0	13.5	14.1	13.3	13.9	13.0	13.1	13.5	13.3	13.0	12.8	12.8	12.7	12.7	12.6	12.6	12.6	12.5	12.4	14.1	12.9
23	12.5	12.5	12.5	12.5	12.4	12.4	13.0	13.5	13.9	14.0	13.4	13.5	13.3	13.1	13.3	13.2	13.0	12.8	12.7	12.7	12.6	12.6	12.6	12.6	12.4	14.0	12.9
24	12.5	12.5	12.5	12.5	12.4	12.4	12.5	13.1	13.4	13.8	13.3	13.7	13.2	13.3	13.4	13.2	13.0	12.9	12.8	12.7	12.7	12.6	12.6	12.6	12.4	13.8	12.9
25	12.6	12.5	12.5	12.5	12.4	12.4	12.4	13.4	14.3	14.0	13.7	13.9	13.4	13.8	13.9	13.2	13.0	12.9	12.8	12.7	12.6	12.6	12.6	12.5	12.4	14.3	13.0
26	12.5	12.5	12.5	12.4	12.4	12.4	12.7	13.4	14.0	14.0	13.6	13.9	13.6	14.2	14.0	13.3	13.1	13.0	12.8	12.8	12.7	12.7	12.6	12.6	12.4	14.2	13.1
27	12.6	12.5	12.5	12.4	12.4	12.4	12.9	13.7	14.2	13.8	13.5	13.4	13.3	13.8	13.4	13.1	13.0	12.9	12.8	12.7	12.7	12.6	12.6	12.6	12.4	14.2	13.0
28	12.6	12.5	12.5	12.4	12.4	12.4	12.9	13.3	14.1	14.0	14.4	13.4	14.3	13.9	13.6	13.2	13.1	12.9	12.8	12.7	12.7	12.6	12.6	12.6	12.4	14.4	13.1
29	12.6	12.6	12.5	12.5	12.4	12.4	12.9	13.5	14.1	13.6	13.7	13.2	13.1	13.5	13.2	13.1	12.9	12.8	12.7	12.7	12.6	12.6	12.6	12.6	12.4	14.1	12.9
30	12.5	12.5	12.5	12.4	12.4	12.4	13.0	13.6	13.9	13.7	13.1	13.6	12.9	12.9	13.2	13.0	12.8	12.7	12.7	12.6	12.6	12.6	12.6	12.5	12.4	13.9	12.9
31	12.5	12.5	12.4	12.4	12.4	12.4	12.9	13.5	14.2	13.5	13.6	13.6	13.5	14.3	13.9	13.2	13.0	12.9	12.8	12.7	12.7	12.6	12.6	12.6	12.4	14.3	13.0
Min	12.2	12.2	12.2	12.2	12.2	12.2	12.4	12.5	12.6	12.6	12.7	12.8	12.7	12.6	12.6	12.5	12.4	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.2		
Max	12.6	12.6	12.5	12.5	12.5	12.5	13.0	13.8	14.8	14.7	14.6	14.3	14.3	14.3	14.5	13.4	13.2	13.1	13.0	12.8	12.8	12.7	12.6	12.6		14.8	
Avg	12.5	12.5	12.5	12.4	12.4	12.4	12.8	13.5	14.0	13.7	13.6	13.5	13.4	13.6	13.6	13.2	13.0	12.8	12.8	12.7	12.7	12.6	12.6	12.6			13.0

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2