

Desert Hot Springs Meteorological Data

May 2007

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Desert Hot Springs (data subject to change)
Month: May
Year: 2007
Time Zone: PST

Validation Level: B
Printout Date: 01-23-2008
Printout Time: 12:02:05
Output File Name: DHSB0507.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	2.9	2.6	4.9	5.8	4.8	4.1	3.1	2.7	10.0	20.8	11.4	17.5	20.0	17.9	18.2	20.3	22.4	20.9	16.9	16.4	18.6	20.1	20.1	15.8	2.6	22.4	13.3
2	17.1	16.4	10.9	4.0	6.0	3.3	2.4	6.4	7.6	11.9	22.6	25.8	26.8	28.2	23.5	25.5	24.6	24.3	25.0	28.3	29.6	28.7	29.4	28.9	2.4	29.6	19.0
3	30.8	26.7	23.5	18.7	15.4	11.5	14.1	12.6	11.6	9.5	11.9	10.2	14.0	19.3	21.8	23.3	22.0	23.5	25.9	24.3	21.1	20.0	20.2	23.3	9.5	30.8	19.0
4	24.0	24.9	24.7	24.5	22.1	18.9	18.0	24.3	30.0	27.0	28.3	29.6	27.9	26.1	25.7	24.3	24.9	26.6	26.3	25.5	22.3	20.5	13.7	9.6	9.6	30.0	23.7
5	12.9	12.2	11.5	9.9	9.8	9.1	11.3	15.8	15.2	14.5	11.1	7.7	7.9	7.4	7.2	8.4	13.7	18.3	17.0	13.9	8.1	6.4	3.9	4.5	3.9	18.3	10.7
6	6.2	15.2	18.4	16.4	15.7	10.8	6.1	13.7	13.1	9.9	12.0	8.6	9.0	10.1	12.7	12.4	13.4	15.1	13.7	7.8	5.1	6.2	5.8	5.0	5.0	18.4	10.9
7	5.5	6.3	6.6	8.0	9.6	9.6	11.1	15.0	16.0	13.8	10.6	11.8	12.7	11.5	10.3	8.5	10.5	8.9	6.2	3.5	4.4	5.9	5.7	4.1	3.5	16.0	9.0
8	5.8	7.6	6.5	7.0	4.2	4.7	3.9	5.3	2.8	6.6	10.3	10.7	7.2	6.0	5.1	4.1	4.7	4.0	11.5	13.8	12.4	10.7	10.3	8.7	2.8	13.8	7.2
9	6.9	6.9	7.8	7.4	8.4	7.4	2.9	1.5	7.7	9.4	8.6	8.6	10.5	12.0	14.6	16.4	18.5	18.9	18.0	15.1	14.3	15.2	13.7	12.0	1.5	18.9	10.9
10	9.1	6.1	7.2	7.4	5.5	3.9	2.6	1.9	2.5	6.6	8.2	8.4	7.5	10.7	12.2	14.7	18.2	18.8	14.5	9.7	9.4	10.0	6.0	2.9	1.9	18.8	8.5
11	5.4	3.3	5.1	4.4	10.6	7.2	11.7	14.5	15.4	15.3	16.4	16.3	16.8	19.2	19.8	18.9	21.0	17.0	17.7	19.2	11.5	15.0	5.6	5.1	3.3	21.0	13.0
12	3.8	5.4	7.4	5.1	4.5	4.0	2.8	3.3	11.1	15.3	15.3	15.5	18.1	19.0	19.3	20.3	18.6	18.6	16.1	15.0	12.7	4.6	5.6	5.3	2.8	20.3	11.1
13	4.8	5.8	7.1	5.5	3.8	4.7	5.1	13.7	15.7	16.4	17.0	13.8	15.4	17.5	18.1	20.2	20.8	19.5	19.7	14.5	11.3	11.0	4.4	4.6	3.8	20.8	12.1
14	4.3	4.3	5.8	5.7	4.6	4.3	2.6	4.8	4.2	4.2	4.5	6.9	8.3	9.5	9.3	8.3	7.8	11.3	12.5	5.8	6.8	8.8	3.3	3.9	2.6	12.5	6.3
15	2.9	3.7	2.9	3.4	2.9	3.1	1.8	3.0	5.0	4.7	4.4	4.6	6.1	7.5	8.5	9.8	12.6	12.9	11.6	6.2	10.1	3.5	2.0	2.7	1.8	12.9	5.7
16	1.5	0.8	2.3	1.1	2.2	2.7	2.5	2.7	4.8	4.2	3.7	4.0	6.3	8.1	9.6	9.2	9.3	11.6	12.0	10.0	14.6	8.5	5.5	3.8	0.8	14.6	5.9
17	3.0	2.2	2.3	1.4	3.2	4.2	2.2	2.0	3.6	3.9	5.3	7.9	8.9	8.9	8.8	8.4	8.4	12.8	12.1	11.8	11.6	4.5	3.3	3.0	1.4	12.8	6.0
18	4.3	2.3	1.9	1.8	3.2	3.1	1.6	2.6	4.3	3.3	4.3	5.5	7.5	9.2	8.6	8.6	14.4	14.3	12.8	10.2	11.6	4.4	4.2	5.4	1.6	14.4	6.2
19	2.6	3.6	4.8	3.7	3.3	9.4	5.0	5.2	4.6	3.6	4.0	3.7	6.0	7.6	7.0	7.7	5.5	10.7	13.1	5.9	8.1	5.2	3.0	2.2	2.2	13.1	5.6
20	2.0	2.7	2.4	3.3	2.6	3.8	4.0	7.9	4.4	4.8	5.4	6.8	6.6	8.7	9.0	13.5	16.9	17.8	16.7	16.1	15.9	15.1	9.4	8.3	2.0	17.8	8.5
21	5.3	4.1	7.9	10.8	11.6	11.0	18.9	16.1	14.6	10.5	14.5	20.7	21.9	20.4	20.5	22.1	22.3	23.5	20.4	19.6	18.6	17.2	16.3	18.9	4.1	23.5	16.2
22	15.4	12.5	11.7	5.6	4.6	2.4	2.0	6.1	12.1	9.7	7.4	8.5	13.4	17.3	20.3	20.3	21.4	23.8	20.7	20.4	18.6	9.7	6.7	8.8	2.0	23.8	12.5
23	6.5	9.3	5.5	4.2	3.1	7.3	11.3	10.7	16.1	17.0	12.8	6.9	5.6	5.3	6.5	5.5	7.7	8.8	9.3	5.7	7.3	9.0	4.1	2.8	2.8	17.0	7.8
24	2.2	1.5	1.4	2.2	2.3	2.7	1.9	2.3	3.1	5.8	6.1	7.1	6.6	7.2	7.5	7.8	9.7	17.1	16.9	16.5	13.3	4.9	6.6	5.4	1.4	17.1	6.6
25	2.6	2.2	1.7	1.8	3.2	3.6	3.6	2.6	2.9	2.2	5.0	8.3	9.6	8.0	7.4	9.9	14.4	16.3	15.1	10.9	10.8	5.9	8.5	3.3	1.7	16.3	6.6
26	5.3	4.4	2.8	4.4	2.3	2.8	3.0	4.5	6.3	4.3	5.8	7.4	8.5	8.7	8.3	9.9	15.7	15.6	14.4	13.9	8.2	9.3	5.5	8.4	2.3	15.7	7.5
27	2.9	5.6	7.6	5.7	3.2	3.0	1.6	2.0	5.7	6.9	7.1	8.6	7.8	12.7	17.5	16.8	17.2	17.5	15.3	9.9	10.8	5.4	3.5	3.5	1.6	17.5	8.2
28	6.6	4.9	3.8	4.4	2.1	3.2	3.2	8.9	18.1	16.8	15.9	19.1	19.2	19.2	20.4	21.5	20.5	18.4	11.9	12.5	12.0	8.3	4.4	4.4	2.1	21.5	11.6
29	4.7	4.4	7.2	3.4	2.8	3.5	3.6	2.3	6.6	12.1	12.9	14.8	16.3	16.8	17.1	17.3	18.2	19.5	15.6	15.0	15.3	7.7	4.8	3.0	2.3	19.5	10.2
30	3.8	3.7	3.1	3.5	2.7	3.2	2.7	2.9	11.0	12.9	13.5	13.6	15.7	18.5	20.5	19.6	18.7	19.3	14.5	11.0	9.9	12.2	17.4	17.0	2.7	20.5	11.3
31	13.0	9.4	9.5	5.8	5.8	3.3	0.8	4.1	14.1	14.6	14.3	15.7	16.4	19.3	20.8	21.6	22.0	21.7	17.5	14.1	18.5	14.9	11.9	9.8	0.8	22.0	13.3
Min	1.5	0.8	1.4	1.1	2.1	2.4	0.8	1.5	2.5	2.2	3.7	3.7	5.6	5.3	5.1	4.1	4.7	4.0	6.2	3.5	4.4	3.5	2.0	2.2	0.8		
Max	30.8	26.7	24.7	24.5	22.1	18.9	18.9	24.3	30.0	27.0	28.3	29.6	27.9	28.2	25.7	25.5	24.9	26.6	26.3	28.3	29.6	28.7	29.4	28.9		30.8	
Avg	7.2	7.1	7.3	6.3	6.0	5.7	5.4	7.1	9.7	10.3	10.7	11.4	12.4	13.5	14.1	14.7	16.0	17.0	15.8	13.6	13.0	10.6	8.5	7.9			10.5

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Site:	Desert Hot Springs (data subject to change)	Validation Level:	B
Month:	May	Printout Date:	01-23-2008
Year:	2007	Printout Time:	12:02:05
Time Zone:	PST	Output File Name:	DHSB0507.10

Prev [NNW] [NW] [NNW] [NNW] [NNW] [N] [N] [NE] [WSW] [WSW] [WSW] [WSW] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W] [WNW] [NW] [W]

Missing Data Codes

```
-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor
```

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Desert Hot Springs (data subject to change)
Month: May
Year: 2007
Time Zone: PST

Validation Level: B
Printout Date: 01-23-2008
Printout Time: 12:02:05
Output File Name: DHSB0507.10t

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[N]	[NNW]	[NNW]	[NNW]	[NE]	[NW]	[ENE]	[NE]	[WNW]	[W]	[SSW]	[WSW]	[W]	[W]	[WSW]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
2	[WNW]	[WNW]	[NW]	[N]	[NW]	[NNW]	[NNW]	[NW]	[WSW]	[S]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
3	[W]	[W]	[W]	[WNW]	[WNW]	[NW]	[W]	[W]	[W]	[W]	[W]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
4	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
5	[WNW]	[WNW]	[NW]	[NNW]	[NW]	[NW]	[WNW]	[W]	[W]	[WSW]	[WSW]	[SW]	[W]	[W]	[WSW]	[WSW]	[N]	[NNE]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
6	[NNW]	[N]	[N]	[N]	[N]	[N]	[N]	[NNE]	[NNE]	[NNE]	[N]	[N]	[NNE]	[NNE]	[NE]	[NE]	[NE]	[NNE]	[NNE]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[N]
7	[NNW]	[NW]	[NNW]	[NNW]	[N]	[NNE]	[NNE]	[NE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[N]	[NNW]	[NNW]	[N]	[N]	[NNW]	[NNW]	[NW]	[NNE]
8	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[N]	[NE]	[NNE]	[NNE]	[NNE]	[NNE]	[N]	[NE]	[E]	[N]	[NNE]	[W]	[W]	[WNW]	[NW]	[NW]	[NW]	[NW]
9	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[N]	[NE]	[SW]	[WSW]	[SW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
10	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[E]	[ESE]	[SE]	[SSW]	[SW]	[SW]	[SW]	[SW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[NW]	[WNW]	[W]
11	[NW]	[N]	[NNW]	[NNW]	[WNW]	[NW]	[WNW]	[W]	[W]	[W]	[W]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
12	[NNW]	[NW]	[NW]	[NW]	[NNW]	[N]	[NNE]	[E]	[W]	[W]	[W]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
13	[NW]	[NW]	[NW]	[NNW]	[NW]	[WNW]	[W]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
14	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[N]	[E]	[ESE]	[SSE]	[SE]	[S]	[SSE]	[SSE]	[SE]	[SE]	[SSE]	[S]	[W]	[W]	[W]	[NW]	[WNW]	[WNW]	[NW]	[NW]
15	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNE]	[SSE]	[SE]	[S]	[SSE]	[SSW]	[SSE]	[SE]	[SSE]	[SSW]	[WSW]	[W]	[W]	[W]	[WNW]	[W]	[NW]	[NE]	[ENE]
16	[NNW]	[NE]	[N]	[NE]	[NNE]	[NNW]	[SW]	[S]	[S]	[S]	[SSE]	[SSE]	[SSE]	[SE]	[SE]	[SSE]	[S]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[NW]	[E]	[SSE]
17	[E]	[N]	[NNE]	[ENE]	[NNW]	[NNW]	[N]	[SSW]	[S]	[SE]	[SE]	[SSE]	[SSE]	[SE]	[SE]	[SSE]	[SSE]	[W]	[WSW]	[WSW]	[W]	[NW]	[W]	[ESE]	[SE]
18	[E]	[ENE]	[N]	[ENE]	[N]	[N]	[WNW]	[SSE]	[SE]	[SSE]	[SSW]	[S]	[SE]	[SE]	[SSE]	[WSW]	[W]	[W]	[W]	[W]	[W]	[SW]	[WNW]	[NNW]	[W]
19	[NNE]	[N]	[NNW]	[NNW]	[E]	[ESE]	[ESE]	[SE]	[SE]	[SSE]	[SE]	[SSE]	[SE]	[S]	[SSE]	[SSE]	[SE]	[WSW]	[W]	[WNW]	[WSW]	[NW]	[NNW]	[ENE]	[SE]
20	[WNW]	[N]	[NNW]	[NNW]	[NNW]	[NNE]	[E]	[SE]	[SSE]	[SE]	[SSE]	[SSE]	[SSE]	[SE]	[SSE]	[WSW]	[WSW]	[W]	[W]	[WSW]	[W]	[W]	[W]	[W]	[W]
21	[W]	[SW]	[WNW]	[W]	[WNW]	[W]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
22	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[ENE]	[W]	[WSW]	[WSW]	[SW]	[SW]	[SW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
23	[WNW]	[WNW]	[NW]	[NW]	[NW]	[WNW]	[NNE]	[NE]	[NNE]	[NNE]	[NE]	[NE]	[NE]	[E]	[NE]	[NE]	[NE]	[NE]	[NNE]	[N]	[W]	[WNW]	[E]	[NNW]	[NE]
24	[E]	[E]	[ENE]	[NNW]	[ENE]	[N]	[E]	[SE]	[S]	[S]	[SSE]	[SE]	[SE]	[SE]	[SSE]	[SE]	[S]	[W]	[W]	[W]	[W]	[W]	[NW]	[WNW]	[NNW]
25	[ESE]	[N]	[NNW]	[NNW]	[NNE]	[N]	[ESE]	[S]	[SW]	[S]	[SSE]	[SSE]	[SSE]	[SE]	[SSE]	[SW]	[W]	[W]	[W]	[WNW]	[WNW]	[NNW]	[WNW]	[NW]	[SSE]
26	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[SSE]	[SE]	[SSE]	[SSW]	[S]	[SSE]	[SSE]	[SE]	[SSE]	[SE]	[SSE]	[W]	[W]	[W]	[W]	[W]	[WNW]	[NW]	[WNW]	[SSE]
27	[NNW]	[NW]	[NW]	[NW]	[NW]	[N]	[N]	[ENE]	[SW]	[S]	[S]	[SSW]	[SW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
28	[E]	[ESE]	[WNW]	[N]	[NNE]	[NNE]	[ENE]	[W]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[SW]	[WSW]	[W]	[NNW]	[N]	[W]
29	[ENE]	[E]	[WSW]	[NW]	[NNW]	[NW]	[N]	[NE]	[WNW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[WSW]	[WSW]	[S]	[ESE]	[WSW]
30	[NNW]	[N]	[NNW]	[NNW]	[NNE]	[NNE]	[ESE]	[ENE]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[WNW]	[WNW]	[W]	[W]	[WNW]	[W]	[WSW]
31	[WNW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[ENE]	[NNW]	[W]	[W]	[WSW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]

Prev [NNW] [NW] [NNW] [NNW] [NNW] [N] [N] [NE] [WSW] [WSW] [WSW] [WSW] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W] [W]

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)
 Units: degrees
 Channel: 11

Site: Desert Hot Springs (data subject to change)
 Month: May
 Year: 2007
 Time Zone: PST

Validation Level: B
 Printout Date: 01-23-2008
 Printout Time: 12:02:06
 Output File Name: DHSB0507.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	40.7	20.7	14.5	24.2	42.0	27.2	18.9	25.7	18.4	13.4	34.6	15.9	14.7	14.8	13.8	13.6	13.9	15.5	14.7	14.0	12.2	12.3	13.1	12.3	12.2	42.0	19.2
2	14.1	14.1	16.8	57.3	27.2	47.0	63.0	31.4	54.0	23.1	35.7	12.9	12.9	12.2	14.6	13.8	13.2	13.2	12.9	12.1	12.3	12.0	12.5	12.7	12.0	63.0	23.0
3	12.5	13.2	14.1	12.6	14.3	13.2	13.5	14.0	15.9	27.2	21.9	26.7	22.2	14.9	14.0	13.6	13.5	13.7	13.2	13.2	14.1	14.2	13.2	12.5	12.5	27.2	15.5
4	11.9	11.8	13.4	13.2	15.7	13.3	13.7	13.4	12.9	14.4	14.4	15.4	14.7	15.7	15.1	15.5	14.1	13.6	14.4	16.0	15.3	13.7	14.4	18.3	11.8	18.3	14.3
5	14.6	15.6	15.7	11.6	11.4	12.1	15.7	13.7	13.9	14.1	25.6	43.5	38.6	34.1	29.8	24.8	24.0	15.3	14.3	12.3	13.5	17.7	36.0	32.9	11.4	43.5	20.9
6	18.9	13.5	13.2	13.8	13.2	15.3	59.3	21.4	16.6	22.2	20.7	36.0	45.0	35.6	23.7	22.2	19.2	14.7	13.0	10.6	9.4	5.4	7.7	17.1	5.4	59.3	20.3
7	9.0	6.3	9.8	10.6	11.3	10.4	13.4	15.4	17.0	17.8	31.3	25.3	27.6	26.5	30.1	31.4	25.5	23.6	17.1	18.5	8.2	9.0	13.4	48.5	6.3	48.5	19.0
8	38.8	10.9	22.3	11.4	51.4	42.6	24.9	26.2	56.2	52.0	25.8	22.1	39.0	53.5	43.0	54.7	43.9	31.9	17.3	13.8	13.3	13.0	13.0	16.2	10.9	56.2	30.7
9	14.5	15.6	19.2	10.2	10.7	9.4	39.6	43.6	38.8	20.9	28.9	41.9	31.3	25.0	14.9	14.9	14.4	13.6	13.1	13.4	13.7	13.0	13.9	13.8	9.4	43.6	20.3
10	14.6	14.5	10.9	12.7	14.6	51.4	58.1	30.3	35.8	44.5	56.3	57.9	56.3	37.9	21.2	16.8	13.6	13.4	14.7	16.5	14.0	14.3	43.4	64.4	10.9	64.4	30.3
11	18.9	69.7	21.5	36.6	16.1	17.2	15.3	13.2	13.3	13.5	12.8	12.7	14.0	13.4	12.9	12.9	13.1	13.5	12.9	13.6	14.8	13.9	21.8	24.0	12.7	69.7	18.4
12	43.3	21.6	13.6	18.1	17.8	20.0	19.6	27.4	48.0	13.2	13.0	13.8	13.3	13.3	13.8	14.0	14.6	13.2	14.2	14.1	15.7	25.7	28.7	24.6	13.0	48.0	19.8
13	25.1	25.9	20.7	23.3	32.5	37.8	33.3	12.5	10.8	12.0	13.9	17.1	16.1	15.4	14.6	14.6	13.2	13.5	13.6	13.6	13.3	13.1	25.0	21.5	10.8	37.8	18.9
14	16.3	9.5	8.5	17.3	13.7	14.8	26.2	12.4	35.5	35.8	38.1	38.0	32.0	18.5	16.4	24.2	24.5	13.1	12.6	26.3	24.6	12.8	13.1	19.3	8.5	38.1	21.0
15	19.9	15.5	14.9	14.0	45.7	16.0	36.9	25.9	19.5	29.8	36.8	48.2	34.8	35.1	24.9	33.8	12.6	12.2	13.1	32.1	12.8	13.8	31.0	22.1	12.2	48.2	25.1
16	43.8	20.6	8.4	39.5	41.0	24.1	40.5	26.6	24.3	32.9	64.8	50.3	46.9	28.6	17.1	19.7	19.0	12.8	12.4	13.6	9.4	16.4	10.6	27.8	8.4	64.8	27.1
17	24.3	23.8	20.6	40.9	10.0	8.1	16.5	27.6	24.0	47.3	37.9	21.3	26.1	22.9	18.8	18.9	22.4	13.8	13.5	11.6	12.8	23.6	30.6	28.1	8.1	47.3	22.7
18	9.2	22.8	46.2	47.7	18.8	21.9	13.5	25.3	30.5	41.8	43.0	39.9	25.3	27.1	30.3	32.0	14.1	13.6	13.7	13.6	13.7	60.8	58.9	19.7	9.2	60.8	28.5
19	47.9	19.6	13.9	42.4	20.2	10.0	19.4	14.6	31.4	42.8	42.9	61.0	39.0	34.4	29.6	18.8	32.3	39.0	13.6	41.0	17.1	18.7	49.2	48.8	10.0	61.0	31.2
20	54.1	13.6	31.1	18.5	26.4	11.6	20.1	13.7	20.5	27.5	31.0	24.5	27.1	22.7	22.5	20.9	14.6	13.9	14.2	14.2	14.8	13.2	21.9	40.9	11.6	54.1	22.2
21	66.7	39.1	25.7	17.6	17.6	17.5	12.4	12.4	13.3	17.7	14.9	12.3	12.7	13.4	13.4	13.8	14.3	12.6	13.1	12.8	12.8	12.5	13.0	13.5	12.3	66.7	17.7
22	13.1	13.8	13.5	14.8	14.0	28.5	40.6	38.4	12.1	17.2	39.4	31.9	22.0	13.1	13.6	14.0	13.8	13.1	13.4	13.4	13.2	43.2	32.1	18.7	12.1	43.2	20.9
23	18.7	13.9	18.4	21.4	30.1	34.7	34.2	33.9	18.7	16.8	20.1	51.5	45.9	45.6	41.5	36.7	20.0	22.9	13.5	26.9	13.8	12.0	45.2	46.5	12.0	51.5	28.5
24	46.8	60.8	29.8	51.3	40.5	17.0	19.7	12.4	33.7	39.8	35.4	42.7	53.7	33.2	25.4	24.6	43.5	13.6	12.7	12.6	13.8	47.9	38.5	10.6	10.6	60.8	31.7
25	47.9	33.5	41.7	26.5	14.4	24.5	13.6	54.5	35.7	58.2	33.1	20.9	24.6	26.2	26.1	32.3	14.5	12.6	13.7	15.6	18.2	38.1	16.4	23.9	12.6	58.2	27.8
26	27.1	30.8	70.0	41.1	45.7	36.0	13.4	47.8	20.3	59.0	32.0	24.6	27.0	19.7	21.5	27.9	15.9	14.7	13.1	13.8	20.9	25.8	21.3	21.5	13.1	70.0	28.8
27	45.5	19.1	15.3	13.4	55.4	17.2	23.0	28.0	40.8	24.7	25.9	27.9	34.7	24.6	15.4	14.4	14.1	13.9	12.9	14.4	14.9	26.6	43.0	55.1	12.9	55.4	25.8
28	15.3	47.4	52.5	52.0	51.7	49.3	45.2	45.6	12.2	12.9	14.0	13.2	12.9	14.3	14.3	13.1	13.6	13.9	16.7	12.3	10.9	23.1	49.9	61.2	10.9	61.2	27.8
29	34.8	39.8	41.1	55.4	44.3	36.9	16.2	47.7	42.1	15.1	14.6	13.9	13.6	13.1	13.5	13.7	13.2	13.7	13.3	14.1	10.5	16.7	43.8	40.7	10.5	55.4	25.9
30	38.4	54.7	45.5	23.7	46.1	25.6	36.0	40.0	23.2	11.8	12.4	14.6	13.9	12.6	13.7	13.4	14.3	13.7	14.0	19.0	20.9	18.4	11.4	12.8	11.4	54.7	22.9
31	15.3	17.2	16.3	17.0	15.6	19.1	47.1	38.1	13.9	13.2	13.5	14.1	13.4	13.5	13.7	12.9	13.4	13.2	13.8	14.7	13.8	12.8	13.4	11.3	11.3	47.1	16.7
Min	9.0	6.3	8.4	10.2	10.0	8.1	12.4	12.4	10.8	11.8	12.4	12.3	12.7	12.2	12.9	12.9	12.6	12.2	12.4	10.6	8.2	5.4	7.7	10.6	5.4		
Max	66.7	69.7	70.0	57.3	55.4	51.4	63.0	54.5	56.2	59.0	64.8	61.0	56.3	53.5	43.0	54.7	43.9	39.0	17.3	41.0	24.6	60.8	58.9	64.4	70.0		
Avg	27.8	24.2	23.2	26.1	26.8	23.5	27.8	26.9	25.9	26.9	28.5	28.8	27.5	23.6	20.4	20.9	18.3	15.6	13.8	16.2	14.2	19.8	25.8	27.1			23.3

Total Data Records Possible: 744
 Total Valid Data Records: 744
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust
 Units: mph
 Channel: 17

Site: Desert Hot Springs (data subject to change)
 Month: May
 Year: 2007
 Time Zone: PST

Validation Level: B
 Printout Date: 01-23-2008
 Printout Time: 12:02:08
 Output File Name: DHSB0507.17

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	5.8	6.3	8.2	10.3	8.6	8.5	6.1	8.0	32.7	36.6	28.4	30.8	36.0	31.4	29.7	33.8	40.9	38.5	37.8	30.7	33.1	32.5	38.1	32.4	5.8	40.9	25.2
2	31.7	30.8	30.5	9.1	16.7	12.4	7.8	16.2	26.2	22.4	43.8	41.8	45.8	45.9	38.7	44.3	40.5	42.4	42.9	46.2	47.3	46.3	50.0	46.7	7.8	50.0	34.4
3	52.2	48.4	43.9	35.2	28.5	27.9	24.0	24.1	22.0	22.5	26.9	22.4	28.0	32.2	36.7	42.0	38.8	42.5	47.6	40.8	42.1	40.0	38.6	38.2	22.0	52.2	35.2
4	39.7	42.5	43.4	49.9	43.4	34.8	37.6	47.1	48.7	47.2	49.3	52.1	50.6	50.1	52.1	49.6	46.9	45.4	50.4	52.5	47.0	37.8	30.5	22.5	22.5	52.5	44.6
5	26.8	26.1	26.9	18.0	17.3	16.0	22.3	27.1	28.1	24.3	23.6	19.1	21.8	17.5	16.1	18.5	30.4	34.5	34.3	30.0	17.7	15.4	13.0	11.7	11.7	34.5	22.4
6	14.0	30.1	31.6	29.1	33.1	25.4	20.4	30.1	22.6	22.7	24.7	23.2	24.1	24.7	32.4	26.9	25.1	27.8	24.5	19.7	8.6	9.1	9.4	9.6	8.6	33.1	22.9
7	7.5	10.4	9.6	13.3	15.2	18.0	22.6	30.7	30.7	30.5	24.1	25.7	29.2	24.0	25.2	24.7	21.6	20.1	14.0	7.7	6.2	9.6	10.3	11.0	6.2	30.7	18.4
8	13.1	15.3	14.6	12.2	10.7	11.8	11.9	13.1	9.9	19.0	21.3	20.5	17.5	17.5	15.9	11.7	12.1	9.3	36.9	27.9	23.6	20.8	17.5	17.6	9.3	36.9	16.7
9	12.6	11.7	13.4	11.5	11.3	12.6	5.8	5.3	20.1	18.0	19.5	21.3	21.2	22.7	26.5	29.5	34.1	33.7	34.1	28.9	25.8	27.4	27.3	24.3	5.3	34.1	20.8
10	20.3	12.9	16.7	14.3	11.0	10.0	7.2	3.9	6.2	15.0	31.4	18.3	19.1	22.3	27.7	27.3	30.8	33.5	28.4	20.8	18.6	21.7	17.8	11.0	3.9	33.5	18.6
11	11.1	11.0	9.4	11.5	25.0	15.5	24.5	26.7	24.9	24.6	25.4	27.2	29.8	30.6	31.9	31.9	36.2	31.1	31.4	34.8	27.0	26.8	14.0	12.5	9.4	36.2	24.0
12	10.7	11.7	12.4	8.8	7.7	12.1	5.4	6.6	22.1	25.4	23.8	26.8	31.0	30.8	34.2	36.5	30.8	32.4	32.6	29.1	25.3	11.8	11.3	9.9	5.4	36.5	20.4
13	10.0	16.6	13.4	11.0	8.6	13.7	16.2	22.8	25.3	26.7	29.5	27.1	29.3	31.8	31.0	35.0	34.8	35.1	36.9	28.9	22.6	21.6	11.6	9.4	8.6	36.9	22.9
14	7.5	6.9	11.0	9.1	7.9	7.1	4.7	8.3	9.9	9.1	10.3	13.6	17.8	19.9	18.1	19.0	15.6	19.7	22.5	20.8	17.5	20.8	6.1	8.3	4.7	22.5	13.0
15	7.9	5.8	6.0	6.2	6.6	5.5	4.2	6.1	9.1	9.9	10.1	11.7	14.8	15.5	16.6	18.9	22.0	21.9	20.7	16.9	19.4	10.8	4.0	5.0	4.0	22.0	11.5
16	5.0	2.9	4.5	3.6	5.4	5.6	5.2	9.8	8.3	8.5	8.7	11.7	14.7	17.6	16.6	15.6	17.9	20.8	23.1	24.3	25.1	16.7	9.1	6.9	2.9	25.1	12.0
17	6.6	4.5	4.6	5.3	5.5	5.9	4.2	5.9	7.4	8.8	13.2	16.6	17.6	20.5	15.9	15.4	19.3	22.8	25.4	20.5	22.8	12.2	10.7	5.5	4.2	25.4	12.4
18	6.3	5.1	4.7	3.8	6.9	5.7	4.2	6.1	9.1	9.6	9.5	12.2	15.9	17.8	18.0	22.3	26.1	25.9	24.3	21.4	22.6	21.3	10.6	11.0	3.8	26.1	13.4
19	6.6	7.7	7.1	7.0	9.4	17.2	10.3	7.8	9.2	9.9	8.8	10.4	14.5	15.1	18.8	15.0	11.7	21.7	22.8	18.1	16.3	14.5	6.6	4.8	4.8	22.8	12.1
20	5.1	4.4	5.0	5.4	5.0	5.9	11.0	12.1	8.9	10.2	12.0	13.1	14.6	16.3	15.6	25.4	29.3	31.2	29.5	28.4	32.2	27.5	24.8	20.2	4.4	32.2	16.4
21	15.0	12.4	22.5	22.2	24.3	24.7	34.0	30.0	25.9	19.9	27.9	33.3	35.5	35.9	35.1	41.7	41.2	39.4	38.2	36.2	31.5	28.3	31.0	35.6	12.4	41.7	30.1
22	27.8	24.5	21.3	11.5	8.6	4.5	8.7	14.8	19.1	17.2	17.6	21.0	23.6	30.8	33.9	35.3	38.3	43.0	37.1	37.4	33.3	26.9	19.6	22.6	4.5	43.0	24.1
23	16.7	18.6	12.2	8.3	6.1	18.3	28.5	28.9	31.3	30.9	28.9	22.1	15.9	15.9	17.6	17.8	16.4	18.6	17.3	13.4	15.2	14.8	8.9	7.3	6.1	31.3	17.9
24	6.8	5.0	3.7	5.2	6.1	5.1	4.5	4.7	8.5	12.7	16.1	16.7	18.6	19.6	15.1	15.1	26.6	29.9	28.7	28.9	24.7	17.3	18.0	9.8	3.7	29.9	14.5
25	6.0	5.0	4.6	5.4	5.7	6.3	6.1	7.8	6.5	7.5	9.4	16.4	16.4	15.8	15.1	23.2	24.5	26.4	28.8	22.3	21.4	18.2	16.2	6.4	4.6	28.8	13.4
26	12.1	9.3	10.4	9.3	5.4	5.2	6.5	11.6	13.5	12.3	13.6	15.1	17.5	16.9	15.6	27.1	28.6	28.2	26.5	25.0	18.1	23.4	14.8	18.7	5.2	28.6	16.0
27	7.8	11.8	17.2	11.8	11.5	5.8	3.3	5.3	20.4	16.8	14.4	17.8	17.6	26.0	30.5	29.4	34.2	30.5	30.0	18.9	21.5	19.6	8.7	9.6	3.3	34.2	17.5
28	11.2	13.2	9.2	9.1	6.0	10.7	7.8	27.5	30.1	27.3	26.5	30.3	32.6	32.8	33.0	35.8	35.5	33.5	26.1	21.3	20.0	19.1	14.0	12.0	6.0	35.8	21.9
29	9.6	10.5	16.1	15.0	7.4	7.2	7.4	5.7	18.4	22.1	20.8	22.9	28.9	26.9	27.8	29.5	29.3	34.8	31.3	27.3	27.8	14.6	15.4	7.1	5.7	34.8	19.3
30	6.8	7.3	7.3	5.5	8.2	5.7	5.7	8.5	18.2	20.0	21.5	22.6	27.3	30.7	34.4	34.9	32.1	35.6	27.5	21.9	23.5	25.7	31.2	29.6	5.5	35.6	20.5
31	27.0	20.7	20.8	15.0	9.2	6.3	3.6	16.7	24.6	24.4	24.4	24.3	27.8	32.1	35.0	36.0	37.8	37.6	34.0	28.5	33.7	28.6	21.8	19.1	3.6	37.8	24.5
Min	5.0	2.9	3.7	3.6	5.0	4.5	3.3	3.9	6.2	7.5	8.7	10.4	14.5	15.1	15.1	11.7	11.7	9.3	14.0	7.7	6.2	9.1	4.0	4.8	2.9		
Max	52.2	48.4	43.9	49.9	43.4	34.8	37.6	47.1	48.7	47.2	49.3	52.1	50.6	50.1	52.1	49.6	46.9	45.4	50.4	52.5	47.3	46.3	50.0	46.7		52.5	
Avg	14.4	14.5	14.9	12.7	12.3	12.0	12.0	15.5	19.3	19.7	21.5	22.2	24.4	25.4	26.2	28.0	29.3	30.6	30.5	26.8	24.9	22.0	18.1	16.0			20.5

Total Data Records Possible: 744
 Total Valid Data Records: 744
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Desert Hot Springs (data subject to change)
Month: May
Year: 2007
Time Zone: PST

Validation Level: B
Printout Date: 01-23-2008
Printout Time: 12:02:04
Output File Name: DHSB0507.7

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	12.7	12.7	12.7	12.7	12.7	12.7	12.8	12.9	13.2	13.6	13.9	14.0	13.3	13.8	13.4	13.3	13.2	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.7	14.0	13.1
2	12.8	12.8	12.7	12.7	12.7	12.8	13.6	13.9	13.6	13.4	13.4	13.5	13.5	14.0	13.7	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.7	14.0	13.2
3	12.8	12.8	12.7	12.7	12.7	12.9	13.7	14.0	14.1	13.6	14.2	13.6	14.0	13.6	14.0	13.4	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.7	14.2	13.3
4	12.9	12.9	12.8	12.8	12.7	12.8	13.4	14.0	13.9	14.0	14.3	14.0	14.0	13.7	13.9	13.7	13.5	13.3	13.2	13.1	13.1	13.1	13.0	13.0	12.7	14.3	13.4
5	13.0	12.9	12.9	12.9	12.9	12.8	13.0	13.9	14.3	13.8	14.6	14.1	13.6	13.4	13.7	13.5	13.4	13.3	13.2	13.1	13.1	13.1	13.0	13.0	12.8	14.6	13.4
6	12.9	12.9	12.9	12.9	12.9	12.8	13.0	13.8	13.7	13.6	13.5	13.4	13.5	13.4	13.3	13.6	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.8	13.8	13.2
7	12.9	12.8	12.8	12.8	12.8	13.0	13.7	14.3	13.5	13.3	13.3	13.3	13.2	13.9	13.5	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.8	14.3	13.2
8	12.9	12.8	12.8	12.8	12.8	12.9	13.6	13.4	13.3	13.1	13.2	13.2	13.1	13.0	13.3	13.1	13.0	13.0	12.9	12.9	12.8	12.8	12.8	12.8	12.8	13.6	13.0
9	12.8	12.7	12.7	12.7	12.7	12.9	13.5	13.5	13.2	13.1	13.1	13.0	13.0	13.6	13.4	13.2	13.1	13.1	13.0	12.9	12.9	12.9	12.9	12.8	12.7	13.6	13.0
10	12.8	12.8	12.7	12.7	12.7	12.9	13.5	13.4	13.2	13.1	13.0	13.0	13.1	13.0	13.3	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.8	12.7	12.7	13.5	13.0
11	12.7	12.7	12.7	12.6	12.6	12.8	13.5	13.5	13.4	13.4	13.3	13.2	13.2	13.8	13.5	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.6	13.8	13.1
12	12.8	12.7	12.7	12.7	12.6	12.9	13.6	13.5	13.6	13.3	13.3	13.2	13.2	13.2	13.5	13.2	13.1	13.1	13.0	12.9	12.9	12.9	12.8	12.8	12.6	13.6	13.1
13	12.7	12.7	12.7	12.6	12.6	12.8	13.7	14.0	13.5	13.4	13.7	13.3	13.3	13.2	13.5	13.2	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.8	12.6	14.0	13.1
14	12.7	12.7	12.7	12.6	12.6	12.8	13.6	13.8	13.4	13.3	13.1	13.0	13.0	13.7	13.4	13.2	13.1	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.6	13.8	13.0
15	12.7	12.7	12.7	12.7	12.6	12.8	13.6	13.5	13.4	13.2	13.4	13.2	13.1	13.7	13.4	13.2	13.1	13.1	13.0	12.9	12.9	12.9	12.8	12.8	12.6	13.7	13.1
16	12.8	12.7	12.7	12.7	12.6	12.8	13.6	13.6	13.6	13.2	13.2	13.2	13.0	13.7	13.4	13.2	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.8	12.6	13.7	13.1
17	12.8	12.7	12.7	12.7	12.6	12.8	13.5	13.5	13.5	13.2	13.1	13.7	13.0	13.7	13.4	13.2	13.1	13.1	13.0	12.9	12.9	12.9	12.8	12.8	12.6	13.7	13.1
18	12.8	12.7	12.7	12.7	12.6	12.8	13.5	13.6	13.3	13.2	13.1	13.1	13.0	13.6	13.4	13.2	13.1	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.6	13.6	13.0
19	12.8	12.7	12.7	12.7	12.6	12.8	13.5	13.5	13.5	13.2	13.1	13.1	13.0	13.6	13.4	13.2	13.1	13.0	13.0	12.9	12.9	12.8	12.8	12.8	12.6	13.6	13.0
20	12.7	12.7	12.6	12.6	12.6	12.8	13.5	13.5	13.4	13.2	13.1	13.2	13.1	13.7	13.4	13.2	13.1	13.1	13.0	12.9	12.9	12.9	12.8	12.8	12.6	13.7	13.0
21	12.7	12.7	12.7	12.6	12.6	12.8	13.5	13.9	13.8	13.7	14.4	13.7	13.5	13.5	13.7	13.3	13.3	13.2	13.1	13.0	13.0	13.0	12.9	12.9	12.6	14.4	13.2
22	12.9	12.8	12.8	12.7	12.7	12.9	13.5	14.5	13.6	13.6	13.9	13.4	13.4	13.7	13.6	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.7	14.5	13.2
23	12.8	12.8	12.7	12.7	12.7	12.8	13.6	13.6	13.6	13.7	13.3	13.3	13.2	13.4	13.5	13.2	13.2	13.1	13.0	13.0	12.9	12.9	12.8	12.8	12.7	13.7	13.1
24	12.8	12.7	12.7	12.6	12.6	12.8	13.5	14.3	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.8	12.8	12.8	12.7	12.7	12.7	12.6	14.3	13.0
25	12.7	12.6	12.6	12.6	12.6	12.8	13.4	14.4	13.4	13.3	13.9	13.1	13.1	13.0	12.9	13.0	12.9	12.9	12.8	12.8	12.7	12.7	12.7	12.7	12.6	14.4	13.0
26	12.6	12.6	12.6	12.6	12.6	12.8	13.4	14.1	13.3	13.2	13.2	13.1	13.8	13.6	13.4	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.9	12.6	14.1	13.1
27	12.8	12.8	12.8	12.7	12.7	12.9	13.5	13.5	13.3	13.2	13.1	13.1	13.1	13.6	13.4	13.2	13.1	13.1	13.0	12.9	12.9	12.9	12.8	12.8	12.7	13.6	13.0
28	12.8	12.7	12.7	12.7	12.6	12.8	13.5	13.8	13.5	13.3	13.3	13.3	13.2	13.9	13.5	13.2	13.1	13.1	13.0	12.9	12.9	12.9	12.8	12.8	12.6	13.9	13.1
29	12.8	12.7	12.7	12.6	12.6	12.8	13.5	13.7	13.4	13.3	13.3	13.8	13.8	13.9	13.5	13.2	13.2	13.1	13.0	13.0	12.9	12.9	12.8	12.8	12.6	13.9	13.1
30	12.8	12.7	12.7	12.6	12.6	12.8	13.5	13.5	13.4	13.3	13.3	13.2	13.2	13.8	13.4	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.6	13.8	13.1
31	12.8	12.7	12.7	12.7	12.6	12.8	13.5	13.6	13.9	13.3	13.2	13.2	13.2	13.8	13.4	13.2	13.2	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.6	13.9	13.1
Min	12.6	12.6	12.6	12.6	12.6	12.7	12.8	12.9	13.2	13.1	13.0	13.0	13.0	13.0	12.9	13.0	12.9	12.9	12.8	12.8	12.7	12.7	12.7	12.7	12.6		
Max	13.0	12.9	12.9	12.9	12.8	13.0	13.9	14.5	14.1	14.6	14.4	14.0	14.0	14.0	14.0	13.7	13.5	13.3	13.2	13.1	13.1	13.1	13.0	13.0		14.6	
Avg	12.8	12.8	12.7	12.7	12.7	12.8	13.5	13.7	13.5	13.4	13.4	13.3	13.3	13.6	13.5	13.2	13.2	13.1	13.0	13.0	12.9	12.9	12.8	12.8			13.1

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2