

Desert Hot Springs Meteorological Data

November 2005

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Desert Hot Springs (data subject to change)
Month: November
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 12-15-2005
Printout Time: 10:10:06
Output File Name: DHSB1105.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	6.8	4.8	3.8	5.1	5.9	6.0	4.7	3.8	2.8	3.3	4.3	5.4	5.0	4.5	4.4	4.7	2.9	4.5	6.0	5.9	5.7	6.1	5.7	4.8	2.8	6.8	4.9
2	4.8	5.5	4.7	5.8	4.0	3.4	4.9	4.0	2.9	5.1	5.9	8.2	9.1	8.3	8.0	6.1	4.5	5.0	9.3	12.0	12.0	13.7	12.8	14.9	2.9	14.9	7.3
3	15.4	18.8	18.7	15.8	14.4	11.8	17.3	15.7	15.1	13.7	14.8	14.2	16.0	19.8	21.1	19.6	19.2	18.2	17.0	13.4	9.5	6.4	7.0	5.4	5.4	21.1	14.9
4	5.2	5.8	5.2	3.4	4.2	2.7	3.0	5.6	4.4	5.6	15.1	18.1	15.0	18.3	18.1	16.0	7.0	3.7	4.5	2.4	3.5	5.3	5.6	4.8	2.4	18.3	7.6
5	6.3	6.8	4.8	3.8	4.8	4.4	2.8	3.1	1.0	1.8	4.4	4.6	4.0	5.4	4.7	4.9	3.2	3.5	6.4	6.4	6.4	4.2	5.2	4.9	1.0	6.8	4.5
6	4.0	4.3	5.2	5.0	3.7	4.7	5.1	2.9	2.1	1.1	2.5	3.4	3.2	5.3	5.3	3.5	1.4	1.5	4.0	3.8	5.5	5.4	5.1	3.9	1.1	5.5	3.8
7	4.3	4.4	3.8	2.5	3.3	3.6	2.3	2.3	1.9	2.2	3.7	4.6	5.6	5.8	5.7	4.9	2.5	3.5	5.0	5.0	5.6	6.6	5.8	4.5	1.9	6.6	4.1
8	5.3	4.2	5.1	5.1	5.2	4.9	4.3	3.3	1.8	1.5	2.3	2.1	2.3	2.3	2.2	1.6	1.0	2.5	3.5	4.4	3.4	4.1	2.9	2.8	1.0	5.3	3.3
9	3.3	2.2	2.4	2.2	2.8	2.6	4.0	2.0	1.9	1.6	3.7	7.1	6.1	6.8	8.0	6.5	4.0	1.7	1.9	2.9	2.8	4.0	3.4	2.1	1.6	8.0	3.6
10	1.5	3.6	4.5	4.4	5.9	4.3	3.5	2.3	3.6	11.3	17.8	16.6	13.5	12.9	14.2	15.8	14.5	12.8	12.2	13.7	10.4	10.1	11.6	22.0	1.5	22.0	10.1
11	24.5	22.0	18.2	17.6	7.3	7.6	11.7	15.5	13.8	13.8	14.8	18.4	15.8	14.2	15.0	12.2	8.4	4.2	3.1	4.0	3.3	5.2	4.3	3.2	3.1	24.5	11.6
12	4.6	4.4	3.4	4.5	5.3	3.7	4.1	2.0	1.8	1.9	3.1	4.3	4.9	6.2	5.7	5.0	1.9	4.2	5.1	6.3	7.2	5.0	5.2	5.3	1.8	7.2	4.4
13	7.1	6.1	5.6	4.8	3.4	2.2	3.2	2.6	2.5	3.6	3.5	5.1	5.1	4.7	4.2	3.0	1.7	3.9	4.7	3.7	4.4	4.8	6.4	7.3	1.7	7.3	4.2
14	6.0	7.3	2.1	4.0	6.5	7.5	6.9	4.9	1.7	4.0	4.5	5.1	4.5	5.5	4.1	3.8	1.4	3.2	6.0	5.1	6.0	4.1	5.6	5.9	1.4	7.5	4.8
15	4.7	4.8	5.6	15.6	16.6	12.3	10.6	9.9	8.9	9.6	12.8	16.3	16.0	16.3	15.7	11.4	11.9	8.9	3.4	6.5	5.8	10.3	7.6	6.8	3.4	16.6	10.3
16	7.2	3.7	5.6	7.4	3.6	5.1	5.7	6.5	8.7	9.6	7.1	8.4	6.2	5.9	5.0	3.4	1.7	6.4	5.0	5.3	5.4	5.5	4.9	4.7	1.7	9.6	5.7
17	6.8	4.9	5.6	5.9	5.7	5.5	4.6	4.3	7.6	4.6	9.6	10.2	10.2	11.0	9.9	8.5	6.5	4.7	3.8	3.2	4.2	2.1	3.9	5.6	2.1	11.0	6.2
18	2.9	9.9	4.9	5.4	2.4	5.6	8.1	8.5	11.4	7.3	5.9	9.3	8.8	7.3	4.7	11.7	10.4	9.6	10.9	6.6	7.1	3.3	4.0	4.8	2.4	11.7	7.1
19	5.7	5.8	7.0	5.9	6.1	7.9	6.7	4.6	1.6	2.7	2.8	6.9	8.1	8.3	7.9	4.1	3.1	6.4	5.6	9.5	11.2	2.5	4.1	10.0	1.6	11.2	6.0
20	8.7	6.5	3.4	6.7	8.4	7.8	4.2	7.5	3.5	4.9	4.5	4.7	5.6	6.7	5.5	4.5	2.4	5.4	6.7	8.3	5.6	4.3	6.4	5.5	2.4	8.7	5.7
21	4.5	3.8	5.0	3.8	2.9	2.4	2.6	2.6	1.7	3.7	3.4	3.8	4.6	4.9	3.9	3.1	1.7	4.8	6.2	7.0	5.8	5.3	5.5	6.4	1.7	7.0	4.1
22	6.5	5.1	4.1	3.8	3.1	3.4	2.1	1.3	1.9	2.3	2.8	4.3	6.2	6.4	5.0	4.3	2.9	5.1	5.0	5.2	5.1	5.4	6.6	5.7	1.3	6.6	4.3
23	4.6	5.0	4.1	4.0	3.0	2.6	5.0	3.4	2.5	2.7	1.8	2.2	1.2	2.0	3.3	2.9	2.8	3.5	5.4	3.5	2.6	3.7	5.0	3.3	1.2	5.4	3.3
24	4.5	7.1	4.2	2.9	5.9	6.5	5.5	3.1	2.9	7.8	6.3	7.5	6.3	5.8	6.1	5.3	3.9	4.5	6.4	7.3	4.5	3.8	5.5	5.3	2.9	7.8	5.4
25	5.3	7.7	7.1	7.0	3.5	4.2	4.3	3.0	2.4	2.2	4.7	5.6	7.7	13.4	15.4	17.6	14.3	11.1	16.4	16.1	14.7	19.3	19.4	21.6	2.2	21.6	10.2
26	28.8	26.3	22.5	24.4	20.1	15.6	16.4	19.0	21.5	21.4	23.4	24.6	23.4	25.2	24.4	24.0	21.9	24.5	18.3	6.0	15.4	22.4	24.2	23.3	6.0	28.8	21.5
27	18.3	18.9	17.0	11.6	13.8	7.1	6.7	9.8	14.6	19.5	16.5	14.1	9.4	13.0	11.7	9.2	9.3	6.0	2.7	4.5	2.8	5.3	5.3	5.4	2.7	19.5	10.5
28	5.1	4.4	5.0	6.3	6.8	5.4	3.6	1.9	2.0	3.7	4.9	6.5	6.7	6.1	-940	4.9	2.6	2.4	5.7	5.9	5.8	5.5	5.2	4.9	1.9	6.8	4.8
29	4.6	4.9	3.0	5.1	4.8	5.1	5.5	2.5	1.5	2.7	3.0	3.8	5.5	7.1	5.8	5.9	3.6	2.3	2.9	5.1	7.7	8.1	5.3	3.4	1.5	8.1	4.5
30	3.5	8.0	7.2	5.8	4.2	3.2	1.8	2.1	1.8	1.7	2.8	3.5	3.6	3.1	3.9	2.3	2.5	3.2	5.8	6.0	5.7	4.8	5.2	3.8	1.7	8.0	4.0
Min	1.5	2.2	2.1	2.2	2.4	2.2	1.8	1.3	1.0	1.1	1.8	2.1	1.2	2.0	2.2	1.6	1.0	1.5	1.9	2.4	2.6	2.1	2.9	2.1	1.0		
Max	28.8	26.3	22.5	24.4	20.1	15.6	17.3	19.0	21.5	21.4	23.4	24.6	23.4	25.2	24.4	24.0	21.9	24.5	18.3	16.1	15.4	22.4	24.2	23.3		28.8	
Avg	7.4	7.6	6.6	6.9	6.3	5.6	5.7	5.3	5.1	5.9	7.1	8.2	8.0	8.7	8.6	7.7	5.8	6.0	6.6	6.5	6.5	6.6	6.8	7.1			6.8

Total Data Records Possible: 720
Total Valid Data Records: 719
Percent Data Recovery: 99.9

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.1

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Desert Hot Springs (data subject to change)
 Month: November
 Year: 2005
 Time Zone: PST

Validation Level: B
 Printout Date: 12-15-2005
 Printout Time: 10:10:07
 Output File Name: DHSB1105.10

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	344	0	42	19	355	20	44	35	119	151	159	148	177	170	176	171	160	344	327	333	332	332	330	330	[NNW]
2	330	329	335	341	6	324	356	344	302	163	171	157	164	184	174	150	197	308	283	282	296	293	299	301	[WNW]
3	290	279	266	278	266	251	272	267	261	234	226	244	269	266	271	267	269	268	279	281	290	302	312	317	[W]
4	328	342	334	29	349	14	40	112	74	237	266	260	258	256	255	264	284	352	260	354	6	325	308	331	[NNW]
5	327	323	332	7	334	333	19	337	355	130	170	154	169	163	165	172	173	10	331	331	332	336	326	346	[NNW]
6	2	344	341	338	351	340	1	347	81	141	162	171	173	178	170	161	201	29	328	351	337	326	332	349	[NNW]
7	334	334	336	298	356	357	9	6	88	157	165	161	160	167	173	176	173	336	335	331	327	324	344	326	[NNW]
8	334	341	339	347	335	344	338	356	121	132	143	116	130	165	253	279	190	348	345	3	327	285	136	81	[NNW]
9	39	9	17	336	268	119	122	350	256	266	252	260	259	257	258	251	274	277	34	321	329	323	331	28	[W]
10	71	345	343	259	347	340	6	286	119	263	256	260	259	258	253	263	276	283	285	287	303	305	305	285	[NNW]
11	277	278	284	280	310	303	294	281	279	267	269	264	266	258	264	274	281	311	316	332	309	342	335	21	[W]
12	350	328	339	338	337	351	345	23	173	145	156	164	162	147	153	166	166	339	338	355	341	337	328	342	[NNW]
13	340	334	338	351	9	359	4	21	65	151	142	154	172	160	164	172	197	337	348	352	359	339	350	344	[N]
14	334	348	291	317	327	339	333	346	314	97	159	177	156	167	163	170	192	335	328	347	338	11	339	349	[NNW]
15	345	325	323	14	19	19	25	32	82	73	61	47	48	43	27	24	22	34	343	58	62	54	67	57	[NNE]
16	37	64	36	70	38	45	84	75	58	42	71	79	78	94	177	185	252	357	359	339	349	343	357	1	[ENE]
17	345	350	351	335	346	341	303	82	77	116	82	69	72	64	53	46	97	103	138	315	229	187	349	27	[ENE]
18	87	52	43	34	274	36	33	47	30	30	32	50	58	45	42	24	32	40	49	343	15	95	63	317	[NE]
19	348	339	335	342	339	329	326	0	341	100	122	164	188	189	183	174	275	335	322	355	20	333	8	358	[NNW]
20	340	345	347	355	354	356	0	357	24	126	149	154	152	157	165	161	95	6	7	5	20	17	6	327	[N]
21	346	360	342	342	355	22	14	35	97	147	147	166	145	163	158	167	167	346	343	335	340	347	348	333	[NNW]
22	341	354	343	23	21	22	51	59	51	150	150	139	163	170	184	170	269	337	343	347	344	352	348	340	[NNW]
23	336	341	359	345	359	357	342	351	345	35	353	214	192	216	135	218	58	335	344	346	8	339	341	339	[NNW]
24	18	6	50	37	335	338	337	277	205	212	181	158	153	169	175	165	226	357	332	333	335	342	347	334	[NNW]
25	332	334	331	338	4	334	349	360	103	105	152	156	225	242	268	259	254	283	301	296	288	283	285	295	[WNW]
26	296	283	284	287	282	301	299	297	295	291	282	275	278	276	268	270	273	265	292	338	333	2	11	16	[WNW]
27	32	14	12	2	352	334	27	10	22	22	22	27	19	15	13	7	3	25	258	326	2	342	347	347	[NNE]
28	330	342	345	337	328	339	349	27	128	155	147	140	156	154	-940	151	158	24	335	338	328	331	338	352	[NNW]
29	360	355	11	345	332	343	343	334	173	156	158	179	161	172	174	144	194	333	102	77	106	115	125	117	[NNW]
30	42	110	113	108	62	55	209	332	24	301	357	214	186	172	186	210	177	319	339	333	331	339	343	338	[NNW]

Prev [NNW] [NNW] [NNW] [NNW] [N] [NNW] [N] [N] [E] [SSE] [SSE] [SSE] [SSE] [SSE] [S] [S] [W] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW]

Total Data Records Possible: 720
 Total Valid Data Records: 719
 Percent Data Recovery: 99.9

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.1

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Desert Hot Springs (data subject to change)
Month: November
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 12-15-2005
Printout Time: 10:10:07
Output File Name: DHSB1105.10t

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[NNW]	[N]	[NE]	[NNE]	[N]	[NNE]	[NE]	[NE]	[ESE]	[SSE]	[SSE]	[SSE]	[S]	[S]	[S]	[S]	[SSE]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
2	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NW]	[N]	[NNW]	[WNW]	[SSE]	[S]	[SSE]	[SSE]	[S]	[S]	[SSE]	[SSW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
3	[WNW]	[W]	[W]	[W]	[W]	[WSW]	[W]	[W]	[W]	[SW]	[SW]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]
4	[NNW]	[NNW]	[NNW]	[NNE]	[N]	[NNE]	[NE]	[ESE]	[ENE]	[WSW]	[W]	[W]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[WNW]	[N]	[W]	[N]	[N]	[NW]	[NW]	[NNW]
5	[NNW]	[NW]	[NNW]	[N]	[NNW]	[NNW]	[NNE]	[NNW]	[N]	[SE]	[S]	[SSE]	[S]	[SSE]	[SSE]	[S]	[S]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]
6	[N]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[N]	[NNW]	[E]	[SE]	[SSE]	[S]	[S]	[S]	[S]	[SSE]	[SSW]	[NNE]	[NNW]	[N]	[NNW]	[NW]	[NNW]	[N]	[NNW]
7	[NNW]	[NNW]	[NNW]	[WNW]	[N]	[N]	[N]	[N]	[E]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[S]	[S]	[S]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NW]	[NNW]
8	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[ESE]	[SE]	[SE]	[ESE]	[SE]	[SSE]	[WSW]	[W]	[S]	[NNW]	[NNW]	[N]	[NNW]	[WNW]	[SE]	[E]	[NNW]
9	[NE]	[N]	[NNE]	[NNW]	[W]	[ESE]	[ESE]	[N]	[WSW]	[W]	[WSW]	[W]	[W]	[WSW]	[WSW]	[WSW]	[W]	[W]	[NE]	[NW]	[NNW]	[NW]	[NNW]	[NNE]	[W]
10	[ENE]	[NNW]	[NNW]	[WSW]	[NNW]	[NNW]	[N]	[WNW]	[ESE]	[W]	[WSW]	[W]	[WSW]	[WSW]	[WSW]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[WNW]
11	[W]	[W]	[WNW]	[W]	[NW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[WSW]	[W]	[W]	[W]	[NW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NNE]	[W]
12	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNE]	[S]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
13	[NNW]	[NNW]	[NNW]	[N]	[N]	[N]	[N]	[NNE]	[ENE]	[SSE]	[SE]	[SSE]	[S]	[SSE]	[SSE]	[S]	[SSW]	[NNW]	[NNW]	[N]	[N]	[NNW]	[N]	[NNW]	[N]
14	[NNW]	[NNW]	[WNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[E]	[SSE]	[S]	[SSE]	[SSE]	[SSE]	[S]	[SSW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]
15	[NNW]	[NW]	[NW]	[NNE]	[NNE]	[NNE]	[NNE]	[N]	[ENE]	[ENE]	[ENE]	[NE]	[NE]	[NE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[ENE]	[ENE]	[ENE]	[ENE]	[ENE]	[ENE]
16	[NE]	[ENE]	[NE]	[ENE]	[NE]	[NE]	[E]	[ENE]	[ENE]	[NE]	[ENE]	[ENE]	[ENE]	[E]	[S]	[S]	[WSW]	[N]	[N]	[NNW]	[N]	[NNW]	[N]	[N]	[ENE]
17	[NNW]	[N]	[N]	[NNW]	[NNW]	[NNW]	[WNW]	[E]	[ENE]	[ESE]	[E]	[ENE]	[ENE]	[ENE]	[NE]	[NE]	[E]	[ESE]	[SE]	[NW]	[SW]	[S]	[N]	[NNE]	[ENE]
18	[E]	[NE]	[NE]	[NE]	[W]	[NE]	[NNE]	[NE]	[NNE]	[NNE]	[NE]	[ENE]	[NE]	[NE]	[NNE]	[NNE]	[NE]	[NE]	[NNW]	[NNE]	[E]	[ENE]	[NW]	[NE]	[NE]
19	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[N]	[NNW]	[E]	[ESE]	[SSE]	[S]	[S]	[S]	[S]	[W]	[NNW]	[NW]	[N]	[NNE]	[NNW]	[N]	[N]	[NNW]
20	[NNW]	[NNW]	[NNW]	[N]	[N]	[N]	[N]	[NNE]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[E]	[N]	[N]	[N]	[NNE]	[NNE]	[N]	[NNW]	[N]
21	[NNW]	[N]	[NNW]	[NNW]	[N]	[NNE]	[NNE]	[NE]	[E]	[SSE]	[SSE]	[SSE]	[SE]	[SSE]	[SSE]	[SSE]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
22	[NNW]	[N]	[NNW]	[NNE]	[NNE]	[NNE]	[NE]	[ENE]	[NE]	[SSE]	[SSE]	[SE]	[SSE]	[S]	[S]	[S]	[W]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]
23	[NNW]	[NNW]	[N]	[NNW]	[N]	[N]	[NNW]	[N]	[NNW]	[NE]	[N]	[SW]	[SSW]	[SW]	[SE]	[SW]	[ENE]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]
24	[NNE]	[N]	[NE]	[NE]	[NNW]	[NNW]	[NNW]	[W]	[SSW]	[SSW]	[S]	[SSE]	[SSE]	[S]	[S]	[SSE]	[SW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
25	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[N]	[N]	[ESE]	[ESE]	[SSE]	[SSE]	[SW]	[WSW]	[W]	[W]	[WSW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
26	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[NNW]	[NNW]	[N]	[N]	[NNE]	[WNW]	[WNW]
27	[NNE]	[NNE]	[NNE]	[N]	[N]	[NNW]	[NNE]	[N]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[N]	[N]	[NNE]	[WSW]	[NW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNE]
28	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNE]	[SE]	[SSE]	[SSE]	[SE]	[SSE]	[SSE]	-940	[SSE]	[SSE]	[NNE]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
29	[N]	[N]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[S]	[SSE]	[SSE]	[S]	[SSE]	[S]	[S]	[SE]	[SSW]	[NNW]	[ESE]	[ENE]	[ESE]	[ESE]	[SE]	[ESE]	[NNW]
30	[NE]	[ESE]	[ESE]	[ESE]	[ENE]	[NE]	[SSW]	[NNW]	[NNE]	[WNW]	[N]	[SSW]	[S]	[S]	[S]	[SSW]	[S]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]

Prev [NNW] [NNW] [NNW] [NNW] [N] [NNW] [N] [N] [E] [SSE] [SSE] [SSE] [SSE] [SSE] [S] [S] [W] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW]

Total Data Records Possible: 720
Total Valid Data Records: 719
Percent Data Recovery: 99.9

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.1

Variable: Sigma Theta (Yamartino)
 Units: degrees
 Channel: 11

Site: Desert Hot Springs (data subject to change)
 Month: November
 Year: 2005
 Time Zone: PST

Validation Level: B
 Printout Date: 12-15-2005
 Printout Time: 10:10:08
 Output File Name: DHSB1105.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	14.3	21.4	31.9	10.7	8.6	13.8	14.4	6.7	15.4	16.7	24.2	30.5	24.9	25.2	23.8	16.2	8.6	33.8	3.4	4.8	4.6	5.0	4.9	9.2	3.4	33.8	15.5
2	8.2	6.1	11.4	19.0	50.6	36.4	16.0	12.1	50.2	23.9	14.5	14.5	14.9	14.3	15.2	28.7	38.5	32.6	16.7	17.7	12.7	12.5	11.9	11.4	6.1	50.6	20.4
3	11.0	11.4	10.3	13.6	10.1	16.8	12.3	12.4	14.3	13.8	14.6	15.6	13.6	11.9	11.8	11.7	11.5	10.7	12.2	13.1	19.5	23.0	20.9	21.6	10.1	23.0	14.1
4	22.3	19.1	39.9	68.1	33.4	68.4	65.9	22.4	49.1	46.0	16.7	11.7	14.3	11.4	12.0	11.8	15.8	24.6	21.1	33.0	25.2	34.7	35.9	28.4	11.4	68.4	30.5
5	12.3	18.5	10.8	33.7	15.0	26.9	51.5	10.9	59.7	50.0	23.0	33.0	30.1	22.4	22.2	17.8	9.5	33.6	3.7	6.3	5.6	9.9	6.1	9.9	3.7	59.7	21.8
6	10.3	7.6	7.1	8.4	13.6	9.0	7.8	8.9	16.9	24.8	24.6	37.5	37.6	19.0	12.9	15.8	20.5	27.2	9.5	8.0	7.7	4.8	6.9	15.9	4.8	37.6	15.1
7	13.5	7.3	11.1	29.4	11.9	15.8	57.7	48.9	24.2	53.5	25.0	26.9	19.3	16.4	17.5	13.1	10.5	19.3	5.3	9.0	5.8	6.0	10.3	20.7	5.3	57.7	19.9
8	8.1	12.1	10.1	12.4	6.3	9.4	8.4	9.6	37.5	37.8	43.5	51.9	57.3	58.3	47.4	31.4	17.4	31.8	12.7	10.1	23.6	37.3	56.6	22.1	6.3	58.3	27.2
9	33.4	29.5	31.5	61.6	45.4	22.8	13.1	38.5	40.9	48.1	22.6	11.1	11.0	10.4	9.9	10.6	19.4	23.5	50.2	15.6	28.8	12.0	12.7	34.7	9.9	61.6	26.6
10	21.6	19.0	26.9	47.1	9.7	22.9	25.1	24.0	21.8	17.0	11.6	12.5	13.7	13.5	16.9	12.7	12.7	13.2	12.4	14.8	15.1	14.9	14.0	12.3	9.7	47.1	17.7
11	11.6	11.8	12.5	12.6	16.6	27.8	18.7	14.2	13.2	14.1	14.5	13.0	13.1	13.0	11.1	13.7	12.9	14.2	21.0	14.4	33.5	13.4	11.9	16.2	11.1	33.5	15.4
12	15.9	12.0	11.8	6.7	8.1	13.1	12.8	15.1	16.1	23.0	26.3	33.7	25.6	22.5	22.2	16.4	6.9	23.8	4.4	9.3	9.3	12.5	10.9	11.7	4.4	33.7	15.4
13	4.7	7.6	9.5	11.1	21.0	44.4	35.7	33.1	14.5	17.2	19.5	22.6	24.6	20.8	20.7	18.8	37.9	8.3	19.4	20.6	17.2	18.1	21.0	7.4	4.7	44.4	19.8
14	9.8	12.1	81.6	24.9	14.0	9.9	10.5	34.7	43.6	42.9	22.7	19.0	33.8	22.3	28.1	15.7	53.7	29.3	27.1	22.7	11.4	22.9	15.4	19.1	9.8	81.6	26.1
15	42.6	26.9	21.1	13.6	15.1	22.6	26.5	27.6	35.1	37.1	29.8	16.6	18.2	17.3	17.8	16.9	14.9	18.6	63.1	36.0	42.5	18.4	20.3	20.8	13.6	63.1	25.8
16	24.7	50.6	32.4	34.4	37.9	27.1	34.7	25.4	20.9	24.9	24.7	22.5	24.6	32.8	16.9	15.7	35.7	9.6	12.9	13.3	8.4	11.1	24.0	13.0	8.4	50.6	24.1
17	7.1	22.0	21.1	21.0	21.5	26.8	48.2	37.2	26.6	34.2	19.6	19.9	18.6	18.3	20.4	17.9	17.2	13.9	50.6	56.0	70.3	54.4	27.1	20.0	7.1	70.3	28.7
18	43.0	19.9	27.2	26.2	58.9	25.7	16.9	18.1	13.0	16.0	21.8	20.2	21.2	20.0	26.8	17.9	14.1	15.7	20.0	17.3	19.0	65.0	57.3	53.9	13.0	65.0	27.3
19	14.8	13.7	5.8	12.5	15.6	12.1	17.3	12.3	51.9	20.9	24.5	17.7	13.2	13.1	19.3	16.6	36.4	8.8	7.0	13.4	13.2	71.1	45.2	12.9	5.8	71.1	20.4
20	11.6	33.9	41.4	17.2	13.2	13.0	42.4	13.5	24.4	27.5	24.4	39.7	21.4	18.9	18.6	11.2	17.3	8.6	10.7	11.3	14.6	17.4	9.6	9.1	8.6	42.4	19.6
21	12.6	18.2	8.9	9.5	13.7	14.4	16.6	19.0	12.9	13.9	20.1	26.5	25.1	28.5	20.7	20.4	37.1	8.4	9.2	9.3	5.3	7.1	12.3	6.0	5.3	37.1	15.7
22	5.4	8.0	11.1	14.1	16.8	15.8	37.7	31.6	16.7	13.1	21.3	22.5	16.8	16.2	12.7	11.0	18.3	5.2	6.4	9.5	5.9	8.1	8.8	5.8	5.2	37.7	14.1
23	6.2	8.5	11.2	11.1	17.2	13.2	6.9	11.6	12.4	29.3	27.6	22.1	31.7	36.2	35.4	51.3	19.8	9.9	8.7	15.7	21.4	17.1	10.1	13.6	6.2	51.3	18.7
24	15.2	12.1	23.3	31.2	8.0	7.7	23.8	23.8	48.6	11.9	26.4	18.4	30.7	25.4	15.7	14.2	38.9	14.1	8.3	9.7	15.7	21.3	12.2	24.9	7.7	48.6	20.1
25	12.4	9.5	10.6	11.6	55.3	34.7	39.0	35.3	24.8	52.8	36.5	26.9	43.5	15.7	13.4	12.5	14.0	18.3	12.6	12.9	13.6	12.3	12.1	12.0	9.5	55.3	22.6
26	12.1	14.1	15.6	14.7	14.4	17.2	17.1	14.3	14.1	12.9	13.3	13.4	15.0	14.6	16.6	13.7	13.8	14.1	16.8	59.8	34.8	14.8	14.3	14.4	12.1	59.8	17.3
27	13.5	15.7	15.5	16.9	20.0	24.0	29.7	25.8	16.8	14.7	16.2	20.2	29.0	16.1	16.6	17.5	15.5	16.9	51.9	36.5	49.0	6.6	7.2	9.6	6.6	51.9	20.9
28	8.3	7.9	7.1	4.4	9.7	15.8	15.1	56.5	12.5	20.3	22.0	18.0	17.8	20.0	-940	15.4	8.6	30.4	4.5	4.9	4.9	4.9	9.7	8.5	4.4	56.5	14.2
29	20.0	13.7	27.5	10.3	9.9	9.3	11.9	41.1	25.4	31.3	33.8	33.2	22.9	16.6	19.0	15.4	38.7	73.2	62.4	39.3	13.3	11.3	19.4	78.4	9.3	78.4	28.2
30	51.3	14.6	13.5	34.9	62.8	34.2	38.0	22.2	45.3	49.9	29.6	44.5	29.6	45.5	23.0	24.1	10.6	29.6	6.2	2.9	5.4	9.0	10.7	14.0	2.9	62.8	27.1
Min	4.7	6.1	5.8	4.4	6.3	7.7	6.9	6.7	12.4	11.9	11.6	11.1	11.0	10.4	9.9	10.6	6.9	5.2	3.4	2.9	4.6	4.8	4.9	5.8	2.9		
Max	51.3	50.6	81.6	68.1	62.8	68.4	65.9	56.5	59.7	53.5	43.5	51.9	57.3	58.3	47.4	51.3	53.7	73.2	63.1	59.8	70.3	71.1	57.3	78.4	81.6		
Avg	16.6	16.2	20.0	21.4	21.8	21.7	25.7	23.6	27.3	28.0	23.2	23.9	23.8	21.2	19.5	17.5	20.9	20.7	19.0	18.2	18.6	19.2	18.0	18.6			21.0

Total Data Records Possible: 720
 Total Valid Data Records: 719
 Percent Data Recovery: 99.9

Missing Data Codes

 -910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.1

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Desert Hot Springs (data subject to change)
Month: November
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 12-15-2005
Printout Time: 10:10:12
Output File Name: DHSB1105.17

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	12.9	9.9	7.7	7.7	10.7	10.4	7.6	5.9	5.4	5.5	8.1	11.5	11.2	9.7	8.8	8.7	6.4	7.2	7.7	8.0	7.3	8.0	7.4	6.1	5.4	12.9	8.3
2	6.3	6.7	8.8	9.5	7.3	7.9	6.8	6.6	7.6	9.4	10.0	14.7	14.8	14.3	13.9	10.6	9.0	14.8	23.8	23.5	22.3	24.1	23.1	26.6	6.3	26.6	13.4
3	28.0	35.4	30.0	28.0	24.5	22.3	31.2	28.8	28.7	26.6	25.2	24.8	30.2	31.4	36.8	35.0	33.8	32.9	29.8	26.2	25.1	14.6	15.6	10.4	10.4	36.8	27.3
4	10.3	10.1	12.0	11.0	9.4	6.7	9.8	14.5	10.7	22.4	31.8	32.4	29.4	29.8	29.8	28.4	15.3	8.8	11.6	5.5	7.0	8.6	11.4	9.0	5.5	32.4	15.6
5	10.4	15.2	8.7	7.2	7.6	8.8	6.6	5.8	3.4	5.6	9.4	10.9	9.2	10.2	9.6	8.7	6.4	7.1	8.0	8.6	9.6	6.6	8.5	6.6	3.4	15.2	8.3
6	8.0	6.0	7.4	8.3	6.9	6.2	7.2	6.1	3.4	4.0	6.4	8.0	8.1	9.3	9.7	6.5	3.1	3.3	7.0	6.2	8.1	7.4	7.1	5.6	3.1	9.7	6.6
7	6.5	6.2	6.1	4.5	4.7	5.7	4.8	6.3	3.5	8.3	7.9	9.1	10.0	9.6	11.0	8.4	5.3	6.0	6.9	7.7	8.0	9.1	9.1	7.2	3.5	11.0	7.2
8	6.8	5.7	8.9	8.0	6.6	7.5	6.0	4.6	3.7	3.7	5.8	5.5	7.0	7.2	5.8	4.0	3.3	4.1	6.0	6.6	8.7	10.7	7.6	6.0	3.3	10.7	6.2
9	7.0	5.4	6.1	6.4	9.6	5.5	7.2	5.1	4.2	4.7	9.1	12.2	10.1	11.3	12.1	10.4	8.3	4.4	4.5	6.5	5.0	6.7	6.6	4.8	4.2	12.2	7.2
10	3.4	5.7	9.9	10.0	10.1	9.2	6.0	5.8	7.2	25.8	29.0	28.6	22.9	22.2	26.4	26.7	30.5	25.0	25.1	28.3	19.8	20.0	25.4	38.7	3.4	38.7	19.2
11	39.8	37.6	34.4	33.8	15.7	26.5	25.8	28.4	29.9	28.4	28.8	32.9	29.8	22.7	26.5	24.0	17.9	10.6	7.3	7.3	7.2	9.4	6.8	5.3	5.3	39.8	22.4
12	6.7	6.5	5.5	6.1	8.6	6.0	6.6	7.1	3.9	5.9	7.8	9.6	10.1	12.0	10.4	8.8	5.5	7.0	6.5	10.8	11.7	9.5	7.2	8.1	3.9	12.0	7.8
13	9.0	8.2	8.0	6.8	6.1	6.8	6.7	5.5	4.5	7.3	6.4	7.6	10.2	8.8	7.2	6.7	3.2	8.2	8.3	7.8	7.1	9.9	11.0	11.0	3.2	11.0	7.6
14	9.1	11.8	8.6	8.8	12.9	10.5	11.0	10.1	4.7	8.7	8.0	9.2	10.4	9.9	8.4	6.8	4.6	6.5	9.5	8.2	8.6	8.2	9.4	10.7	4.6	12.9	8.9
15	10.1	13.7	15.6	32.4	35.6	27.9	27.8	25.6	29.1	28.4	32.6	35.8	37.4	36.9	31.9	23.8	22.9	21.2	8.3	22.9	16.1	20.7	17.4	16.1	8.3	37.4	24.6
16	18.9	10.8	16.0	19.6	11.5	13.4	16.0	17.5	22.1	22.1	14.8	15.9	13.2	14.1	9.1	6.2	3.8	9.6	8.6	8.7	7.6	8.9	9.1	7.2	3.8	22.1	12.7
17	9.4	8.3	10.2	10.8	11.9	11.5	12.4	14.5	16.5	12.6	20.1	22.6	21.0	21.1	20.2	21.0	13.7	8.0	6.8	8.7	11.2	6.5	9.5	10.0	6.5	22.6	13.3
18	7.3	23.8	14.4	11.3	6.9	12.6	25.6	25.0	19.4	14.9	12.9	20.2	20.1	16.4	16.0	24.8	21.3	22.2	25.4	12.1	18.3	9.7	12.8	9.9	6.9	25.6	16.8
19	9.0	9.8	8.9	11.8	9.8	13.4	11.3	8.3	4.1	6.1	5.6	14.6	12.1	13.4	13.2	8.4	6.5	9.2	8.5	24.5	20.9	10.8	12.5	17.1	4.1	24.5	11.2
20	16.8	14.6	7.4	13.0	13.4	15.9	12.2	15.0	9.0	10.0	8.6	10.0	12.1	12.1	13.1	9.4	4.7	9.9	10.8	14.1	11.8	9.5	10.2	7.8	4.7	16.8	11.3
21	7.7	6.2	7.8	6.1	4.9	4.7	4.4	5.2	3.9	6.1	6.6	8.4	12.2	10.4	8.2	5.8	5.8	6.1	9.6	10.6	8.6	9.0	8.2	8.3	3.9	12.2	7.3
22	8.9	7.8	7.1	7.3	5.6	7.4	6.2	3.4	3.4	4.2	5.6	8.5	10.4	11.4	8.3	7.0	5.4	6.6	8.3	7.8	7.1	7.1	11.7	10.0	3.4	11.7	7.4
23	7.0	7.1	5.5	6.5	5.9	5.0	7.2	6.2	6.1	5.0	4.7	5.0	4.5	5.1	6.8	6.0	6.7	6.1	9.2	6.4	4.6	5.5	8.0	7.2	4.5	9.2	6.1
24	11.4	14.5	9.0	6.6	8.3	10.9	8.5	5.7	8.3	12.2	10.7	15.1	14.5	14.2	9.9	8.6	6.8	7.8	10.7	11.5	7.2	8.3	8.3	8.5	5.7	15.1	9.9
25	10.5	10.7	12.4	11.0	9.1	8.6	8.2	6.3	5.1	5.6	9.6	12.4	18.9	23.1	29.5	33.0	26.5	28.1	27.8	30.0	25.7	35.9	32.2	41.4	5.1	41.4	19.2
26	48.7	47.5	43.5	44.9	40.8	34.0	35.2	36.5	38.9	41.7	40.4	43.0	44.9	45.1	47.5	44.1	41.2	44.9	42.9	19.1	37.9	41.9	43.5	43.6	19.1	48.7	41.3
27	35.5	38.2	37.3	27.7	29.3	20.1	18.2	27.8	30.3	36.2	38.4	33.8	22.9	25.5	23.5	19.4	18.2	12.4	6.8	8.0	5.4	7.4	7.8	7.2	5.4	38.4	22.4
28	7.8	7.2	6.6	7.6	10.5	9.3	5.9	6.1	4.5	7.3	9.1	11.4	11.9	12.3	-940	8.3	6.1	5.3	7.8	8.3	8.0	7.9	6.5	6.6	4.5	12.3	7.9
29	8.3	7.9	5.5	7.1	9.0	7.2	7.3	5.6	4.7	6.8	7.1	9.1	13.4	13.3	9.8	11.7	7.6	5.8	8.9	11.6	12.6	14.3	10.1	7.4	4.7	14.3	8.8
30	9.3	13.3	13.4	11.5	8.8	7.2	5.1	4.1	4.8	5.1	7.0	7.6	8.7	7.4	7.2	4.7	5.7	6.4	8.6	7.4	7.9	6.6	8.0	6.0	4.1	13.4	7.6
Min	3.4	5.4	5.5	4.5	4.7	4.7	4.4	3.4	3.4	3.7	4.7	5.0	4.5	5.1	5.8	4.0	3.1	3.3	4.5	5.5	4.6	5.5	6.5	4.8	3.1		
Max	48.7	47.5	43.5	44.9	40.8	34.0	35.2	36.5	38.9	41.7	40.4	43.0	44.9	45.1	47.5	44.1	41.2	44.9	42.9	30.0	37.9	41.9	43.5	43.6	48.7		
Avg	13.0	13.7	12.8	13.0	12.1	11.6	11.8	11.8	11.0	13.0	14.2	16.3	16.4	16.3	16.2	14.5	11.8	11.9	12.4	12.4	12.2	12.1	12.4	12.3			13.1

Total Data Records Possible: 720
Total Valid Data Records: 719
Percent Data Recovery: 99.9

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.1

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Desert Hot Springs (data subject to change)
Month: November
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 12-15-2005
Printout Time: 10:10:05
Output File Name: DHSB1105.7

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	12.9	12.9	12.9	12.9	12.9	12.8	13.4	14.0	13.5	14.4	13.6	13.7	13.3	13.2	13.6	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.9	12.8	14.4	13.2
2	12.9	12.9	12.9	12.8	12.8	12.8	13.0	13.6	14.3	13.7	13.8	13.8	13.4	13.4	13.8	13.3	13.2	13.1	13.1	13.1	13.1	13.0	13.0	13.0	12.8	14.3	13.2
3	12.9	12.9	12.9	12.9	12.9	12.8	12.9	14.6	13.7	13.9	13.7	13.9	13.4	13.5	14.3	13.4	13.3	13.2	13.1	13.1	13.1	13.1	13.0	13.0	12.8	14.6	13.3
4	13.0	12.9	12.9	12.9	12.9	12.9	13.7	14.8	13.8	14.1	13.8	14.0	14.0	13.8	14.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	14.8	13.4
5	13.0	13.0	12.9	12.9	12.9	12.9	13.8	14.5	14.4	14.4	13.6	13.8	13.4	13.3	13.2	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.9	12.9	14.5	13.3
6	12.9	12.9	12.9	12.9	12.8	12.8	13.1	13.5	13.6	13.9	13.6	13.9	13.4	13.6	13.4	13.4	13.2	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.8	13.9	13.2
7	12.9	12.9	12.9	12.9	12.9	12.8	12.8	13.1	14.2	13.8	14.1	13.6	13.4	13.4	13.8	13.4	13.2	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.8	14.2	13.2
8	12.9	12.9	12.9	12.9	12.8	12.8	13.0	13.4	13.9	14.1	14.4	13.9	14.3	13.4	13.5	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.8	14.4	13.3
9	12.9	12.9	12.9	12.9	12.8	12.8	12.8	12.9	13.0	13.1	13.3	13.1	13.2	13.4	13.3	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.8	12.8	12.8	13.4	13.0
10	12.8	12.8	12.8	12.7	12.7	12.7	13.3	14.5	13.9	14.3	13.8	13.7	13.7	13.6	14.1	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	12.7	14.5	13.3
11	13.0	13.0	12.9	12.9	12.9	12.9	13.4	14.0	14.0	14.0	13.9	13.8	14.4	13.6	14.5	13.5	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	12.9	14.5	13.4
12	13.0	13.0	12.9	12.9	12.9	12.9	13.5	14.1	13.8	14.2	14.1	14.4	13.4	13.3	13.5	13.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.9	14.4	13.3
13	12.9	12.9	12.9	12.8	12.8	12.8	13.5	14.5	13.7	13.7	13.6	14.0	13.3	13.2	13.2	13.2	13.1	13.0	13.0	12.9	12.9	12.9	12.9	12.8	12.8	14.5	13.2
14	12.8	12.8	12.8	12.8	12.8	12.8	13.4	14.1	13.5	13.9	13.7	13.5	13.3	13.2	13.1	13.1	13.1	13.0	12.9	12.9	12.9	12.9	12.8	12.8	12.8	14.1	13.1
15	12.8	12.8	12.8	12.8	12.8	12.8	13.2	13.8	13.5	13.6	13.6	13.6	14.1	13.7	14.1	13.4	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.0	12.8	14.1	13.3
16	13.0	13.0	12.9	12.9	12.9	12.9	13.6	14.8	13.8	13.9	14.6	13.7	13.4	13.3	13.2	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.8	12.8	14.8	13.3
17	12.9	12.9	12.8	12.8	12.8	12.8	13.5	14.0	14.1	13.8	13.9	13.6	13.3	13.3	13.4	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.9	12.8	14.1	13.2
18	12.9	12.9	12.9	12.9	12.8	12.7	13.4	14.1	13.8	14.0	13.8	13.7	13.4	13.4	13.4	13.4	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.7	14.1	13.2
19	12.9	12.9	12.8	12.8	12.8	12.8	13.5	14.9	13.7	13.7	14.1	13.6	13.4	13.3	13.5	13.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.8	14.9	13.3
20	12.9	12.9	12.9	12.8	12.8	12.8	13.4	13.9	13.9	13.7	13.9	13.8	13.3	13.3	13.2	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.9	12.8	13.9	13.2
21	12.9	12.8	12.8	12.8	12.8	12.7	12.9	14.2	13.7	13.7	13.9	13.6	13.4	13.3	13.2	13.3	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.7	14.2	13.2
22	12.8	12.8	12.8	12.8	12.7	12.7	12.8	13.1	13.9	14.3	13.8	13.6	13.4	13.5	14.1	13.4	13.2	13.1	13.1	13.1	13.0	13.0	12.9	12.9	12.7	14.3	13.2
23	12.9	12.8	12.8	12.8	12.8	12.8	12.7	12.8	12.9	13.0	13.4	13.4	13.5	13.4	13.3	13.1	13.0	13.0	12.9	12.9	12.8	12.8	12.8	12.8	12.7	13.5	13.0
24	12.7	12.7	12.7	12.7	12.7	12.7	13.1	14.8	13.7	14.3	13.7	13.5	13.4	13.3	13.7	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.9	12.7	14.8	13.2
25	12.9	12.9	12.9	12.9	12.8	12.8	13.1	14.3	13.7	13.7	13.8	13.8	13.4	13.4	13.5	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.8	14.3	13.2
26	12.9	12.9	12.9	12.8	12.8	12.8	12.9	14.2	14.2	14.0	14.0	13.9	14.1	13.8	14.5	13.5	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.0	12.8	14.5	13.4
27	13.0	13.0	12.9	12.9	12.9	12.9	13.1	15.0	14.0	14.4	14.2	14.3	13.7	13.8	13.9	13.6	13.4	13.3	13.2	13.2	13.1	13.1	13.0	13.0	12.9	15.0	13.4
28	12.9	12.9	12.9	12.9	12.8	12.8	13.3	15.2	14.4	14.2	14.1	13.8	13.8	13.6	14.5	13.5	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.8	15.2	13.4
29	12.9	12.9	12.9	12.8	12.8	12.8	13.1	14.5	14.3	14.5	14.4	13.9	13.7	13.6	14.4	13.5	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.8	14.5	13.4
30	12.9	12.9	12.9	12.9	12.8	12.8	13.1	15.0	14.5	14.4	14.7	13.8	13.6	13.4	14.2	13.4	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.8	15.0	13.4
Min	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.8	12.9	13.0	13.3	13.1	13.2	13.2	13.1	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.8	12.8	12.7		
Max	13.0	13.0	12.9	12.9	12.9	12.9	13.8	15.2	14.5	14.5	14.7	14.4	14.4	13.8	14.5	13.6	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0		15.2	
Avg	12.9	12.9	12.9	12.8	12.8	12.8	13.2	14.1	13.8	14.0	13.9	13.8	13.6	13.4	13.7	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.9			13.3

Total Data Records Possible: 720
Total Valid Data Records: 720
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.1