

Desert Hot Springs Meteorological Data

November 2007

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Desert Hot Springs (data subject to change)
Month: November
Year: 2007
Time Zone: PST

Validation Level: B
Printout Date: 01-23-2008
Printout Time: 12:04:06
Output File Name: DHSB1107.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	5.7	3.5	5.3	2.2	4.2	5.3	5.7	1.7	2.4	2.8	4.6	5.7	5.0	4.4	5.2	4.5	3.6	2.2	4.0	3.7	6.0	7.3	7.3	6.3	1.7	7.3	4.5
2	5.1	3.6	6.4	6.5	4.1	5.7	5.5	4.5	9.6	13.9	12.3	11.6	11.7	9.7	9.5	10.6	11.1	10.7	9.5	11.7	12.8	10.7	10.8	9.1	3.6	13.9	9.0
3	4.3	3.6	2.7	4.1	3.7	5.5	3.5	3.1	4.6	4.7	8.9	9.8	11.0	10.0	10.0	9.4	7.9	6.7	6.2	7.1	3.5	4.3	6.5	7.5	2.7	11.0	6.2
4	8.2	7.9	7.7	6.3	3.6	6.7	9.1	8.3	3.2	3.5	4.0	5.7	6.2	6.0	2.5	3.1	2.1	4.5	5.9	4.2	2.5	3.7	2.7	2.5	2.1	9.1	5.0
5	1.9	4.3	4.8	5.9	4.4	2.3	4.1	2.7	2.2	2.4	2.4	4.1	6.3	7.2	7.5	5.0	2.2	3.3	5.9	5.9	5.2	4.5	4.3	3.1	1.9	7.5	4.2
6	3.9	3.0	4.2	3.5	2.8	3.7	3.0	2.0	1.9	3.5	4.7	5.4	6.7	7.9	7.4	6.7	3.8	3.2	4.6	3.3	4.7	5.3	3.8	2.9	1.9	7.9	4.3
7	1.9	3.7	4.0	3.1	3.3	4.3	3.2	1.6	0.9	1.9	2.2	3.3	4.2	5.4	6.2	3.9	2.8	2.4	4.6	4.7	1.8	0.9	1.9	1.8	0.9	6.2	3.1
8	2.4	2.5	1.7	1.7	2.8	2.7	2.4	3.6	4.5	2.0	2.4	3.6	3.7	4.4	5.8	5.8	4.6	2.5	2.4	1.8	1.5	3.0	2.4	1.8	1.5	5.8	3.0
9	2.0	1.9	2.7	3.1	3.5	2.6	3.2	3.5	2.4	5.5	4.9	12.5	15.7	16.7	18.6	20.0	13.8	3.9	12.0	10.1	4.9	11.8	7.7	10.9	1.9	20.0	8.1
10	15.9	19.2	18.3	19.0	12.7	12.4	11.4	10.7	10.7	12.4	15.4	15.3	16.3	17.1	15.0	13.9	10.3	7.0	6.2	8.2	5.1	4.0	5.6	4.5	4.0	19.2	11.9
11	4.5	5.4	5.0	2.5	2.6	2.6	2.4	4.4	8.1	8.8	17.0	17.3	15.1	16.6	16.9	16.1	17.8	13.7	11.4	4.1	2.3	3.4	3.0	3.5	2.3	17.8	8.5
12	3.9	4.1	3.3	7.2	2.0	8.2	4.9	8.9	15.4	9.7	8.9	14.8	13.0	13.7	11.4	9.1	8.5	10.0	8.1	6.7	8.6	6.6	5.8	3.0	2.0	15.4	8.2
13	2.9	4.6	9.0	13.3	12.5	8.1	3.5	1.5	2.1	2.8	3.7	5.5	5.6	6.2	6.0	5.9	3.4	2.9	5.5	5.7	3.7	2.8	4.4	6.1	1.5	13.3	5.3
14	6.3	6.0	3.5	4.1	3.2	4.4	5.5	3.5	2.7	9.3	9.0	10.4	10.0	9.4	6.8	7.6	5.7	3.9	7.4	9.6	8.3	5.8	5.5	6.2	2.7	10.4	6.4
15	5.8	8.6	9.3	7.8	7.7	8.3	7.7	7.9	6.1	4.5	4.2	5.0	4.8	5.7	5.8	5.9	3.5	2.6	5.5	5.6	6.0	5.8	7.1	5.9	2.6	9.3	6.1
16	6.9	6.1	6.1	4.3	6.7	3.2	3.5	4.0	2.8	3.4	2.8	5.4	6.5	6.6	4.6	5.7	3.6	2.5	2.4	4.3	3.4	4.7	4.6	4.4	2.4	6.9	4.5
17	3.8	4.3	5.9	5.1	4.5	5.9	4.3	4.2	2.0	1.8	2.5	3.8	5.0	6.5	6.8	5.4	3.8	2.0	4.9	5.0	4.5	3.6	4.8	4.2	1.8	6.8	4.4
18	4.9	4.5	4.6	4.5	5.9	4.5	3.9	1.2	0.9	4.0	2.7	3.5	4.2	5.2	4.9	4.3	3.3	2.6	4.5	5.9	5.3	6.2	5.8	5.9	0.9	6.2	4.3
19	5.3	5.8	4.4	5.0	4.3	3.4	5.1	4.1	1.1	3.3	3.6	4.6	5.8	7.5	8.0	6.6	4.7	2.5	2.6	3.0	3.5	5.2	4.4	4.7	1.1	8.0	4.5
20	5.0	4.2	3.5	2.7	3.4	4.0	3.4	5.5	4.1	5.0	4.9	4.8	6.9	7.0	7.4	7.7	7.2	3.2	4.9	3.7	3.2	3.9	4.9	3.1	2.7	7.7	4.7
21	7.3	7.6	4.9	3.2	9.4	17.9	16.9	16.4	15.6	14.9	14.5	13.2	12.3	11.5	13.3	11.8	11.8	12.0	9.4	7.5	10.1	11.5	9.1	5.8	3.2	17.9	11.2
22	8.4	7.0	6.0	4.6	4.9	5.8	4.5	2.4	1.4	2.6	4.7	6.5	8.5	8.5	6.4	7.8	7.6	12.8	7.6	5.1	4.6	5.5	5.6	6.7	1.4	12.8	6.1
23	5.6	5.2	7.6	8.4	6.5	9.3	9.5	6.7	6.4	7.2	12.7	19.0	18.4	19.2	14.1	15.1	9.2	10.1	7.5	12.0	16.7	13.0	14.1	17.3	5.2	19.2	11.3
24	18.6	8.3	8.9	6.8	12.7	5.5	6.2	5.6	9.1	9.0	8.3	9.3	14.3	12.8	7.7	3.7	6.0	6.1	5.2	4.2	4.4	4.0	5.2	3.7	3.7	18.6	7.7
25	4.3	4.8	4.3	6.1	3.3	4.4	4.6	2.6	0.8	2.3	2.6	3.6	4.4	5.7	6.5	5.3	2.1	2.7	4.2	3.7	3.6	3.5	3.6	4.1	0.8	6.5	3.9
26	3.3	3.3	3.0	4.2	5.1	4.7	4.4	3.6	0.7	1.2	4.0	4.7	6.0	6.9	5.0	4.8	2.2	4.3	4.1	4.4	4.9	5.3	4.7	3.9	0.7	6.9	4.1
27	4.1	4.9	4.1	5.0	5.9	6.1	4.7	2.3	2.3	2.3	-940	-940	7.1	6.6	3.8	2.4	3.9	3.1	4.9	3.8	3.6	4.6	5.2	4.3	2.3	7.1	4.3
28	2.6	4.0	4.7	5.6	5.1	15.5	18.9	16.6	18.0	15.8	14.4	14.5	14.1	11.8	8.7	6.3	6.3	9.2	10.0	9.4	7.8	7.7	6.5	2.6	2.6	18.9	9.8
29	4.3	5.6	2.8	3.4	3.7	6.2	3.7	4.2	0.9	3.3	4.2	4.5	6.6	3.7	4.0	3.1	2.7	1.9	1.9	2.7	3.6	3.8	5.5	4.9	0.9	6.6	3.8
30	3.0	2.8	4.9	3.1	3.0	3.4	2.5	6.0	4.1	4.2	7.3	7.8	7.8	9.3	5.8	7.0	4.2	4.0	3.9	4.2	3.3	2.8	3.7	2.7	2.5	9.3	4.6
Min	1.9	1.9	1.7	1.7	2.0	2.3	2.4	1.2	0.7	1.2	2.2	3.3	3.7	3.7	2.5	2.4	2.1	1.9	1.9	1.8	1.5	0.9	1.9	1.8	0.7		
Max	18.6	19.2	18.3	19.0	12.7	17.9	18.9	16.6	18.0	15.8	17.0	19.0	18.4	19.2	18.6	20.0	17.8	13.7	12.0	12.0	16.7	13.0	14.1	17.3		20.0	
Avg	5.4	5.3	5.5	5.4	5.2	6.1	5.7	5.1	4.9	5.6	6.7	8.1	8.8	9.0	8.0	7.5	6.0	5.3	5.9	5.7	5.3	5.5	5.6	5.1			6.1

Total Data Records Possible: 720
Total Valid Data Records: 718
Percent Data Recovery: 99.7

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Desert Hot Springs (data subject to change)
 Month: November
 Year: 2007
 Time Zone: PST

Validation Level: B
 Printout Date: 01-23-2008
 Printout Time: 12:04:06
 Output File Name: DHSB1107.10

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	338	333	331	352	342	344	334	43	135	148	152	162	164	181	155	153	154	181	53	16	304	307	317	326	[NNW]
2	335	356	341	333	349	340	353	316	27	26	30	20	23	25	45	30	30	20	7	8	13	18	22	24	[NNE]
3	305	250	296	266	279	319	273	207	225	29	46	33	28	31	30	34	36	24	350	345	275	306	4	1	[NNE]
4	351	357	2	2	356	11	3	2	54	125	155	165	152	171	193	197	180	11	2	17	41	60	344	33	[N]
5	352	345	335	333	16	24	333	349	123	161	129	160	155	154	193	173	139	317	324	326	333	351	345	349	[NNW]
6	341	4	339	357	5	2	21	51	134	148	147	152	158	162	154	162	142	21	346	358	336	342	349	3	[N]
7	16	348	16	1	341	329	13	57	1	126	158	154	147	130	168	196	220	318	332	301	9	352	334	342	[NNW]
8	9	12	6	43	5	41	58	115	123	128	146	133	166	161	165	187	247	308	168	85	15	316	341	15	[SSE]
9	19	75	324	100	358	18	338	53	249	149	259	266	258	255	264	262	276	61	262	270	308	287	293	284	[W]
10	283	281	281	294	308	290	291	292	283	276	263	260	261	265	264	272	278	311	311	328	311	333	334	3	[W]
11	352	328	344	32	67	89	117	56	272	252	241	224	239	215	200	213	230	258	259	70	319	340	18	17	[WSW]
12	203	106	154	32	247	74	65	21	7	38	26	28	31	24	38	47	50	34	26	19	11	9	9	315	[NNE]
13	292	12	18	20	9	18	29	96	135	154	140	153	152	147	163	163	150	328	326	333	357	8	341	332	[SSE]
14	338	326	325	1	8	339	353	356	129	58	40	34	45	52	69	56	51	24	341	358	3	340	274	10	[N]
15	22	358	16	20	11	5	1	4	13	148	161	154	160	164	169	163	145	25	328	315	323	343	354	348	[SSE]
16	335	345	328	345	345	350	325	348	113	158	166	148	170	158	164	158	144	353	42	110	63	341	335	327	[NNW]
17	321	336	323	330	343	328	352	339	103	143	138	145	182	164	165	165	192	357	336	329	338	336	337	337	[NNW]
18	335	351	334	349	345	347	352	4	58	142	160	161	163	174	174	178	189	357	332	325	326	325	327	330	[NNW]
19	334	332	340	338	346	1	338	337	83	123	154	158	157	145	164	165	153	228	348	51	30	342	352	345	[NNW]
20	338	347	6	58	16	27	63	96	79	99	134	151	161	178	145	144	194	99	347	323	345	4	351	7	[N]
21	329	334	344	324	356	4	358	358	357	0	13	17	22	30	32	21	7	0	2	14	15	1	2	22	[N]
22	9	19	24	350	16	2	22	68	176	166	146	141	150	140	175	192	216	258	323	315	263	317	328	331	[NNE]
23	332	334	326	323	337	315	300	322	9	221	359	10	6	10	6	16	5	5	353	352	357	359	1	6	[N]
24	4	322	30	39	15	55	334	335	3	45	25	17	28	24	19	97	86	77	52	263	104	62	346	306	[NNE]
25	333	356	345	333	352	328	342	0	254	176	167	181	168	155	170	148	162	294	336	338	334	343	340	336	[NNW]
26	339	330	346	337	332	350	348	353	83	167	165	141	143	152	167	164	254	346	332	341	338	340	341	354	[NNW]
27	359	359	359	332	332	321	331	50	3	109	-940	-940	182	164	161	166	140	16	339	340	333	356	322	338	[NNW]
28	51	357	322	50	9	18	14	16	9	1	11	12	29	34	33	8	0	6	11	4	3	12	33	33	[N]
29	341	346	53	2	358	347	1	358	66	152	151	162	178	183	180	161	161	253	294	330	335	341	334	332	[NNW]
30	22	21	335	353	342	351	1	341	119	333	320	320	310	306	315	258	245	322	181	319	60	175	98	313	[NW]

Prev [NNW] [NNW] [NNW] [N] [N] [N] [N] [N] [N] [SSE] [SSE] [SSE] [SSE] [SSE] [SSE] [SSE] [SSE] [N] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW]

Total Data Records Possible: 720
 Total Valid Data Records: 718
 Percent Data Recovery: 99.7

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Desert Hot Springs (data subject to change)
Month: November
Year: 2007
Time Zone: PST

Validation Level: B
Printout Date: 01-23-2008
Printout Time: 12:04:06
Output File Name: DHSB1107.10t

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NE]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[S]	[SSE]	[SSE]	[SSE]	[S]	[NE]	[NNE]	[WNW]	[NW]	[NW]	[NNW]	[NNW]
2	[NNW]	[N]	[NNW]	[NNW]	[N]	[NNW]	[N]	[NW]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NE]	[NNE]	[NNE]	[NNE]	[N]	[N]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]
3	[NW]	[WSW]	[WNW]	[W]	[W]	[NW]	[W]	[SSW]	[SW]	[NNE]	[NE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NE]	[NNE]	[N]	[NNW]	[W]	[NW]	[N]	[N]	[NNE]
4	[N]	[N]	[N]	[N]	[N]	[N]	[N]	[N]	[NE]	[SE]	[SSE]	[SSE]	[SSE]	[S]	[SSW]	[SSW]	[S]	[N]	[N]	[NNE]	[NE]	[ENE]	[NNW]	[NNE]	[N]
5	[N]	[NNW]	[NNW]	[NNW]	[NNE]	[NNE]	[NNW]	[N]	[ESE]	[SSE]	[SE]	[SSE]	[SSE]	[SSE]	[SSW]	[S]	[SE]	[NW]	[NW]	[NNW]	[NNW]	[N]	[NNW]	[N]	[NNW]
6	[NNW]	[N]	[NNW]	[N]	[N]	[N]	[NNE]	[NE]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SE]	[NNE]	[NNW]	[N]	[NNW]	[NNW]	[N]	[N]	[N]
7	[NNE]	[NNW]	[NNE]	[N]	[NNW]	[NNW]	[NNE]	[ENE]	[N]	[SE]	[SSE]	[SSE]	[SSE]	[SE]	[SSE]	[SSW]	[SW]	[NW]	[NNW]	[WNW]	[N]	[N]	[NNW]	[NNW]	[NNW]
8	[N]	[NNE]	[N]	[NE]	[N]	[NE]	[ENE]	[ESE]	[ESE]	[SE]	[SSE]	[SE]	[SSE]	[SSE]	[SSE]	[S]	[WSW]	[NW]	[SSE]	[E]	[NNE]	[NW]	[NNW]	[NNE]	[SSE]
9	[NNE]	[ENE]	[NW]	[E]	[N]	[NNE]	[NNW]	[NE]	[WSW]	[SSE]	[W]	[W]	[WSW]	[WSW]	[W]	[W]	[W]	[ENE]	[W]	[W]	[NW]	[WNW]	[WNW]	[WNW]	[W]
10	[WNW]	[W]	[W]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[NW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[N]	[W]
11	[N]	[NNW]	[NNW]	[NNE]	[ENE]	[E]	[ESE]	[NE]	[W]	[WSW]	[WSW]	[SW]	[WSW]	[SW]	[SSW]	[SSW]	[SW]	[WSW]	[W]	[ENE]	[NW]	[NNW]	[NNE]	[NNE]	[WSW]
12	[SSW]	[ESE]	[SSE]	[NNE]	[WSW]	[ENE]	[ENE]	[NNE]	[N]	[NE]	[NNE]	[NNE]	[NNE]	[NNE]	[NE]	[NE]	[NE]	[NE]	[NNE]	[NNE]	[NNE]	[N]	[N]	[NW]	[NNE]
13	[WNW]	[NNE]	[NNE]	[NNE]	[N]	[NNE]	[NNE]	[E]	[SE]	[SSE]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[NNE]	[NW]	[NNW]	[N]	[N]	[NNW]	[NNW]	[SSE]
14	[NNW]	[NW]	[NW]	[N]	[N]	[NNW]	[N]	[N]	[SE]	[ENE]	[NE]	[NE]	[NE]	[NE]	[ENE]	[NE]	[NE]	[NNE]	[NNW]	[N]	[N]	[NNW]	[W]	[N]	[N]
15	[NNE]	[N]	[NNE]	[NNE]	[N]	[N]	[N]	[N]	[NNE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SE]	[NNE]	[NNW]	[NW]	[NW]	[NNW]	[N]	[NNW]	[SSE]
16	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NW]	[NNW]	[ESE]	[SSE]	[SSE]	[SSE]	[S]	[SSE]	[SSE]	[SSE]	[SE]	[N]	[NE]	[ESE]	[ENE]	[NNW]	[NNW]	[NNW]	[NNW]
17	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[ESE]	[SE]	[SE]	[SE]	[S]	[SSE]	[SSE]	[SSE]	[SSW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
18	[NNW]	[N]	[NNW]	[N]	[NNW]	[NNW]	[N]	[N]	[ENE]	[SE]	[SSE]	[SSE]	[SSE]	[S]	[S]	[S]	[S]	[N]	[NNW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]
19	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[E]	[ESE]	[SSE]	[SSE]	[SSE]	[SE]	[SSE]	[SSE]	[SSE]	[SW]	[NNW]	[NE]	[NNE]	[NNW]	[N]	[NNW]	[NNW]
20	[NNW]	[NNW]	[N]	[ENE]	[NNE]	[NNE]	[ENE]	[E]	[E]	[E]	[SE]	[SSE]	[SSE]	[S]	[SE]	[SE]	[SSW]	[E]	[NNW]	[NW]	[NNW]	[N]	[N]	[N]	[N]
21	[NNW]	[NNW]	[NNW]	[NW]	[N]	[N]	[N]	[N]	[N]	[N]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[N]	[N]	[N]	[NNE]	[NNE]	[N]	[N]	[N]	[NNE]	[N]
22	[N]	[NNE]	[NNE]	[N]	[NNE]	[N]	[NNE]	[ENE]	[S]	[SSE]	[SE]	[SE]	[SSE]	[SE]	[S]	[SSW]	[SW]	[WSW]	[NW]	[NW]	[W]	[NW]	[NNW]	[NNW]	[NNE]
23	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[NW]	[WNW]	[NW]	[N]	[SW]	[N]	[N]	[N]	[N]	[N]	[NNE]	[N]	[N]	[N]	[N]	[N]	[N]	[N]	[N]	[N]
24	[N]	[NW]	[NNE]	[NE]	[NNE]	[NE]	[NNW]	[NNW]	[N]	[NE]	[NNE]	[NNE]	[NNE]	[NNE]	[NE]	[E]	[ENE]	[NE]	[W]	[ESE]	[ENE]	[NNW]	[NW]	[NNE]	[NNE]
25	[NNW]	[N]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[N]	[WSW]	[S]	[SSE]	[S]	[SSE]	[SSE]	[S]	[SSE]	[SSE]	[WNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
26	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[N]	[E]	[SSE]	[SSE]	[SE]	[SE]	[SSE]	[SSE]	[SSE]	[WSW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]
27	[N]	[N]	[N]	[NNW]	[NNW]	[NW]	[NNW]	[NE]	[N]	[ESE]	-940	-940	[S]	[SSE]	[SSE]	[SSE]	[SE]	[NNE]	[NNW]	[NNW]	[NNW]	[N]	[NW]	[NNW]	[NNW]
28	[NE]	[N]	[NW]	[NE]	[N]	[NNE]	[NNE]	[NNE]	[N]	[N]	[N]	[N]	[NNE]	[NNE]	[NE]	[NNE]	[N]	[N]	[N]	[N]	[N]	[N]	[N]	[NNE]	[N]
29	[NNW]	[NNW]	[NE]	[N]	[N]	[NNW]	[N]	[N]	[ENE]	[SSE]	[SSE]	[SSE]	[S]	[S]	[S]	[SSE]	[SSE]	[WSW]	[WNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
30	[NNE]	[NNE]	[NNW]	[N]	[NNW]	[N]	[N]	[NNW]	[ESE]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WSW]	[WSW]	[NW]	[S]	[NW]	[ENE]	[S]	[E]	[NW]	[NW]

Prev [NNW] [NNW] [NNW] [N] [N] [N] [N] [N] [N] [SSE] [SSE] [SSE] [SSE] [SSE] [SSE] [SSE] [SSE] [S] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW]

Total Data Records Possible: 720
Total Valid Data Records: 718
Percent Data Recovery: 99.7

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)
Units: degrees
Channel: 11

Site: Desert Hot Springs (data subject to change)
Month: November
Year: 2007
Time Zone: PST

Validation Level: B
Printout Date: 01-23-2008
Printout Time: 12:04:07
Output File Name: DHSB1107.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	8.7	15.3	8.7	18.1	9.6	9.1	6.5	31.5	16.0	29.5	22.6	27.2	36.9	33.7	25.7	19.9	10.6	51.0	11.9	15.9	10.7	11.9	8.9	9.0	6.5	51.0	18.7
2	12.9	23.9	7.1	4.1	29.6	10.4	21.7	36.7	30.0	14.4	15.8	18.2	17.2	18.8	19.7	19.7	14.5	13.8	14.1	13.7	13.6	16.1	12.9	10.4	4.1	36.7	17.1
3	14.9	47.1	56.2	29.2	53.6	32.6	63.7	71.3	68.6	65.3	20.4	18.6	15.9	16.0	17.5	16.0	14.6	12.5	12.8	9.6	52.1	26.2	21.0	13.0	9.6	71.3	32.0
4	10.2	10.7	10.8	10.9	20.9	12.9	11.5	11.9	16.4	9.3	16.8	17.7	17.5	16.9	45.7	21.1	40.0	9.7	10.7	35.5	22.2	36.1	11.9	11.6	9.3	45.7	18.3
5	21.9	10.5	5.6	5.0	22.3	39.2	12.7	26.1	9.8	19.9	40.7	28.3	23.3	19.2	15.8	13.8	38.6	25.6	4.6	4.8	6.2	9.3	13.3	15.7	4.6	40.7	18.0
6	12.9	21.7	6.4	15.3	14.0	14.9	20.0	28.2	13.8	14.2	19.8	30.0	17.2	15.7	18.3	13.9	11.8	11.2	30.0	18.4	7.4	5.2	7.9	9.9	5.2	30.0	15.8
7	16.1	10.2	9.8	11.0	46.1	10.2	14.4	20.3	40.9	27.1	34.5	42.6	41.3	30.4	19.7	23.1	14.5	22.0	13.5	9.9	19.5	53.7	25.9	36.4	9.8	53.7	24.7
8	20.6	20.9	28.1	49.5	16.5	18.3	19.5	16.0	10.9	32.0	35.1	29.5	25.5	45.9	21.2	15.6	11.8	37.3	45.5	35.8	17.9	18.0	21.4	26.3	10.9	49.5	25.8
9	23.9	41.8	38.6	42.7	36.6	31.2	19.4	42.7	51.5	24.7	36.1	14.6	14.6	16.2	13.8	13.2	20.7	61.5	13.3	15.6	40.8	14.1	19.6	18.4	13.2	61.5	27.7
10	15.3	15.0	14.6	14.0	14.5	18.0	14.1	15.4	13.4	14.0	13.4	13.7	12.9	13.4	12.9	13.6	15.2	20.1	13.3	15.4	14.0	17.8	19.0	16.3	12.9	20.1	15.0
11	22.5	7.8	10.0	57.4	46.3	37.7	40.6	32.2	18.4	27.9	9.5	11.2	16.3	12.6	11.0	8.6	10.6	13.6	13.9	30.3	30.5	16.5	46.4	66.9	7.8	66.9	24.9
12	41.6	42.9	63.4	23.0	55.7	28.2	22.6	23.4	15.1	30.1	29.7	19.6	19.4	21.0	20.6	23.6	23.6	18.4	18.2	16.3	12.6	15.7	18.2	44.6	12.6	63.4	27.0
13	58.0	16.8	12.3	13.3	13.7	26.9	22.6	18.9	13.7	23.7	21.1	24.8	20.9	20.7	18.0	14.7	8.9	37.5	5.5	14.2	26.9	17.2	7.3	5.6	5.5	58.0	19.3
14	6.3	6.8	20.4	17.7	59.6	14.2	21.5	27.1	65.7	20.8	18.7	16.6	19.1	20.9	25.2	19.6	19.0	39.1	11.5	12.9	17.2	40.6	19.4	25.2	6.3	65.7	23.5
15	18.4	15.0	13.9	15.8	14.3	15.1	11.8	12.4	27.2	14.3	29.0	29.8	29.8	22.3	17.9	12.6	9.8	11.1	6.3	6.1	8.8	6.3	9.4	10.5	6.1	29.8	15.3
16	9.7	9.9	10.2	17.3	12.9	50.8	43.1	37.5	23.8	23.6	40.1	19.8	20.6	14.6	19.6	15.1	55.6	40.1	45.4	40.5	30.0	22.5	45.7	16.0	9.7	55.6	27.7
17	17.5	18.1	10.9	10.1	11.8	5.4	24.1	9.7	20.4	28.3	33.8	37.0	35.5	17.2	14.0	13.7	23.1	11.9	4.0	4.5	4.6	9.2	5.3	6.1	4.0	37.0	15.7
18	6.8	8.1	7.8	7.5	6.3	9.4	10.2	10.0	28.6	14.3	27.4	39.1	41.4	26.0	29.1	17.3	8.2	19.2	3.0	3.4	4.1	4.8	5.1	5.1	3.0	41.4	14.2
19	6.2	6.6	10.6	8.9	10.2	16.4	9.5	7.4	31.4	17.0	26.7	22.4	19.5	13.7	15.6	12.6	23.8	86.4	62.4	33.5	44.9	45.4	32.1	17.8	6.2	86.4	24.2
20	14.3	21.0	20.1	37.6	46.9	33.8	64.9	35.3	37.0	27.6	21.5	16.6	15.6	15.3	21.7	28.1	49.6	48.0	34.9	23.9	24.0	41.0	16.4	31.4	14.3	64.9	30.3
21	10.0	11.5	23.1	68.2	38.4	13.4	13.1	14.7	13.9	15.3	18.7	17.6	16.4	14.7	13.7	15.0	13.4	12.6	12.6	15.2	12.9	13.8	14.3	19.4	10.0	68.2	18.0
22	15.6	15.0	17.5	33.7	13.2	10.5	12.0	15.7	44.1	21.9	17.0	18.4	14.0	14.4	20.8	33.9	28.0	15.8	20.0	44.7	26.1	12.1	13.0	11.2	10.5	44.7	20.4
23	12.8	12.6	11.2	17.3	14.9	18.9	11.9	17.7	48.3	34.4	47.9	16.8	15.9	14.9	19.3	15.4	36.5	30.0	32.3	41.4	11.8	11.3	11.9	12.6	11.2	48.3	21.6
24	15.7	61.7	31.5	48.2	23.4	56.5	79.3	41.7	27.5	25.8	37.4	28.1	19.5	22.0	69.5	74.5	44.7	44.5	39.1	56.0	44.8	17.4	45.1	44.4	15.7	79.3	41.6
25	21.7	15.8	14.9	8.4	15.2	14.9	9.0	17.0	36.9	21.9	23.1	34.5	23.8	19.2	13.1	11.0	11.0	17.3	7.0	11.1	12.4	12.7	11.3	4.5	4.5	36.9	16.2
26	8.5	8.5	10.4	3.7	5.2	7.0	16.5	10.2	40.6	49.2	20.4	28.2	19.7	17.1	19.7	17.9	17.9	11.6	7.0	6.1	8.5	10.3	8.1	9.0	3.7	49.2	15.1
27	25.8	13.0	8.4	4.3	9.0	7.1	5.0	51.9	25.3	25.0	-940	-940	21.6	14.6	31.3	33.8	21.3	10.9	7.4	23.2	25.7	12.3	28.6	13.5	4.3	51.9	19.0
28	49.3	40.4	49.9	29.4	39.9	13.8	15.1	14.2	15.0	14.3	17.1	18.3	20.1	17.5	19.0	31.2	15.5	11.6	11.1	10.5	11.5	11.3	12.0	35.0	10.5	49.9	21.8
29	13.5	38.1	49.0	13.4	16.8	8.9	14.8	8.0	26.1	18.6	22.4	32.1	17.9	31.3	17.8	14.4	9.9	12.5	15.9	8.2	10.9	10.6	8.6	11.3	8.0	49.0	18.0
30	37.1	29.6	11.4	27.6	18.1	19.1	33.5	18.2	48.3	12.1	13.7	11.6	11.1	11.9	34.6	14.4	37.5	63.0	74.6	49.1	39.5	48.4	66.2	28.5	11.1	74.6	31.6
Min	6.2	6.6	5.6	3.7	5.2	5.4	5.0	7.4	9.8	9.3	9.5	11.2	11.1	11.9	11.0	8.6	8.2	9.7	3.0	3.4	4.1	4.8	5.1	4.5	3.0		
Max	58.0	61.7	63.4	68.2	59.6	56.5	79.3	71.3	68.6	65.3	47.9	42.6	41.4	45.9	69.5	74.5	55.6	86.4	74.6	56.0	52.1	53.7	66.2	66.9		86.4	
Avg	19.0	20.5	19.8	22.1	24.5	20.2	22.8	24.1	29.3	23.9	25.2	23.5	21.4	19.6	22.1	19.9	22.0	27.3	20.1	20.8	20.4	19.6	19.5	19.5			22.0

Total Data Records Possible: 720
Total Valid Data Records: 718
Percent Data Recovery: 99.7

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Desert Hot Springs (data subject to change)
Month: November
Year: 2007
Time Zone: PST

Validation Level: B
Printout Date: 01-23-2008
Printout Time: 12:04:09
Output File Name: DHSB1107.17

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	8.9	6.3	9.9	5.0	7.8	8.1	8.2	5.5	4.2	6.0	10.2	10.8	11.1	10.2	10.1	9.1	6.7	5.0	6.6	6.2	11.1	10.5	10.6	10.4	4.2	11.1	8.3
2	8.5	7.4	8.9	8.3	7.4	8.6	8.0	18.0	26.5	25.6	25.2	23.2	22.9	19.0	18.7	20.7	21.0	21.9	21.3	21.0	24.4	22.1	21.8	15.9	7.4	26.5	17.8
3	9.2	7.6	6.9	7.9	11.1	15.3	10.2	12.4	16.6	18.7	18.2	19.6	19.7	21.6	18.3	19.4	15.2	13.5	11.8	11.5	8.6	11.3	11.8	13.6	6.9	21.6	13.8
4	14.2	13.4	12.9	11.7	8.3	12.9	16.0	16.1	8.3	5.8	7.0	10.1	11.3	12.0	6.4	6.0	4.0	7.8	9.7	9.2	8.0	10.9	4.8	3.9	3.9	16.1	9.6
5	3.3	6.5	7.1	9.6	7.3	4.3	6.8	5.3	3.8	4.8	4.9	9.7	13.1	12.5	12.4	9.0	5.0	7.0	8.8	8.5	7.5	6.9	6.4	5.4	3.3	13.1	7.3
6	6.6	6.6	6.1	6.4	5.0	6.3	5.3	4.5	3.3	7.0	9.1	11.3	14.1	13.9	12.3	11.9	7.3	4.6	7.2	5.6	7.7	7.2	5.8	4.7	3.3	14.1	7.5
7	3.7	6.5	5.8	5.4	6.0	6.5	5.8	3.4	3.4	4.8	5.8	9.4	8.8	14.0	12.2	8.5	5.6	5.0	7.9	8.6	3.3	4.5	4.2	4.7	3.3	14.0	6.4
8	5.3	6.3	5.6	4.4	5.7	5.0	3.8	8.3	9.0	4.6	6.0	8.4	8.0	9.8	10.6	9.8	8.8	6.8	5.6	4.2	3.3	5.4	4.5	4.2	3.3	10.6	6.4
9	5.3	5.4	5.6	7.6	5.6	4.7	5.8	7.3	6.4	9.9	12.4	26.3	28.6	32.3	34.0	37.1	31.3	14.2	22.8	22.5	15.3	23.9	19.1	27.4	4.7	37.1	17.1
10	39.2	37.0	37.8	33.5	27.3	23.5	20.0	20.8	18.1	25.3	24.8	25.2	27.8	29.3	25.6	24.9	24.9	16.1	12.8	16.1	13.9	10.0	9.4	8.2	8.2	39.2	23.0
11	7.6	8.6	8.0	6.0	6.0	6.4	6.7	10.4	20.1	20.2	25.9	28.2	26.2	28.6	27.1	26.5	28.9	25.3	25.9	9.0	6.1	5.4	5.6	13.1	5.4	28.9	15.9
12	10.3	8.8	11.5	20.5	8.0	20.0	14.5	25.1	27.8	24.5	23.0	35.0	26.5	26.1	23.7	22.9	22.1	22.1	18.0	18.3	16.1	14.3	12.0	12.2	8.0	35.0	19.3
13	9.9	10.9	19.2	24.8	24.8	18.0	9.7	5.1	5.0	6.5	7.4	12.0	11.8	11.4	10.4	10.2	8.9	6.3	7.9	9.1	9.4	5.4	6.1	8.0	5.0	24.8	10.8
14	8.6	9.0	8.3	7.7	6.4	8.1	8.5	6.9	8.1	26.3	17.5	20.1	17.9	19.4	16.9	16.6	11.7	8.3	15.1	16.8	17.5	14.8	9.5	14.1	6.4	26.3	13.1
15	12.7	14.5	18.3	15.1	14.5	15.6	12.2	13.3	14.2	7.0	8.9	10.8	10.2	11.0	12.2	9.9	6.6	7.3	8.3	8.3	10.1	8.8	10.7	10.2	6.6	18.3	11.3
16	11.7	12.1	9.9	7.6	11.5	7.9	8.0	6.8	4.8	7.4	8.6	10.2	12.3	12.0	8.8	9.6	9.8	8.7	6.9	7.8	6.0	8.4	7.6	7.3	4.8	12.3	8.8
17	6.6	7.5	8.9	7.4	7.1	7.6	8.1	6.9	3.8	4.6	7.2	9.6	10.7	12.4	11.8	8.8	8.3	5.0	6.9	7.7	6.1	5.8	6.6	5.6	3.8	12.4	7.6
18	6.2	6.4	6.5	6.1	8.3	8.0	5.8	4.9	2.8	7.0	7.2	9.4	9.6	10.4	12.0	8.5	5.6	5.7	6.2	7.4	7.2	8.0	8.2	7.5	2.8	12.0	7.3
19	7.8	8.6	6.8	8.0	6.4	5.8	7.7	5.9	3.0	5.4	7.4	8.6	11.0	14.1	12.8	11.0	8.8	7.4	5.6	7.8	7.5	11.3	11.5	9.4	3.0	14.1	8.3
20	9.1	7.9	6.0	5.6	8.8	7.8	11.1	11.2	7.4	10.0	11.0	9.1	11.3	11.5	12.7	30.6	23.2	5.9	8.9	7.3	5.6	7.4	9.1	7.3	5.6	30.6	10.2
21	13.2	12.3	12.1	14.1	25.2	32.6	27.8	29.7	26.0	24.8	29.6	24.8	23.2	19.2	23.8	22.9	21.5	21.2	17.4	15.0	19.2	19.1	21.5	13.7	12.1	32.6	21.3
22	18.0	13.7	14.2	13.8	9.0	9.7	9.7	3.3	3.6	4.9	9.1	11.5	15.3	13.9	12.0	18.5	21.0	25.1	20.1	8.2	9.6	11.7	9.8	11.4	3.3	25.1	12.4
23	9.6	9.7	13.8	19.3	14.0	15.9	16.0	13.5	23.1	16.1	31.7	36.1	35.4	37.0	31.4	27.5	32.4	30.8	20.3	27.8	28.4	23.8	25.8	35.2	9.6	37.0	23.9
24	34.6	26.0	27.4	23.2	26.9	22.9	23.2	18.0	24.8	27.8	23.2	24.0	29.5	29.7	29.4	14.0	14.5	16.8	11.8	11.3	9.7	6.8	8.1	7.4	6.8	34.6	20.5
25	8.3	7.8	6.6	9.1	5.6	7.6	7.2	4.4	5.3	4.7	5.0	8.2	8.3	11.1	10.7	8.4	6.0	4.1	6.5	5.1	6.5	5.6	5.9	5.7	4.1	11.1	6.8
26	5.4	4.7	4.7	5.6	7.2	6.6	7.2	7.6	2.5	5.6	8.6	9.3	11.5	12.9	10.0	8.3	5.4	6.7	6.1	6.0	8.6	8.8	6.6	6.4	2.5	12.9	7.2
27	7.4	7.9	7.3	6.9	9.0	9.2	6.4	4.1	4.1	5.8	-940	-940	12.1	10.8	8.2	5.8	10.3	5.7	7.5	7.8	7.7	7.6	8.1	7.6	4.1	12.1	7.6
28	7.2	9.5	9.9	16.1	17.2	29.7	36.7	31.0	36.3	30.7	29.7	29.0	33.0	25.6	18.5	15.5	14.2	17.2	16.1	15.1	13.7	12.8	11.3	9.1	7.2	36.7	20.2
29	8.4	11.8	6.6	5.3	7.4	11.2	11.2	6.9	3.5	7.5	9.1	9.6	12.1	8.0	8.5	5.0	5.0	3.4	2.8	4.6	5.6	6.2	8.6	8.4	2.8	12.1	7.4
30	5.0	6.8	8.6	7.7	6.1	6.7	8.6	11.1	8.6	9.3	12.7	13.1	13.2	16.5	12.5	14.0	11.3	11.6	13.8	10.2	7.8	7.4	10.2	5.7	5.0	16.5	9.9
Min	3.3	4.7	4.7	4.4	5.0	4.3	3.8	3.3	2.5	4.6	4.9	8.2	8.0	8.0	6.4	5.0	4.0	3.4	2.8	4.2	3.3	4.5	4.2	3.9	2.5		
Max	39.2	37.0	37.8	33.5	27.3	32.6	36.7	31.0	36.3	30.7	31.7	36.1	35.4	37.0	34.0	37.1	32.4	30.8	25.9	27.8	28.4	23.9	25.8	35.2		39.2	
Avg	10.4	10.2	10.7	11.0	10.7	11.7	11.2	10.9	11.1	12.3	14.0	16.3	16.9	17.2	15.8	15.0	13.5	11.6	11.5	10.8	10.4	10.4	10.0	10.1			12.2

Total Data Records Possible: 720
Total Valid Data Records: 718
Percent Data Recovery: 99.7

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Desert Hot Springs (data subject to change)
Month: November
Year: 2007
Time Zone: PST

Validation Level: B
Printout Date: 01-23-2008
Printout Time: 12:04:05
Output File Name: DHSB1107.7

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	12.9	12.8	12.8	12.8	12.8	12.7	13.5	13.8	13.4	13.5	13.4	13.2	13.1	13.1	13.4	13.2	13.1	13.0	12.9	12.9	12.9	12.8	12.8	12.8	12.7	13.8	13.1
2	12.7	12.7	12.7	12.7	12.6	12.6	13.5	13.8	13.6	14.1	13.5	13.3	13.4	13.9	13.6	13.3	13.1	13.1	13.1	13.0	13.0	13.0	12.9	12.9	12.6	14.1	13.2
3	12.9	12.8	12.8	12.8	12.7	12.7	13.4	13.8	13.5	13.6	13.5	13.3	13.2	13.2	13.6	13.3	13.1	13.1	13.0	13.0	13.0	12.9	12.9	12.9	12.7	13.8	13.1
4	12.8	12.8	12.8	12.8	12.7	12.7	12.8	13.1	13.8	13.5	13.3	13.2	13.6	13.2	13.4	13.2	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.8	12.7	13.8	13.0
5	12.7	12.7	12.7	12.7	12.6	12.6	13.3	13.8	13.5	13.8	13.4	13.2	13.1	13.1	13.5	13.2	13.1	13.0	12.9	12.9	12.9	12.8	12.8	12.8	12.6	13.8	13.0
6	12.7	12.7	12.6	12.6	12.6	12.6	13.3	14.0	14.0	13.5	13.5	13.2	13.1	13.8	13.5	13.3	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.9	12.6	14.0	13.1
7	12.8	12.8	12.8	12.7	12.7	12.7	13.4	14.6	13.6	13.6	13.4	13.4	13.2	13.1	13.5	13.2	13.1	13.0	13.0	12.9	12.9	12.8	12.8	12.8	12.7	14.6	13.1
8	12.7	12.7	12.7	12.6	12.6	12.6	13.2	14.0	13.7	13.7	14.1	13.4	13.3	13.1	13.5	13.2	13.1	13.0	13.0	12.9	12.9	12.8	12.8	12.8	12.6	14.1	13.1
9	12.7	12.7	12.6	12.6	12.6	12.6	12.7	12.8	13.2	13.6	14.6	13.8	13.7	13.6	14.1	13.3	13.2	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.6	14.6	13.1
10	12.7	12.7	12.6	12.6	12.6	12.6	12.9	14.9	13.9	13.9	13.9	13.7	13.9	13.7	14.1	13.5	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.6	14.9	13.3
11	12.8	12.8	12.7	12.7	12.6	12.6	13.1	14.4	14.0	14.4	13.7	13.8	13.7	13.6	13.4	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.8	12.6	14.4	13.2
12	12.8	12.7	12.7	12.7	12.6	12.6	12.8	14.3	14.4	13.7	14.5	13.5	13.4	13.4	13.7	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.9	12.6	14.5	13.2
13	12.9	12.9	12.8	12.8	12.8	12.7	13.3	13.8	14.3	13.5	13.4	13.3	13.2	13.1	13.5	13.2	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.8	12.7	14.3	13.1
14	12.8	12.7	12.7	12.7	12.6	12.6	13.3	13.9	13.5	13.5	13.5	13.3	13.2	13.9	13.6	13.3	13.1	13.1	13.0	13.0	13.0	12.9	12.9	12.9	12.6	13.9	13.1
15	12.8	12.8	12.8	12.8	12.7	12.7	13.2	13.8	13.5	13.4	13.4	13.2	13.1	13.1	13.4	13.2	13.1	13.0	12.9	12.9	12.8	12.8	12.8	12.7	12.7	13.8	13.0
16	12.7	12.7	12.6	12.6	12.6	12.6	13.1	14.1	13.5	13.6	13.5	13.2	13.3	13.3	13.4	13.3	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.8	12.6	14.1	13.1
17	12.7	12.7	12.6	12.6	12.6	12.6	13.0	14.1	13.8	13.6	13.5	13.3	13.4	13.2	13.5	13.3	13.1	13.0	13.0	12.9	12.9	12.9	12.8	12.8	12.6	14.1	13.1
18	12.7	12.7	12.6	12.6	12.6	12.6	13.1	14.1	13.6	13.6	13.5	13.3	13.2	13.1	13.4	13.2	13.1	13.0	13.0	12.9	12.9	12.8	12.8	12.8	12.6	14.1	13.0
19	12.7	12.7	12.6	12.6	12.6	12.6	13.1	14.4	13.6	13.6	13.5	13.3	13.1	13.1	13.5	13.2	13.1	13.0	13.0	12.9	12.9	12.8	12.8	12.8	12.6	14.4	13.1
20	12.7	12.7	12.6	12.6	12.6	12.6	12.6	12.6	12.7	13.0	13.7	13.4	14.1	13.3	13.6	13.3	13.1	13.1	13.0	12.9	12.9	12.9	12.8	12.8	12.6	14.1	13.0
21	12.7	12.7	12.7	12.6	12.6	12.6	12.9	14.1	13.8	14.1	13.9	13.7	13.6	13.5	13.9	13.4	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.9	12.6	14.1	13.2
22	12.9	12.8	12.8	12.8	12.7	12.6	13.1	14.4	13.8	14.0	14.0	13.5	13.4	13.5	13.7	13.4	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.8	12.6	14.4	13.2
23	12.8	12.8	12.7	12.7	12.6	12.6	13.0	14.8	14.1	13.9	13.9	13.8	13.8	13.7	14.4	13.5	13.4	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.6	14.8	13.3
24	12.9	12.8	12.8	12.7	12.7	12.6	13.1	14.5	14.0	13.8	14.4	13.6	13.5	13.5	13.8	13.4	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.9	12.6	14.5	13.3
25	12.9	12.8	12.8	12.7	12.7	12.6	12.8	14.9	14.7	14.3	14.4	13.8	13.6	13.7	13.5	13.3	13.2	13.1	13.1	13.0	12.9	12.9	12.8	12.8	12.6	14.9	13.3
26	12.8	12.7	12.7	12.6	12.6	12.6	12.7	14.2	13.9	13.9	14.0	13.6	13.5	13.5	13.7	13.4	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.6	14.2	13.2
27	12.8	12.8	12.8	12.7	12.7	12.6	12.6	12.9	13.9	13.9	13.8	13.8	13.6	13.6	13.7	13.4	13.2	13.2	13.1	13.0	13.0	13.0	12.9	12.9	12.6	13.9	13.2
28	12.9	12.8	12.8	12.8	12.7	12.7	12.7	13.1	13.6	14.7	13.8	14.4	13.9	13.7	13.5	13.4	13.3	13.2	13.1	13.0	13.0	12.9	12.9	12.9	12.7	14.7	13.2
29	12.8	12.8	12.7	12.6	12.6	12.6	12.9	14.9	14.2	13.9	14.0	13.7	13.6	13.7	13.4	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.8	12.8	12.6	14.9	13.2
30	12.7	12.7	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.7	12.8	12.6	12.6	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.8	12.6
Min	12.7	12.7	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.7	12.8	12.6	12.6	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	
Max	12.9	12.9	12.8	12.8	12.8	12.7	13.5	14.9	14.7	14.7	14.6	14.4	14.1	13.9	14.4	13.5	13.4	13.3	13.2	13.1	13.1	13.0	13.0	12.9		14.9	
Avg	12.8	12.7	12.7	12.7	12.7	12.6	13.0	14.0	13.7	13.7	13.7	13.5	13.4	13.4	13.6	13.3	13.1	13.1	13.0	13.0	12.9	12.9	12.8			13.1	

Total Data Records Possible: 720
Total Valid Data Records: 720
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2