

Palm Desert Meteorological Data

February 2005

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Palm Desert (data subject to change)
Month: February
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 03-08-2005
Printout Time: 10:46:06
Output File Name: PDTB0205.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	5.6	4.8	5.2	5.4	4.4	5.2	3.2	3.7	4.5	3.8	6.0	11.0	9.7	4.0	6.5	10.1	9.2	7.7	4.6	8.8	5.1	6.3	6.9	6.7	3.2	11.0	6.2
2	6.6	6.4	6.2	6.2	7.0	7.7	5.5	5.4	7.2	5.9	5.6	7.4	7.1	6.1	7.1	8.1	8.8	6.3	5.7	5.2	5.7	6.4	5.6	6.2	5.2	8.8	6.5
3	6.1	4.9	4.4	5.7	3.0	3.8	4.0	3.1	2.7	6.1	5.9	4.7	4.9	5.1	5.7	5.7	6.7	4.7	2.8	4.4	5.9	3.5	4.3	4.1	2.7	6.7	4.7
4	4.8	3.8	4.0	4.6	4.2	7.9	7.7	6.8	5.6	5.7	5.9	4.9	5.1	5.2	3.5	3.9	4.8	4.7	4.0	7.4	8.1	6.1	6.7	5.2	3.5	8.1	5.4
5	6.1	7.1	6.5	5.8	5.2	5.0	4.7	3.6	3.4	2.5	2.9	3.0	2.3	0.7	0.6	0.7	1.4	2.0	3.5	3.9	4.4	3.8	4.2	5.3	0.6	7.1	3.7
6	4.4	7.0	7.0	4.5	1.8	2.8	3.2	2.3	1.1	2.5	3.0	4.2	4.4	4.9	4.5	8.3	8.6	8.2	5.8	6.2	7.2	3.3	4.1	6.0	1.1	8.6	4.8
7	11.1	4.3	3.3	2.7	3.8	2.9	3.1	1.9	2.1	2.6	3.8	3.5	2.9	3.7	2.7	2.7	4.3	6.6	6.9	4.7	5.4	5.4	7.2	9.1	1.9	11.1	4.4
8	9.3	10.1	8.2	7.2	7.8	5.6	6.3	5.5	4.6	3.6	2.9	2.3	6.6	8.4	8.3	8.4	4.3	3.0	1.7	3.1	2.2	2.5	3.3	3.2	1.7	10.1	5.3
9	3.4	4.3	4.5	3.4	4.2	2.6	4.1	3.7	3.7	4.0	1.9	2.4	6.0	4.0	3.6	3.0	1.1	0.5	2.0	3.1	3.3	4.2	4.7	4.7	0.5	6.0	3.4
10	4.1	4.0	4.1	3.2	4.2	4.7	4.3	4.2	2.6	1.8	3.0	2.3	2.7	2.6	4.1	3.2	4.7	4.9	4.9	2.4	1.6	3.9	3.6	2.6	1.6	4.9	3.5
11	1.9	1.3	1.9	3.3	2.3	0.4	2.4	1.7	3.1	2.5	5.8	2.5	2.6	4.6	7.1	6.6	6.4	6.3	5.8	5.2	4.4	2.6	1.9	2.0	0.4	7.1	3.5
12	1.1	2.3	2.6	2.4	2.1	0.5	1.7	2.1	1.1	1.5	3.0	3.1	3.5	2.6	2.1	4.6	3.8	2.7	3.9	2.2	3.0	2.5	3.2	2.7	0.5	4.6	2.5
13	2.7	4.0	4.1	4.4	4.0	3.8	4.3	2.8	2.2	3.0	3.5	4.6	5.8	5.3	4.8	4.9	4.3	3.7	3.5	2.8	1.2	2.1	2.1	3.3	1.2	5.8	3.6
14	3.2	3.5	3.3	2.0	3.1	3.7	3.5	2.9	1.6	3.0	2.5	1.6	2.6	3.3	2.9	2.9	3.8	3.3	3.3	3.0	2.3	4.1	3.5	3.4	1.6	4.1	3.0
15	3.4	4.8	7.2	7.8	6.6	8.4	8.6	7.2	6.0	5.3	3.7	2.4	2.4	3.4	5.0	4.8	3.7	3.7	5.9	3.4	3.2	2.0	4.7	5.3	2.0	8.6	5.0
16	4.8	4.5	4.0	4.2	4.1	3.9	3.2	3.6	5.0	3.2	1.6	2.2	2.0	3.6	5.4	5.9	4.3	3.2	2.6	1.9	3.8	4.2	3.7	2.2	1.6	5.9	3.6
17	4.9	5.0	4.9	2.9	4.4	4.4	6.0	3.9	2.1	1.4	0.7	1.6	3.1	3.6	2.0	2.3	3.4	2.5	3.3	3.3	3.4	3.7	3.1	3.1	0.7	6.0	3.3
18	1.1	3.2	3.6	1.9	2.1	4.2	4.3	3.0	2.8	4.7	3.8	1.9	3.4	2.9	2.2	5.2	5.2	4.3	1.6	1.5	2.1	1.5	3.3	5.5	1.1	5.5	3.1
19	2.9	3.6	3.6	2.6	3.1	2.9	2.5	2.1	1.9	1.6	2.5	6.1	7.5	8.9	7.1	3.9	3.7	3.0	3.8	2.1	3.1	4.1	2.5	2.7	1.6	8.9	3.7
20	2.4	2.3	1.3	3.2	2.7	2.4	3.3	1.8	2.5	2.8	3.7	4.2	4.1	6.4	6.4	6.4	3.4	2.8	4.7	4.5	3.3	2.8	2.1	3.1	1.3	6.4	3.4
21	2.6	2.5	1.2	2.1	2.3	2.0	3.3	3.2	4.2	4.1	4.8	4.2	4.5	4.0	6.3	5.8	6.1	3.9	2.1	1.9	2.1	3.2	2.3	2.4	1.2	6.3	3.4
22	2.2	3.0	2.9	2.9	3.3	3.3	2.8	1.6	2.8	3.2	3.8	4.3	4.6	5.9	5.3	4.1	3.2	3.1	8.0	5.2	3.8	3.6	4.9	5.0	1.6	8.0	3.9
23	3.5	3.1	3.5	2.5	2.7	3.6	2.7	3.9	2.6	3.1	3.7	1.7	2.1	1.7	2.3	3.8	6.3	1.7	2.2	2.1	3.3	4.2	4.1	3.5	1.7	6.3	3.1
24	3.5	2.5	4.3	4.2	3.7	4.9	3.7	4.8	5.0	3.1	1.7	2.7	3.3	2.8	2.5	5.9	4.5	2.8	5.7	2.8	5.0	4.5	2.5	3.9	1.7	5.9	3.8
25	5.2	5.5	4.5	5.1	4.7	5.0	4.3	6.0	4.0	2.8	2.4	4.0	5.5	3.9	2.3	1.8	3.9	2.5	2.6	2.1	5.2	7.0	7.6	8.8	1.8	8.8	4.4
26	7.0	9.1	10.2	7.7	9.0	8.1	7.1	6.5	7.2	5.1	3.6	3.8	3.7	6.8	10.4	10.6	8.8	7.0	9.1	7.8	10.9	10.0	9.7	11.8	3.6	11.8	7.9
27	11.7	10.0	8.3	8.6	8.8	7.0	6.8	8.5	9.7	7.3	3.1	2.2	3.8	6.0	6.0	7.3	5.0	3.8	3.4	4.0	3.2	4.3	5.2	6.0	2.2	11.7	6.2
28	5.9	4.7	7.0	8.3	4.9	7.0	10.0	7.7	4.5	4.5	2.6	3.1	2.5	2.8	3.3	2.2	8.8	12.4	10.7	10.4	11.6	9.6	9.2	10.6	2.2	12.4	6.8
Min	1.1	1.3	1.2	1.9	1.8	0.4	1.7	1.6	1.1	1.4	0.7	1.6	2.0	0.7	0.6	0.7	1.1	0.5	1.6	1.5	1.2	1.5	1.9	2.0	0.4		
Max	11.7	10.1	10.2	8.6	9.0	8.4	10.0	8.5	9.7	7.3	6.0	11.0	9.7	8.9	10.4	10.6	9.2	12.4	10.7	10.4	11.6	10.0	9.7	11.8		12.4	
Avg	4.7	4.7	4.7	4.4	4.3	4.4	4.5	4.0	3.8	3.6	3.5	3.6	4.2	4.4	4.6	5.1	5.1	4.3	4.4	4.1	4.4	4.3	4.5	4.9			4.4

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Palm Desert (data subject to change)
 Month: February
 Year: 2005
 Time Zone: PST

Validation Level: B
 Printout Date: 03-08-2005
 Printout Time: 10:46:07
 Output File Name: PDTB0205.10

Day											Hour Ending														Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	278	280	288	291	274	307	298	295	306	263	254	326	337	5	329	8	345	336	295	345	312	288	321	301	[WNW]
2	303	295	308	284	301	317	306	302	326	353	317	7	3	28	13	357	346	331	300	269	287	264	289	299	[WNW]
3	320	269	253	284	272	276	266	257	29	353	4	75	79	110	37	32	30	30	273	262	280	253	269	290	[W]
4	264	308	273	300	280	278	274	280	270	280	281	268	250	245	275	255	313	281	292	297	286	277	307	297	[W]
5	288	283	284	279	277	266	272	268	272	203	95	64	68	149	272	78	90	323	285	281	276	272	285	293	[W]
6	268	295	306	269	177	218	243	174	75	68	112	103	128	140	77	311	316	314	308	320	326	303	300	305	[NW]
7	320	285	247	219	250	266	250	316	266	28	121	129	134	152	125	115	177	327	333	339	309	300	290	312	[NW]
8	310	298	293	298	307	282	284	284	304	251	232	200	157	137	146	134	116	122	69	79	215	270	279	306	[WNW]
9	301	274	290	290	291	290	274	277	273	295	251	208	184	159	141	147	261	278	356	303	259	299	299	286	[WNW]
10	292	297	276	285	306	283	288	292	280	326	289	260	215	153	104	106	120	118	144	255	236	190	254	285	[WNW]
11	316	297	311	271	296	24	211	191	72	128	224	14	75	95	124	119	113	114	127	117	123	132	29	29	[ESE]
12	5	263	296	266	278	311	269	280	236	162	87	109	138	157	110	129	129	103	124	102	18	136	257	327	[ESE]
13	267	278	275	263	265	290	298	249	108	94	108	121	115	114	123	130	123	106	117	81	356	26	294	299	[ESE]
14	270	260	258	323	275	267	275	299	325	276	349	33	96	105	131	114	114	121	109	98	164	298	331	314	[W]
15	274	299	301	299	300	311	313	302	307	315	256	269	146	95	116	122	117	112	96	90	27	326	285	311	[WNW]
16	280	278	294	258	273	258	283	271	286	256	257	198	87	124	114	116	127	156	154	49	266	285	289	229	[W]
17	272	293	294	293	269	290	284	279	313	291	213	131	101	91	94	254	229	133	49	241	287	309	316	222	[WNW]
18	219	313	284	308	275	287	342	220	128	196	153	67	87	97	99	141	131	122	93	65	66	357	314	332	[E]
19	255	281	231	342	305	250	291	311	285	83	129	110	139	131	130	233	8	289	339	4	221	310	142	199	[SE]
20	169	111	238	204	250	230	11	23	298	52	128	141	140	143	129	135	144	238	311	292	267	255	323	282	[SE]
21	256	281	68	311	275	330	261	304	292	301	304	274	311	302	300	293	275	290	245	160	251	292	285	267	[WNW]
22	310	280	289	291	233	307	311	203	158	134	118	138	155	108	135	153	246	311	300	302	248	260	278	284	[WNW]
23	298	273	261	256	329	291	320	6	199	225	243	245	34	332	299	143	107	173	198	249	277	283	286	265	[WNW]
24	275	288	293	269	252	264	277	274	276	279	225	219	177	183	102	131	168	128	168	101	323	270	289	253	[W]
25	259	282	271	259	266	276	284	287	279	251	203	115	111	85	10	307	312	267	49	327	324	312	300	297	[W]
26	298	311	315	298	303	303	293	292	299	282	279	317	327	351	325	326	324	320	320	309	318	314	303	310	[NW]
27	312	312	303	308	297	299	299	307	308	298	260	213	125	141	147	133	120	92	353	346	305	330	328	326	[NW]
28	324	305	301	302	281	291	300	275	268	268	301	156	155	146	126	192	327	326	325	319	317	310	302	312	[WNW]

Prev [W] [WNW] [WNW] [WNW] [W] [WNW] [WNW] [WNW] [W] [W] [WSW] [ESE] [SE] [SE] [SE] [SE] [SE] [ESE] [ESE] [WNW] [WNW] [NW] [WNW] [WNW] [WNW] [WNW]

Total Data Records Possible: 672
 Total Valid Data Records: 672
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Palm Desert (data subject to change)
Month: February
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 03-08-2005
Printout Time: 10:46:07
Output File Name: PDTB0205.10t

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[W]	[W]	[WNW]	[WNW]	[W]	[NW]	[WNW]	[WNW]	[NW]	[W]	[WSW]	[NW]	[NNW]	[N]	[NNW]	[N]	[NNW]	[NNW]	[WNW]	[NNW]	[NW]	[WNW]	[NW]	[WNW]	[WNW]
2	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[NW]	[N]	[NW]	[N]	[N]	[NNE]	[NNE]	[N]	[NNW]	[NNW]	[WNW]	[W]	[WNW]	[W]	[WNW]	[WNW]	[WNW]
3	[NW]	[W]	[WSW]	[WNW]	[W]	[W]	[W]	[WSW]	[NNE]	[N]	[N]	[ENE]	[E]	[ESE]	[NE]	[NNE]	[NNE]	[NNE]	[W]	[W]	[W]	[WSW]	[W]	[WNW]	[W]
4	[W]	[NW]	[W]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WSW]	[WSW]	[W]	[WSW]	[NW]	[W]	[WNW]	[WNW]	[WNW]	[W]	[NW]	[WNW]
5	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[SSW]	[E]	[ENE]	[ENE]	[SSE]	[W]	[ENE]	[E]	[NW]	[WNW]	[W]	[W]	[W]	[WNW]	[WNW]
6	[W]	[WNW]	[NW]	[W]	[S]	[SW]	[WSW]	[S]	[ENE]	[ENE]	[ESE]	[ESE]	[SE]	[SE]	[ENE]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[NW]	[NW]
7	[NW]	[WNW]	[WSW]	[SW]	[WSW]	[W]	[WSW]	[NW]	[W]	[NNE]	[ESE]	[SE]	[SE]	[SSE]	[SE]	[ESE]	[S]	[NNW]	[NNW]	[NNW]	[NW]	[WNW]	[WNW]	[NW]	[NW]
8	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[WSW]	[SW]	[SSW]	[SSE]	[SE]	[SSE]	[SE]	[ESE]	[ESE]	[ENE]	[ENE]	[SW]	[W]	[W]	[NW]	[WNW]
9	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[WNW]	[WSW]	[SSW]	[S]	[SSE]	[SE]	[SSE]	[W]	[W]	[N]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]
10	[WNW]	[WNW]	[W]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[NW]	[WNW]	[W]	[SW]	[SSE]	[ESE]	[ESE]	[ESE]	[ESE]	[SE]	[WSW]	[WSW]	[S]	[WSW]	[WNW]
11	[NW]	[WNW]	[NW]	[W]	[WNW]	[NNE]	[SSW]	[S]	[ENE]	[SE]	[SW]	[NNE]	[ENE]	[E]	[SE]	[ESE]	[ESE]	[ESE]	[SE]	[ESE]	[ESE]	[SE]	[NNE]	[NNE]	[ESE]
12	[N]	[W]	[WNW]	[W]	[W]	[NW]	[W]	[W]	[SW]	[SSE]	[E]	[ESE]	[SE]	[SSE]	[ESE]	[SE]	[SE]	[ESE]	[ESE]	[ESE]	[NNE]	[SE]	[WSW]	[NNW]	[ESE]
13	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[WSW]	[ESE]	[E]	[ESE]	[ESE]	[ESE]	[ESE]	[ESE]	[SE]	[ESE]	[ESE]	[ESE]	[ESE]	[E]	[N]	[NNE]	[WNW]	[WNW]
14	[W]	[W]	[WSW]	[NW]	[W]	[W]	[W]	[WNW]	[NW]	[W]	[N]	[NNE]	[E]	[ESE]	[SE]	[ESE]	[ESE]	[ESE]	[ESE]	[ESE]	[E]	[SSE]	[WNW]	[NNW]	[NW]
15	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[NW]	[NW]	[WSW]	[W]	[SE]	[E]	[ESE]	[ESE]	[ESE]	[ESE]	[ESE]	[E]	[E]	[NNE]	[NNW]	[NW]	[WNW]
16	[W]	[W]	[WNW]	[WSW]	[W]	[WSW]	[WNW]	[W]	[WNW]	[WSW]	[WSW]	[SSW]	[E]	[SE]	[ESE]	[ESE]	[SE]	[SSE]	[SSE]	[NE]	[W]	[WNW]	[WNW]	[SW]	[W]
17	[W]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[W]	[NW]	[WNW]	[SSW]	[SE]	[E]	[E]	[E]	[WSW]	[SW]	[SE]	[NE]	[WSW]	[WNW]	[NW]	[NW]	[SW]	[WNW]
18	[SW]	[NW]	[WNW]	[NW]	[W]	[WNW]	[NNW]	[SW]	[SE]	[SSW]	[SSE]	[ENE]	[E]	[E]	[E]	[SE]	[SE]	[ESE]	[E]	[ENE]	[ENE]	[N]	[NW]	[NNW]	[E]
19	[WSW]	[W]	[SW]	[NNW]	[NW]	[WSW]	[NNW]	[NW]	[WNW]	[E]	[SE]	[ESE]	[SE]	[SE]	[SE]	[SW]	[N]	[WNW]	[NNW]	[N]	[SW]	[NW]	[SE]	[SSW]	[SE]
20	[SSE]	[ESE]	[WSW]	[SSW]	[WSW]	[SW]	[NNE]	[NNE]	[WNW]	[NE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[WSW]	[NW]	[WNW]	[W]	[WSW]	[NW]	[WNW]
21	[WSW]	[W]	[ENE]	[NW]	[W]	[NNW]	[W]	[NW]	[WNW]	[WNW]	[NW]	[W]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[WSW]	[SSE]	[WSW]	[WNW]	[WNW]	[W]	[WNW]
22	[NW]	[W]	[WNW]	[WNW]	[SW]	[NW]	[NW]	[SSW]	[SSE]	[SE]	[ESE]	[SE]	[SSE]	[ESE]	[SE]	[SSE]	[WSW]	[NW]	[WNW]	[WNW]	[WSW]	[W]	[W]	[WNW]	[WNW]
23	[WNW]	[W]	[W]	[WSW]	[NNW]	[WNW]	[NW]	[N]	[SSW]	[SW]	[WSW]	[WSW]	[NE]	[NNW]	[WNW]	[SE]	[ESE]	[S]	[SSW]	[WSW]	[W]	[WNW]	[WNW]	[W]	[WNW]
24	[W]	[WNW]	[WNW]	[W]	[WSW]	[W]	[W]	[W]	[W]	[W]	[SW]	[SW]	[S]	[S]	[ESE]	[SE]	[SSE]	[SE]	[SSE]	[E]	[NW]	[W]	[WNW]	[WSW]	[W]
25	[WSW]	[WNW]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[W]	[WSW]	[SSW]	[ESE]	[ESE]	[E]	[N]	[NW]	[NW]	[NW]	[W]	[NE]	[NNW]	[NW]	[NW]	[WNW]	[WNW]
26	[WNW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[NW]	[NNW]	[N]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]
27	[NW]	[NW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[WNW]	[W]	[SSW]	[SE]	[SE]	[SSE]	[SE]	[ESE]	[E]	[N]	[NNW]	[NW]	[NNW]	[NNW]	[NW]
28	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[WNW]	[SSE]	[SSE]	[SE]	[SE]	[SSW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]	[WNW]

Prev [W] [WNW] [WNW] [WNW] [W] [WNW] [WNW] [WNW] [W] [W] [WSW] [ESE] [SE] [SE] [SE] [SE] [ESE] [ESE] [WNW] [WNW] [NW] [WNW] [WNW] [WNW] [WNW]

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)
 Units: degrees
 Channel: 11

Site: Palm Desert (data subject to change)
 Month: February
 Year: 2005
 Time Zone: PST

Validation Level: B
 Printout Date: 03-08-2005
 Printout Time: 10:46:08
 Output File Name: PDTB0205.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	11.0	12.0	14.9	19.4	25.6	20.3	25.8	21.6	18.3	27.8	32.3	16.8	19.5	42.2	27.7	19.9	16.0	14.9	10.9	29.1	20.6	14.9	14.1	13.4	10.9	42.2	20.4
2	14.0	12.0	18.4	28.1	15.5	13.1	15.4	20.4	15.5	35.7	35.4	22.3	27.7	30.9	24.9	19.6	18.6	21.0	20.8	15.7	13.8	11.8	17.1	16.0	11.8	35.7	20.2
3	17.8	26.6	14.7	13.0	29.8	21.4	18.0	26.4	27.4	22.8	29.8	40.7	61.2	41.8	37.6	21.1	16.7	15.8	12.7	11.6	23.1	36.8	29.0	33.1	11.6	61.2	26.2
4	28.7	48.7	25.7	19.7	13.5	11.3	11.8	12.8	13.2	14.8	18.9	20.4	25.7	21.1	38.9	30.9	14.3	10.8	11.4	12.6	11.9	12.1	13.6	13.9	10.8	48.7	19.0
5	13.2	12.9	11.6	12.1	12.5	8.8	9.7	13.4	17.4	24.4	22.1	21.8	20.1	38.2	10.0	41.3	19.0	10.7	6.3	13.2	10.8	10.5	9.3	13.3	6.3	41.3	15.9
6	15.2	15.6	17.0	14.4	45.6	12.6	10.0	26.5	21.2	22.2	23.5	26.0	22.6	17.9	22.0	19.2	13.9	13.9	17.2	14.7	12.1	27.6	15.8	23.0	10.0	45.6	19.6
7	14.7	29.0	29.9	28.4	13.9	35.4	18.5	28.7	19.8	15.2	15.4	18.6	24.2	31.3	31.1	39.7	43.2	13.0	15.3	20.9	17.6	16.0	13.2	14.2	13.0	43.2	22.8
8	16.3	16.7	16.1	16.2	16.5	15.8	14.9	14.4	15.0	22.1	25.1	38.4	19.6	19.2	14.1	11.7	11.4	14.2	9.9	14.9	33.9	13.1	8.8	13.3	8.8	38.4	17.1
9	13.8	8.3	10.6	10.6	19.8	48.5	8.3	13.1	13.4	18.9	55.3	58.5	27.0	37.6	31.2	26.0	12.6	0.0	28.1	14.0	9.1	11.9	13.2	10.7	0.0	58.5	20.9
10	13.0	10.6	11.4	23.1	14.1	9.4	10.5	14.3	16.8	27.9	16.5	22.0	12.7	14.4	11.7	13.1	10.9	12.0	19.8	25.3	39.6	11.2	9.0	9.2	9.0	39.6	15.8
11	27.4	12.9	9.9	11.8	20.1	13.8	30.3	7.2	52.0	33.6	10.4	23.4	18.8	14.8	12.4	12.8	13.1	13.4	11.7	12.7	12.2	12.9	27.9	9.4	7.2	52.0	17.7
12	37.0	12.6	13.4	14.3	38.1	6.9	33.0	25.1	29.4	27.9	29.3	29.9	34.0	43.4	48.1	18.5	11.5	7.5	9.2	22.3	29.2	27.0	22.1	6.5	6.5	48.1	24.0
13	28.7	11.2	10.0	11.9	9.7	9.4	10.1	22.1	18.8	21.0	23.1	21.9	18.0	18.6	17.9	15.2	13.6	15.3	11.6	19.9	18.1	24.7	43.9	14.9	9.4	43.9	17.9
14	10.5	10.9	21.5	11.9	23.2	12.4	38.0	22.4	27.9	30.0	23.5	50.2	55.2	35.1	30.2	17.2	11.6	10.4	12.4	13.6	15.8	14.7	13.5	14.3	10.4	55.2	21.9
15	20.4	14.5	16.5	17.5	17.5	15.4	15.4	17.3	17.9	17.3	24.4	40.4	43.0	24.8	14.9	13.2	12.3	12.1	12.4	12.6	18.1	22.7	9.9	13.5	9.9	43.0	18.5
16	14.0	11.4	12.5	12.1	10.1	9.6	30.0	12.6	17.1	18.7	41.7	61.2	42.5	34.5	18.4	13.6	11.6	7.5	32.1	6.6	16.4	14.9	11.9	22.8	6.6	61.2	20.2
17	7.9	12.2	11.0	26.1	8.6	10.6	14.1	12.5	20.3	32.0	29.6	15.3	16.5	17.2	19.3	51.6	13.8	19.5	12.3	29.0	10.9	14.6	13.8	9.4	7.9	51.6	17.8
18	7.6	20.0	11.4	51.3	17.2	18.2	39.4	21.6	32.3	43.9	28.4	41.8	21.6	28.9	29.3	11.5	11.5	13.1	22.8	30.3	13.6	42.9	15.3	15.7	7.6	51.3	24.6
19	19.2	16.6	13.9	24.6	13.6	26.5	25.0	38.2	32.8	35.3	24.0	14.0	15.6	15.7	19.0	55.7	46.2	48.7	74.1	63.5	61.9	58.0	64.2	43.9	13.6	74.1	35.4
20	23.1	33.7	46.5	59.3	57.7	56.4	19.8	63.6	47.2	22.7	35.0	37.7	29.6	16.7	13.8	15.6	14.5	17.3	14.4	15.9	10.9	14.0	13.1	22.2	10.9	63.6	29.2
21	13.0	18.6	48.3	35.7	15.6	13.6	21.0	38.7	20.3	14.9	21.4	18.4	15.4	15.5	15.3	15.2	13.9	13.2	12.0	22.0	22.3	13.8	13.8	12.4	12.0	48.3	19.3
22	21.5	13.0	15.8	16.2	11.1	18.3	24.2	29.3	17.9	25.5	26.2	21.6	26.3	19.5	19.9	17.3	12.1	12.3	15.7	14.9	13.3	19.0	16.0	13.8	11.1	29.3	18.3
23	21.2	10.7	11.5	24.7	14.4	20.6	28.5	15.6	45.5	23.5	24.3	33.9	53.2	54.3	85.0	26.4	12.5	29.8	13.1	12.7	11.8	12.6	17.8	13.9	10.7	85.0	25.7
24	15.5	46.6	12.9	13.2	11.2	11.6	13.1	13.8	15.4	25.3	46.0	29.9	45.8	54.0	56.1	27.6	37.1	21.4	19.0	23.2	38.2	16.1	58.8	14.4	11.2	58.8	27.8
25	11.6	14.2	11.7	10.6	9.7	10.8	11.5	14.3	16.8	26.0	32.3	25.4	19.6	27.8	22.0	38.8	12.6	28.0	37.7	27.5	14.0	14.9	15.9	15.1	9.7	38.8	19.5
26	14.6	15.4	15.0	17.0	16.4	16.6	16.3	15.1	18.4	19.6	30.2	42.4	57.3	28.8	18.5	14.8	14.1	14.0	13.9	17.1	13.3	14.8	16.9	16.6	13.3	57.3	19.9
27	16.0	15.4	16.0	16.4	14.6	16.9	15.9	16.7	16.7	27.6	38.4	56.3	32.9	23.1	22.9	13.7	12.9	20.4	16.4	11.7	26.8	12.5	12.8	13.7	11.7	56.3	20.3
28	14.6	17.9	17.5	16.7	19.1	17.5	16.7	16.5	19.9	27.6	46.2	51.9	59.2	62.7	50.9	39.5	32.2	12.8	12.7	13.8	13.9	16.0	16.9	14.9	12.7	62.7	26.2
Min	7.6	8.3	9.9	10.6	8.6	6.9	8.3	7.2	13.2	14.8	10.4	14.0	12.7	14.4	10.0	11.5	10.9	0.0	6.3	6.6	9.1	10.5	8.8	6.5	0.0		
Max	37.0	48.7	48.3	59.3	57.7	56.4	39.4	63.6	52.0	43.9	55.3	61.2	61.2	62.7	85.0	55.7	46.2	48.7	74.1	63.5	61.9	58.0	64.2	43.9	85.0		
Avg	17.2	17.9	17.4	20.6	19.1	17.9	19.5	21.2	23.0	25.1	28.9	32.2	30.9	29.6	27.3	23.6	17.3	15.8	18.1	19.3	19.8	19.0	19.6	16.0			21.5

Total Data Records Possible: 672
 Total Valid Data Records: 672
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Palm Desert (data subject to change)
Month: February
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 03-08-2005
Printout Time: 10:46:13
Output File Name: PDTB0205.17

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	9.0	8.2	9.0	13.2	8.8	15.1	7.8	12.9	9.9	10.2	13.3	28.4	22.8	13.2	16.0	19.5	18.4	18.6	8.8	25.3	15.8	12.8	13.0	12.0	7.8	28.4	14.2
2	13.6	11.7	12.9	14.3	17.3	14.5	12.1	13.0	15.5	13.3	15.0	17.4	18.0	25.3	16.1	17.0	19.1	16.2	20.8	10.2	10.7	11.9	11.7	12.5	10.2	25.3	15.0
3	11.4	10.2	9.4	12.8	9.5	7.8	9.4	6.9	7.6	13.7	15.2	17.6	15.7	17.6	14.9	12.1	14.8	15.4	7.4	8.2	11.5	8.0	8.7	7.8	6.9	17.6	11.4
4	8.8	7.2	7.6	10.4	8.8	13.5	12.6	12.3	10.5	9.8	11.6	9.1	9.6	9.7	8.0	10.5	9.8	7.8	6.9	12.9	14.2	12.1	12.1	10.1	6.9	14.2	10.2
5	12.9	12.3	11.6	10.1	9.8	7.7	7.4	6.7	6.4	5.0	6.4	6.9	5.7	2.8	2.8	2.3	3.2	4.0	5.2	6.6	6.6	6.6	7.2	11.5	2.3	12.9	7.0
6	10.7	14.5	14.0	12.4	5.6	5.0	7.1	4.9	3.6	6.1	6.0	8.6	9.3	10.5	10.4	16.1	15.6	16.6	11.8	12.6	13.0	8.0	9.6	14.3	3.6	16.6	10.3
7	22.1	11.0	8.6	8.3	8.2	10.3	5.9	5.4	4.3	5.0	7.6	7.2	5.8	8.8	6.5	7.2	11.9	12.1	13.6	11.9	14.6	13.4	13.2	17.5	4.3	22.1	10.0
8	19.4	19.1	16.9	14.0	17.4	11.7	12.5	11.1	8.6	7.8	6.4	6.6	13.5	14.8	14.2	14.4	8.5	5.3	4.6	4.8	4.7	4.2	5.0	5.3	4.2	19.4	10.5
9	5.0	6.6	6.9	6.2	6.9	5.7	7.8	7.5	7.4	8.0	5.3	7.4	13.9	10.8	8.3	7.8	4.5	1.3	4.4	4.5	5.2	8.1	7.7	8.0	1.3	13.9	6.9
10	6.6	6.4	7.2	6.2	7.7	7.8	7.1	9.6	5.6	3.9	6.1	5.0	4.6	4.9	6.8	6.5	8.8	8.1	15.2	6.2	6.7	6.9	5.2	4.5	3.9	15.2	6.8
11	3.8	2.7	3.3	6.2	5.3	2.0	5.8	5.4	8.8	9.1	9.4	6.1	6.6	10.2	14.1	12.3	11.5	13.2	11.3	11.0	7.2	5.9	4.1	3.9	2.0	14.1	7.5
12	3.7	5.5	4.9	4.9	3.9	2.5	3.5	5.1	5.0	3.9	6.9	7.9	8.9	6.8	6.1	9.0	7.4	5.8	6.7	4.0	5.3	4.9	6.4	4.7	2.5	9.0	5.6
13	4.2	7.2	6.4	6.9	6.5	6.1	7.9	6.7	4.3	6.3	6.6	8.8	11.5	11.0	9.1	8.4	9.3	9.5	6.4	5.4	4.6	4.5	5.3	5.7	4.2	11.5	7.0
14	5.6	5.8	6.0	5.3	5.7	7.6	6.6	7.5	7.3	6.5	5.8	4.7	7.8	9.1	6.8	7.1	7.2	5.6	6.0	6.1	5.0	9.2	8.6	8.6	4.7	9.2	6.7
15	6.5	9.7	15.6	17.1	14.0	17.0	16.4	15.3	12.3	10.4	8.1	6.6	5.4	9.9	9.7	9.1	7.7	9.3	11.6	7.5	6.0	4.6	8.0	10.3	4.6	17.1	10.3
16	10.1	7.2	7.0	7.2	6.1	6.2	5.2	6.4	9.2	7.7	5.4	6.6	6.3	8.6	10.2	10.1	8.9	4.8	6.9	4.2	5.3	6.7	7.6	4.9	4.2	10.2	7.0
17	7.1	8.9	10.1	6.1	6.7	7.5	9.9	7.8	6.0	3.7	2.6	3.6	6.4	7.6	3.7	6.4	5.3	4.2	6.1	5.6	6.1	6.4	7.1	5.4	2.6	10.1	6.3
18	3.9	5.2	5.8	4.2	4.6	9.1	10.4	6.6	11.3	10.5	9.0	9.3	9.0	6.5	6.6	9.6	9.7	9.4	5.3	4.6	4.2	4.0	6.0	14.0	3.9	14.0	7.5
19	6.0	7.4	6.2	6.0	5.3	6.3	5.4	6.3	7.6	5.3	9.8	11.2	14.0	17.4	12.8	12.7	9.4	6.1	9.4	6.1	9.1	10.2	6.7	5.4	5.3	17.4	8.4
20	4.5	6.2	6.9	6.4	8.0	6.9	5.9	5.0	6.4	7.6	8.3	10.3	11.4	12.4	12.0	14.7	9.7	5.8	9.9	9.2	6.3	6.0	3.8	7.4	3.8	14.7	8.0
21	5.0	6.0	3.9	3.8	4.5	4.6	8.6	8.7	9.5	8.3	11.3	8.3	10.0	7.5	11.6	10.1	12.1	9.2	4.3	3.9	6.6	4.8	3.9	4.3	3.8	12.1	7.1
22	3.9	6.8	5.7	5.2	5.6	5.1	8.1	5.8	6.1	6.4	8.8	8.6	15.5	11.7	10.3	9.3	6.1	15.3	15.6	12.3	8.0	8.5	9.1	8.3	3.9	15.6	8.6
23	8.4	5.3	6.4	4.7	6.1	9.1	6.9	9.7	7.1	6.7	7.7	6.1	6.6	5.3	6.4	14.3	13.2	3.5	4.1	4.3	5.4	8.3	8.3	6.6	3.5	14.3	7.1
24	6.5	6.4	9.6	8.4	7.8	8.9	6.8	9.1	8.7	8.7	5.0	7.6	8.9	9.6	6.4	12.6	9.9	10.7	11.5	5.5	11.1	8.2	10.2	9.2	5.0	12.6	8.6
25	8.6	12.4	8.6	8.3	8.5	9.6	7.4	10.5	7.2	6.6	5.4	8.7	12.8	10.7	6.2	6.5	9.6	6.6	5.6	7.4	11.8	16.4	13.9	15.4	5.4	16.4	9.4
26	13.4	18.5	18.0	15.3	19.0	18.0	15.6	13.0	14.3	11.8	8.3	11.0	10.2	17.1	20.7	20.1	18.4	13.4	18.0	16.5	20.4	18.7	21.5	24.5	8.3	24.5	16.5
27	21.6	20.6	16.4	17.5	16.1	14.4	13.7	16.7	18.9	16.5	8.9	6.1	10.2	12.5	12.5	12.3	10.2	8.0	6.5	8.3	7.6	9.0	9.7	10.7	6.1	21.6	12.7
28	10.8	11.0	15.0	17.6	14.2	17.5	20.2	19.4	9.5	14.4	7.5	8.0	7.3	8.5	10.0	6.5	20.0	22.6	19.9	18.9	20.3	17.8	18.9	19.6	6.5	22.6	14.8
Min	3.7	2.7	3.3	3.8	3.9	2.0	3.5	4.9	3.6	3.7	2.6	3.6	4.6	2.8	2.8	2.3	3.2	1.3	4.1	3.9	4.2	4.0	3.8	3.9	1.3		
Max	22.1	20.6	18.0	17.6	19.0	18.0	20.2	19.4	18.9	16.5	15.2	28.4	22.8	25.3	20.7	20.1	20.0	22.6	20.8	25.3	20.4	18.7	21.5	24.5	28.4		
Avg	9.1	9.3	9.3	9.2	8.8	9.2	9.1	9.1	8.5	8.3	8.1	9.1	10.3	10.8	10.0	10.9	10.7	9.6	9.4	8.7	9.0	8.8	9.0	9.7			9.3

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Palm Desert (data subject to change)
Month: February
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 03-08-2005
Printout Time: 10:46:04
Output File Name: PDTB0205.7

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	10.8	10.8	10.8	10.8	10.8	10.8	10.8	11.0	11.5	12.2	12.4	12.4	12.5	12.8	12.8	12.0	11.5	11.1	11.1	11.0	11.0	11.0	10.9	10.9	10.8	12.8	11.4
2	10.9	10.9	10.8	10.8	10.8	10.8	11.1	12.8	12.8	12.8	12.8	12.7	12.8	12.8	12.7	11.8	11.3	11.1	11.0	11.0	10.9	10.9	10.9	10.9	10.8	12.8	11.6
3	10.9	10.8	10.8	10.8	10.8	10.8	11.1	12.8	12.8	12.8	12.8	12.8	12.8	12.8	11.7	11.3	11.1	11.0	11.0	10.9	10.9	10.9	10.9	10.8	10.8	12.8	11.6
4	10.8	10.8	10.8	10.8	10.8	10.8	10.9	12.8	12.8	12.6	12.4	12.3	12.7	12.6	12.4	11.7	11.3	11.1	11.0	11.0	10.9	10.9	10.9	10.8	10.8	12.8	11.5
5	10.8	10.8	10.8	10.8	10.8	10.8	11.1	12.8	12.8	12.8	12.6	12.1	12.0	12.1	12.0	11.9	11.6	11.2	11.1	11.0	11.0	10.9	10.9	10.9	10.8	12.8	11.5
6	10.9	10.8	10.8	10.8	10.8	10.7	10.8	11.4	12.8	12.8	12.8	12.1	12.0	12.0	12.1	11.9	11.5	11.1	11.1	11.0	11.0	10.9	10.9	10.9	10.7	12.8	11.4
7	10.9	10.8	10.8	10.8	10.7	10.7	10.8	11.2	12.2	12.7	12.8	12.7	12.8	12.7	12.0	11.9	11.4	11.1	11.1	11.0	11.0	10.9	10.9	10.9	10.7	12.8	11.5
8	10.8	10.8	10.8	10.8	10.8	10.8	11.0	12.8	12.8	12.5	12.3	12.2	12.1	11.7	11.6	11.5	11.4	11.1	11.0	11.0	10.9	10.9	10.9	10.9	10.8	12.8	11.4
9	10.8	10.8	10.8	10.8	10.7	10.7	11.1	12.8	12.8	12.5	12.3	12.0	12.1	12.1	11.9	11.8	11.4	11.1	11.0	11.0	10.9	10.9	10.9	10.9	10.7	12.8	11.4
10	10.8	10.8	10.8	10.8	10.8	10.8	10.8	11.6	12.8	12.8	12.3	12.2	12.1	12.1	11.9	11.8	11.5	11.2	11.1	11.1	11.0	11.0	10.9	10.9	10.8	12.8	11.4
11	10.9	10.9	10.8	10.8	10.8	10.8	10.8	10.9	10.9	11.1	11.7	12.1	12.8	11.9	12.8	11.9	11.6	11.4	11.2	11.1	11.1	11.0	11.0	10.9	10.8	12.8	11.3
12	10.9	10.9	10.8	10.8	10.8	10.8	10.9	11.5	12.8	12.8	12.8	12.6	12.8	11.7	12.0	11.8	11.3	11.1	11.0	11.0	10.9	10.9	10.9	10.8	10.8	12.8	11.4
13	10.8	10.8	10.8	10.8	10.7	10.7	11.1	12.8	12.8	12.5	12.4	12.2	12.5	12.4	11.6	11.4	11.3	11.1	11.0	11.0	10.9	10.9	10.9	10.9	10.7	12.8	11.4
14	10.8	10.8	10.8	10.8	10.8	10.8	10.9	11.7	12.8	12.8	12.4	12.8	12.1	12.0	11.8	11.6	11.5	11.2	11.1	11.0	11.0	10.9	10.9	10.9	10.8	12.8	11.4
15	10.9	10.8	10.8	10.8	10.8	10.8	10.9	11.4	12.8	12.3	12.5	12.2	12.4	11.9	11.7	11.9	11.4	11.1	11.1	11.0	11.0	10.9	10.9	10.9	10.8	12.8	11.4
16	10.8	10.8	10.8	10.8	10.7	10.7	11.1	12.8	12.8	12.5	12.3	12.1	12.0	11.8	11.7	11.6	11.3	11.1	11.0	11.0	10.9	10.9	10.9	10.8	10.7	12.8	11.4
17	10.8	10.8	10.8	10.7	10.7	10.7	10.8	11.8	12.8	12.4	12.3	12.2	12.1	12.0	11.9	11.8	11.5	11.3	11.1	11.1	11.0	11.0	10.9	10.9	10.7	12.8	11.4
18	10.9	10.8	10.8	10.8	10.8	10.8	10.8	10.8	11.0	12.8	12.2	12.3	12.3	12.1	11.9	11.8	11.6	11.4	11.2	11.1	11.0	11.0	10.9	10.9	10.8	12.8	11.3
19	10.9	10.8	10.8	10.8	10.8	10.7	11.0	11.4	12.3	12.2	12.1	12.3	12.2	11.9	11.8	12.0	11.9	11.5	11.3	11.1	11.0	11.0	10.9	10.9	10.7	12.3	11.4
20	10.9	10.8	10.8	10.8	10.7	10.7	11.3	12.5	12.8	12.5	12.3	12.1	11.6	11.6	11.6	11.3	11.1	11.0	10.9	10.9	10.9	10.9	10.8	10.8	10.7	12.8	11.3
21	10.8	10.8	10.8	10.8	10.7	10.8	10.8	10.8	11.1	11.7	12.2	11.9	12.4	12.1	12.2	12.2	11.9	11.6	11.4	11.2	11.1	11.0	11.0	10.9	10.7	12.4	11.3
22	10.9	10.9	10.8	10.8	10.8	10.8	10.9	12.8	12.3	12.4	12.2	12.2	11.8	12.0	12.0	11.7	11.5	11.2	11.1	11.0	10.9	10.9	10.9	10.9	10.8	12.8	11.4
23	10.8	10.8	10.8	10.8	10.8	10.7	10.7	11.0	12.8	12.4	12.5	12.6	12.3	12.1	12.0	11.6	11.4	11.1	11.0	10.9	10.9	10.9	10.8	10.8	10.7	12.8	11.4
24	10.8	10.8	10.7	10.7	10.7	10.7	11.7	12.8	12.4	12.4	12.3	12.1	12.0	11.8	11.8	11.2	11.1	11.0	10.9	10.9	10.9	10.8	10.8	10.8	10.7	12.8	11.3
25	10.7	10.7	10.7	10.7	10.7	10.7	11.3	12.8	12.8	12.4	12.3	12.1	12.0	11.6	11.6	11.5	11.2	11.0	11.0	10.9	10.9	10.9	10.8	10.8	10.7	12.8	11.3
26	10.8	10.8	10.7	10.7	10.7	10.7	11.2	12.8	12.8	12.5	12.3	12.1	12.0	11.8	11.8	11.7	11.6	11.1	11.0	11.0	10.9	10.9	10.9	10.8	10.7	12.8	11.4
27	10.8	10.8	10.8	10.7	10.7	10.7	10.9	12.8	12.8	12.8	12.3	12.1	12.0	12.0	11.9	11.7	11.5	11.1	11.0	11.0	10.9	10.9	10.9	10.8	10.7	12.8	11.4
28	10.8	10.8	10.8	10.7	10.7	10.7	11.4	12.8	12.8	12.4	12.3	12.1	12.0	11.9	11.8	11.7	11.5	11.1	11.0	11.0	10.9	10.9	10.9	10.8	10.7	12.8	11.4
Min	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.8	10.9	11.1	11.7	11.9	11.6	11.6	11.6	11.2	11.1	11.0	10.9	10.9	10.9	10.8	10.8	10.8	10.7		
Max	10.9	10.9	10.8	10.8	10.8	10.8	11.7	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.2	11.9	11.6	11.4	11.2	11.1	11.0	11.0	10.9	12.8		
Avg	10.8	10.8	10.8	10.8	10.8	10.8	11.0	12.1	12.5	12.5	12.4	12.3	12.3	12.1	12.0	11.7	11.4	11.2	11.1	11.0	11.0	10.9	10.9	10.9		11.4	

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2