

Palm Desert Meteorological Data

February 2008

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Palm Desert (data subject to change)
Month: February
Year: 2008
Time Zone: PST

Validation Level: B
Printout Date: 06-05-2008
Printout Time: 10:37:17
Output File Name: PDTB0208.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	3.9	3.5	3.6	2.8	2.2	1.6	2.3	1.8	2.1	2.6	2.2	2.9	4.9	4.5	3.1	2.5	1.7	3.1	2.4	2.8	1.7	1.8	3.2	3.6	1.6	4.9	2.8
2	6.8	7.9	5.3	7.9	9.6	2.7	3.4	2.2	1.0	2.7	4.1	6.5	7.5	7.3	6.3	6.7	4.4	5.7	3.9	3.0	1.9	2.2	2.6	2.0	1.0	9.6	4.7
3	3.2	3.1	3.4	2.9	2.3	2.6	3.0	3.7	3.7	3.2	5.6	5.4	10.9	21.3	11.8	10.2	9.9	10.7	8.7	7.5	7.5	3.8	4.4	3.9	2.3	21.3	6.4
4	2.5	6.3	6.0	4.0	7.0	9.0	11.8	11.7	10.3	8.8	7.1	5.8	4.6	5.5	8.0	6.7	4.7	3.4	3.0	3.7	6.8	6.6	4.3	3.2	2.5	11.8	6.3
5	2.9	4.7	3.1	2.3	2.2	2.1	5.1	4.6	5.9	8.1	4.9	3.4	3.3	2.5	2.7	2.8	1.9	0.9	2.2	1.8	3.5	3.8	3.0	3.4	0.9	8.1	3.4
6	3.4	3.7	4.0	3.3	2.1	2.3	4.0	2.6	2.6	1.4	2.6	5.8	5.5	3.4	3.4	3.8	4.3	2.6	2.0	2.3	3.2	2.6	2.6	3.4	1.4	5.8	3.2
7	4.4	4.0	3.6	4.0	2.8	2.9	4.1	3.2	3.6	2.8	1.1	1.9	2.3	2.9	3.0	3.0	2.5	2.1	2.6	2.4	3.6	3.9	4.2	3.8	1.1	4.4	3.1
8	3.7	4.4	4.0	2.7	3.3	2.8	2.9	3.5	2.4	1.4	2.2	3.4	5.3	4.8	3.9	2.7	2.0	1.9	1.9	1.9	2.3	3.3	3.9	4.3	1.4	5.3	3.1
9	4.5	4.3	4.7	4.2	3.6	2.9	4.5	3.0	3.4	0.8	2.1	1.3	1.2	1.5	2.2	3.2	3.4	1.9	2.9	1.6	3.7	3.5	3.6	4.0	0.8	4.7	3.0
10	3.3	4.1	3.7	4.3	3.7	4.9	3.7	4.3	3.7	2.3	1.1	1.5	2.5	3.0	3.0	2.5	2.0	1.9	2.0	3.9	3.8	2.7	3.5	4.3	1.1	4.9	3.1
11	3.7	4.5	4.3	4.5	5.1	4.3	4.2	3.1	3.6	3.2	2.1	1.2	2.4	2.5	2.3	2.3	2.9	4.5	4.5	3.8	3.9	3.4	5.1	2.5	1.2	5.1	3.5
12	5.0	4.2	5.1	6.3	6.3	6.3	5.3	4.9	2.9	2.0	1.7	2.1	1.9	3.3	3.9	3.3	1.9	1.8	2.5	1.9	3.9	5.0	4.4	4.1	1.7	6.3	3.8
13	4.4	4.2	3.8	3.9	3.9	4.4	3.4	3.2	3.1	1.8	3.7	3.5	5.6	5.3	3.8	4.9	4.0	5.8	5.4	6.9	13.4	15.3	15.9	10.5	1.8	15.9	5.8
14	10.7	6.8	5.4	5.9	5.6	6.6	7.6	7.2	5.3	8.1	7.6	7.1	7.2	7.6	9.7	6.3	2.7	1.7	1.9	2.7	3.4	2.8	5.0	3.2	1.7	10.7	5.8
15	4.3	6.1	6.5	5.3	5.6	5.5	6.7	8.6	8.5	8.2	11.5	9.8	13.9	10.0	8.3	7.3	5.6	3.6	2.6	2.9	5.7	8.6	7.1	5.4	2.6	13.9	7.0
16	3.8	3.7	4.0	5.3	5.4	5.4	5.6	5.3	6.2	3.9	3.3	3.3	2.5	2.7	2.8	2.3	2.8	4.1	2.6	3.8	4.6	8.1	8.8	8.1	2.3	8.8	4.5
17	7.1	4.2	4.2	4.3	4.4	3.4	2.6	1.9	2.9	2.4	3.4	3.5	3.7	5.2	5.7	5.8	3.9	1.6	1.4	2.1	2.6	3.5	4.5	3.7	1.4	7.1	3.7
18	4.2	3.1	3.5	3.7	4.3	3.7	3.8	3.4	1.9	1.7	2.4	2.0	2.9	3.6	4.3	3.2	2.5	2.3	2.3	2.1	1.7	3.3	3.8	4.1	1.7	4.3	3.1
19	4.2	3.2	3.8	4.9	4.5	5.4	8.5	6.7	4.6	6.3	5.7	4.9	5.7	8.0	7.8	7.5	9.1	12.0	11.8	11.9	12.3	13.7	14.8	13.5	3.2	14.8	8.0
20	13.1	8.6	12.2	14.2	12.6	11.2	9.2	9.0	7.6	10.7	7.1	5.7	7.6	11.3	14.3	14.3	12.3	11.6	11.4	8.6	6.8	4.5	3.4	3.5	3.4	14.3	9.6
21	3.3	5.0	5.2	8.1	8.4	4.7	4.4	2.9	2.3	3.2	4.3	2.7	2.5	3.5	4.3	3.2	2.3	6.1	5.5	7.8	7.5	5.9	7.0	8.8	2.3	8.8	5.0
22	7.9	8.0	6.9	5.3	3.1	2.5	1.6	1.6	3.4	2.9	2.0	2.8	2.5	4.2	5.0	3.9	8.1	10.7	17.3	10.3	4.9	3.9	5.2	4.5	1.6	17.3	5.4
23	2.0	4.4	7.0	5.7	3.1	2.4	1.5	2.0	3.0	3.4	2.6	3.3	2.3	3.9	2.9	4.1	4.1	6.8	4.2	2.3	2.7	4.3	5.1	2.8	1.5	7.0	3.6
24	2.4	1.8	2.2	3.6	1.6	1.3	4.1	3.0	2.2	2.2	4.1	3.3	9.3	9.2	7.7	8.2	10.2	16.8	18.5	19.3	14.9	13.3	15.5	11.4	1.3	19.3	7.8
25	15.7	12.4	6.1	6.9	2.6	2.4	5.7	5.6	6.7	5.5	3.4	2.3	2.2	3.1	2.9	3.6	3.3	3.0	3.5	4.2	3.6	3.6	4.2	4.3	2.2	15.7	4.9
26	4.2	4.2	4.1	5.3	4.8	5.4	5.0	4.3	4.8	5.4	6.1	6.4	5.6	5.1	3.9	3.5	2.2	2.0	3.3	2.4	3.0	4.5	3.7	4.2	2.0	6.4	4.3
27	3.8	4.2	3.5	4.2	4.3	4.2	3.4	3.2	3.8	3.0	1.6	3.2	3.7	3.7	3.1	2.9	2.9	2.8	2.2	2.5	3.7	3.9	3.7	3.6	1.6	4.3	3.4
28	4.4	4.7	4.1	4.3	4.7	4.6	4.3	3.8	3.6	3.0	1.7	2.4	2.9	3.8	4.3	5.3	6.0	4.0	2.3	2.4	2.7	4.2	2.8	3.8	1.7	6.0	3.8
29	4.6	4.2	3.9	4.2	3.6	4.3	3.9	2.0	2.2	3.5	4.3	4.9	4.3	4.0	5.7	4.9	4.5	3.7	1.3	2.1	3.8	5.0	6.7	6.2	1.3	6.7	4.1
Min	2.0	1.8	2.2	2.3	1.6	1.3	1.5	1.6	1.0	0.8	1.1	1.2	1.2	1.5	2.2	2.3	1.7	0.9	1.3	1.6	1.7	1.8	2.6	2.0	0.8		
Max	15.7	12.4	12.2	14.2	12.6	11.2	11.8	11.7	10.3	10.7	11.5	9.8	13.9	21.3	14.3	14.3	12.3	16.8	18.5	19.3	14.9	15.3	15.9	13.5		21.3	
Avg	5.1	4.9	4.7	5.0	4.6	4.2	4.7	4.2	4.0	4.0	3.8	3.9	4.7	5.4	5.2	4.9	4.4	4.8	4.7	4.5	4.9	5.2	5.6	5.0			4.7

Total Data Records Possible: 696
Total Valid Data Records: 696
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Palm Desert (data subject to change)
 Month: February
 Year: 2008
 Time Zone: PST

Validation Level: B
 Printout Date: 06-05-2008
 Printout Time: 10:37:18
 Output File Name: PDTB0208.10

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	272	286	323	311	271	267	330	293	68	69	116	109	120	130	124	105	105	143	105	263	169	314	299	282	[ESE]
2	301	305	264	290	291	315	242	259	18	272	242	316	318	313	308	306	306	321	303	265	269	275	275	221	[NW]
3	308	245	158	210	181	140	162	39	47	109	78	64	230	235	226	347	321	308	302	328	345	22	32	90	[NW]
4	104	348	335	296	292	330	327	319	315	321	308	310	298	301	246	315	282	282	309	321	351	332	279	253	[WNW]
5	266	291	291	234	101	150	337	339	351	0	56	136	276	206	171	192	172	177	114	77	274	299	330	284	[WNW]
6	283	284	278	290	298	277	267	283	263	339	101	124	126	132	92	95	139	110	33	159	280	325	312	283	[WNW]
7	267	311	286	277	297	279	313	285	255	284	24	194	162	104	112	118	144	133	84	21	275	303	286	276	[WNW]
8	279	280	285	306	303	278	275	289	275	36	116	120	118	109	134	119	129	123	85	352	293	297	289	283	[WNW]
9	283	295	274	283	287	289	300	287	272	234	243	242	222	104	111	113	132	147	25	32	295	277	296	268	[WNW]
10	271	279	283	277	289	293	300	281	270	259	232	102	118	151	126	112	123	128	259	324	289	279	281	294	[W]
11	299	253	252	279	289	278	273	274	269	257	200	163	112	57	168	211	340	13	313	254	267	303	298	280	[W]
12	308	282	295	293	289	288	270	318	312	25	243	195	206	202	215	224	223	234	12	284	286	293	305	270	[WNW]
13	285	287	276	287	269	293	292	287	280	108	85	115	111	121	129	110	115	56	53	353	329	325	319	322	[WNW]
14	328	300	302	283	287	306	309	333	320	340	315	351	235	213	185	161	83	121	17	270	282	275	294	289	[WNW]
15	276	302	301	281	289	297	289	313	314	325	339	340	340	346	347	353	329	326	360	289	280	311	313	322	[NW]
16	259	279	259	284	300	278	270	273	267	252	215	173	124	145	132	136	297	338	346	298	307	315	317	313	[W]
17	303	282	281	271	282	274	231	140	166	153	134	131	118	121	118	129	124	96	56	6	288	307	296	277	[WNW]
18	255	282	288	285	285	288	267	279	4	182	101	129	117	126	130	102	99	155	83	37	343	286	289	295	[WNW]
19	285	273	283	310	291	307	310	304	286	312	322	307	330	324	326	317	326	328	332	328	327	325	321	325	[NW]
20	325	308	307	325	335	334	326	326	317	320	331	345	257	243	240	238	242	263	332	334	356	229	264	319	[NW]
21	216	311	295	316	310	276	277	222	271	269	324	301	281	228	334	6	74	315	305	326	325	315	312	317	[NW]
22	313	311	325	336	285	223	11	302	297	290	192	120	108	140	113	88	232	243	232	277	357	347	17	332	[WNW]
23	139	353	337	337	287	233	265	302	280	268	275	250	223	138	168	143	141	139	122	54	350	286	309	253	[SE]
24	242	269	299	277	298	141	290	267	333	130	145	76	334	295	233	306	326	339	327	315	313	314	321	320	[NW]
25	314	302	299	326	253	8	297	292	302	282	252	219	228	203	247	228	228	267	338	270	275	308	283	273	[WNW]
26	276	293	308	302	304	291	284	286	271	280	275	268	257	206	234	240	224	242	305	276	257	297	285	283	[WNW]
27	291	292	279	297	286	284	286	290	278	297	200	164	158	138	155	148	126	127	100	14	299	283	275	277	[WNW]
28	276	284	279	270	291	276	277	279	263	259	187	200	163	140	126	131	134	126	81	11	319	288	262	269	[W]
29	277	285	273	277	272	276	292	109	68	113	115	113	126	129	138	129	127	108	162	314	314	301	302	296	[WNW]

Prev [W] [WNW] [WNW] [WNW] [WNW] [W] [WNW] [WNW] [W] [W] [WSW] [ESE] [ESE] [SE] [SE] [ESE] [SE] [SE] [NNW] [W] [WNW] [WNW] [WNW] [WNW] [WNW] [WNW]

Total Data Records Possible: 696
 Total Valid Data Records: 696
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Palm Desert (data subject to change)
Month: February
Year: 2008
Time Zone: PST

Validation Level: B
Printout Date: 06-05-2008
Printout Time: 10:37:18
Output File Name: PDTB0208.10t

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[W]	[WNW]	[NW]	[NW]	[W]	[W]	[NNW]	[WNW]	[ENE]	[ENE]	[ESE]	[ESE]	[ESE]	[SE]	[SE]	[ESE]	[ESE]	[SE]	[ESE]	[W]	[S]	[NW]	[WNW]	[WNW]	[ESE]
2	[WNW]	[NW]	[W]	[WNW]	[WNW]	[NW]	[WSW]	[W]	[NNE]	[W]	[WSW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[W]	[W]	[W]	[W]	[SW]	[NW]
3	[NW]	[WSW]	[SSE]	[SSW]	[S]	[SE]	[SSE]	[NE]	[NE]	[ESE]	[ENE]	[ENE]	[SW]	[SW]	[SW]	[NNW]	[NW]	[NW]	[WNW]	[NNW]	[NNW]	[NNE]	[NNE]	[E]	[NW]
4	[ESE]	[NNW]	[NNW]	[WNW]	[WNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WSW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[N]	[NNW]	[W]	[WSW]	[NW]
5	[W]	[WNW]	[WNW]	[SW]	[E]	[SSE]	[NNW]	[NNW]	[N]	[N]	[NE]	[SE]	[W]	[SSW]	[S]	[SSW]	[S]	[S]	[ESE]	[ENE]	[W]	[WNW]	[NNW]	[WNW]	[WNW]
6	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[W]	[W]	[WNW]	[W]	[NNW]	[E]	[ESE]	[SE]	[SE]	[E]	[E]	[SE]	[ESE]	[NNE]	[SSE]	[W]	[NW]	[NW]	[WNW]	[WNW]
7	[W]	[NW]	[WNW]	[W]	[WNW]	[W]	[NW]	[WNW]	[WSW]	[WNW]	[NNE]	[SSW]	[SSE]	[ESE]	[ESE]	[ESE]	[SE]	[SE]	[E]	[NNE]	[W]	[WNW]	[WNW]	[W]	[WNW]
8	[W]	[W]	[WNW]	[NW]	[WNW]	[W]	[W]	[WNW]	[W]	[NE]	[ESE]	[ESE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[E]	[N]	[WNW]	[WNW]	[WNW]	[WNW]
9	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[SW]	[WSW]	[WSW]	[SW]	[ESE]	[ESE]	[ESE]	[SE]	[SSE]	[NNE]	[NNE]	[WNW]	[W]	[WNW]	[W]	[WNW]
10	[W]	[W]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[SW]	[SE]	[ESE]	[SSE]	[SE]	[SE]	[ESE]	[ESE]	[SE]	[WSW]	[NW]	[WNW]	[W]	[W]	[WNW]
11	[WNW]	[WSW]	[WSW]	[W]	[WNW]	[W]	[W]	[W]	[W]	[WSW]	[SSW]	[SSE]	[ESE]	[ENE]	[SSE]	[SSW]	[NNW]	[NNE]	[NW]	[WSW]	[W]	[WNW]	[WNW]	[W]	[W]
12	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[NW]	[NW]	[NNE]	[WSW]	[SSW]	[SSW]	[SSW]	[SW]	[SW]	[SW]	[SW]	[NNE]	[WNW]	[WNW]	[WNW]	[NW]	[W]	[WNW]
13	[WNW]	[WNW]	[W]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[W]	[ESE]	[E]	[ESE]	[ESE]	[ESE]	[SE]	[ESE]	[ESE]	[ESE]	[NE]	[NE]	[N]	[NNW]	[NW]	[NW]	[WNW]
14	[NNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[NNW]	[NW]	[NNW]	[NW]	[N]	[SW]	[SSW]	[S]	[SSE]	[E]	[ESE]	[NNE]	[W]	[WNW]	[W]	[WNW]	[WNW]	[WNW]
15	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NW]	[N]	[WNW]	[W]	[NW]	[NW]	[NW]	[NW]	[NW]
16	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[W]	[W]	[W]	[WSW]	[SW]	[S]	[SE]	[SE]	[SE]	[SE]	[SE]	[WNW]	[NNW]	[NNW]	[WNW]	[NW]	[NW]	[NW]	[W]
17	[WNW]	[WNW]	[W]	[W]	[WNW]	[W]	[SW]	[SE]	[SSE]	[SSE]	[SE]	[SE]	[ESE]	[ESE]	[ESE]	[SE]	[ESE]	[E]	[NE]	[N]	[WNW]	[NW]	[WNW]	[W]	[WNW]
18	[WSW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[N]	[S]	[E]	[SE]	[ESE]	[SE]	[SE]	[ESE]	[E]	[SSE]	[E]	[NE]	[NNE]	[WNW]	[WNW]	[WNW]	[WNW]
19	[WNW]	[W]	[WNW]	[NW]	[WNW]	[NW]	[NW]	[NW]	[WNW]	[NW]	[NW]	[NNW]	[NW]	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]
20	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[W]	[NNW]	[NNW]	[N]	[SW]	[W]	[NW]	[NW]
21	[SW]	[NW]	[WNW]	[NW]	[NW]	[W]	[W]	[SW]	[W]	[W]	[NW]	[WNW]	[W]	[SW]	[NNW]	[N]	[ENE]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
22	[NW]	[NW]	[NW]	[NNW]	[WNW]	[SW]	[NNE]	[WNW]	[WNW]	[SSW]	[ESE]	[ESE]	[SE]	[ESE]	[E]	[SW]	[WSW]	[SW]	[W]	[N]	[NNW]	[NNE]	[NNW]	[WNW]	[WNW]
23	[SE]	[N]	[NNW]	[NNW]	[WNW]	[SW]	[W]	[WNW]	[W]	[W]	[W]	[WSW]	[SW]	[SE]	[SSE]	[SE]	[SE]	[SE]	[ESE]	[NE]	[N]	[WNW]	[NW]	[WSW]	[SE]
24	[WSW]	[W]	[WNW]	[W]	[WNW]	[SE]	[WNW]	[W]	[NNW]	[SE]	[SE]	[ENE]	[NNW]	[WNW]	[SW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
25	[NW]	[WNW]	[WNW]	[NW]	[WSW]	[N]	[WNW]	[WNW]	[WNW]	[WSW]	[SW]	[SW]	[SSW]	[WSW]	[SW]	[SW]	[SW]	[W]	[NNW]	[W]	[W]	[NW]	[WNW]	[W]	[WNW]
26	[W]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[WSW]	[SSW]	[SW]	[WSW]	[SW]	[WSW]	[NW]	[W]	[WSW]	[WNW]	[WNW]	[WNW]	[WNW]
27	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[SSW]	[SSE]	[SSE]	[SE]	[SSE]	[SSE]	[SE]	[SE]	[E]	[NNE]	[WNW]	[WNW]	[W]	[W]	[WNW]
28	[W]	[WNW]	[W]	[W]	[WNW]	[W]	[W]	[W]	[W]	[W]	[S]	[SSW]	[SSE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[E]	[NNE]	[NW]	[WNW]	[W]	[W]
29	[W]	[WNW]	[W]	[W]	[W]	[W]	[WNW]	[ESE]	[ENE]	[ESE]	[ESE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SSE]	[NW]	[NW]	[WNW]	[WNW]	[WNW]

Prev [W] [WNW] [WNW] [WNW] [WNW] [W] [WNW] [WNW] [W] [W] [WSW] [ESE] [ESE] [SE] [SE] [ESE] [SE] [SE] [NNW] [W] [WNW] [WNW] [WNW] [WNW] [WNW]

Total Data Records Possible: 696
Total Valid Data Records: 696
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)
 Units: degrees
 Channel: 11

Site: Palm Desert (data subject to change)
 Month: February
 Year: 2008
 Time Zone: PST

Validation Level: B
 Printout Date: 06-05-2008
 Printout Time: 10:37:19
 Output File Name: PDTB0208.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	15.7	14.1	20.4	27.0	42.1	19.4	30.0	27.3	25.4	24.4	38.8	33.7	21.6	23.4	34.3	24.7	14.6	20.6	53.9	47.3	23.4	34.5	27.7	19.1	14.1	53.9	27.6
2	21.6	22.0	22.0	24.1	22.3	56.4	25.1	23.7	21.1	43.1	40.0	24.5	21.9	22.7	24.2	22.9	20.9	18.7	21.5	24.2	15.9	25.0	28.2	36.3	15.9	56.4	26.2
3	30.0	51.1	31.3	32.2	14.1	30.0	45.3	39.5	55.3	39.4	37.2	29.4	56.7	12.9	48.1	25.8	30.7	31.1	44.5	46.7	51.5	28.8	53.5	61.7	12.9	61.7	38.6
4	53.4	25.5	24.5	41.7	27.5	16.8	15.9	17.4	18.8	18.5	21.8	26.3	29.4	29.5	32.3	42.4	20.8	25.1	26.8	28.6	24.1	22.3	34.2	22.7	15.9	53.4	26.9
5	31.5	21.4	28.5	21.6	55.5	56.0	37.4	24.1	27.0	24.4	27.8	42.7	66.5	46.2	57.0	32.3	22.0	6.9	18.4	30.0	9.4	14.9	33.1	14.7	6.9	66.5	31.2
6	14.9	13.0	13.2	13.5	49.7	15.6	9.8	11.9	18.5	49.0	28.7	21.1	21.7	35.3	31.0	23.4	20.1	22.6	45.9	25.8	25.2	15.8	10.5	9.7	9.7	49.7	22.7
7	17.4	14.3	8.9	11.4	23.8	8.5	11.8	11.6	14.2	28.3	44.3	53.7	49.5	31.5	27.5	20.0	13.1	11.9	15.1	12.1	20.6	17.1	16.0	13.1	8.5	53.7	20.7
8	11.3	10.2	11.8	28.1	20.5	14.9	13.2	17.8	18.1	33.6	29.1	23.4	21.0	24.2	23.6	21.1	15.4	9.6	14.4	8.7	12.5	15.6	14.5	11.2	8.7	33.6	17.7
9	12.4	16.5	10.9	14.3	15.8	30.7	12.1	19.0	18.4	46.5	24.3	45.9	52.6	55.9	40.2	20.6	14.6	15.6	23.0	24.9	7.5	12.1	13.1	10.2	7.5	55.9	23.2
10	11.9	10.7	10.7	12.7	13.3	16.1	14.7	13.4	15.1	17.4	60.7	39.5	25.1	27.9	28.8	20.8	12.8	8.7	15.0	17.6	12.6	39.8	14.1	17.6	8.7	60.7	19.9
11	19.4	11.9	13.2	15.7	14.1	14.0	16.1	49.4	20.8	21.8	36.5	37.4	47.7	33.9	34.9	34.9	37.6	19.7	20.9	22.2	18.6	18.8	27.4	45.1	11.9	49.4	26.3
12	31.8	23.1	18.0	16.0	17.1	18.5	16.8	31.3	20.3	33.8	38.1	36.7	55.7	38.0	27.4	18.7	16.9	19.7	43.2	39.3	15.5	16.9	25.9	12.4	12.4	55.7	26.3
13	15.7	15.2	13.0	14.5	12.4	13.9	13.8	32.2	15.8	34.4	22.3	34.8	22.3	23.6	28.6	20.1	35.5	29.1	26.8	24.3	18.1	19.0	17.9	20.1	12.4	35.5	21.8
14	19.5	21.5	22.6	17.9	20.0	20.5	20.4	22.2	29.5	21.7	29.5	31.2	28.0	16.6	13.8	14.6	19.3	16.8	16.7	20.2	24.6	50.5	20.0	15.5	13.8	50.5	22.2
15	17.1	23.1	24.8	26.2	21.0	21.1	22.3	19.3	20.1	23.0	21.0	21.9	19.8	24.4	24.8	23.3	23.1	21.6	50.3	28.3	44.8	21.1	18.5	37.8	17.1	50.3	24.9
16	33.2	20.9	14.5	18.5	21.1	21.0	17.2	23.5	23.3	22.0	28.9	38.5	45.0	32.4	51.5	41.6	23.7	29.5	47.8	16.3	16.5	17.6	17.1	18.8	14.5	51.5	26.7
17	19.9	18.9	16.3	15.3	15.6	14.2	17.1	15.8	17.1	26.1	23.7	26.2	28.8	20.3	23.5	18.0	19.5	11.9	11.4	14.2	19.1	11.6	15.3	14.9	11.4	28.8	18.1
18	12.2	22.0	19.8	13.3	11.9	17.4	11.7	14.1	37.7	22.6	22.6	41.7	26.7	26.3	22.0	25.8	21.8	14.6	26.8	19.4	32.4	15.2	17.3	18.8	11.7	41.7	21.4
19	17.3	17.8	15.4	19.7	20.9	21.4	20.4	21.9	22.8	22.7	22.3	42.8	25.2	19.8	17.8	20.1	18.3	16.4	19.8	18.5	18.3	18.8	17.4	18.8	15.4	42.8	20.6
20	17.6	22.3	21.5	18.6	19.5	24.7	21.7	21.6	24.5	21.1	35.5	37.9	40.5	21.5	19.2	14.9	19.6	25.0	18.6	18.8	20.7	27.5	39.5	21.9	14.9	40.5	23.9
21	40.7	16.1	25.8	20.5	20.9	20.1	21.3	24.0	39.1	43.8	28.1	64.3	55.1	35.8	28.0	32.6	44.7	28.3	21.5	17.4	16.7	20.5	21.6	19.4	16.1	64.3	29.4
22	20.3	21.2	18.2	18.9	21.0	27.4	23.6	37.7	25.2	27.3	56.1	47.0	68.3	26.9	23.9	53.4	46.8	18.4	13.5	27.9	31.0	65.0	30.7	29.5	13.5	68.3	32.5
23	47.7	27.5	18.2	20.4	20.5	29.6	31.7	20.5	24.2	25.9	49.2	32.4	53.0	32.5	41.7	20.6	18.2	14.0	15.4	10.6	18.6	17.0	20.1	31.3	10.6	53.0	26.7
24	27.0	56.9	49.4	17.4	49.4	61.2	15.3	15.4	35.6	47.0	24.1	41.6	23.4	32.2	49.6	53.5	32.8	21.7	23.0	19.8	20.5	21.5	18.2	19.8	15.3	61.2	32.3
25	19.3	22.4	52.8	18.3	55.7	27.3	21.3	22.7	22.3	24.1	30.3	38.3	46.0	32.9	46.9	36.9	18.2	18.1	38.5	11.3	11.8	17.9	14.4	13.9	11.3	55.7	27.6
26	17.0	18.2	15.9	16.3	17.3	19.0	17.1	16.0	19.0	21.8	22.8	23.4	29.8	24.0	32.5	25.0	22.2	11.1	23.6	14.0	12.8	15.5	12.6	13.7	11.1	32.5	19.2
27	16.8	16.4	15.0	16.9	13.1	15.3	12.6	15.4	17.3	25.0	58.2	31.1	26.9	26.5	37.5	30.8	19.1	11.9	13.2	21.7	14.7	13.7	10.4	12.3	10.4	58.2	20.5
28	14.3	16.0	17.1	12.5	15.7	14.4	12.7	15.6	16.0	20.5	42.5	53.3	34.2	39.4	23.4	18.7	14.9	16.1	41.4	20.9	18.8	12.3	13.7	10.3	10.3	53.3	21.4
29	13.3	13.6	10.9	10.6	10.9	11.1	50.2	20.4	21.1	20.1	22.0	20.8	25.4	24.4	21.2	20.9	19.3	19.7	40.8	41.6	9.5	17.1	21.3	21.1	9.5	50.2	21.1
Min	11.3	10.2	8.9	10.6	10.9	8.5	9.8	11.6	14.2	17.4	21.0	20.8	19.8	12.9	13.8	14.6	12.8	6.9	11.4	8.7	7.5	11.6	10.4	9.7	6.9		
Max	53.4	56.9	52.8	41.7	55.7	61.2	50.2	49.4	55.3	49.0	60.7	64.3	68.3	55.9	57.0	53.5	46.8	31.1	53.9	47.3	51.5	65.0	53.5	61.7		68.3	
Avg	22.1	20.8	20.2	19.1	23.5	23.3	20.6	22.2	23.6	28.6	33.3	35.9	36.8	29.0	31.6	26.8	22.6	18.4	27.3	23.2	20.2	22.2	21.5	21.1			24.8

Total Data Records Possible: 696
 Total Valid Data Records: 696
 Percent Data Recovery: 100.0

Missing Data Codes

 -910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Palm Desert (data subject to change)
Month: February
Year: 2008
Time Zone: PST

Validation Level: B
Printout Date: 06-05-2008
Printout Time: 10:37:25
Output File Name: PDTB0208.17

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	7.7	6.1	7.2	6.6	4.7	3.7	5.6	4.7	5.9	6.1	6.1	7.2	9.9	8.7	8.0	7.1	4.1	7.8	7.2	8.0	4.7	8.3	13.1	14.5	3.7	14.5	7.2
2	19.6	17.8	15.7	22.6	23.3	10.8	7.6	4.1	4.5	9.2	13.6	14.5	17.6	17.0	19.7	15.0	10.2	14.3	10.1	6.9	4.2	8.8	7.0	5.9	4.1	23.3	12.5
3	11.3	10.7	9.0	13.8	5.3	6.7	6.6	11.0	11.7	9.2	16.2	16.5	42.2	37.2	37.3	26.0	28.1	30.0	25.8	24.3	23.0	13.7	15.3	9.9	5.3	42.2	18.4
4	9.6	20.0	19.2	17.9	19.5	21.0	22.9	24.5	22.1	19.1	14.0	12.1	10.8	13.1	17.1	25.3	10.4	7.7	7.4	13.1	22.9	15.6	16.5	7.3	7.3	25.3	16.2
5	7.2	15.9	8.3	6.6	6.4	13.6	15.3	11.6	20.8	20.4	16.6	11.6	14.6	7.2	7.6	8.1	4.7	2.2	7.4	3.7	6.9	7.0	9.4	6.6	2.2	20.8	10.0
6	7.2	6.8	8.6	7.4	6.3	5.0	6.9	4.7	6.1	3.7	9.5	10.7	10.7	9.1	9.4	10.1	9.0	4.7	4.0	4.1	6.9	4.9	4.8	6.7	3.7	10.7	7.0
7	9.1	8.8	5.8	8.0	6.6	6.0	6.7	6.4	6.4	6.0	4.0	6.5	6.6	7.2	7.6	6.1	4.5	4.7	5.2	5.3	7.1	7.5	8.3	6.6	4.0	9.1	6.5
8	6.1	6.9	6.5	7.0	7.0	5.6	5.3	7.0	5.2	4.3	5.7	8.8	9.9	10.3	8.4	7.3	4.2	3.3	3.4	6.1	4.2	6.1	7.2	7.4	3.3	10.3	6.4
9	8.0	7.6	8.4	7.5	6.9	7.1	7.6	7.9	8.3	3.7	4.3	4.4	3.3	4.3	5.9	6.4	7.2	4.5	4.9	3.7	6.6	5.6	6.3	7.8	3.3	8.4	6.2
10	6.1	7.3	7.2	8.3	6.6	8.8	9.9	8.0	6.6	5.9	3.3	5.0	6.2	6.4	6.3	5.2	4.7	3.0	4.4	6.8	6.7	6.5	8.3	8.2	3.0	9.9	6.5
11	8.2	7.6	7.4	9.6	11.4	8.2	7.6	7.5	7.4	7.2	6.3	5.0	6.1	7.0	5.5	5.1	8.3	12.4	10.0	6.7	6.5	6.9	10.1	7.4	5.0	12.4	7.7
12	11.1	9.3	9.3	12.0	11.8	13.9	10.0	14.0	7.8	5.6	6.1	5.8	5.0	9.4	9.4	6.4	5.0	3.5	8.5	5.3	7.4	10.2	9.0	7.2	3.5	14.0	8.4
13	8.9	9.6	8.6	7.1	6.9	8.8	6.6	6.5	5.4	4.2	8.8	10.9	11.1	10.6	8.8	10.3	9.7	15.3	17.4	17.0	28.6	33.5	32.3	23.5	4.2	33.5	12.9
14	25.1	19.9	13.9	16.1	11.8	15.4	18.6	18.9	13.8	16.5	18.9	19.1	19.4	13.9	21.0	15.0	6.5	4.9	5.1	5.5	8.1	9.2	9.5	6.4	4.9	25.1	13.9
15	10.5	14.9	16.5	17.1	13.1	13.4	17.5	19.0	16.8	17.8	24.6	25.4	28.4	22.8	21.0	18.0	15.9	9.4	10.1	7.4	16.3	20.1	15.7	12.8	7.4	28.4	16.9
16	9.1	7.4	7.3	12.6	12.6	13.1	17.0	13.4	19.5	7.7	7.8	8.6	8.2	7.9	9.1	4.8	9.4	10.7	9.4	10.5	10.4	18.2	18.1	18.5	4.8	19.5	11.3
17	17.9	12.1	11.8	10.7	11.6	6.9	5.6	4.0	5.0	4.9	7.7	7.5	10.0	10.9	11.7	12.1	8.6	3.1	2.8	4.2	5.6	6.3	10.2	9.4	2.8	17.9	8.4
18	7.7	6.6	7.2	6.3	7.3	6.7	8.0	6.1	5.3	4.8	5.7	5.5	6.6	9.4	8.3	8.6	6.4	4.7	4.7	4.5	5.0	6.2	8.5	10.4	4.5	10.4	6.7
19	9.1	6.7	8.2	13.9	11.5	14.0	18.6	16.4	10.0	13.8	14.9	12.1	12.0	15.7	16.2	15.5	18.4	25.5	27.0	25.6	25.3	30.8	33.0	30.0	6.7	33.0	17.7
20	27.0	22.9	31.5	27.4	27.5	28.0	22.2	22.1	21.4	25.7	21.3	19.8	27.4	25.1	37.8	31.6	26.7	27.2	27.8	20.2	17.3	13.3	13.7	12.2	12.2	37.8	24.0
21	13.6	15.2	13.1	19.0	22.6	11.3	10.6	7.5	7.1	10.7	11.2	10.7	7.4	9.5	13.5	9.3	11.3	15.7	13.7	16.6	14.9	15.0	15.5	19.2	7.1	22.6	13.1
22	18.4	21.5	16.6	12.9	9.6	5.0	4.1	3.2	7.9	8.6	6.9	7.5	7.5	9.8	11.8	13.7	32.2	26.1	30.8	33.0	13.4	17.5	18.1	10.9	3.2	33.0	14.5
23	6.3	9.7	20.2	15.4	7.2	5.4	4.7	6.8	9.1	7.5	6.4	8.1	5.8	9.6	8.0	8.9	8.0	14.3	10.8	3.9	5.6	11.6	14.0	5.6	3.9	20.2	8.9
24	4.7	7.5	5.8	6.8	4.7	5.3	9.9	5.6	6.1	6.9	10.1	15.9	24.7	24.0	23.7	22.5	28.7	37.2	41.3	41.1	34.0	30.5	29.7	23.8	4.7	41.3	18.8
25	35.4	28.0	23.8	16.4	14.4	5.9	14.3	15.2	18.0	12.4	8.6	5.4	6.8	8.3	7.2	8.6	6.7	8.2	10.4	7.6	6.7	6.9	7.9	9.1	5.4	35.4	12.2
26	10.4	10.2	9.6	11.8	10.7	10.6	9.6	9.2	10.0	12.1	11.5	13.0	14.0	12.1	8.6	7.8	5.6	4.7	6.6	5.0	5.6	9.4	7.4	8.0	4.7	14.0	9.3
27	8.6	8.7	6.9	8.6	8.8	7.8	8.5	6.6	8.3	7.4	4.7	8.6	9.0	9.7	9.8	7.6	6.9	6.7	4.9	4.5	8.1	8.6	6.7	6.4	4.5	9.8	7.6
28	8.8	9.6	8.9	8.6	11.3	8.9	9.1	7.4	7.3	6.4	4.6	6.4	9.1	9.0	10.0	10.8	11.0	10.8	6.1	4.6	5.2	7.9	6.1	6.3	4.6	11.3	8.1
29	8.3	9.5	7.2	8.2	6.6	7.2	8.3	5.1	5.3	7.5	9.5	10.5	9.1	9.1	11.9	10.2	9.8	9.5	3.9	4.5	6.2	14.3	16.1	14.3	3.9	16.1	8.8
Min	4.7	6.1	5.8	6.3	4.7	3.7	4.1	3.2	4.5	3.7	3.3	4.4	3.3	4.3	5.5	4.8	4.1	2.2	2.8	3.7	4.2	4.9	4.8	5.6	2.2		
Max	35.4	28.0	31.5	27.4	27.5	28.0	22.9	24.5	22.1	25.7	24.6	25.4	42.2	37.2	37.8	31.6	32.2	37.2	41.3	41.1	34.0	33.5	33.0	30.0	42.2		
Avg	11.7	11.9	11.4	11.9	10.8	9.8	10.5	9.8	10.0	9.5	10.0	10.5	12.4	12.2	13.1	11.8	11.1	11.5	11.4	10.7	11.2	12.4	13.0	11.1		11.2	

Total Data Records Possible: 696
Total Valid Data Records: 696
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Palm Desert (data subject to change)
Month: February
Year: 2008
Time Zone: PST

Validation Level: B
Printout Date: 06-05-2008
Printout Time: 10:37:16
Output File Name: PDTB0208.7

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	13.0	12.9	12.9	12.9	12.9	12.9	13.0	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
2	13.0	13.0	12.9	12.9	12.9	12.9	13.0	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	12.9	13.4	13.2
3	13.0	13.0	12.9	12.9	12.9	12.9	12.9	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
4	13.0	13.0	13.0	12.9	12.9	12.9	13.0	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.1	13.1	13.1	13.1	13.0	12.9	13.4	13.2
5	13.0	13.0	12.9	12.9	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
6	13.0	12.9	12.9	12.9	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	12.9	13.4	13.2
7	13.0	13.0	13.0	13.0	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	12.9	13.4	13.2
8	13.0	13.0	13.0	12.9	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.1	13.1	13.1	13.1	13.0	12.9	13.4	13.2
9	13.0	13.0	13.0	12.9	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.4	13.3	13.2	13.1	13.1	13.1	13.1	13.0	12.9	13.4	13.2
10	13.0	13.0	13.0	13.0	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.4	13.4	13.3	13.2	13.1	13.1	13.1	13.0	12.9	13.4	13.2
11	13.0	13.0	13.0	13.0	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.1	12.9	13.4	13.2
12	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.3	13.3	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.0	13.4	13.2
13	13.0	13.0	13.0	13.0	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	12.9	13.4	13.2
14	13.0	13.0	13.0	13.0	13.0	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.0	13.0	12.9	13.4	13.2
15	13.0	12.9	12.9	12.9	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	12.9	13.4	13.2
16	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
17	13.1	13.0	13.0	13.0	13.0	13.0	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
18	13.1	13.0	13.0	13.0	13.0	13.0	13.1	13.3	13.4	13.4	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
19	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
20	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
21	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
22	13.0	13.0	13.0	13.0	13.0	12.9	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	12.9	13.4	13.2
23	13.0	13.0	13.0	13.0	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	12.9	13.4	13.2
24	13.0	13.0	13.0	13.0	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	12.9	13.4	13.2
25	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
26	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
27	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
28	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
29	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
Min	13.0	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9		
Max	13.1	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1		13.4	
Avg	13.0	13.0	13.0	13.0	13.0	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0			13.2

Total Data Records Possible: 696
Total Valid Data Records: 696
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2