

Palm Desert Meteorological Data

February 2014

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Palm Desert (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:51:47
Output File Name: PDTB0214.9

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	7.2	8.7	5.8	5.9	4.7	3.9	4.6	5.3	4.4	6.1	6.5	6.1	6.5	6.4	6.2	4.8	3.5	2.5	3.4	2.7	3.7	3.0	2.9	1.9	1.9	8.7	4.9
2	1.9	2.5	2.5	3.3	3.6	2.7	2.7	3.7	2.5	2.3	1.3	2.5	4.1	4.8	5.0	4.9	3.5	1.9	1.5	1.6	1.9	1.9	1.6	1.1	1.1	5.0	2.7
3	1.7	1.4	1.2	1.6	1.2	1.2	1.6	2.0	1.2	2.8	3.2	3.5	5.1	4.8	3.4	2.1	2.9	1.2	2.1	4.5	5.1	6.3	5.1	4.5	1.2	6.3	2.9
4	2.8	1.8	0.8	1.6	2.2	2.3	2.6	2.4	1.3	1.6	1.7	2.2	2.2	2.3	2.1	2.3	2.4	1.1	0.8	1.1	1.1	1.2	2.0	3.6	0.8	3.6	1.9
5	4.9	6.5	5.2	4.1	4.8	4.8	4.8	6.1	6.8	5.1	4.3	2.5	1.9	2.3	2.7	1.9	1.0	1.5	1.5	1.4	0.8	1.3	3.3	5.5	0.8	6.8	3.5
6	3.3	1.6	2.1	1.2	0.8	0.6	0.7	1.2	1.2	2.8	2.8	3.7	2.2	2.4	3.3	6.3	5.7	6.6	5.6	3.9	3.4	3.6	4.3	2.3	0.6	6.6	3.0
7	1.8	2.1	1.6	2.0	1.5	0.9	1.0	2.4	1.7	1.0	2.2	1.7	1.8	2.5	1.6	1.1	2.4	2.4	1.9	1.4	2.6	4.1	3.7	4.4	0.9	4.4	2.1
8	3.4	3.9	4.5	4.3	1.7	3.2	2.8	3.2	3.2	2.2	2.9	3.8	2.5	2.9	3.0	2.4	2.7	1.8	0.9	0.6	0.4	2.2	1.3	2.6	0.4	4.5	2.6
9	1.8	2.0	1.9	2.4	2.4	2.3	1.8	1.7	2.4	2.4	3.2	3.1	3.5	1.6	2.3	2.2	2.6	5.1	6.0	5.8	7.5	5.9	6.7	7.0	1.6	7.5	3.5
10	3.8	3.9	5.9	4.7	5.1	5.9	2.6	3.6	1.8	3.0	5.5	2.8	2.4	2.6	2.9	4.5	4.0	3.7	3.3	4.1	4.2	2.2	3.9	3.2	1.8	5.9	3.7
11	2.6	3.6	3.6	3.8	4.3	4.1	4.3	4.4	2.7	2.3	1.5	2.0	1.7	1.7	2.3	1.9	0.7	1.6	1.3	1.4	2.1	3.3	2.3	3.6	0.7	4.4	2.6
12	2.6	3.1	3.4	2.7	3.7	3.8	2.8	2.8	2.2	1.7	0.8	1.5	2.4	2.5	3.4	2.6	2.6	1.6	0.7	1.2	2.8	2.4	2.4	2.9	0.7	3.8	2.4
13	3.0	3.1	3.1	2.3	3.2	2.7	2.6	1.8	1.3	1.0	0.9	2.6	3.3	4.3	4.3	3.5	2.6	1.6	1.1	1.2	1.9	2.0	2.2	2.5	0.9	4.3	2.4
14	3.0	2.8	1.9	2.9	2.4	2.5	2.8	3.0	2.5	2.7	2.4	1.6	1.4	2.8	3.5	3.4	2.6	2.0	0.8	0.4	1.9	2.8	3.1	3.4	0.4	3.5	2.5
15	2.7	3.4	3.6	3.9	2.5	3.9	3.2	3.3	1.5	0.7	2.0	2.0	2.6	3.1	3.0	2.8	2.0	0.8	0.9	1.2	1.9	1.8	1.4	1.4	0.7	3.9	2.3
16	2.0	2.7	1.5	2.1	1.5	1.8	1.7	1.8	2.0	0.7	1.6	3.2	3.3	3.0	2.6	2.7	1.4	1.6	2.2	1.6	2.0	3.2	2.4	2.2	0.7	3.3	2.1
17	2.9	3.6	3.9	3.5	3.3	4.1	2.7	1.2	1.5	1.2	1.5	3.2	2.6	3.5	3.3	3.3	2.8	1.3	3.1	5.7	8.1	7.6	7.2	8.2	1.2	8.2	3.7
18	6.6	8.4	7.2	4.4	2.5	4.1	3.8	3.6	4.0	4.1	2.7	1.4	2.2	1.8	1.8	1.4	1.0	1.8	0.7	2.8	4.4	4.5	4.5	6.1	0.7	8.4	3.6
19	4.0	4.4	5.3	3.6	2.9	4.4	6.4	5.9	5.3	3.1	2.5	2.8	2.3	1.3	2.1	1.9	4.2	7.0	10.1	4.9	4.8	5.1	6.6	8.3	1.3	10.1	4.5
20	4.5	4.3	4.9	3.6	2.6	2.3	1.9	3.0	1.9	3.3	2.1	2.1	3.0	2.9	3.6	3.4	3.4	2.6	1.8	1.1	1.8	2.7	2.9	2.6	1.1	4.9	2.9
21	3.2	3.1	3.4	3.1	3.0	2.7	2.9	2.6	2.3	1.4	1.3	2.7	3.4	3.8	3.5	3.9	3.3	1.6	1.4	1.8	1.4	2.7	3.1	3.1	1.3	3.9	2.7
22	3.4	2.7	3.1	2.9	3.3	2.7	2.9	2.8	2.8	1.8	2.5	3.2	3.9	3.7	3.6	3.0	3.0	3.2	1.5	1.2	1.5	2.6	2.8	3.6	1.2	3.9	2.8
23	3.3	3.3	3.1	3.5	3.2	2.4	1.3	2.1	0.4	1.2	1.3	2.0	3.0	3.6	3.5	3.3	3.1	2.2	0.8	1.2	2.2	3.0	2.7	3.3	0.4	3.6	2.4
24	3.4	3.3	3.4	3.4	3.3	2.5	2.2	0.9	0.9	1.7	1.3	1.2	1.7	3.2	3.2	2.3	2.8	1.3	0.7	0.8	3.2	2.5	3.0	3.1	0.7	3.4	2.3
25	4.2	6.5	6.0	4.5	4.2	3.0	2.6	2.1	1.3	1.3	2.2	2.4	2.7	-940	-940	-940	4.7	2.4	1.2	0.9	2.4	5.8	4.1	5.7	0.9	6.5	3.3
26	7.4	3.4	2.6	2.6	2.9	2.6	4.7	2.9	3.0	3.0	1.6	2.1	2.9	4.8	3.5	6.6	9.3	10.4	5.4	8.3	5.7	3.7	3.7	3.6	1.6	10.4	4.5
27	1.6	1.8	1.5	1.3	1.5	2.8	2.0	2.3	1.7	2.6	3.3	4.6	7.3	6.3	6.3	5.0	5.3	3.3	4.6	5.5	7.9	8.1	6.2	4.7	1.3	8.1	4.0
28	3.4	2.1	2.3	2.2	1.7	2.4	5.2	4.7	2.9	3.2	2.0	1.9	2.1	5.0	3.6	8.1	9.6	8.1	3.8	4.5	1.6	1.7	3.2	2.8	1.6	9.6	3.7
Min	1.6	1.4	0.8	1.2	0.8	0.6	0.7	0.9	0.4	0.7	0.8	1.2	1.4	1.3	1.6	1.1	0.7	0.8	0.7	0.4	0.4	1.2	1.3	1.1	0.4		
Max	7.4	8.7	7.2	5.9	5.1	5.9	6.4	6.1	6.8	6.1	6.5	6.1	7.3	6.4	6.3	8.1	9.6	10.4	10.1	8.3	8.1	8.1	7.2	8.3		10.4	
Avg	3.4	3.6	3.4	3.1	2.9	2.9	2.9	3.0	2.4	2.4	2.4	2.7	3.0	3.3	3.3	3.4	3.4	2.9	2.5	2.6	3.2	3.5	3.5	3.8			3.1

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Palm Desert (data subject to change)
 Month: February
 Year: 2014
 Time Zone: PST

Validation Level: B
 Printout Date: 03-13-2014
 Printout Time: 12:51:48
 Output File Name: PDTB0214.10

Day												Hour Ending													Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	336	324	322	320	289	286	309	304	282	320	348	354	351	357	1	9	2	16	262	278	281	288	294	253	[NW]
2	301	274	255	269	264	279	270	266	266	297	212	121	135	133	131	136	128	98	12	336	280	271	94	141	[W]
3	300	228	311	245	150	325	208	271	341	236	309	295	299	306	312	264	162	125	281	318	327	328	338	311	[NW]
4	325	292	191	228	277	263	252	224	124	115	160	167	168	118	133	152	172	158	92	84	305	3	353	305	[SSE]
5	324	320	313	308	310	303	303	314	315	315	310	277	159	217	184	214	209	168	91	40	85	244	285	322	[NW]
6	301	252	287	213	189	246	225	303	217	177	143	123	102	135	327	333	325	322	342	3	352	305	320	270	[NW]
7	284	229	183	197	133	91	5	265	2	208	144	165	157	168	123	88	88	130	122	293	305	316	310	303	[SE]
8	303	287	290	289	253	326	293	263	278	236	146	124	124	132	128	122	138	131	83	358	284	320	66	267	[SE]
9	326	202	253	283	277	272	243	135	134	113	140	157	155	160	166	162	329	323	317	305	318	313	314	309	[NW]
10	278	305	324	314	314	315	278	253	237	299	311	253	98	276	269	300	299	305	310	324	308	281	294	246	[NW]
11	282	252	274	278	274	283	265	293	230	223	267	223	226	223	172	162	139	126	39	332	339	268	241	272	[W]
12	284	282	258	284	311	285	274	269	290	261	105	247	177	141	137	115	138	139	50	350	271	288	290	273	[WNW]
13	278	285	316	289	279	280	308	293	248	274	119	142	125	135	125	128	119	148	52	14	277	300	291	294	[WNW]
14	295	288	299	283	292	297	278	296	279	259	242	238	174	156	134	131	121	123	26	17	274	287	275	284	[WNW]
15	265	273	305	273	292	316	275	283	258	209	143	128	111	120	120	118	133	84	86	260	327	270	222	327	[W]
16	278	274	316	275	308	288	302	319	260	156	89	114	105	126	122	143	102	99	185	357	255	245	308	292	[W]
17	269	280	279	256	258	247	294	231	287	240	105	123	130	144	137	147	150	155	1	321	321	317	310	313	[NW]
18	311	311	302	304	283	304	308	290	297	287	235	193	170	127	120	183	132	163	34	316	328	313	307	315	[NW]
19	296	293	299	260	267	287	307	305	304	215	194	163	149	357	290	298	314	325	324	319	315	299	316	313	[NW]
20	295	284	259	250	285	340	190	235	181	231	141	144	152	138	142	134	144	139	81	34	292	287	295	289	[SE]
21	275	283	293	283	263	276	289	273	264	262	215	148	130	121	128	135	121	117	121	11	335	289	290	264	[W]
22	271	272	272	273	269	262	267	271	247	175	115	118	142	137	133	128	134	109	57	54	302	282	283	292	[W]
23	259	285	271	253	269	263	257	305	249	83	103	118	120	123	131	125	121	132	80	42	301	293	263	277	[W]
24	268	269	271	261	251	263	273	124	53	115	158	120	123	134	132	113	133	108	102	310	336	333	299	299	[ESE]
25	307	311	301	278	295	279	256	260	82	97	112	117	108	-940	-940	-940	130	98	41	12	351	335	315	325	[NW]
26	323	291	242	249	252	311	320	278	183	158	246	270	274	313	303	322	325	330	338	329	319	278	319	308	[NW]
27	246	172	168	174	119	269	16	127	103	305	327	18	341	3	352	325	335	315	313	326	321	325	312	334	[NW]
28	333	234	202	92	88	341	298	301	292	277	338	171	254	292	336	184	199	262	4	357	22	42	306	335	[NNW]

Prev [WNW] [WNW] [WNW] [W] [W] [W] [W] [W] [W] [W] [W] [SE] [ESE] [SE] [SE] [SE] [SE] [SE] [SE] [E] [NW] [NW] [WNW] [NW] [NW] [WNW]

Total Data Records Possible: 672
 Total Valid Data Records: 669
 Percent Data Recovery: 99.6

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Palm Desert (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:51:48
Output File Name: PDTB0214.10t

Day	Hour Ending																								Prev		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	[NNW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[NW]	[NNW]	[N]	[N]	[N]	[N]	[N]	[N]	[NNE]	[W]	[W]	[W]	[WNW]	[WNW]	[WSW]	[NW]		
2	[WNW]	[W]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[SSW]	[ESE]	[SE]	[SE]	[SE]	[SE]	[SE]	[E]	[NNE]	[NNW]	[W]	[W]	[E]	[SE]	[W]		
3	[WNW]	[SW]	[NW]	[WSW]	[SSE]	[NW]	[SSW]	[W]	[NNW]	[WSW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[W]	[SSE]	[SE]	[WNW]	[NW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]		
4	[NW]	[WNW]	[S]	[SW]	[W]	[W]	[WSW]	[SW]	[SE]	[ESE]	[SSE]	[SSE]	[SSE]	[ESE]	[SE]	[SSE]	[S]	[SSE]	[E]	[E]	[NW]	[N]	[N]	[NW]	[SSE]		
5	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[W]	[SSE]	[SW]	[S]	[SW]	[SSW]	[SSE]	[E]	[NE]	[E]	[WSW]	[WNW]	[NW]	[NW]		
6	[WNW]	[WSW]	[WNW]	[SSW]	[S]	[WSW]	[SW]	[WNW]	[SW]	[S]	[SE]	[ESE]	[ESE]	[SE]	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[N]	[N]	[NW]	[NW]	[W]	[NW]		
7	[WNW]	[SW]	[S]	[SSW]	[SE]	[E]	[N]	[W]	[N]	[SSW]	[SE]	[SSE]	[SSE]	[SSE]	[ESE]	[E]	[E]	[SE]	[ESE]	[WNW]	[NW]	[NW]	[NW]	[WNW]	[SE]		
8	[WNW]	[WNW]	[WNW]	[WNW]	[WSW]	[NNW]	[WNW]	[W]	[W]	[SW]	[SE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[SE]	[SE]	[E]	[N]	[WNW]	[NW]	[ENE]	[W]	[SE]		
9	[NW]	[SSW]	[WSW]	[WNW]	[W]	[W]	[WSW]	[SE]	[SE]	[ESE]	[SE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]		
10	[W]	[NW]	[NW]	[NW]	[NW]	[NW]	[W]	[WSW]	[WSW]	[WNW]	[NW]	[WSW]	[E]	[W]	[W]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WSW]	[NW]	
11	[WNW]	[WSW]	[W]	[W]	[W]	[WNW]	[W]	[WNW]	[SW]	[SW]	[W]	[SW]	[SW]	[SW]	[S]	[SSE]	[SE]	[SE]	[NE]	[NNW]	[NNW]	[W]	[WSW]	[W]	[W]		
12	[WNW]	[WNW]	[WSW]	[WNW]	[NW]	[WNW]	[W]	[W]	[WNW]	[W]	[ESE]	[WSW]	[S]	[SE]	[SE]	[ESE]	[SE]	[SE]	[NE]	[N]	[W]	[WNW]	[WNW]	[W]	[W]	[WNW]	
13	[W]	[WNW]	[NW]	[WNW]	[W]	[W]	[NW]	[WNW]	[WSW]	[W]	[ESE]	[SE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[SSE]	[NE]	[NNE]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	
14	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[W]	[WSW]	[WSW]	[WSW]	[S]	[SSE]	[SE]	[SE]	[ESE]	[ESE]	[NNE]	[NNE]	[W]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	
15	[W]	[W]	[NW]	[W]	[WNW]	[NW]	[W]	[WNW]	[WSW]	[SSW]	[SE]	[SE]	[ESE]	[ESE]	[ESE]	[ESE]	[SE]	[E]	[E]	[W]	[NNW]	[W]	[SW]	[NNW]	[W]	[W]	
16	[W]	[W]	[NW]	[W]	[NW]	[WNW]	[WNW]	[NW]	[W]	[SSE]	[E]	[ESE]	[ESE]	[SE]	[ESE]	[SE]	[ESE]	[E]	[S]	[N]	[WSW]	[WSW]	[NW]	[WNW]	[W]	[W]	
17	[W]	[W]	[W]	[WSW]	[WSW]	[WSW]	[WNW]	[SW]	[WNW]	[WSW]	[ESE]	[ESE]	[SE]	[SE]	[SE]	[SSE]	[SSE]	[SSE]	[N]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	
18	[NW]	[NW]	[WNW]	[NW]	[WNW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[SW]	[SSW]	[S]	[SE]	[ESE]	[S]	[SE]	[SSE]	[NE]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	
19	[WNW]	[WNW]	[WNW]	[W]	[W]	[WNW]	[NW]	[NW]	[NW]	[SW]	[SSW]	[SSE]	[SSE]	[N]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	
20	[WNW]	[WNW]	[WSW]	[WSW]	[WNW]	[NNW]	[S]	[SW]	[S]	[SW]	[SE]	[SE]	[SSE]	[SE]	[SE]	[SE]	[SE]	[SE]	[E]	[NE]	[WNW]	[WNW]	[WNW]	[WNW]	[SE]		
21	[W]	[WNW]	[WNW]	[WNW]	[W]	[W]	[WNW]	[W]	[W]	[W]	[SW]	[SSE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[ESE]	[ESE]	[NNE]	[NNW]	[WNW]	[WNW]	[W]	[W]		
22	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WSW]	[S]	[ESE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[ENE]	[NE]	[WNW]	[WNW]	[WNW]	[WNW]	[W]		
23	[W]	[WNW]	[W]	[WSW]	[W]	[W]	[WSW]	[NW]	[WSW]	[E]	[ESE]	[ESE]	[ESE]	[ESE]	[SE]	[SE]	[ESE]	[SE]	[E]	[NE]	[WNW]	[WNW]	[W]	[W]	[W]		
24	[W]	[W]	[W]	[W]	[WSW]	[W]	[W]	[ESE]	[NE]	[ESE]	[SSE]	[ESE]	[ESE]	[SE]	[SE]	[ESE]	[SE]	[ESE]	[ESE]	[NW]	[NNW]	[NNW]	[WNW]	[WNW]	[ESE]		
25	[NW]	[NW]	[WNW]	[W]	[WNW]	[W]	[WSW]	[W]	[E]	[E]	[ESE]	[ESE]	[ESE]	-940	-940	-940	[SE]	[E]	[NE]	[NNE]	[N]	[NNW]	[NW]	[NW]	[NW]		
26	[NW]	[WNW]	[WSW]	[WSW]	[WSW]	[NW]	[NW]	[W]	[S]	[SSE]	[WSW]	[W]	[W]	[NW]	[WNW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NW]	[W]	[NW]	[NW]	[NW]		
27	[WSW]	[S]	[SSE]	[S]	[ESE]	[W]	[NNE]	[SE]	[ESE]	[NW]	[NNW]	[NNE]	[NNW]	[N]	[N]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]		
28	[NNW]	[SW]	[SSW]	[E]	[E]	[NNW]	[WNW]	[WNW]	[WNW]	[W]	[NNW]	[S]	[WSW]	[WNW]	[NNW]	[NNW]	[S]	[SSW]	[W]	[N]	[N]	[NNE]	[NE]	[NW]	[NNW]		
Prev	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[SE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[E]	[NW]	[NW]	[WNW]	[NW]	[NW]	[WNW]		

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Sigma Theta (Yamartino)
Units: degrees
Channel: 11

Site: Palm Desert (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:51:49
Output File Name: PDTB0214.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	29.9	22.3	20.0	24.2	24.5	27.8	25.6	27.4	26.6	28.6	32.8	36.1	31.6	36.0	37.4	43.3	38.7	43.4	23.5	29.2	32.2	26.2	24.4	22.4	20.0	43.4	29.8
2	30.9	24.5	36.8	14.4	16.3	18.9	15.1	18.1	22.5	25.5	42.3	37.2	32.1	28.3	24.8	26.8	26.9	33.1	28.9	58.1	41.3	33.4	43.6	41.4	14.4	58.1	30.1
3	53.3	35.7	34.0	42.2	53.9	25.2	23.1	44.9	47.5	26.0	38.7	44.7	35.3	35.1	40.1	51.5	19.3	41.2	65.3	32.3	22.3	22.3	25.9	28.1	19.3	65.3	37.0
4	36.7	29.5	38.4	19.4	17.6	21.1	16.9	10.9	26.1	37.4	45.2	63.4	68.2	47.8	55.8	32.5	18.6	16.3	19.9	23.2	34.1	26.0	18.2	27.1	10.9	68.2	31.3
5	21.8	23.9	26.4	25.9	27.9	28.1	27.2	25.5	24.3	29.0	31.5	47.8	79.3	50.7	39.0	43.3	40.7	24.0	41.1	43.0	30.4	32.3	24.0	19.6	19.6	79.3	33.6
6	26.6	16.9	28.6	60.8	35.9	25.7	37.5	46.5	21.4	24.7	34.5	26.0	41.9	51.8	48.2	28.8	24.8	31.2	24.0	36.6	32.2	36.6	25.4	25.8	16.9	60.8	33.0
7	61.7	35.7	71.1	25.1	36.8	48.4	45.7	34.2	33.2	50.7	33.1	56.7	52.7	46.8	63.7	56.1	48.2	29.7	28.3	42.2	27.4	24.7	27.5	31.6	24.7	71.1	42.1
8	28.1	28.0	31.2	31.1	29.7	35.3	26.1	25.5	25.2	33.2	29.7	28.1	40.7	39.3	30.0	38.2	24.1	22.4	28.0	15.0	35.8	27.3	58.4	24.5	15.0	58.4	30.6
9	48.0	24.5	18.6	37.0	23.2	32.4	66.6	24.4	21.8	35.2	27.3	30.6	38.4	45.9	41.5	43.9	55.0	24.0	24.1	27.8	22.8	26.7	27.8	26.7	18.6	66.6	33.1
10	30.2	43.1	26.8	38.3	31.4	36.1	66.8	39.8	54.9	53.8	30.3	43.7	60.0	43.1	37.0	27.9	29.1	28.1	28.5	24.6	26.2	37.9	25.8	22.0	22.0	66.8	36.9
11	33.5	24.9	18.6	17.1	20.9	21.3	19.4	26.6	41.0	22.0	38.0	39.9	41.3	52.9	39.7	35.3	30.2	28.5	31.7	29.4	19.9	15.2	21.4	22.9	15.2	52.9	28.8
12	21.8	20.7	16.0	21.5	16.8	19.5	20.9	18.8	21.8	22.2	61.5	36.8	39.1	32.8	30.4	35.7	21.9	27.8	31.6	29.4	14.4	20.8	15.3	14.1	14.1	61.5	25.5
13	16.5	26.1	21.9	19.4	18.6	21.3	20.8	27.9	24.8	27.5	58.7	31.1	28.5	23.3	26.8	30.8	27.2	21.7	25.7	44.5	19.8	33.8	23.1	16.0	16.0	58.7	26.5
14	22.0	13.8	30.9	15.6	17.4	19.4	14.5	20.7	24.0	19.6	22.0	32.6	53.6	31.5	26.1	24.2	31.0	25.2	34.9	12.3	31.3	13.7	14.2	15.4	12.3	53.6	23.6
15	12.6	18.8	17.4	17.2	28.5	22.4	21.4	21.3	22.0	56.2	29.4	30.0	32.2	32.0	33.7	37.4	29.5	38.9	42.1	58.2	31.2	16.9	35.5	59.8	12.6	59.8	31.0
16	31.3	21.7	69.7	34.5	47.3	55.5	52.7	54.4	42.4	52.6	48.5	30.2	32.6	27.2	31.3	26.7	35.1	36.8	32.4	15.5	32.1	17.1	37.5	23.4	15.5	69.7	37.0
17	15.1	22.4	23.5	21.0	17.0	14.6	27.5	40.1	33.8	51.8	47.3	27.7	40.2	24.0	26.6	21.9	21.1	26.3	24.8	19.7	22.1	23.5	28.0	26.4	14.6	51.8	26.9
18	27.0	27.8	29.1	29.5	45.7	20.9	21.0	22.9	27.0	27.9	22.0	50.0	43.8	28.6	35.1	34.3	43.7	22.5	27.2	22.9	19.4	24.4	30.0	26.7	19.4	50.0	29.6
19	50.0	29.8	28.4	20.7	22.5	24.7	27.9	29.4	31.4	25.7	32.9	43.1	69.4	72.0	64.4	41.9	39.6	22.6	22.4	23.5	24.5	29.4	26.1	26.3	20.7	72.0	34.5
20	28.0	23.2	24.1	27.0	24.9	28.3	23.1	18.3	31.8	30.3	40.1	36.8	27.3	30.5	33.4	28.9	23.6	20.4	22.8	24.7	26.7	16.4	18.9	19.9	16.4	40.1	26.2
21	15.2	16.1	18.0	17.2	14.7	16.3	14.9	12.5	15.3	25.1	73.8	43.9	32.4	29.2	29.3	25.1	29.0	34.6	26.5	11.6	30.1	13.1	15.1	17.8	11.6	73.8	24.0
22	16.9	27.6	17.5	15.3	16.9	14.9	16.0	18.6	16.1	30.8	26.6	29.5	25.6	25.2	28.2	31.4	26.8	26.6	26.1	25.0	24.5	15.8	14.2	22.6	14.2	31.4	22.4
23	15.4	21.5	18.4	16.1	16.4	14.6	26.1	22.5	46.7	44.4	50.5	48.1	32.4	33.5	29.5	29.0	29.7	30.4	29.6	31.6	10.5	19.0	15.5	20.7	10.5	50.5	27.2
24	19.0	20.5	19.1	16.5	14.8	17.4	26.0	33.3	55.2	38.1	54.4	61.5	60.9	35.2	33.4	37.5	24.1	27.9	59.6	37.6	11.2	14.9	17.5	22.0	11.2	61.5	31.6
25	28.4	26.6	29.4	27.0	27.0	19.7	13.3	41.4	24.7	38.2	37.0	34.3	38.1	-940	-940	-940	26.4	35.5	22.0	28.8	20.5	23.3	22.4	20.4	13.3	41.4	27.8
26	20.5	21.8	10.8	14.3	15.8	25.4	24.4	31.3	20.7	28.4	61.7	37.8	52.3	34.5	47.7	31.5	24.1	21.7	25.3	21.9	23.1	38.5	30.9	31.7	10.8	61.7	29.0
27	40.0	32.3	47.7	65.3	56.8	57.3	40.7	25.0	60.1	55.5	54.0	51.8	36.2	38.8	38.7	38.8	28.7	52.5	28.1	49.6	21.3	20.8	30.1	23.2	20.8	65.3	41.4
28	35.1	31.9	14.0	36.4	26.8	46.6	33.7	31.3	31.4	31.5	58.5	57.8	57.2	33.7	45.6	36.4	34.9	36.6	42.9	35.2	45.7	49.0	62.0	54.9	14.0	62.0	40.4
Min	12.6	13.8	10.8	14.3	14.7	14.6	13.3	10.9	15.3	19.6	22.0	26.0	25.6	23.3	24.8	21.9	18.6	16.3	19.9	11.6	10.5	13.1	14.2	14.1	10.5		
Max	61.7	43.1	71.1	65.3	56.8	57.3	66.8	54.4	60.1	56.2	73.8	63.4	79.3	72.0	64.4	56.1	55.0	52.5	65.3	58.2	45.7	49.0	62.0	59.8		79.3	
Avg	29.1	25.4	28.1	26.8	26.6	27.1	28.4	28.3	31.2	34.7	41.5	40.6	43.7	37.4	37.7	34.8	30.4	29.6	31.0	30.5	26.2	25.0	27.1	26.2			31.1

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Palm Desert (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:51:54
Output File Name: PDTB0214.17

Day	1	2	3	4	5	6	7	8	9	10	11	Hour Ending 12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	25.7	19.7	15.1	16.4	12.4	10.2	12.3	14.1	11.0	15.4	21.3	18.3	20.8	21.0	19.6	17.0	14.1	13.7	9.4	7.8	12.3	8.6	7.5	5.0	5.0	25.7	14.5
2	6.4	5.3	5.8	7.2	8.0	7.7	6.6	7.2	8.6	6.6	3.9	7.9	11.2	13.4	11.3	12.5	10.4	6.6	6.2	5.3	4.9	4.8	6.6	4.3	3.9	13.4	7.5
3	7.4	5.5	4.7	4.1	4.5	5.1	4.9	6.4	3.8	6.0	8.7	11.3	13.6	13.7	9.6	8.0	6.1	2.9	8.8	16.6	13.3	16.7	14.9	14.0	2.9	16.7	8.8
4	11.3	9.3	3.4	3.7	6.6	7.0	5.2	6.3	4.3	3.9	4.5	9.7	7.1	6.7	7.2	6.8	6.4	3.9	2.7	3.1	4.6	4.4	7.6	9.5	2.7	11.3	6.1
5	12.9	15.4	12.8	10.3	12.5	12.7	12.6	14.9	17.0	13.4	10.8	8.1	6.0	8.2	8.1	5.7	3.5	4.6	6.5	5.1	3.1	6.0	11.7	12.7	3.1	17.0	9.8
6	8.5	4.2	7.1	4.1	3.1	3.1	2.1	5.9	5.3	9.0	7.7	9.2	7.4	9.5	13.7	17.4	16.7	21.5	19.7	16.3	11.6	10.2	15.1	4.8	2.1	21.5	9.7
7	6.2	5.6	5.1	5.6	5.8	4.7	4.2	5.1	5.3	3.6	5.7	5.7	8.5	7.4	5.6	8.5	9.0	8.6	8.3	4.8	7.3	11.7	12.9	14.0	3.6	14.0	7.0
8	11.8	14.0	16.1	17.0	5.7	9.5	8.8	11.1	9.6	6.1	7.3	9.7	8.3	7.3	8.0	7.7	7.9	5.7	2.6	2.0	1.7	6.1	5.6	7.4	1.7	17.0	8.2
9	6.2	5.3	4.5	6.4	6.5	7.8	5.3	5.0	5.8	6.2	7.8	8.8	8.9	4.6	6.3	6.4	8.8	15.2	14.9	21.1	19.4	17.5	18.0	21.0	4.5	21.1	9.9
10	9.9	11.9	15.1	14.6	15.7	17.9	7.4	11.5	6.7	13.0	16.7	11.0	8.6	6.9	10.7	12.4	11.8	10.5	9.5	9.8	10.7	6.9	9.4	8.0	6.7	17.9	11.1
11	6.1	8.3	7.6	8.9	8.5	9.1	9.6	10.8	7.9	5.5	5.0	6.1	6.0	5.9	7.3	6.7	2.8	6.0	4.4	4.5	5.0	6.5	5.7	8.8	2.8	10.8	6.8
12	5.3	7.1	6.6	6.4	9.1	9.2	6.3	7.1	6.4	4.5	3.7	4.5	7.6	7.1	8.3	9.3	7.5	4.6	3.3	3.6	5.5	4.7	5.8	6.6	3.3	9.3	6.3
13	6.1	8.0	6.5	5.6	6.6	5.7	5.8	4.2	5.3	3.7	4.4	6.7	8.3	11.0	10.4	8.6	8.6	5.1	3.5	4.8	5.3	5.9	4.7	5.0	3.5	11.0	6.2
14	7.0	5.5	4.9	5.8	4.9	5.2	6.4	7.0	5.8	6.3	6.0	4.3	5.3	7.6	9.1	7.8	7.8	6.1	2.9	2.0	3.9	5.4	5.8	7.0	2.0	9.1	5.8
15	6.3	9.7	8.4	7.9	6.9	8.0	7.9	7.7	5.6	3.2	5.4	6.4	7.6	8.0	8.9	8.2	7.2	2.9	5.4	3.3	4.9	3.6	5.2	3.7	2.9	9.7	6.3
16	8.0	7.4	5.3	8.3	4.2	8.3	5.6	5.6	8.2	3.7	7.4	8.1	8.8	8.7	6.4	6.8	3.9	6.6	4.3	3.9	5.4	7.4	7.4	6.2	3.7	8.8	6.5
17	8.8	10.2	9.0	7.3	7.4	7.4	8.6	4.7	4.3	4.6	5.1	7.8	7.7	7.8	8.9	7.5	6.3	4.5	10.6	15.1	17.9	18.9	19.3	21.1	4.3	21.1	9.6
18	21.4	22.6	18.9	12.1	8.5	9.6	10.4	8.5	11.2	11.6	6.6	5.6	5.9	4.8	5.0	4.5	3.1	5.5	4.3	6.6	12.1	11.7	13.1	14.5	3.1	22.6	9.9
19	12.4	15.1	14.5	7.7	8.3	12.1	17.3	19.2	21.5	8.6	7.8	8.1	7.6	5.1	6.6	6.9	13.6	18.3	22.5	11.4	14.6	12.9	15.9	18.8	5.1	22.5	12.8
20	13.0	10.2	13.9	7.1	7.2	7.6	4.1	7.2	3.9	9.2	6.6	6.6	8.2	8.8	10.8	10.2	8.2	6.8	5.5	2.8	4.7	5.9	6.6	7.4	2.8	13.9	7.6
21	6.8	6.4	7.5	7.1	5.9	5.8	5.3	5.2	4.8	3.7	4.3	7.2	8.4	9.9	9.0	8.6	9.5	5.4	5.7	4.2	3.3	5.6	6.6	6.9	3.3	9.9	6.4
22	7.0	7.4	6.3	5.7	6.6	6.6	6.0	5.8	6.0	6.4	6.1	8.0	8.4	8.7	9.5	8.8	8.8	9.1	6.6	5.0	4.2	5.8	6.6	7.6	4.2	9.5	7.0
23	6.9	7.2	7.8	6.7	6.6	5.0	4.7	5.4	2.3	3.7	3.9	6.4	8.9	8.8	10.0	7.9	8.6	7.7	2.8	3.7	4.6	6.2	5.9	8.1	2.3	10.0	6.2
24	8.0	8.3	7.6	7.0	7.2	4.7	5.1	3.3	4.0	4.9	5.0	4.1	6.9	8.4	7.7	6.4	7.6	5.3	3.9	2.4	5.8	5.5	7.5	8.1	2.4	8.4	6.0
25	13.4	15.6	17.9	13.0	12.4	8.3	4.5	5.2	4.5	3.7	6.4	6.8	9.4	-940	-940	-940	12.6	12.3	4.4	3.2	8.3	13.1	11.8	16.8	3.2	17.9	9.7
26	16.0	15.0	6.1	7.1	5.8	8.2	12.1	8.3	9.0	8.8	5.4	6.1	11.3	14.7	12.0	16.7	23.8	24.5	16.1	23.0	19.1	14.0	13.1	10.4	5.4	24.5	12.8
27	5.8	4.9	5.4	5.6	4.8	12.6	7.4	6.4	6.8	13.9	12.6	17.2	24.5	21.6	22.0	17.6	14.3	14.3	13.1	16.7	16.8	20.4	17.7	13.4	4.8	24.5	13.2
28	10.3	6.9	6.4	6.7	5.0	7.9	13.1	14.0	8.0	7.6	6.5	5.3	7.1	19.0	13.7	29.6	31.3	37.8	14.8	17.0	6.9	7.3	11.1	10.9	5.0	37.8	12.7
Min	5.3	4.2	3.4	3.7	3.1	3.1	2.1	3.3	2.3	3.2	3.7	4.1	5.3	4.6	5.0	4.5	2.8	2.9	2.6	2.0	1.7	3.6	4.7	3.7	1.7		
Max	25.7	22.6	18.9	17.0	15.7	17.9	17.3	19.2	21.5	15.4	21.3	18.3	24.5	21.6	22.0	29.6	31.3	37.8	22.5	23.0	19.4	20.4	19.3	21.1	37.8		
Avg	9.8	9.7	8.9	8.1	7.4	8.1	7.5	8.0	7.2	7.0	7.2	8.0	9.2	9.8	9.8	10.2	10.0	9.9	8.0	8.0	8.5	9.1	10.0	10.1			8.7

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Palm Desert (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:51:45
Output File Name: PDTB0214.7

Day	1	2	3	4	5	6	7	8	9	10	11	Hour Ending 12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	12.4	12.3	12.3	12.3	12.2	12.2	12.1	13.3	13.2	13.2	13.2	13.1	13.2	13.2	13.2	13.2	12.9	12.8	12.6	12.6	12.5	12.4	12.4	12.4	12.1	13.3	12.7
2	12.3	12.2	12.2	12.1	12.1	12.0	12.0	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	12.9	12.8	12.7	12.6	12.5	12.4	12.4	12.3	12.0	13.4	12.7
3	12.2	12.1	12.1	12.0	12.0	12.0	12.0	13.3	13.2	13.3	13.2	13.1	13.2	13.2	13.2	13.2	12.9	12.8	12.7	12.6	12.5	12.4	12.4	12.3	12.0	13.3	12.7
4	12.3	12.2	12.1	12.1	12.0	12.0	12.1	13.4	13.3	13.3	13.2	13.1	13.1	13.1	13.2	13.2	12.9	12.8	12.6	12.6	12.5	12.4	12.4	12.4	12.0	13.4	12.7
5	12.3	12.3	12.2	12.1	12.1	12.0	12.0	13.3	13.2	13.2	13.1	13.1	13.1	13.2	13.2	13.2	12.8	12.7	12.6	12.5	12.5	12.4	12.4	12.4	12.0	13.3	12.7
6	12.4	12.3	12.3	12.2	12.2	12.1	12.1	12.3	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.2	12.9	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.1	13.3	12.7
7	12.4	12.3	12.3	12.2	12.2	12.1	12.1	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	12.8	12.6	12.6	12.5	12.5	12.4	12.4	12.4	12.1	13.4	12.7
8	12.3	12.3	12.3	12.2	12.1	12.1	12.1	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.1	13.1	12.8	12.6	12.6	12.5	12.5	12.4	12.4	12.4	12.1	13.3	12.7
9	12.3	12.3	12.3	12.3	12.2	12.1	12.2	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.1	13.0	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.4	12.1	13.3	12.7
10	12.4	12.3	12.3	12.2	12.2	12.1	12.2	13.2	13.1	13.1	13.1	13.0	13.0	13.0	13.0	13.0	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.4	12.1	13.2	12.6
11	12.4	12.3	12.3	12.3	12.2	12.2	12.3	13.2	13.1	13.1	13.0	13.0	13.0	13.1	13.1	13.1	12.8	12.6	12.6	12.5	12.5	12.4	12.4	12.4	12.2	13.2	12.7
12	12.4	12.3	12.3	12.3	12.3	12.2	12.4	13.2	13.1	13.1	13.0	13.0	13.0	13.0	13.0	13.0	12.8	12.6	12.6	12.5	12.5	12.4	12.4	12.4	12.2	13.2	12.7
13	12.3	12.3	12.3	12.2	12.2	12.2	12.3	13.3	13.2	13.1	13.0	13.0	13.0	13.0	13.0	12.9	12.7	12.6	12.5	12.5	12.4	12.4	12.4	12.4	12.2	13.3	12.6
14	12.3	12.3	12.3	12.2	12.2	12.1	12.2	13.1	13.1	13.1	13.0	12.9	12.9	13.0	13.0	12.9	12.7	12.6	12.5	12.4	12.4	12.4	12.4	12.3	12.1	13.1	12.6
15	12.3	12.3	12.3	12.2	12.2	12.1	12.3	13.1	13.1	13.1	13.1	13.0	13.0	13.0	13.0	13.0	12.8	12.6	12.6	12.5	12.5	12.4	12.4	12.4	12.1	13.1	12.6
16	12.4	12.3	12.3	12.3	12.3	12.2	12.2	12.3	13.1	13.2	13.1	13.0	13.0	13.0	13.0	13.0	13.1	12.8	12.6	12.6	12.5	12.5	12.4	12.4	12.2	13.2	12.6
17	12.3	12.3	12.3	12.2	12.1	12.1	12.2	13.1	13.1	13.1	13.0	12.9	12.9	13.0	13.0	13.0	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.3	12.1	13.1	12.6
18	12.4	12.3	12.3	12.3	12.2	12.2	12.3	13.1	13.1	13.1	13.0	13.0	13.0	13.0	13.0	13.0	12.8	12.6	12.6	12.5	12.5	12.4	12.4	12.4	12.2	13.1	12.6
19	12.4	12.4	12.3	12.3	12.3	12.2	12.3	13.1	13.1	13.1	13.0	12.9	13.0	13.0	13.0	13.0	12.9	12.8	12.6	12.6	12.5	12.5	12.4	12.4	12.2	13.1	12.6
20	12.4	12.3	12.3	12.3	12.2	12.2	12.3	13.0	13.1	13.1	13.1	13.0	13.0	13.0	13.1	13.1	12.8	12.7	12.6	12.5	12.5	12.5	12.4	12.4	12.2	13.1	12.7
21	12.4	12.3	12.3	12.3	12.3	12.2	12.2	13.3	13.2	13.1	13.0	13.0	13.0	13.0	13.0	12.9	12.8	12.6	12.6	12.5	12.5	12.4	12.4	12.4	12.2	13.3	12.7
22	12.3	12.3	12.2	12.2	12.2	12.1	12.3	13.1	13.2	13.1	13.1	13.0	13.0	13.0	13.1	13.1	12.9	12.7	12.6	12.6	12.5	12.4	12.4	12.4	12.1	13.2	12.7
23	12.4	12.3	12.3	12.3	12.2	12.2	12.3	13.1	13.1	13.1	13.0	13.0	13.0	13.0	13.0	13.0	12.8	12.6	12.6	12.5	12.4	12.4	12.4	12.4	12.2	13.1	12.6
24	12.3	12.3	12.3	12.3	12.2	12.2	12.3	13.1	13.2	13.1	13.0	13.0	13.0	13.1	13.1	13.0	12.8	12.6	12.6	12.5	12.5	12.5	12.4	12.4	12.2	13.2	12.6
25	12.4	12.4	12.3	12.3	12.2	12.2	12.2	13.1	13.2	13.1	13.0	12.9	13.0	13.1	13.0	12.8	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.4	12.2	13.2	12.7
26	12.4	12.4	12.3	12.3	12.2	12.2	12.4	13.1	13.2	13.1	13.1	13.1	13.1	13.1	13.1	13.1	12.9	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.2	13.2	12.7
27	12.4	12.4	12.4	12.3	12.3	12.2	12.6	13.1	13.1	13.1	13.0	13.0	13.1	13.1	13.0	13.1	13.0	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.2	13.1	12.7
28	12.4	12.4	12.4	12.3	12.3	12.2	12.2	12.7	13.3	13.1	13.2	13.2	13.2	13.2	13.2	13.2	12.9	12.7	12.6	12.5	12.5	12.5	12.4	12.4	12.2	13.3	12.7
Min	12.2	12.1	12.1	12.0	12.0	12.0	12.0	12.3	13.1	13.1	13.0	12.9	12.9	13.0	13.0	12.9	12.7	12.6	12.5	12.4	12.4	12.4	12.4	12.3	12.0		
Max	12.4	12.4	12.4	12.3	12.3	12.2	12.6	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.0	12.8	12.7	12.6	12.5	12.5	12.5	12.4		13.4	
Avg	12.3	12.3	12.3	12.2	12.2	12.1	12.2	13.1	13.2	13.1	13.1	13.0	13.0	13.1	13.1	13.1	12.8	12.7	12.6	12.5	12.5	12.4	12.4	12.4			12.7

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4