

Palm Desert Meteorological Data

May 2004

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
 Units: mph
 Channel: 6

Site: Palm Desert (data subject to change)
 Month: May
 Year: 2004
 Time Zone: PST

Validation Level: B
 Printout Date: 06-02-2004
 Printout Time: 12:43:06
 Output File Name: PDTB0504.6

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	6.4	6.7	7.9	6.3	7.0	6.1	5.5	2.7	1.7	6.1	5.1	5.3	4.8	5.5	5.0	6.8	5.5	4.5	3.5	2.6	4.3	10.0	8.9	8.1	1.7	10.0	5.7
2	8.1	7.6	8.5	6.8	7.6	8.2	6.4	7.0	4.7	4.5	6.6	10.4	8.9	7.0	4.7	5.9	6.1	7.3	6.9	5.1	2.6	6.1	6.0	6.4	2.6	10.4	6.6
3	5.9	5.8	7.5	7.2	7.6	5.6	6.0	4.2	8.0	7.0	6.1	10.2	13.5	12.9	11.2	11.0	9.4	8.6	5.3	5.6	7.1	3.8	2.8	4.1	2.8	13.5	7.4
4	6.0	6.4	6.5	6.0	7.1	6.8	5.6	6.6	7.7	9.2	10.9	11.3	10.6	11.3	11.5	10.5	7.6	6.2	7.2	6.2	5.7	8.9	5.6	2.9	2.9	11.5	7.7
5	2.5	2.6	2.5	2.8	3.1	3.7	3.6	3.2	3.5	4.1	4.2	6.1	8.2	9.4	5.1	10.5	14.5	12.3	9.4	2.6	4.2	4.9	4.0	3.2	2.5	14.5	5.4
6	4.0	4.8	6.2	5.9	4.1	3.5	3.2	2.6	2.5	3.3	5.7	8.9	10.3	11.2	8.2	8.5	8.8	5.7	5.8	9.8	8.1	6.2	4.9	6.0	2.5	11.2	6.2
7	5.6	7.9	8.4	8.6	5.7	5.0	7.3	5.0	6.4	6.3	4.0	5.2	7.0	8.6	11.5	9.4	9.5	5.4	7.3	9.9	12.8	15.5	12.3	11.7	4.0	15.5	8.2
8	8.0	5.7	11.7	12.2	9.8	12.1	12.4	13.9	4.8	5.3	4.1	3.8	4.3	3.4	4.6	9.1	10.9	14.1	13.2	15.3	15.8	16.1	16.6	16.0	3.4	16.6	10.1
9	17.7	18.2	16.6	15.1	15.0	13.3	14.0	9.5	5.3	3.6	3.0	3.3	3.6	3.8	4.5	6.0	9.2	12.8	12.1	13.7	13.4	9.0	10.1	13.6	3.0	18.2	10.3
10	10.9	13.5	10.6	9.8	6.2	4.8	3.3	4.6	5.7	5.3	5.7	5.8	3.9	7.6	10.1	12.7	11.3	14.5	18.8	23.4	23.4	16.1	13.6	12.2	3.3	23.4	10.6
11	13.8	19.5	20.1	15.7	11.6	13.9	16.4	11.6	10.2	7.4	5.5	5.5	7.6	7.8	10.9	13.5	14.7	16.1	17.1	19.3	26.9	26.4	26.0	24.2	5.5	26.9	15.1
12	25.5	25.5	23.1	13.6	12.0	9.9	10.0	10.3	9.8	9.7	7.9	5.5	4.9	4.4	5.2	4.9	3.7	9.3	14.3	16.5	17.0	16.6	16.4	15.6	3.7	25.5	12.2
13	14.5	13.4	12.8	10.9	8.6	8.8	7.6	6.0	3.9	3.3	5.5	5.5	5.8	6.6	6.7	7.3	11.4	9.9	7.5	4.3	5.2	5.0	7.8	5.5	3.3	14.5	7.7
14	6.2	5.7	5.7	5.9	6.4	5.5	4.9	5.5	4.7	5.4	8.9	9.3	7.6	8.0	7.5	9.0	9.6	8.4	7.4	4.9	5.3	9.3	8.8	8.5	4.7	9.6	7.0
15	10.3	9.6	8.5	6.7	8.8	7.3	6.1	8.3	7.5	4.6	4.5	6.1	6.1	7.0	8.3	7.9	5.7	12.8	12.9	12.4	11.4	9.1	16.8	10.5	4.5	16.8	8.7
16	12.0	13.3	16.3	16.5	16.2	9.1	5.1	5.4	4.3	3.3	3.0	3.9	7.1	6.9	7.5	5.0	8.7	11.5	15.8	18.9	18.8	17.0	14.3	9.4	3.0	18.9	10.4
17	9.7	9.2	5.6	9.2	8.9	6.0	7.2	7.9	8.6	7.6	5.9	3.8	4.4	4.5	3.1	3.6	10.4	11.7	14.2	21.6	22.5	22.2	20.9	21.4	3.1	22.5	10.4
18	20.5	12.5	6.1	10.9	7.6	11.1	11.4	8.8	4.2	5.2	7.6	11.3	12.1	10.7	12.3	12.3	12.3	14.4	16.4	17.0	17.8	16.6	12.9	14.0	4.2	20.5	11.9
19	10.0	12.6	10.6	8.9	5.6	9.4	7.7	8.0	5.8	4.0	3.9	4.4	4.4	4.6	4.7	7.5	12.8	15.5	16.9	18.3	19.6	18.3	14.9	10.3	3.9	19.6	9.9
20	5.9	7.4	6.0	8.5	6.9	7.4	6.3	6.7	10.3	9.9	9.7	11.2	12.2	10.1	11.2	12.9	15.0	17.9	15.7	17.1	19.1	22.5	21.4	19.4	5.9	22.5	12.1
21	15.8	11.2	11.8	15.2	6.6	10.5	7.6	11.1	11.3	11.4	11.4	12.2	13.1	13.8	11.9	16.5	16.2	19.6	18.8	16.0	15.2	17.5	22.6	23.0	6.6	23.0	14.2
22	23.8	21.4	20.6	20.5	12.8	10.6	8.1	15.7	13.9	9.3	9.0	7.9	6.1	5.7	5.8	11.0	12.9	15.4	18.1	17.4	19.0	18.6	16.6	13.9	5.7	23.8	13.9
23	13.7	13.4	13.2	11.9	7.3	11.3	8.5	3.9	5.2	3.8	9.6	11.0	10.2	10.7	13.0	15.3	16.2	17.6	21.1	17.2	16.9	14.7	13.4	8.8	3.8	21.1	12.0
24	9.8	13.6	14.8	9.3	4.7	2.4	5.5	5.6	8.3	5.3	4.5	6.2	6.0	5.8	8.0	9.1	12.3	14.1	16.4	18.0	14.6	12.5	15.1	14.6	2.4	18.0	9.9
25	19.9	18.0	17.3	17.8	18.2	12.9	6.2	8.4	11.9	13.6	12.6	9.9	12.3	12.7	14.4	16.7	18.2	17.7	19.4	18.5	17.5	21.4	21.3	21.9	6.2	21.9	15.8
26	20.1	16.1	13.6	10.5	11.9	13.5	12.4	16.0	13.6	10.7	11.2	9.9	8.1	8.1	10.1	12.8	15.0	14.6	15.9	18.5	23.5	23.8	22.3	21.6	8.1	23.8	14.7
27	19.6	19.4	17.1	15.1	13.6	12.2	5.5	5.9	3.5	6.2	5.4	6.9	4.8	5.5	6.5	8.0	8.3	10.8	10.1	9.5	8.4	5.7	6.7	9.7	3.5	19.6	9.3
28	10.6	11.4	9.5	7.5	8.7	7.8	7.9	4.1	3.4	3.9	10.0	8.7	13.1	16.5	18.2	20.6	23.4	21.5	21.6	24.1	25.4	24.9	27.0	26.4	3.4	27.0	14.8
29	25.6	27.4	25.3	26.6	26.2	18.9	17.0	17.5	16.5	16.7	14.0	8.1	6.1	8.7	12.3	11.1	13.4	15.3	16.5	15.9	15.9	16.1	17.1	13.5	6.1	27.4	16.7
30	15.7	14.4	13.5	11.7	11.9	8.8	6.6	6.8	5.7	4.1	5.5	4.4	5.2	5.1	4.9	6.0	7.5	8.9	6.0	3.8	4.5	5.0	6.6	9.4	3.8	15.7	7.6
31	10.5	10.3	10.5	9.0	5.8	3.9	3.7	4.0	4.9	6.1	5.7	8.1	9.6	9.6	9.8	8.1	7.8	8.0	7.2	8.0	14.0	14.5	10.2	14.1	3.7	14.5	8.5
Min	2.5	2.6	2.5	2.8	3.1	2.4	3.2	2.6	1.7	3.3	3.0	3.3	3.6	3.4	3.1	3.6	3.7	4.5	3.5	2.6	2.6	3.8	2.8	2.9	1.7		
Max	25.6	27.4	25.3	26.6	26.2	18.9	17.0	17.5	16.5	16.7	14.0	12.2	13.5	16.5	18.2	20.6	23.4	21.5	21.6	24.1	26.9	26.4	27.0	26.4		27.4	
Avg	12.5	12.4	11.9	11.0	9.5	8.7	7.7	7.6	7.0	6.6	7.0	7.4	7.8	8.2	8.7	10.0	11.2	12.3	12.9	13.3	14.1	14.0	13.7	12.9			10.4

Total Data Records Possible: 744
 Total Valid Data Records: 744
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.1

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 7

Site: Palm Desert (data subject to change)
Month: May
Year: 2004
Time Zone: PST

Validation Level: B
Printout Date: 06-02-2004
Printout Time: 12:43:08
Output File Name: PDTB0504.7

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	286	256	262	268	298	286	283	226	187	176	180	212	161	207	197	182	185	213	179	126	14	318	298	291	[S]
2	297	283	270	268	269	288	272	261	236	204	155	163	171	145	198	167	136	136	120	84	44	295	312	265	[W]
3	268	266	260	267	256	274	286	240	125	109	113	116	128	134	129	134	129	117	93	41	34	29	249	278	[SE]
4	293	257	257	271	267	262	268	114	114	104	110	117	122	134	128	128	124	258	286	303	339	328	309	218	[ESE]
5	322	241	325	207	6	298	262	212	190	150	153	143	137	124	262	256	248	231	230	217	298	29	46	252	[WSW]
6	302	315	278	275	271	214	193	98	250	346	318	312	309	294	175	298	250	256	299	314	317	328	324	311	[NW]
7	290	299	300	285	264	266	265	226	162	136	128	138	124	142	135	134	130	144	304	302	323	324	313	311	[SE]
8	303	270	304	294	284	298	299	310	235	251	211	187	287	12	283	315	321	320	320	318	319	320	316	311	[NW]
9	313	311	306	304	301	297	301	291	258	207	285	268	188	205	190	329	322	318	314	323	322	311	312	315	[NW]
10	311	316	314	322	294	291	169	91	142	131	124	127	124	347	306	243	306	315	325	326	326	307	312	307	[NW]
11	307	309	310	309	300	309	315	302	309	321	317	332	328	325	329	325	321	324	323	325	329	324	324	319	[NW]
12	321	314	320	300	301	307	302	293	298	4	336	330	274	313	257	280	299	322	317	320	321	316	318	317	[NW]
13	309	306	299	300	285	277	283	274	268	217	183	161	111	139	135	122	136	131	118	93	319	291	306	307	[WNW]
14	301	268	263	260	262	270	262	264	234	152	149	142	135	138	148	137	127	122	93	84	268	321	317	305	[W]
15	316	304	290	278	296	300	293	299	293	266	197	144	128	139	129	146	174	316	324	320	312	310	320	312	[NW]
16	316	314	316	316	313	287	269	265	228	206	222	279	140	130	127	114	330	317	313	324	327	328	320	311	[NW]
17	317	309	316	321	310	313	319	304	307	313	324	343	289	296	244	230	330	332	327	326	321	319	316	319	[NW]
18	321	309	301	321	323	319	321	300	249	312	329	324	323	324	327	324	327	323	327	330	330	328	315	310	[NW]
19	305	307	308	307	295	304	298	299	279	298	324	258	194	43	316	334	323	321	320	326	326	328	326	317	[NW]
20	320	314	317	328	336	330	301	292	308	316	316	325	327	335	329	331	323	324	321	327	326	325	320	318	[NW]
21	320	318	313	318	287	304	296	305	319	319	320	322	325	321	321	323	323	322	321	322	313	323	322	320	[NW]
22	320	320	318	315	305	312	296	312	311	301	301	322	303	282	279	330	320	317	318	320	323	322	321	318	[NW]
23	320	318	320	323	321	320	305	277	285	208	319	324	333	340	325	317	322	324	322	321	321	315	314	310	[NW]
24	309	312	311	308	325	235	293	280	324	333	338	303	341	328	343	327	327	323	322	324	313	309	313	319	[NW]
25	316	309	314	315	314	312	297	286	313	318	323	327	319	316	320	319	320	321	320	316	321	318	317	317	[NW]
26	315	309	314	313	311	310	306	315	315	309	319	325	337	329	328	323	318	314	317	320	320	320	317	315	[NW]
27	315	315	310	317	320	310	278	276	207	131	121	118	119	107	101	341	328	321	316	328	330	302	313	327	[NW]
28	325	318	312	303	310	302	307	220	206	353	325	332	325	319	313	319	323	324	324	321	323	322	319	319	[NW]
29	307	278	13	339	345	261	266	271	271	245	246	227	220	248	264	259	257	253	254	256	255	255	243	236	[WSW]
30	246	230	231	191	189	209	185	174	166	130	113	107	54	2	159	161	136	114	330	312	225	193	161	195	[S]
31	229	241	237	238	205	207	330	44	60	77	79	71	72	61	68	64	65	63	15	273	27	245	240	249	[ENE]

Prev [NW] [NW] [NW] [NW] [WNW] [WNW] [WNW] [WNW] [NW] [NW] [NW] [NW] [SE] [SE] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW]

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.1

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 7

Site: Palm Desert (data subject to change)
Month: May
Year: 2004
Time Zone: PST

Validation Level: B
Printout Date: 06-02-2004
Printout Time: 12:43:08
Output File Name: PDTB0504.7t

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[WNW]	[WSW]	[W]	[W]	[WNW]	[WNW]	[WNW]	[SW]	[S]	[S]	[S]	[SSW]	[SSE]	[SSW]	[SSW]	[S]	[S]	[SSW]	[S]	[SE]	[NNE]	[NW]	[WNW]	[WNW]	[S]
2	[WNW]	[WNW]	[W]	[W]	[W]	[WNW]	[W]	[W]	[SW]	[SSW]	[SSE]	[SSE]	[S]	[SE]	[SSW]	[SSE]	[SE]	[SE]	[ESE]	[E]	[NE]	[WNW]	[NW]	[W]	[W]
3	[W]	[W]	[W]	[W]	[WSW]	[W]	[WNW]	[WSW]	[SE]	[ESE]	[ESE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[E]	[NE]	[NE]	[NNE]	[WSW]	[W]	[SE]
4	[WNW]	[WSW]	[WSW]	[W]	[W]	[W]	[W]	[ESE]	[ESE]	[ESE]	[ESE]	[ESE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[WSW]	[WNW]	[WNW]	[NNW]	[NNW]	[NW]	[SW]
5	[NW]	[WSW]	[NW]	[SSW]	[N]	[WNW]	[W]	[SSW]	[S]	[SSE]	[SSE]	[SE]	[SE]	[ESE]	[W]	[WSW]	[WSW]	[SW]	[SW]	[SW]	[WNW]	[NNE]	[NE]	[WSW]	[WSW]
6	[WNW]	[NW]	[W]	[W]	[W]	[SSW]	[SSW]	[E]	[WSW]	[NNW]	[NW]	[NW]	[NW]	[WNW]	[S]	[WNW]	[WSW]	[WSW]	[WNW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NW]
7	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[SW]	[SSE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[SE]	[NW]	[WNW]	[NW]	[NW]	[NW]	[SE]
8	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[SW]	[WSW]	[SSW]	[S]	[WNW]	[NNE]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
9	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WSW]	[SSW]	[WNW]	[W]	[S]	[SSW]	[S]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
10	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[S]	[E]	[SE]	[SE]	[ESE]	[SE]	[SE]	[NNW]	[NW]	[WSW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
11	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]	[NW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NW]
12	[NW]	[NW]	[NW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[N]	[NNW]	[NNW]	[W]	[NW]	[WSW]	[W]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
13	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[SW]	[S]	[SSE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[SE]	[SE]	[ESE]	[E]	[NW]	[WNW]	[NW]	[WNW]
14	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[SW]	[SSE]	[SSE]	[SE]	[SE]	[SE]	[SSE]	[SE]	[SE]	[SE]	[ESE]	[E]	[E]	[W]	[NW]	[NW]	[W]
15	[NW]	[NW]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[SSW]	[SE]	[SE]	[SE]	[SE]	[SE]	[S]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
16	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[W]	[W]	[SW]	[SSW]	[SW]	[W]	[SE]	[SE]	[SE]	[SE]	[ESE]	[NNW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]
17	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]	[NW]	[NW]	[NNW]	[WNW]	[WNW]	[WSW]	[SW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
18	[NW]	[NW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WSW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]
19	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]	[WNW]	[WNW]	[W]	[WNW]	[NW]	[WSW]	[SSW]	[NE]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NW]
20	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]
21	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
22	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]	[NW]	[WNW]	[WNW]	[W]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
23	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[W]	[WNW]	[SSW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
24	[NW]	[NW]	[NW]	[NW]	[NW]	[SW]	[WNW]	[W]	[NW]	[NNW]	[NNW]	[WNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
25	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
26	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
27	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[W]	[W]	[SSW]	[SE]	[ESE]	[ESE]	[ESE]	[ESE]	[E]	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[WNW]	[NW]	[NNW]	[NW]
28	[NW]	[NW]	[NW]	[WNW]	[NW]	[WNW]	[NW]	[SW]	[SSW]	[N]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
29	[NW]	[W]	[NNE]	[NNW]	[NNW]	[W]	[W]	[W]	[WSW]	[WSW]	[SW]	[SW]	[WSW]	[W]	[W]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[WSW]	[SW]	[WSW]
30	[WSW]	[SW]	[SW]	[S]	[S]	[SSW]	[S]	[S]	[SSE]	[SE]	[ESE]	[ESE]	[NE]	[N]	[SSE]	[SSE]	[SE]	[ESE]	[NNW]	[NW]	[SW]	[SSW]	[SSE]	[SSW]	[S]
31	[SW]	[WSW]	[WSW]	[WSW]	[SSW]	[SSW]	[NNW]	[NE]	[ENE]	[ENE]	[ENE]	[ENE]	[ENE]	[ENE]	[ENE]	[ENE]	[ENE]	[ENE]	[NNE]	[W]	[NNE]	[WSW]	[WSW]	[WSW]	[ENE]

Prev [NW] [NW] [NW] [NW] [WNW] [WNW] [WNW] [WNW] [NW] [NW] [NW] [NW] [SE] [SE] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW]

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.1

Variable: Sigma Theta (Yamartino)
 Units: degrees
 Channel: 8

Site: Palm Desert (data subject to change)
 Month: May
 Year: 2004
 Time Zone: PST

Validation Level: B
 Printout Date: 06-02-2004
 Printout Time: 12:43:09
 Output File Name: PDTB0504.8

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	17.1	12.9	9.7	10.6	10.8	8.9	10.8	40.2	50.8	15.5	33.6	24.7	40.8	38.8	44.6	24.0	17.5	10.6	5.1	48.7	17.3	11.6	14.8	13.4	5.1	50.8	22.2
2	12.7	10.6	10.1	31.5	10.8	9.9	14.0	11.5	10.5	22.9	22.7	16.4	21.8	30.3	52.1	22.8	16.6	9.2	11.7	14.9	56.3	12.4	28.9	10.6	9.2	56.3	19.6
3	10.8	9.6	9.8	11.7	9.4	9.2	12.4	15.3	13.1	13.3	18.2	16.8	12.6	10.4	11.4	10.1	10.8	11.0	16.3	12.3	14.0	22.7	59.6	19.9	9.2	59.6	15.0
4	10.4	10.3	9.4	11.3	10.1	11.5	33.2	14.0	13.5	12.6	12.8	13.6	13.8	13.5	12.5	11.5	18.2	36.8	17.3	11.1	13.4	19.5	26.9	37.8	9.4	37.8	16.5
5	37.4	55.0	40.0	33.4	32.0	26.4	25.3	14.1	25.2	28.0	48.0	21.8	23.1	18.8	53.9	22.1	13.8	12.8	17.2	44.6	32.5	23.9	39.5	31.9	12.8	55.0	30.0
6	27.0	33.6	24.2	16.6	34.4	21.8	29.0	52.7	45.7	54.7	40.2	26.1	25.1	24.4	40.2	61.1	22.5	36.6	36.3	13.7	12.0	18.1	43.5	11.3	11.3	61.1	31.3
7	18.7	12.9	13.5	11.1	11.8	26.1	14.1	33.5	32.7	20.4	33.7	28.7	23.4	23.7	11.9	14.8	10.4	43.3	35.9	13.2	10.8	9.5	13.0	12.3	9.5	43.3	20.0
8	17.4	17.0	14.8	12.8	12.3	13.9	14.7	13.5	24.8	23.8	37.9	59.7	56.4	62.1	64.3	30.4	16.9	11.8	11.1	10.9	10.6	10.1	11.3	12.2	10.1	64.3	23.8
9	11.3	11.6	13.3	14.1	13.5	12.8	13.7	13.7	17.2	40.2	63.5	48.1	41.5	51.1	56.6	35.4	21.1	12.2	12.4	10.8	10.7	13.5	13.1	11.6	10.7	63.5	23.5
10	13.7	11.9	13.9	12.4	18.0	17.1	22.8	24.5	21.0	28.8	30.6	31.4	50.7	51.7	33.0	25.6	30.8	14.1	11.5	10.5	10.0	12.9	12.4	13.3	10.0	51.7	21.8
11	13.6	12.3	12.0	12.4	13.2	13.0	11.2	14.1	18.6	28.5	46.0	33.2	36.8	25.1	22.1	17.6	13.5	11.7	10.8	10.8	10.2	10.1	9.8	11.0	9.8	46.0	17.4
12	11.0	11.5	10.5	12.8	12.9	13.8	14.3	13.0	21.4	23.4	36.8	57.7	43.8	61.1	36.3	44.4	64.7	29.4	11.2	10.4	10.5	10.0	10.2	10.7	10.0	64.7	24.2
13	12.5	14.5	12.8	13.4	11.7	11.9	13.4	15.0	19.4	28.3	24.8	47.3	31.7	25.4	27.3	20.0	10.3	9.7	11.0	14.9	18.7	18.6	13.8	13.1	9.7	47.3	18.3
14	12.6	9.4	8.4	9.5	10.4	11.2	13.6	14.5	16.0	25.4	15.4	18.8	19.7	20.8	22.1	16.9	10.8	10.6	13.6	24.2	36.1	9.9	12.1	15.9	8.4	36.1	15.7
15	12.7	13.5	14.1	16.2	13.1	12.9	13.3	16.5	20.5	30.5	34.4	42.5	29.6	24.6	15.3	16.1	38.6	13.7	11.8	12.3	12.6	13.2	10.5	11.6	10.5	42.5	18.8
16	11.2	12.2	12.5	11.1	11.6	13.4	13.0	14.8	18.9	41.4	60.8	51.3	24.2	32.7	23.6	66.4	33.0	14.6	12.1	10.5	10.8	10.6	11.6	15.4	10.5	66.4	22.4
17	11.9	13.0	13.4	12.0	13.1	13.4	13.4	14.4	15.3	15.9	31.5	76.1	51.4	30.6	29.8	25.5	14.0	13.1	11.5	10.3	10.2	10.4	10.9	10.3	10.2	76.1	19.6
18	10.8	13.4	15.2	12.0	12.3	11.6	11.8	18.5	25.3	33.6	22.1	18.6	18.4	17.8	14.7	14.4	13.3	13.7	10.7	11.0	10.8	10.6	12.8	13.1	10.6	33.6	15.3
19	14.6	13.7	13.8	15.8	17.2	14.2	13.9	15.2	26.1	37.4	50.3	56.7	41.2	56.3	51.0	28.6	14.7	12.6	11.3	10.7	10.1	10.4	10.7	13.2	10.1	56.7	23.3
20	14.3	11.7	15.0	11.9	12.1	12.4	20.6	24.4	15.5	20.1	19.3	19.3	20.1	24.4	21.9	16.5	12.9	10.8	10.6	10.3	10.3	9.4	9.9	10.5	9.4	24.4	15.2
21	11.2	12.5	12.9	10.6	19.5	14.5	14.8	16.0	15.5	18.5	20.8	18.1	18.3	15.4	19.2	13.2	12.2	10.8	11.0	11.5	13.5	11.4	11.2	10.7	10.6	20.8	14.3
22	11.3	12.0	11.4	11.7	13.9	13.2	15.9	12.5	14.3	20.1	18.4	24.5	33.3	38.3	33.2	20.3	13.8	11.5	10.7	10.6	10.0	10.5	9.9	10.3	9.9	38.3	16.3
23	10.7	11.1	10.6	10.4	12.0	11.6	15.0	28.4	37.5	44.1	41.4	20.3	25.6	22.8	21.8	14.8	12.9	10.7	9.7	9.8	11.2	11.7	12.8	12.9	9.7	44.1	17.9
24	12.9	13.0	12.5	13.8	20.9	36.0	18.1	24.0	19.8	36.1	43.8	40.0	46.5	37.9	26.5	23.0	15.1	11.9	10.4	10.6	13.5	13.2	11.3	11.2	10.4	46.5	21.7
25	10.9	12.8	11.1	10.4	11.0	12.4	20.5	19.1	14.4	13.0	16.3	29.4	17.8	17.2	15.8	12.8	11.5	11.3	10.6	10.8	10.9	10.1	10.5	10.2	10.1	29.4	13.8
26	10.7	12.1	10.8	12.1	12.6	12.9	13.5	11.5	14.5	17.3	17.1	20.6	25.4	26.3	21.0	17.4	12.0	12.9	11.1	10.4	9.8	9.6	10.5	10.4	9.6	26.3	14.3
27	11.4	11.5	12.2	10.7	10.0	12.4	25.8	22.0	34.4	20.1	29.1	20.2	41.2	37.2	28.7	35.4	20.8	12.6	13.7	13.7	11.7	16.3	11.3	10.6	10.0	41.2	19.7
28	11.8	11.5	13.7	17.0	14.2	22.7	18.8	21.1	51.1	62.7	43.2	24.8	14.5	12.5	12.7	10.9	9.8	10.4	10.5	10.2	10.9	11.0	11.4	11.4	9.8	62.7	18.7
29	25.1	16.8	29.5	23.5	52.5	13.4	13.0	11.9	13.8	11.8	12.8	18.9	24.8	23.7	13.8	18.3	12.3	11.1	10.4	11.8	14.5	12.1	19.8	14.7	10.4	52.5	17.9
30	14.5	13.6	13.6	12.4	11.3	15.2	17.2	9.9	14.9	47.5	26.3	38.9	50.3	60.7	36.7	37.2	14.1	11.4	31.9	31.5	25.3	16.2	14.9	13.8	9.9	60.7	24.1
31	13.4	14.2	14.2	14.0	12.8	13.8	26.7	17.6	19.9	19.8	21.0	19.3	15.0	18.6	14.0	16.7	13.2	11.2	19.7	18.1	23.3	12.5	18.4	11.4	11.2	26.7	16.6
Min	10.4	9.4	8.4	9.5	9.4	8.9	10.8	9.9	10.5	11.8	12.8	13.6	12.6	10.4	11.4	10.1	9.8	9.2	5.1	9.8	9.8	9.4	9.8	10.2	5.1		
Max	37.4	55.0	40.0	33.4	52.5	36.0	33.2	52.7	51.1	62.7	63.5	76.1	56.4	62.1	64.3	66.4	64.7	43.3	36.3	48.7	56.3	23.9	59.6	37.8	76.1		
Avg	14.4	14.6	14.2	14.2	15.5	15.0	17.0	18.9	22.6	27.6	31.4	31.7	30.3	30.8	28.6	24.0	17.8	15.0	14.2	15.0	15.6	13.0	16.7	13.8			19.7

Total Data Records Possible: 744
 Total Valid Data Records: 744
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.1

Variable: Running 3-Second Gust
Units: mph
Channel: 9

Site: Palm Desert (data subject to change)
Month: May
Year: 2004
Time Zone: PST

Validation Level: B
Printout Date: 06-02-2004
Printout Time: 12:43:10
Output File Name: PDTB0504.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	13.5	12.8	11.9	11.8	11.2	9.8	9.4	7.2	4.5	11.0	10.3	13.1	10.5	13.5	12.3	12.4	10.4	7.9	5.3	6.1	10.8	17.6	16.7	14.8	4.5	17.6	11.0
2	13.9	12.1	12.9	12.7	14.1	12.9	11.4	11.2	7.0	8.9	14.9	16.4	16.5	16.7	11.0	12.1	12.1	11.1	11.7	8.2	5.8	10.6	12.4	10.4	5.8	16.7	12.0
3	9.7	9.9	10.9	12.7	11.2	9.2	10.5	7.4	12.8	11.5	11.8	19.7	20.9	20.3	16.6	15.2	15.1	14.2	11.3	9.4	12.6	10.2	5.5	8.7	5.5	20.9	12.4
4	8.5	9.8	9.9	8.9	11.1	10.9	9.3	13.5	12.9	14.8	16.3	17.3	16.9	18.1	16.8	17.0	13.4	15.5	15.7	9.9	11.5	18.9	14.2	8.7	8.5	18.9	13.3
5	6.9	6.2	6.9	5.8	7.3	8.0	7.2	5.6	5.9	7.3	9.4	11.2	13.9	16.4	14.5	23.6	24.5	22.6	21.3	7.4	10.7	10.8	10.7	7.1	5.6	24.5	11.3
6	7.4	14.1	13.8	11.3	8.6	7.9	6.5	5.2	5.9	11.4	17.9	24.4	26.9	22.4	21.3	25.2	18.8	17.8	16.4	20.5	15.2	10.9	9.9	10.4	5.2	26.9	14.6
7	9.5	17.2	15.9	15.0	10.0	11.2	14.3	9.0	12.2	11.6	8.1	9.9	13.8	17.6	17.4	14.8	13.8	11.1	15.9	19.0	24.1	24.1	22.7	22.7	8.1	24.1	15.0
8	16.8	18.3	21.6	21.2	18.9	24.0	23.3	24.4	12.9	9.6	9.8	12.1	11.3	8.4	12.7	19.8	20.6	22.6	21.4	25.2	24.9	28.3	26.0	27.8	8.4	28.3	19.2
9	31.3	28.7	28.2	27.7	27.6	24.5	28.6	21.1	10.8	7.3	6.4	9.1	8.8	8.6	10.8	15.3	17.9	21.3	19.0	23.3	22.5	17.3	17.0	24.6	6.4	31.3	19.1
10	20.0	23.3	20.4	18.0	16.3	11.3	5.5	10.2	9.2	11.5	12.6	11.6	9.2	19.8	21.3	25.5	23.7	26.0	34.3	38.2	36.3	34.1	26.3	26.5	5.5	38.2	20.5
11	26.7	34.8	33.7	29.6	22.5	25.5	26.8	21.6	20.3	19.0	17.9	12.4	19.7	16.3	23.8	25.6	26.5	26.8	29.2	31.9	43.7	39.5	41.5	41.9	12.4	43.7	27.4
12	40.2	42.5	38.0	28.9	24.1	17.5	17.8	18.0	18.9	31.3	22.9	14.2	13.3	9.9	13.2	10.5	10.3	20.0	24.2	26.1	26.9	25.1	24.6	25.0	9.9	42.5	22.6
13	23.6	24.5	23.6	20.4	16.8	16.4	14.5	12.3	8.2	8.8	10.8	12.4	12.9	16.3	12.5	15.9	17.0	15.4	14.1	8.3	9.8	12.3	16.6	10.6	8.2	24.5	14.8
14	11.1	9.1	8.1	9.3	9.4	9.1	8.5	9.3	7.6	12.0	15.1	15.4	15.0	17.1	12.3	16.1	14.7	12.8	12.9	10.2	12.1	17.0	14.6	18.0	7.6	18.0	12.4
15	19.2	19.9	18.9	15.9	17.8	12.6	10.7	16.2	16.0	8.6	11.1	13.3	13.5	15.1	13.5	12.5	20.3	21.8	21.5	21.5	19.2	21.0	26.8	24.3	8.6	26.8	17.1
16	22.5	26.7	31.2	26.8	27.0	24.1	9.7	10.1	7.8	7.7	7.8	16.9	13.7	14.4	13.8	13.7	17.5	24.2	25.7	28.9	28.9	25.8	27.1	17.9	7.7	31.2	19.6
17	19.5	19.7	12.4	18.8	20.5	13.2	12.4	13.2	16.2	15.1	12.6	10.2	10.4	9.6	6.4	11.9	17.2	20.5	24.9	35.2	35.2	33.4	34.7	33.5	6.4	35.2	19.0
18	31.4	27.0	16.7	20.1	14.7	19.5	19.1	16.3	9.3	10.8	16.1	19.9	21.8	18.4	23.4	22.2	26.0	25.1	26.5	28.4	27.6	26.2	27.6	28.2	9.3	31.4	21.8
19	21.5	22.5	20.3	18.3	11.9	18.9	14.9	14.9	15.3	9.2	10.1	10.9	10.6	12.6	14.1	18.7	23.4	26.1	27.9	29.9	31.0	31.3	24.2	20.1	9.2	31.3	19.1
20	11.9	13.5	12.0	16.5	13.3	11.9	12.1	16.7	19.8	18.8	18.3	22.6	22.8	18.6	23.8	22.6	26.0	30.9	26.5	26.9	33.2	34.8	32.5	30.6	11.9	34.8	21.5
21	27.9	20.5	21.8	25.5	16.9	24.7	18.1	21.0	18.7	21.6	20.5	26.3	23.3	25.7	21.4	26.7	28.1	32.9	33.2	27.7	31.9	30.9	35.2	36.2	16.9	36.2	25.7
22	40.0	36.9	36.5	34.0	24.3	19.8	22.8	29.4	25.4	17.4	18.0	15.7	18.9	15.0	15.4	19.7	23.8	25.9	28.4	28.3	29.7	28.5	26.0	23.7	15.0	40.0	25.1
23	23.0	23.3	22.9	18.5	15.1	19.4	15.8	10.9	11.3	9.2	23.0	22.2	20.9	21.1	26.4	29.4	27.6	28.2	32.4	27.8	28.5	27.7	22.8	20.7	9.2	32.4	22.0
24	20.2	22.9	25.9	22.6	8.5	5.5	12.6	12.8	17.0	15.2	10.7	14.3	14.6	14.5	18.1	17.5	22.5	24.8	28.0	29.9	24.6	22.5	24.2	24.3	5.5	29.9	18.9
25	29.5	29.0	31.4	30.8	27.9	26.0	14.0	17.8	20.3	22.3	22.4	20.2	25.4	22.7	25.3	26.4	28.4	29.3	29.9	27.9	27.9	32.5	33.4	34.8	14.0	34.8	26.6
26	30.8	29.1	22.1	19.5	19.6	22.3	26.3	24.8	24.5	20.2	19.9	17.2	16.9	19.2	19.0	26.7	23.8	27.5	25.7	33.4	37.0	35.5	34.0	34.5	16.9	37.0	25.4
27	31.3	30.2	30.6	23.4	23.0	20.6	16.1	15.2	8.8	11.5	12.5	13.4	11.2	13.1	13.9	21.1	17.5	16.8	19.2	17.1	15.3	11.4	11.9	17.9	8.8	31.3	17.6
28	19.3	19.3	16.7	14.8	17.0	17.1	16.6	8.8	6.7	9.2	21.3	19.5	27.6	25.3	28.9	30.9	36.3	33.0	34.7	38.3	38.3	41.2	44.0	42.3	6.7	44.0	25.3
29	41.9	44.8	42.1	42.2	44.7	35.3	29.5	30.1	26.2	26.9	24.9	15.1	13.0	19.8	21.0	19.5	22.0	23.4	25.0	27.4	24.6	26.6	28.4	25.6	13.0	44.8	28.3
30	27.8	24.0	23.5	19.1	19.0	15.9	12.4	11.9	9.6	10.5	12.1	9.0	11.3	12.1	10.8	11.0	12.2	14.6	13.1	8.8	8.7	10.9	15.0	19.0	8.7	27.8	14.3
31	20.6	17.7	20.8	15.9	10.8	7.6	8.1	6.7	8.3	10.3	11.6	15.6	15.7	15.6	17.4	14.2	12.6	12.0	16.8	14.2	23.5	24.2	22.0	24.1	6.7	24.2	15.3
Min	6.9	6.2	6.9	5.8	7.3	5.5	5.5	5.2	4.5	7.3	6.4	9.0	8.8	8.4	6.4	10.5	10.3	7.9	5.3	6.1	5.8	10.2	5.5	7.1	4.5		
Max	41.9	44.8	42.1	42.2	44.7	35.3	29.5	30.1	26.2	31.3	24.9	26.3	27.6	25.7	28.9	30.9	36.3	33.0	34.7	38.3	43.7	41.2	44.0	42.3	44.8		
Avg	21.9	22.3	21.3	19.9	17.5	16.5	15.0	14.6	13.2	13.6	14.7	15.5	16.2	16.6	17.1	19.2	20.1	21.4	22.3	22.5	23.6	23.9	23.5	23.1			19.0

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.1

Variable: Battery Voltage
Units: volts
Channel: 11

Site: Palm Desert (data subject to change)
Month: May
Year: 2004
Time Zone: PST

Validation Level: B
Printout Date: 06-02-2004
Printout Time: 12:43:11
Output File Name: PDTB0504.11

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
2	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
3	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
5	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
6	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
7	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
8	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
9	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
10	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
11	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
12	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
13	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
14	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
15	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
16	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
17	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
18	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
19	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
20	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
21	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
22	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
23	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
24	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
25	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
26	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
27	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
28	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
29	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
30	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
31	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
Min	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
Max	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
Avg	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.1