

Palm Desert Meteorological Data

May 2006

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Palm Desert (data subject to change)
Month: May
Year: 2006
Time Zone: PST

Validation Level: B
Printout Date: 07-03-2006
Printout Time: 07:52:21
Output File Name: PDTB0506.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	10.1	11.3	10.2	10.4	11.5	8.5	7.6	5.5	3.3	2.3	3.5	5.8	8.0	9.2	9.1	7.2	5.5	10.1	9.7	10.4	8.8	4.0	7.7	10.2	2.3	11.5	7.9
2	13.6	11.8	12.5	12.5	13.1	12.5	11.0	7.5	2.9	3.5	5.9	6.2	6.7	6.2	5.3	8.8	12.0	12.5	11.9	11.3	9.4	9.6	11.6	14.7	2.9	14.7	9.7
3	14.6	16.1	11.2	12.0	10.7	6.5	6.2	9.5	5.5	2.6	2.9	3.3	3.9	7.3	10.5	11.6	12.8	11.8	12.7	11.0	11.0	9.3	10.2	10.2	2.6	16.1	9.3
4	10.5	10.6	11.0	13.7	16.4	12.3	8.2	3.9	2.9	3.7	6.7	10.3	12.5	11.1	12.4	13.7	12.9	12.8	13.3	18.5	20.0	20.9	19.1	17.6	2.9	20.9	12.3
5	15.0	14.4	16.5	16.0	13.8	14.0	13.6	13.8	10.8	7.6	8.9	10.3	11.4	10.6	11.2	9.5	9.4	9.2	10.2	11.5	12.4	12.9	14.6	14.6	7.6	16.5	12.2
6	15.1	13.3	13.5	11.9	13.6	10.6	14.4	14.9	10.8	8.6	7.4	5.2	6.9	8.0	10.8	12.1	13.3	14.7	12.7	11.8	14.3	13.0	16.5	17.1	5.2	17.1	12.1
7	13.5	14.2	12.2	13.6	11.6	10.5	8.7	6.7	5.0	2.1	5.6	5.9	5.6	5.9	4.7	5.1	4.9	8.2	5.5	2.8	3.4	5.3	5.8	8.6	2.1	14.2	7.3
8	10.0	6.4	5.5	5.8	5.6	4.1	3.7	2.3	7.3	6.4	6.0	5.0	3.4	3.8	3.5	4.5	4.5	10.7	12.2	12.6	8.6	9.9	8.7	9.8	2.3	12.6	6.7
9	11.8	10.5	6.8	5.6	6.8	8.8	7.3	6.6	6.3	3.0	2.0	2.6	2.9	2.6	1.9	6.9	10.0	11.0	10.4	10.5	9.3	9.5	6.9	9.2	1.9	11.8	7.1
10	7.7	8.7	8.3	6.9	4.6	2.3	1.5	2.4	3.9	3.4	3.1	3.5	6.0	7.8	8.1	8.5	8.9	7.5	5.9	3.7	5.1	6.7	4.7	3.9	1.5	8.9	5.5
11	6.4	4.6	4.8	4.2	5.2	5.1	4.8	4.2	1.3	3.5	6.4	7.6	8.8	9.1	8.6	9.1	7.3	5.7	3.5	5.0	7.1	9.2	7.7	7.1	1.3	9.2	6.1
12	8.8	9.1	8.9	7.2	6.1	7.7	5.5	3.7	4.1	5.6	6.4	6.2	4.6	4.5	4.8	4.4	10.0	12.8	12.7	11.8	11.4	8.5	10.2	10.5	3.7	12.8	7.7
13	9.6	11.5	10.8	7.4	7.4	8.9	9.1	4.1	4.3	5.0	3.9	3.1	3.4	5.2	3.0	7.0	9.1	11.1	11.2	9.9	7.1	7.9	9.9	11.9	3.0	11.9	7.6
14	12.1	9.7	7.3	6.6	4.4	5.4	5.1	3.7	2.5	3.8	6.5	7.0	7.3	7.6	7.1	8.3	8.1	6.0	5.7	7.0	7.2	7.5	7.4	7.4	2.5	12.1	6.7
15	6.3	7.1	6.3	5.3	5.2	3.9	2.5	4.0	4.7	5.3	3.0	2.4	2.0	2.0	3.3	4.0	2.4	4.3	7.5	11.0	11.4	11.0	12.9	9.8	2.0	12.9	5.7
16	7.9	8.9	8.9	7.2	6.2	8.3	6.0	3.5	1.5	3.3	4.3	6.6	7.3	7.8	7.7	7.1	9.3	6.1	4.6	3.5	1.9	5.8	7.7	7.5	1.5	9.3	6.2
17	4.7	5.1	6.9	5.9	4.6	4.5	3.8	4.8	3.5	1.4	3.8	6.1	7.5	6.9	6.8	8.3	8.3	6.4	5.0	4.9	3.6	5.6	6.3	6.9	1.4	8.3	5.5
18	5.2	2.7	3.0	3.0	2.6	2.3	2.9	7.2	8.1	6.4	3.9	4.1	5.6	6.5	6.3	7.2	7.3	5.4	2.8	6.3	7.0	7.3	6.1	4.3	2.3	8.1	5.1
19	6.1	5.2	4.2	6.4	3.9	3.7	2.4	8.4	8.0	8.7	7.4	6.1	6.6	7.7	7.2	6.1	7.6	13.8	13.1	13.1	12.3	6.4	5.5	4.2	2.4	13.8	7.3
20	4.3	4.6	5.4	4.2	4.7	4.3	3.5	4.4	5.3	4.1	5.1	6.4	4.0	5.1	10.1	10.3	10.3	10.3	10.6	9.6	10.7	9.3	8.9	6.6	3.5	10.7	6.8
21	5.9	5.3	8.4	11.8	10.1	12.3	10.7	4.8	3.8	2.5	6.1	6.4	5.5	8.3	5.8	15.4	15.9	15.5	15.0	7.8	8.8	11.1	13.9	14.6	2.5	15.9	9.4
22	10.6	11.9	9.3	8.5	7.3	5.9	8.7	3.2	4.0	4.0	9.1	8.4	9.6	11.3	9.3	9.1	8.6	10.5	11.3	12.5	12.8	13.6	13.5	13.1	3.2	13.6	9.4
23	14.5	15.6	12.4	8.8	12.2	13.6	10.4	9.3	5.7	3.6	2.6	3.0	3.0	2.2	2.9	2.9	5.2	8.2	8.5	9.3	8.8	8.6	11.1	12.6	2.2	15.6	8.1
24	12.5	12.3	12.5	10.3	7.7	4.3	4.7	5.6	4.7	2.2	2.1	3.8	3.8	2.6	2.5	5.7	7.4	12.2	12.9	13.8	13.5	12.6	12.7	12.9	2.1	13.8	8.1
25	14.3	13.7	13.3	14.6	12.4	14.3	13.5	6.5	3.8	2.9	2.9	5.4	7.3	7.7	10.4	10.4	13.6	14.3	12.9	13.8	12.1	10.3	12.0	14.0	2.9	14.6	10.7
26	16.4	16.8	15.3	14.2	9.0	10.3	12.0	9.0	3.9	2.0	4.9	3.3	7.1	10.6	14.4	12.9	11.5	11.8	11.8	11.9	11.3	9.9	11.2	10.1	2.0	16.8	10.5
27	11.1	17.3	18.2	18.0	13.9	17.2	19.3	15.3	10.6	10.0	12.9	16.7	19.7	17.4	12.4	11.5	7.8	7.1	7.5	13.1	17.5	19.7	19.1	19.8	7.1	19.8	14.7
28	18.3	15.1	10.7	10.9	12.4	11.0	9.1	5.7	2.6	2.4	3.0	3.6	3.1	2.0	4.3	4.4	2.5	4.1	9.6	11.7	11.5	10.6	11.9	9.5	2.0	18.3	7.9
29	8.3	8.8	8.7	9.2	9.1	8.8	8.4	5.9	3.0	2.4	4.5	5.0	4.2	5.1	4.9	6.5	5.2	4.7	6.6	9.2	10.5	10.2	12.2	11.9	2.4	12.2	7.2
30	11.4	10.6	8.8	9.0	8.0	7.5	5.7	5.6	4.3	3.2	3.2	4.5	5.1	4.1	5.0	5.5	5.6	6.8	4.9	4.9	5.9	6.8	7.9	8.7	3.2	11.4	6.4
31	7.8	6.2	6.3	5.5	5.0	4.1	6.2	4.6	2.8	2.1	3.5	6.0	5.2	4.1	4.1	5.6	7.2	7.6	5.4	5.5	4.7	5.8	9.4	8.4	2.1	9.4	5.6
Min	4.3	2.7	3.0	3.0	2.6	2.3	1.5	2.3	1.3	1.4	2.0	2.4	2.0	2.0	1.9	2.9	2.4	4.1	2.8	2.8	1.9	4.0	4.7	3.9	1.3		
Max	18.3	17.3	18.2	18.0	16.4	17.2	19.3	15.3	10.8	10.0	12.9	16.7	19.7	17.4	14.4	15.4	15.9	15.5	15.0	18.5	20.0	20.9	19.1	19.8		20.9	
Avg	10.5	10.3	9.6	9.2	8.6	8.2	7.6	6.3	4.9	4.1	5.1	5.8	6.4	6.8	7.0	8.1	8.5	9.5	9.3	9.7	9.7	9.6	10.4	10.6			8.2

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Palm Desert (data subject to change)
 Month: May
 Year: 2006
 Time Zone: PST

Validation Level: B
 Printout Date: 07-03-2006
 Printout Time: 07:52:21
 Output File Name: PDTB0506.10

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	306	308	293	302	312	299	299	278	267	247	188	147	140	140	137	128	122	319	317	319	317	315	321	314	[NW]
2	315	313	314	316	315	313	311	296	266	181	163	149	136	130	137	335	321	316	324	325	322	324	321	318	[NW]
3	314	315	309	314	313	297	303	314	297	230	227	7	328	338	324	320	319	316	326	330	324	323	324	319	[NW]
4	323	321	323	319	318	315	308	272	279	291	344	326	325	326	321	333	332	326	323	326	327	323	318	316	[NW]
5	312	313	313	314	316	317	316	316	315	318	316	330	329	327	326	328	323	323	328	328	320	314	314	313	[NW]
6	314	313	313	311	314	313	314	313	310	313	318	343	330	330	321	316	316	317	320	317	327	320	318	316	[NW]
7	310	314	310	312	309	303	302	297	268	223	121	120	119	125	134	155	359	323	335	28	330	320	310	315	[NW]
8	317	290	289	293	289	291	280	196	123	118	103	111	134	165	157	134	54	323	317	316	309	319	313	319	[NW]
9	312	315	302	295	301	307	316	305	299	190	215	208	197	243	290	328	323	325	325	317	317	315	302	310	[NW]
10	299	302	297	288	260	233	113	127	133	99	143	151	128	130	129	119	123	119	109	30	338	317	284	262	[SE]
11	284	293	277	260	277	269	258	272	252	110	121	120	129	131	136	134	124	116	75	31	330	322	313	301	[W]
12	308	303	294	282	279	294	277	263	185	122	132	136	132	129	103	56	319	318	318	323	325	310	317	314	[NW]
13	313	312	307	294	304	306	307	256	169	156	149	174	119	142	317	325	318	317	318	322	315	323	320	314	[NW]
14	308	297	302	293	287	295	285	267	227	153	138	131	132	125	124	119	125	111	13	345	324	315	290	292	[WNW]
15	285	291	304	337	336	358	333	75	115	139	113	158	285	203	107	138	121	150	327	330	326	317	313	298	[NNW]
16	299	302	299	304	272	289	279	275	234	136	146	131	122	123	119	114	139	140	81	65	33	306	307	292	[WNW]
17	303	295	286	275	268	270	295	241	311	227	167	136	128	125	129	124	128	114	62	78	342	320	315	302	[SE]
18	256	82	49	4	308	329	155	122	120	127	122	126	128	137	124	137	134	129	95	334	335	329	319	292	[SE]
19	319	311	302	302	281	260	230	131	119	120	131	134	137	149	128	131	349	321	328	324	329	313	314	297	[NW]
20	291	296	305	287	308	308	276	242	191	162	143	143	146	9	318	318	310	315	329	319	332	331	324	294	[NW]
21	305	283	298	314	316	317	316	290	266	199	150	154	146	137	319	317	316	320	324	316	319	329	322	326	[NW]
22	324	322	315	317	305	290	332	238	45	234	330	333	344	327	319	333	329	328	325	322	321	322	323	319	[NW]
23	318	316	310	307	312	314	311	307	290	288	215	151	301	268	231	273	297	324	320	324	311	307	313	313	[NW]
24	312	307	309	307	288	289	286	303	314	294	262	189	206	241	255	310	312	316	320	324	322	323	320	313	[NW]
25	315	313	313	314	309	313	313	276	271	306	302	360	323	327	319	313	320	319	320	332	324	318	316	312	[NW]
26	314	314	317	315	307	322	317	318	290	155	114	184	327	321	318	319	326	324	325	331	325	317	320	314	[NW]
27	324	329	327	328	321	324	328	332	321	312	319	335	339	334	325	311	264	272	312	317	318	321	330	328	[NW]
28	316	319	320	315	315	319	318	299	244	246	246	188	172	344	195	163	124	348	320	318	325	323	317	303	[NW]
29	306	302	302	306	306	302	296	284	280	227	136	140	118	150	181	156	150	141	335	320	326	322	319	310	[NW]
30	306	305	303	298	296	294	294	284	284	242	206	162	147	170	135	148	136	129	112	40	352	318	316	308	[WNW]
31	306	295	294	277	274	275	280	279	271	240	187	183	193	199	129	131	134	134	109	31	356	307	315	305	[W]

Prev [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [W] [W] [SW] [SE] [SE] [SE] [SE] [SE] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW]

Total Data Records Possible: 744
 Total Valid Data Records: 744
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Palm Desert (data subject to change)
Month: May
Year: 2006
Time Zone: PST

Validation Level: B
Printout Date: 07-03-2006
Printout Time: 07:52:21
Output File Name: PDTB0506.10t

Day	Hour Ending																								Prev	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
1	[NW]	[NW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[W]	[W]	[WSW]	[S]	[SSE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
2	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[NW]	[WNW]	[SW]	[S]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
3	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[NW]	[WNW]	[SW]	[S]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
4	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[W]	[W]	[WNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
5	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
6	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
7	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[SW]	[ESE]	[ESE]	[ESE]	[SE]	[SE]	[SSE]	[N]	[NW]	[NNW]	[NNE]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]
8	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[SSW]	[ESE]	[ESE]	[ESE]	[SE]	[SSE]	[SSE]	[SE]	[SE]	[NE]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
9	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[WNW]	[S]	[SW]	[SSW]	[SSW]	[WSW]	[WNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]	[NW]
10	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[SW]	[ESE]	[SE]	[SE]	[E]	[SE]	[SSE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[ESE]	[ESE]	[NNE]	[NNW]	[NW]	[WNW]	[W]	[SE]	[SE]
11	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[WSW]	[W]	[WSW]	[ESE]	[ESE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[ENE]	[NNE]	[NNW]	[NW]	[NW]	[WNW]	[W]
12	[NW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[W]	[W]	[S]	[ESE]	[SE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[NE]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
13	[NW]	[NW]	[NW]	[WNW]	[NW]	[NW]	[NW]	[WSW]	[S]	[SSE]	[SSE]	[S]	[ESE]	[SE]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
14	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[SW]	[SSE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[SE]	[ESE]	[NNE]	[NNW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]
15	[WNW]	[WNW]	[NW]	[NNW]	[NNW]	[N]	[NNW]	[ENE]	[ESE]	[SE]	[ESE]	[SSE]	[WNW]	[SSW]	[ESE]	[SE]	[ESE]	[SSE]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NNW]
16	[WNW]	[WNW]	[WNW]	[NW]	[W]	[WNW]	[W]	[W]	[SW]	[SE]	[SSE]	[SE]	[ESE]	[ESE]	[ESE]	[ESE]	[SE]	[SE]	[E]	[ENE]	[NNE]	[NW]	[NW]	[WNW]	[WNW]	[WNW]
17	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[WNW]	[WSW]	[NW]	[SW]	[SSE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[ENE]	[ENE]	[NNW]	[NW]	[NW]	[WNW]	[SE]
18	[WSW]	[E]	[NE]	[N]	[NW]	[NNW]	[SSE]	[ESE]	[ESE]	[SE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[E]	[NNW]	[NNW]	[NNW]	[NW]	[WNW]	[SE]	[SE]
19	[NW]	[NW]	[WNW]	[WNW]	[W]	[W]	[SW]	[SE]	[ESE]	[ESE]	[SE]	[SE]	[SE]	[SSE]	[SE]	[SE]	[N]	[NW]	[NNW]	[NW]	[NNW]	[NW]	[NW]	[WNW]	[NW]	[NW]
20	[WNW]	[WNW]	[NW]	[WNW]	[NW]	[NW]	[W]	[WSW]	[S]	[SSE]	[SE]	[SE]	[SE]	[N]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NW]	[WNW]	[NW]
21	[NW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[W]	[SSW]	[SSE]	[SSE]	[SE]	[SE]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
22	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NNW]	[WSW]	[NE]	[SW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
23	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[SW]	[SSE]	[WNW]	[W]	[SW]	[W]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
24	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[NW]	[WNW]	[W]	[S]	[SSW]	[WSW]	[WSW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
25	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[W]	[W]	[NW]	[WNW]	[N]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
26	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[SSE]	[ESE]	[S]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
27	[NW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[W]	[W]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]
28	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WSW]	[WSW]	[WSW]	[S]	[S]	[NNW]	[SSW]	[SSE]	[SE]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
29	[NW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[SW]	[SE]	[SE]	[ESE]	[SSE]	[S]	[SSE]	[SSE]	[SE]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
30	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WSW]	[SSW]	[SSE]	[SSE]	[S]	[SE]	[SSE]	[SE]	[SE]	[ESE]	[NE]	[N]	[NW]	[NW]	[NW]	[NW]	[WNW]
31	[NW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[WSW]	[S]	[S]	[SSW]	[SSW]	[SE]	[SE]	[SE]	[SE]	[ESE]	[NNE]	[N]	[NW]	[NW]	[NW]	[NW]	[W]
Prev	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[W]	[W]	[SW]	[SE]	[SE]	[SE]	[SE]	[SE]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)
Units: degrees
Channel: 11

Site: Palm Desert (data subject to change)
Month: May
Year: 2006
Time Zone: PST

Validation Level: B
Printout Date: 07-03-2006
Printout Time: 07:52:22
Output File Name: PDTB0506.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	18.3	18.0	16.4	17.3	18.1	18.5	17.3	16.4	17.4	32.4	37.3	25.4	21.1	18.3	15.9	16.8	45.5	17.3	15.8	15.1	16.8	23.5	16.5	16.6	15.1	45.5	20.5
2	15.2	16.0	16.2	16.2	15.1	16.1	17.0	21.8	24.6	27.8	27.3	22.9	22.9	21.7	25.9	34.6	16.9	15.6	15.1	15.0	16.7	15.7	14.5	15.3	14.5	34.6	19.4
3	16.6	16.0	17.9	16.6	16.7	17.7	17.4	16.4	27.9	42.4	46.8	54.3	52.7	31.7	18.7	17.9	16.8	16.2	15.5	15.7	15.7	15.8	15.4	16.5	15.4	54.3	23.1
4	15.3	15.6	15.4	16.1	15.6	16.4	19.4	32.8	38.3	50.5	31.6	21.0	20.9	21.3	19.8	16.5	16.3	15.6	16.7	15.0	14.8	14.8	15.1	15.3	14.8	50.5	20.4
5	16.2	16.2	15.2	14.6	16.1	14.8	16.0	15.7	19.8	24.5	21.3	21.0	18.7	19.8	18.3	16.3	16.4	15.9	13.8	14.3	15.9	16.0	15.3	15.9	13.8	24.5	17.0
6	15.1	15.9	16.1	17.5	15.5	15.9	15.3	15.7	19.1	19.1	22.1	34.2	30.0	26.5	19.1	16.5	15.8	15.6	15.9	16.7	14.5	16.2	15.2	14.8	14.5	34.2	18.3
7	16.8	15.6	17.0	15.8	17.7	18.5	19.3	20.2	20.6	55.8	23.9	21.6	28.3	28.5	35.8	26.6	34.8	16.4	20.6	36.1	44.5	14.7	17.8	16.1	14.7	55.8	24.3
8	16.0	20.9	16.0	16.0	16.3	22.5	19.1	22.0	16.1	18.4	22.9	32.0	61.8	34.1	35.8	29.0	41.5	16.2	15.6	15.1	18.2	16.3	16.6	15.7	15.1	61.8	23.1
9	17.0	15.9	17.2	17.6	16.8	17.9	17.4	20.5	26.1	38.6	50.2	44.7	48.5	50.5	44.6	29.9	16.0	14.9	14.8	15.7	16.7	16.4	18.9	17.6	14.8	50.5	25.2
10	18.5	18.4	17.7	15.8	15.3	41.3	19.9	30.5	25.5	28.6	42.4	36.9	22.0	18.6	15.6	16.4	15.6	13.7	12.6	23.8	12.8	15.8	14.8	13.0	12.6	42.4	21.1
11	14.8	14.6	11.0	13.6	14.1	12.4	13.3	18.7	30.9	43.6	17.2	17.7	17.7	17.1	15.6	15.1	15.5	15.0	22.6	19.9	15.6	15.2	18.5	19.9	11.0	43.6	17.9
12	17.5	18.4	16.5	14.8	14.7	16.6	16.3	18.6	16.2	18.5	17.6	18.9	28.4	27.0	29.7	33.2	18.4	16.4	15.4	14.9	15.1	18.7	16.0	17.1	14.7	33.2	19.0
13	18.2	17.6	18.3	15.5	18.7	17.8	18.5	20.3	17.6	24.9	30.7	40.8	52.7	32.8	67.4	24.0	18.3	15.9	16.2	16.3	19.9	17.0	15.9	15.9	15.5	67.4	23.8
14	17.1	18.8	19.6	17.5	14.4	15.8	15.7	17.3	22.8	22.3	19.6	19.7	19.0	20.6	19.6	15.9	15.4	15.8	24.0	18.9	15.0	16.1	17.4	16.3	14.4	24.0	18.1
15	16.6	16.5	19.5	18.5	17.6	20.6	30.0	22.2	19.0	21.4	34.2	43.9	43.9	41.3	29.5	29.5	47.0	15.3	43.2	15.1	15.4	16.6	15.9	18.2	15.1	47.0	25.5
16	18.7	19.3	18.0	17.6	14.2	15.5	15.1	19.0	44.0	34.4	29.7	19.9	18.4	17.8	17.8	16.8	12.9	14.3	17.0	15.1	52.6	18.9	18.5	20.5	12.9	52.6	21.1
17	17.4	17.6	16.3	15.3	16.1	12.5	27.6	12.7	28.0	52.9	29.2	21.7	21.2	21.1	19.9	16.8	14.8	23.5	25.7	22.5	19.1	14.4	16.0	19.3	12.5	52.9	20.9
18	17.3	42.2	11.0	15.3	16.8	9.8	26.4	16.3	16.9	20.1	29.9	31.5	29.9	24.6	24.5	17.2	14.6	14.4	21.9	14.7	14.1	13.8	15.7	17.2	9.8	42.2	19.8
19	16.6	18.3	19.7	19.8	31.6	15.5	17.5	14.5	17.0	16.3	20.6	24.0	19.2	18.8	22.9	17.8	30.7	17.2	17.8	15.4	16.1	19.1	19.2	19.0	14.5	31.6	19.4
20	23.0	24.5	18.7	17.1	19.0	17.7	16.6	18.9	15.7	37.8	28.7	20.2	39.8	40.5	21.3	20.5	19.0	17.6	14.0	15.4	14.9	15.2	16.1	17.1	14.0	40.5	21.2
21	18.8	15.4	17.0	16.2	18.4	15.8	17.4	22.5	20.0	48.5	31.4	21.8	23.5	21.4	61.7	16.1	15.3	15.7	15.4	31.4	17.5	16.1	16.2	15.7	15.3	61.7	22.1
22	16.3	16.5	16.9	18.6	23.4	27.8	20.8	37.2	35.3	54.9	24.0	24.5	25.8	21.8	23.5	23.6	23.3	16.0	15.2	15.7	16.0	15.5	15.2	16.4	15.2	54.9	22.7
23	16.3	15.3	17.0	19.8	17.3	15.9	17.4	18.4	22.4	37.2	54.4	57.7	47.2	66.5	42.4	42.5	23.7	17.6	15.7	14.7	17.2	17.4	16.9	16.0	14.7	66.5	27.0
24	16.2	17.9	18.6	19.6	16.2	40.7	19.2	24.0	30.4	45.9	40.8	40.1	30.7	72.4	53.8	28.8	20.6	16.7	15.0	15.0	15.0	15.6	15.2	17.1	15.0	72.4	26.9
25	16.3	16.0	17.6	16.9	18.2	16.6	17.1	23.8	21.8	35.1	47.1	33.2	28.3	29.1	23.8	19.6	16.6	15.4	15.9	14.8	16.0	15.0	16.2	16.9	14.8	47.1	21.1
26	15.9	15.8	15.2	16.0	18.1	17.2	16.5	18.5	46.4	78.9	26.9	45.5	27.9	21.5	16.6	16.7	14.9	15.2	15.3	16.7	15.8	18.4	15.4	16.7	14.9	78.9	22.6
27	15.9	14.2	14.7	15.0	15.9	14.6	14.5	16.5	19.4	20.7	19.0	19.0	17.7	18.0	19.2	21.5	41.6	37.2	30.6	18.8	16.4	16.0	14.7	15.2	14.2	41.6	19.4
28	15.6	16.0	15.5	16.5	15.0	15.6	16.6	20.7	34.3	62.4	42.2	51.2	48.0	52.4	48.3	31.8	35.0	49.3	16.2	15.4	15.7	15.6	15.7	18.3	15.0	62.4	28.5
29	19.3	19.0	18.9	18.6	19.3	18.6	17.5	17.3	26.9	47.9	39.9	36.3	42.5	36.4	44.1	21.2	22.9	15.9	44.7	15.4	15.5	15.6	15.7	17.6	15.4	47.9	25.3
30	18.4	18.2	20.0	18.0	18.0	17.0	18.7	18.2	18.8	29.2	51.3	43.2	37.7	59.4	30.4	32.7	19.0	14.0	14.9	29.6	19.7	16.5	16.1	18.3	14.0	59.4	24.9
31	18.8	17.4	16.7	16.1	16.6	15.3	17.1	15.6	18.9	32.2	34.6	35.7	29.4	33.8	47.2	23.0	16.6	12.8	27.8	32.7	20.6	17.6	16.4	18.9	12.8	47.2	23.0
Min	14.8	14.2	11.0	13.6	14.1	9.8	13.3	12.7	15.7	16.3	17.2	17.7	17.7	17.1	15.6	15.1	12.9	12.8	12.6	14.3	12.8	13.8	14.5	13.0	9.8		
Max	23.0	42.2	20.0	19.8	31.6	41.3	30.0	37.2	46.4	78.9	54.4	57.7	61.8	72.4	67.4	42.5	47.0	49.3	44.7	36.1	52.6	23.5	19.2	20.5	78.9		
Avg	17.1	18.0	16.8	16.8	17.3	18.3	18.3	20.1	24.5	36.2	32.1	31.6	31.5	31.1	30.0	22.7	22.3	17.7	19.4	18.4	16.4	16.2	16.9			22.0	

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Palm Desert (data subject to change)
Month: May
Year: 2006
Time Zone: PST

Validation Level: B
Printout Date: 07-03-2006
Printout Time: 07:52:25
Output File Name: PDTB0506.17

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	21.5	23.5	19.8	21.6	22.5	17.7	17.0	11.0	7.8	6.4	7.4	13.0	16.7	16.7	16.1	13.2	9.9	18.9	19.9	20.8	21.5	12.6	15.6	20.0	6.4	23.5	16.3
2	25.0	21.8	22.1	22.3	22.8	21.9	20.8	17.2	6.6	8.5	11.7	11.8	14.0	12.3	11.0	20.0	21.9	24.5	27.1	20.8	18.2	19.8	24.8	25.3	6.6	27.1	18.8
3	29.6	28.9	22.8	23.5	21.0	15.6	17.5	17.9	14.5	6.3	8.3	9.5	10.0	20.0	24.3	22.1	25.1	23.9	23.2	23.4	23.5	17.5	20.2	19.4	6.3	29.6	19.5
4	22.5	22.1	21.0	31.2	33.8	26.6	18.3	10.0	10.2	13.7	16.3	24.4	24.3	24.3	24.0	25.9	26.2	24.4	25.1	34.9	35.6	35.9	36.2	31.6	10.0	36.2	24.9
5	28.8	29.5	30.5	28.7	26.7	23.3	24.5	25.4	23.5	20.3	17.9	22.4	22.6	18.7	20.6	18.3	17.3	18.4	18.9	20.0	23.8	25.2	25.9	27.1	17.3	30.5	23.3
6	27.1	25.3	24.2	24.2	24.3	21.6	26.5	28.2	25.1	16.4	14.8	16.8	16.7	19.2	23.6	23.2	26.0	27.7	24.1	21.9	24.7	28.1	28.9	30.2	14.8	30.2	23.7
7	27.1	26.7	22.9	25.1	23.5	21.7	19.4	13.7	10.8	6.1	12.8	12.8	11.9	13.7	12.7	10.2	12.4	16.4	12.7	6.6	6.1	9.6	13.2	16.0	6.1	27.1	15.2
8	20.0	16.6	12.3	12.9	11.5	11.3	8.9	8.5	13.0	11.8	11.8	10.4	10.9	8.7	10.7	10.0	15.8	20.6	22.2	23.2	18.6	19.1	19.7	18.8	8.5	23.2	14.5
9	22.4	20.5	14.9	13.1	17.3	18.2	15.1	14.4	13.4	8.1	5.6	8.4	7.7	7.2	7.4	16.3	18.8	20.1	20.5	19.5	19.5	21.0	16.7	17.6	5.6	22.4	15.2
10	15.6	18.0	16.2	17.9	11.8	5.6	4.3	8.4	7.8	8.3	8.5	11.1	12.6	14.7	14.0	16.2	15.0	12.6	12.1	9.4	11.2	13.6	11.3	8.3	4.3	18.0	11.8
11	13.2	9.6	7.8	7.8	11.6	8.8	8.3	9.6	5.7	10.7	12.6	13.4	15.6	15.5	14.2	15.4	13.5	11.5	7.6	14.3	15.3	18.1	16.5	19.7	5.7	19.7	12.4
12	18.7	19.4	18.3	15.8	13.1	15.1	11.9	7.7	7.8	10.2	13.4	12.4	10.4	10.9	9.9	12.8	21.6	24.0	23.7	23.1	21.0	18.7	21.1	20.4	7.7	24.0	15.9
13	19.1	22.9	23.2	18.2	17.5	18.6	18.9	14.7	8.0	10.9	10.0	8.3	8.9	12.0	9.7	15.3	21.0	22.6	21.5	18.9	17.8	17.7	22.0	23.1	8.0	23.2	16.7
14	26.3	20.4	17.1	14.2	8.8	11.9	11.0	6.8	6.0	7.9	12.2	13.2	15.8	14.3	13.5	16.4	13.8	12.2	16.1	14.1	14.1	15.6	15.1	18.1	6.0	26.3	14.0
15	13.2	15.6	14.7	14.7	15.1	12.7	8.6	10.4	9.5	10.4	7.7	6.1	5.1	5.6	6.9	10.0	6.4	8.0	19.1	23.5	21.1	23.1	22.7	21.5	5.1	23.5	13.0
16	16.2	18.5	17.7	15.2	11.5	14.5	12.6	9.4	5.8	8.0	11.9	12.4	13.3	15.0	16.7	14.0	15.2	13.5	10.6	6.7	4.0	13.7	15.5	17.9	4.0	18.5	12.9
17	10.6	11.9	14.1	14.5	8.5	8.4	8.9	7.8	8.6	5.4	9.6	12.6	15.8	14.5	13.7	14.9	14.3	13.4	13.9	11.6	8.7	12.1	14.6	15.1	5.4	15.8	11.8
18	10.0	8.3	5.8	5.8	4.3	4.5	9.5	13.1	15.3	12.6	9.1	9.3	13.0	14.0	14.1	12.4	12.4	11.2	6.9	13.6	13.5	14.0	12.4	10.2	4.3	15.3	10.6
19	12.4	12.6	11.5	13.4	13.7	10.4	8.7	15.6	15.4	14.9	14.1	13.4	12.8	14.7	14.1	11.9	24.3	26.4	26.1	23.6	26.2	14.8	15.2	9.7	8.7	26.4	15.7
20	10.4	13.2	12.1	8.8	11.0	9.7	7.3	8.8	9.8	10.2	12.0	12.4	11.3	16.1	22.6	20.5	21.0	20.3	21.8	19.2	20.6	17.2	19.4	15.7	7.3	22.6	14.6
21	16.2	11.5	19.7	25.0	21.8	23.0	19.3	15.9	9.4	10.4	14.8	12.3	13.1	16.1	20.9	29.5	27.7	27.5	27.3	22.6	21.1	22.6	27.3	26.2	9.4	29.5	20.0
22	22.3	25.6	19.4	17.8	19.8	16.5	19.7	10.7	10.4	17.8	26.7	21.5	22.0	22.4	23.9	21.3	20.2	20.3	22.9	24.0	25.2	25.1	26.7	26.1	10.4	26.7	21.2
23	26.3	28.8	26.7	22.5	25.9	25.1	21.3	19.2	11.6	9.7	8.3	7.2	9.6	7.1	8.7	7.8	15.1	16.6	17.3	17.0	16.7	18.3	21.6	25.2	7.1	28.8	17.2
24	23.4	25.5	24.7	22.2	16.7	14.8	12.1	13.0	12.4	6.8	5.9	9.2	9.1	7.7	10.9	16.4	17.6	22.1	24.8	26.0	26.6	23.0	22.4	22.4	5.9	26.6	17.3
25	26.5	26.8	25.7	27.0	25.4	27.8	24.7	19.6	8.2	7.2	11.3	12.9	17.8	20.2	27.5	22.4	26.3	27.6	24.9	26.1	23.7	20.8	22.6	25.2	7.2	27.8	22.0
26	28.9	31.7	25.5	25.3	23.4	21.9	21.5	18.6	14.0	7.5	11.0	8.9	17.2	27.5	26.9	24.0	20.6	22.0	23.0	23.1	26.0	22.4	23.8	21.0	7.5	31.7	21.5
27	23.5	32.7	32.1	34.6	24.6	33.8	34.1	27.8	20.8	22.8	29.0	36.9	38.2	36.0	24.9	27.2	23.1	20.4	20.9	28.4	38.4	37.0	35.7	36.6	20.4	38.4	30.0
28	33.5	30.5	22.0	21.0	21.9	23.0	18.5	11.9	6.7	8.8	7.6	10.4	10.7	9.4	11.5	11.4	6.8	16.2	19.8	22.6	20.7	19.5	22.1	21.6	6.7	33.5	17.0
29	20.3	18.9	19.7	20.1	18.8	20.8	16.3	16.2	8.1	6.9	11.5	12.7	11.3	14.2	13.1	13.4	11.0	9.0	21.9	18.3	20.2	21.7	22.1	23.5	6.9	23.5	16.2
30	24.2	22.0	18.0	19.9	17.0	16.4	12.4	12.9	9.9	6.6	9.6	11.3	11.3	11.8	14.8	11.8	11.5	12.4	10.6	11.8	13.1	14.4	16.4	18.8	6.6	24.2	14.1
31	16.4	13.6	15.6	13.3	10.4	8.4	13.8	9.6	5.9	6.9	13.1	16.3	13.1	11.8	12.7	13.2	12.9	14.0	11.8	14.2	12.7	14.5	19.0	18.1	5.9	19.0	13.0
Min	10.0	8.3	5.8	5.8	4.3	4.5	4.3	6.8	5.7	5.4	5.6	6.1	5.1	5.6	6.9	7.8	6.4	8.0	6.9	6.6	4.0	9.6	11.3	8.3	4.0		
Max	33.5	32.7	32.1	34.6	33.8	33.8	34.1	28.2	25.1	22.8	29.0	36.9	38.2	36.0	27.5	29.5	27.7	27.7	27.3	34.9	38.4	37.0	36.2	36.6		38.4	
Avg	21.0	21.1	19.3	19.3	17.9	17.1	15.9	14.0	11.0	10.3	12.1	13.4	14.3	15.2	16.0	16.7	17.6	18.7	19.3	19.5	19.7	19.6	20.9	21.0			17.1

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Palm Desert (data subject to change)
Month: May
Year: 2006
Time Zone: PST

Validation Level: B
Printout Date: 07-03-2006
Printout Time: 07:52:20
Output File Name: PDTB0506.7

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	13.2	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
2	13.2	13.2	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
3	13.2	13.1	13.1	13.1	13.1	13.2	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
4	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
5	13.1	13.1	13.1	13.1	13.1	13.2	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.1	13.4	13.3
6	13.2	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
7	13.2	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
8	13.2	13.2	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
9	13.2	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
10	13.2	13.2	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
11	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
12	13.2	13.2	13.1	13.1	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
13	13.2	13.2	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
14	13.2	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
15	13.2	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
16	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
17	13.2	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
18	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
19	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
20	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
21	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
22	13.2	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
23	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
24	13.2	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
25	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
26	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
27	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.1	13.4	13.3
28	13.2	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
29	13.2	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.4	13.3
30	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
31	13.2	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
Min	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1		
Max	13.2	13.2	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2		13.4	
Avg	13.2	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2			13.3	

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2