

Palm Desert Meteorological Data

October 2005

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Palm Desert (data subject to change)
Month: October
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 11-09-2005
Printout Time: 08:36:21
Output File Name: PDTB1005.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	4.8	5.6	5.4	4.0	5.1	3.8	3.8	3.3	2.9	3.9	3.2	4.4	5.1	6.0	4.7	5.7	5.4	3.5	6.2	9.6	9.2	8.2	6.7	3.8	2.9	9.6	5.2
2	3.8	2.7	3.6	2.2	1.0	2.2	1.2	0.9	2.9	3.6	4.3	3.8	4.3	4.6	4.1	4.7	3.0	4.5	6.4	6.7	4.4	5.7	5.6	5.9	0.9	6.7	3.9
3	5.4	5.0	3.5	3.4	3.3	4.3	3.8	3.5	5.1	6.0	4.7	2.1	1.7	2.7	4.3	3.6	3.3	7.6	9.1	11.1	9.6	8.9	10.9	11.0	1.7	11.1	5.6
4	6.2	3.5	5.5	5.1	7.4	11.8	10.2	9.5	8.4	4.9	6.2	5.6	6.6	5.8	6.6	5.7	7.2	7.0	5.1	5.9	5.5	5.2	5.4	4.4	3.5	11.8	6.4
5	4.7	5.0	5.3	4.8	5.0	6.3	6.7	8.0	7.4	6.5	5.3	4.1	3.1	3.2	5.6	4.8	2.5	4.5	4.7	4.7	5.9	5.5	5.3	4.8	2.5	8.0	5.2
6	4.2	5.7	5.2	4.6	4.4	4.4	5.1	4.6	5.2	3.9	2.9	2.8	2.5	2.3	3.1	2.3	3.2	1.8	3.8	4.6	4.3	4.2	5.5	4.5	1.8	5.7	4.0
7	4.0	5.6	5.4	5.5	4.6	5.0	4.6	4.0	3.9	2.1	1.1	3.8	5.9	6.1	7.4	6.9	6.3	4.2	6.8	7.2	6.8	2.9	3.2	3.0	1.1	7.4	4.8
8	3.8	3.7	7.4	8.0	6.3	4.8	4.8	3.1	2.3	2.0	4.8	8.2	9.4	8.9	9.4	12.8	14.1	18.3	23.2	21.9	22.4	19.8	18.8	15.5	2.0	23.2	10.6
9	15.5	17.3	13.7	11.3	8.6	8.5	10.3	10.2	7.1	5.9	4.3	3.1	4.8	5.3	6.0	7.5	7.9	8.8	7.8	6.1	6.1	7.5	5.6	6.8	3.1	17.3	8.2
10	6.0	4.2	4.9	6.6	6.4	5.8	6.4	5.9	6.0	4.7	3.0	4.6	6.1	4.1	4.5	4.2	2.6	2.0	2.4	3.1	4.3	4.0	3.1	4.7	2.0	6.6	4.6
11	5.0	5.4	4.4	4.2	4.3	4.8	4.9	4.2	5.2	3.6	1.7	2.2	3.4	5.4	5.9	7.1	6.2	4.1	3.4	2.8	4.4	5.5	6.3	5.6	1.7	7.1	4.6
12	5.8	3.9	6.7	7.1	10.2	9.4	6.8	4.5	3.2	4.0	1.4	1.0	3.6	4.0	2.2	3.4	2.5	2.3	2.6	3.1	4.4	5.2	7.4	5.7	1.0	10.2	4.6
13	6.9	6.5	6.6	5.9	5.9	6.2	6.6	6.6	6.5	6.5	6.2	6.1	5.1	4.1	3.9	4.0	4.2	4.3	5.1	4.8	5.8	6.0	5.5	5.2	3.9	6.9	5.6
14	4.7	5.8	6.3	6.0	5.5	5.5	3.8	3.7	2.7	2.1	4.5	7.8	8.3	10.1	9.1	7.6	5.5	3.3	2.1	4.8	4.6	5.5	5.1	5.0	2.1	10.1	5.4
15	4.8	4.5	4.5	4.6	3.7	4.0	3.5	4.7	5.3	7.0	5.7	6.3	5.1	7.6	15.2	15.8	11.7	7.7	4.9	5.5	7.6	5.9	2.9	6.4	2.9	15.8	6.5
16	6.7	4.9	9.0	9.0	7.9	5.6	4.2	4.0	7.3	7.2	6.2	3.4	3.7	4.6	2.6	3.3	6.3	5.2	5.7	6.5	2.9	3.4	3.9	3.5	2.6	9.0	5.3
17	3.8	4.8	5.2	5.1	3.7	4.6	2.6	2.4	2.1	2.8	2.7	2.7	3.9	3.4	3.7	1.5	2.2	2.5	5.3	4.5	3.8	5.0	6.1	7.5	1.5	7.5	3.8
18	5.1	3.9	2.5	4.6	2.3	3.0	2.6	2.4	3.7	2.8	3.7	3.4	2.3	2.1	5.3	9.6	9.2	7.6	7.9	6.8	8.0	9.2	8.9	7.8	2.1	9.6	5.2
19	6.2	5.7	5.6	5.1	6.2	7.6	6.2	6.5	5.2	2.4	1.6	2.6	2.3	3.0	3.2	2.3	1.9	1.2	1.8	2.3	3.3	3.7	3.4	3.7	1.2	7.6	3.9
20	3.5	3.6	3.8	4.0	3.5	4.4	4.7	4.1	3.6	1.7	1.9	3.8	4.3	4.4	4.4	4.4	3.8	2.1	2.4	2.9	4.2	4.3	3.5	4.1	1.7	4.7	3.6
21	4.9	5.4	4.4	4.5	3.0	3.6	4.7	3.3	2.8	2.2	1.7	2.8	3.0	2.9	1.9	2.9	2.9	3.6	3.9	7.8	6.8	5.9	5.7	6.5	1.7	7.8	4.0
22	6.5	7.1	5.8	5.4	4.9	5.6	6.0	6.4	5.2	2.7	1.8	2.0	3.2	3.5	3.3	3.9	5.3	7.4	6.2	8.4	9.4	11.3	9.4	10.0	1.8	11.3	5.9
23	8.1	8.3	7.6	5.1	5.2	5.7	6.3	7.0	6.1	6.8	4.8	2.9	2.0	4.7	5.7	5.4	3.8	4.1	6.2	6.2	7.0	7.5	7.0	6.2	2.0	8.3	5.8
24	6.3	4.8	6.5	8.6	7.9	6.9	5.6	4.2	3.3	2.1	5.3	7.1	8.6	7.8	7.3	6.3	4.4	3.7	6.7	6.6	11.4	13.0	12.1	8.8	2.1	13.0	6.9
25	9.8	12.2	10.8	6.2	7.6	6.8	11.8	9.3	9.4	13.5	14.6	13.0	12.1	13.8	13.1	13.7	14.6	15.1	14.4	13.4	12.3	11.2	11.7	9.3	6.2	15.1	11.7
26	10.0	10.5	10.8	9.0	9.5	9.4	8.7	8.8	7.3	7.0	5.6	4.3	1.6	2.3	2.1	0.8	5.2	5.9	5.9	7.4	6.6	7.1	6.7	8.4	0.8	10.8	6.7
27	8.4	4.1	3.9	5.8	5.1	5.2	2.4	2.4	3.1	2.8	3.1	4.4	2.1	2.5	4.4	7.4	7.3	7.6	7.2	9.1	8.3	6.6	6.4	7.6	2.1	9.1	5.3
28	5.8	4.2	5.5	9.6	7.1	10.8	7.8	7.4	5.7	4.5	3.5	2.9	2.0	5.5	3.8	4.0	6.8	9.8	10.5	6.6	10.5	12.4	13.0	11.9	2.0	13.0	7.2
29	10.9	7.9	6.1	7.4	4.6	8.4	8.2	7.3	5.9	4.0	3.8	3.4	3.7	1.8	1.8	2.1	2.8	4.0	4.0	4.5	6.6	7.0	6.9	6.0	1.8	10.9	5.4
30	6.6	5.6	6.5	5.9	6.3	6.3	5.0	3.3	5.3	3.7	2.7	1.1	1.4	2.4	1.9	2.1	2.5	2.4	2.3	4.8	4.9	5.7	6.1	4.6	1.1	6.6	4.2
31	4.0	4.2	4.8	4.1	6.1	5.9	6.5	3.8	5.2	5.7	4.1	4.8	4.1	3.8	4.4	3.1	3.3	2.6	3.2	2.8	5.1	5.2	6.0	5.5	2.6	6.5	4.5
Min	3.5	2.7	2.5	2.2	1.0	2.2	1.2	0.9	2.1	1.7	1.1	1.0	1.4	1.8	1.8	0.8	1.9	1.2	1.8	2.3	2.9	2.9	2.9	3.0	0.8		
Max	15.5	17.3	13.7	11.3	10.2	11.8	11.8	10.2	9.4	13.5	14.6	13.0	12.1	13.8	15.2	15.8	14.6	18.3	23.2	21.9	22.4	19.8	18.8	15.5		23.2	
Avg	6.2	5.9	6.0	5.9	5.6	6.0	5.7	5.1	5.0	4.5	4.1	4.2	4.4	4.8	5.2	5.5	5.4	5.4	6.0	6.5	7.0	7.1	6.9	6.6			5.6

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.0

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Palm Desert (data subject to change)
 Month: October
 Year: 2005
 Time Zone: PST

Validation Level: B
 Printout Date: 11-09-2005
 Printout Time: 08:36:21
 Output File Name: PDTB1005.10

Day	Hour Ending																								Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	287	283	283	279	295	258	264	241	230	207	210	178	166	134	121	127	128	73	355	328	319	313	311	282	[WNW]
2	283	271	274	172	233	266	180	134	121	132	124	149	144	145	141	150	139	335	335	311	311	308	311	325	[SE]
3	310	299	261	253	261	287	296	292	158	121	148	238	256	291	329	343	346	323	321	330	327	324	324	324	[NW]
4	302	267	302	306	300	301	306	322	305	302	7	288	300	289	301	319	345	330	281	279	282	284	283	293	[WNW]
5	270	288	278	275	281	290	285	286	283	306	338	13	28	254	258	254	322	352	295	269	274	278	271	280	[W]
6	325	322	309	300	308	294	297	272	277	265	263	246	244	277	228	236	212	191	323	301	276	275	294	280	[W]
7	277	271	278	287	282	276	260	280	285	280	213	136	142	134	131	129	126	37	11	337	324	317	302	338	[W]
8	296	278	308	299	308	295	268	223	168	258	303	321	340	348	348	335	324	327	326	319	322	320	319	329	[NW]
9	331	327	326	319	298	312	314	315	294	264	265	245	227	286	299	310	321	326	331	295	275	303	261	293	[NW]
10	271	264	277	289	311	294	297	291	268	270	235	206	197	209	231	220	225	157	90	221	47	357	277	270	[W]
11	273	273	283	274	267	270	268	276	274	271	235	131	134	145	139	138	132	95	60	321	324	342	318	308	[W]
12	314	278	293	289	306	304	290	276	280	210	182	248	177	172	201	201	190	158	124	353	281	296	285	277	[WNW]
13	275	267	280	278	278	273	280	284	287	274	257	5	351	346	335	307	263	281	310	287	291	292	298	285	[W]
14	281	284	296	283	284	276	295	312	258	214	147	136	131	150	139	131	120	77	44	292	283	277	277	260	[WNW]
15	276	273	265	264	219	247	250	99	94	106	120	134	126	217	231	219	220	186	208	343	336	321	20	339	[SW]
16	315	298	319	314	314	295	285	304	308	273	251	202	285	181	137	340	278	294	119	90	250	265	299	280	[WNW]
17	263	283	282	342	252	270	231	33	274	297	244	246	251	22	69	250	305	287	301	291	281	290	307	250	[WNW]
18	339	309	303	224	217	325	280	186	182	114	192	167	147	34	2	327	325	321	316	312	310	313	312	308	[NW]
19	311	301	295	296	301	302	294	287	282	246	251	202	99	115	149	131	124	126	137	358	309	285	274	260	[WNW]
20	276	275	266	276	281	258	276	277	257	190	95	117	107	119	122	123	123	127	46	342	288	278	281	276	[W]
21	279	291	284	282	266	267	299	292	268	275	228	182	171	180	177	137	121	135	351	323	306	282	294	298	[WNW]
22	301	296	282	274	278	294	285	289	293	257	226	208	130	142	143	115	338	328	330	311	310	311	302	303	[WNW]
23	303	285	293	278	268	278	302	293	287	289	290	256	194	125	122	119	124	323	326	315	307	297	288	276	[WNW]
24	285	268	286	303	294	274	274	277	257	198	130	121	127	120	108	116	106	137	335	293	318	317	311	305	[WNW]
25	306	326	325	339	333	320	312	301	306	317	318	316	318	320	322	320	318	319	315	315	313	312	309	307	[NW]
26	308	307	306	302	305	304	303	303	300	299	303	289	17	145	108	244	312	322	323	324	322	313	308	309	[NW]
27	313	290	301	319	325	317	272	268	227	245	141	139	129	138	229	330	323	322	321	319	314	323	323	320	[NW]
28	327	299	310	305	329	323	301	312	288	272	259	282	337	327	312	319	323	326	322	313	313	315	313	312	[NW]
29	310	308	303	305	274	311	303	284	280	260	261	199	202	201	203	165	37	338	21	339	331	315	311	292	[NW]
30	285	279	277	295	291	284	286	268	288	255	270	263	254	192	189	119	116	141	340	270	284	290	288	308	[WNW]
31	290	277	306	302	292	299	280	289	269	265	262	239	240	222	188	184	202	283	283	288	288	283	300	282	[WNW]

Prev [W] [W] [WNW] [WNW] [WNW] [WNW] [WNW] [WNW] [WNW] [WNW] [W] [W] [WSW] [SE] [SE] [SE] [SE] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [WNW]

Total Data Records Possible: 744
 Total Valid Data Records: 744
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.0

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Palm Desert (data subject to change)
Month: October
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 11-09-2005
Printout Time: 08:36:21
Output File Name: PDTB1005.10t

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[WSW]	[W]	[WSW]	[SW]	[SSW]	[SSW]	[S]	[SSE]	[SE]	[ESE]	[SE]	[SE]	[ENE]	[N]	[NNW]	[NW]	[NW]	[NW]	[WNW]	[WNW]
2	[WNW]	[W]	[W]	[S]	[SW]	[W]	[S]	[SE]	[ESE]	[SE]	[ESE]	[SSE]	[SE]	[SE]	[SE]	[SSE]	[SE]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[SE]
3	[NW]	[WNW]	[W]	[WSW]	[W]	[WNW]	[WNW]	[WNW]	[SSE]	[ESE]	[SSE]	[WSW]	[WSW]	[WNW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]
4	[WNW]	[W]	[WNW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
5	[W]	[WNW]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[NNW]	[NNE]	[NNE]	[WSW]	[WSW]	[WSW]	[NW]	[N]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]
6	[NW]	[NW]	[NW]	[WNW]	[NW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[WSW]	[WSW]	[W]	[SW]	[SW]	[SSW]	[S]	[NW]	[WNW]	[W]	[W]	[WNW]	[W]	[W]
7	[W]	[W]	[W]	[WNW]	[WNW]	[W]	[W]	[W]	[WNW]	[W]	[SSW]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[NE]	[N]	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[W]
8	[WNW]	[W]	[NW]	[WNW]	[NW]	[WNW]	[W]	[SW]	[SSE]	[WSW]	[WNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
9	[NNW]	[NNW]	[NW]	[NW]	[WNW]	[NW]	[NW]	[NW]	[WNW]	[W]	[W]	[WSW]	[SW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NNW]	[WNW]	[W]	[WNW]	[W]	[WNW]	[NW]
10	[W]	[W]	[W]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[SW]	[SSW]	[SSW]	[WNW]	[SW]	[SW]	[SW]	[SSE]	[E]	[SW]	[NE]	[N]	[W]	[W]	[W]
11	[W]	[W]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[SW]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[E]	[ENE]	[NW]	[NW]	[NNW]	[NW]	[NW]	[W]
12	[NW]	[W]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[W]	[W]	[SSW]	[S]	[WSW]	[S]	[S]	[SSW]	[SSW]	[S]	[SSE]	[SE]	[N]	[W]	[WNW]	[WNW]	[W]	[WNW]
13	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[W]	[WSW]	[N]	[N]	[NNW]	[NNW]	[NW]	[W]	[W]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]
14	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[NW]	[WSW]	[SW]	[SSE]	[SE]	[SE]	[SSE]	[SE]	[SE]	[ESE]	[ENE]	[NE]	[WNW]	[WNW]	[W]	[W]	[W]	[WNW]
15	[W]	[W]	[W]	[W]	[SW]	[WSW]	[WSW]	[E]	[E]	[ESE]	[ESE]	[SE]	[SE]	[SW]	[SW]	[SW]	[SW]	[S]	[SSW]	[NNW]	[NNW]	[NW]	[NNE]	[NNW]	[SW]
16	[NW]	[WNW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[W]	[WSW]	[SSW]	[WNW]	[S]	[SE]	[NNW]	[W]	[WNW]	[ESE]	[E]	[WSW]	[W]	[WNW]	[W]	[WNW]
17	[W]	[WNW]	[WNW]	[NNW]	[WSW]	[W]	[SW]	[NNE]	[W]	[WNW]	[WSW]	[WSW]	[WSW]	[NNE]	[ENE]	[WSW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[NW]	[WSW]	[WNW]
18	[NNW]	[NW]	[WNW]	[SW]	[SW]	[NW]	[W]	[S]	[S]	[ESE]	[SSW]	[SSE]	[SSE]	[NE]	[N]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
19	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WSW]	[WSW]	[SSW]	[E]	[ESE]	[SSE]	[SE]	[ESE]	[SE]	[SE]	[N]	[NW]	[WNW]	[W]	[W]	[W]	[WNW]
20	[W]	[W]	[W]	[W]	[W]	[WSW]	[W]	[W]	[WSW]	[S]	[E]	[ESE]	[ESE]	[ESE]	[ESE]	[ESE]	[SE]	[NE]	[NNW]	[WNW]	[W]	[W]	[W]	[W]	[W]
21	[W]	[WNW]	[WNW]	[WNW]	[W]	[W]	[WNW]	[WNW]	[W]	[W]	[SW]	[S]	[S]	[S]	[SE]	[SE]	[SE]	[SE]	[N]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]
22	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WSW]	[SW]	[SSW]	[SE]	[SE]	[SE]	[ESE]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]
23	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[SSW]	[SE]	[ESE]	[ESE]	[ESE]	[ESE]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[W]	[WNW]
24	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[WSW]	[SSW]	[SE]	[ESE]	[SE]	[ESE]	[ESE]	[ESE]	[SE]	[NNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]
25	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
26	[NW]	[NW]	[NW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NNW]	[SE]	[ESE]	[WSW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
27	[NW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[W]	[W]	[SW]	[WSW]	[SE]	[SE]	[SE]	[SE]	[SW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
28	[NNW]	[WNW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[WNW]	[NW]	[WNW]	[W]	[W]	[WNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
29	[NW]	[NW]	[WNW]	[NW]	[W]	[NW]	[WNW]	[WNW]	[W]	[W]	[W]	[SSW]	[SSW]	[SSW]	[SSW]	[SSE]	[NE]	[NNW]	[NNE]	[NNW]	[NNW]	[NW]	[NW]	[WNW]	[NW]
30	[WNW]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[WSW]	[W]	[W]	[WSW]	[SSW]	[S]	[ESE]	[ESE]	[SE]	[NNW]	[W]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]
31	[WNW]	[W]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[W]	[W]	[W]	[WSW]	[WSW]	[SW]	[S]	[S]	[SSW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]

Prev [W] [W] [WNW] [WNW] [WNW] [WNW] [WNW] [WNW] [WNW] [W] [W] [WSW] [SE] [SE] [SE] [SE] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [WNW]

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.0

Variable: Sigma Theta (Yamartino)
 Units: degrees
 Channel: 11

Site: Palm Desert (data subject to change)
 Month: October
 Year: 2005
 Time Zone: PST

Validation Level: B
 Printout Date: 11-09-2005
 Printout Time: 08:36:22
 Output File Name: PDTB1005.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	17.5	25.0	20.1	16.8	18.0	17.5	23.5	12.1	14.7	16.0	18.8	30.4	25.2	19.6	21.4	19.0	13.4	27.1	16.0	14.1	14.5	17.7	18.1	21.0	12.1	30.4	19.1
2	24.0	20.0	12.6	18.6	44.2	10.1	44.4	44.2	28.2	25.3	25.9	35.2	30.1	31.6	27.5	17.0	13.3	37.6	16.3	20.2	20.2	20.7	19.8	19.6	10.1	44.4	25.3
3	16.5	24.1	32.2	26.8	23.4	19.5	24.0	34.4	27.7	17.5	27.0	48.8	37.0	70.3	29.8	22.7	24.5	14.8	14.9	14.8	16.0	15.9	15.0	15.7	14.8	70.3	25.6
4	22.8	25.6	18.2	16.4	19.8	18.2	19.4	16.6	19.1	28.6	28.4	36.2	32.1	30.5	21.8	22.2	17.5	16.5	14.2	12.4	11.4	12.4	12.2	23.3	11.4	36.2	20.7
5	11.6	12.9	10.9	11.6	26.5	12.0	13.0	15.3	19.6	22.2	29.9	55.8	42.8	50.7	21.2	20.9	34.5	15.6	16.2	11.4	12.3	12.2	12.5	32.6	10.9	55.8	21.8
6	22.4	13.6	15.7	17.4	22.3	23.5	23.5	15.1	14.7	21.1	41.0	42.6	62.5	47.5	38.0	24.9	11.5	8.2	46.4	12.5	12.4	13.4	14.2	12.0	8.2	62.5	24.0
7	10.8	10.8	10.4	10.7	11.1	12.1	11.9	14.3	15.7	24.5	52.3	28.7	22.7	19.3	16.3	14.4	13.0	57.9	20.7	15.2	12.6	15.2	42.0	62.8	10.4	62.8	21.9
8	28.3	26.8	17.8	22.8	30.2	26.8	32.7	31.9	65.1	73.1	29.2	24.0	22.6	25.4	22.8	16.5	15.2	15.1	14.2	15.2	14.4	16.0	15.3	12.9	12.9	73.1	25.6
9	13.2	12.5	14.0	16.0	17.9	17.1	15.4	15.6	19.0	17.6	27.5	46.0	38.6	27.3	22.2	18.3	13.8	13.9	16.4	19.0	17.8	18.1	14.5	17.9	12.5	46.0	19.6
10	13.9	15.1	10.8	15.2	16.5	14.1	15.1	14.8	18.4	50.1	49.3	24.9	43.0	30.7	19.7	17.8	10.0	8.0	22.7	20.6	15.6	17.7	21.6	13.8	8.0	50.1	20.8
11	12.4	11.9	14.0	13.0	10.0	10.1	12.4	15.0	16.6	21.0	43.0	58.5	40.8	23.3	21.1	14.2	11.8	12.4	20.1	36.4	14.7	12.3	17.2	18.8	10.0	58.5	20.0
12	18.8	28.6	16.2	15.6	17.7	17.7	17.8	17.6	18.2	13.3	48.8	58.6	26.5	25.6	46.5	30.2	20.1	25.7	51.2	42.2	23.8	14.7	12.9	13.9	12.9	58.6	25.9
13	14.2	11.8	15.4	16.1	14.9	12.9	13.5	13.6	13.6	15.6	22.0	42.3	31.4	30.8	38.4	47.3	12.4	12.7	10.4	16.6	13.6	12.8	14.1	14.7	10.4	47.3	19.2
14	15.0	11.9	14.6	11.5	12.9	11.6	14.6	16.3	11.9	12.1	21.7	16.5	17.2	14.5	15.3	15.0	14.8	11.8	58.5	10.0	14.2	12.1	12.3	11.6	10.0	58.5	15.7
15	10.9	11.1	11.1	11.9	11.1	13.1	26.7	15.8	19.0	17.6	17.8	18.0	21.3	54.1	14.7	13.0	12.9	15.4	23.3	46.5	20.8	40.8	57.0	18.2	10.9	57.0	21.8
16	22.5	28.7	16.5	16.2	17.0	16.0	17.4	17.0	18.5	18.2	18.2	22.4	21.0	17.8	31.6	49.4	24.7	58.1	50.5	21.7	34.7	16.2	22.1	51.0	16.0	58.1	26.1
17	40.3	32.4	29.8	18.4	28.3	15.4	39.0	38.5	35.0	20.7	41.7	51.5	30.3	47.2	55.1	26.7	19.7	19.2	16.7	18.6	15.9	14.9	17.7	24.0	14.9	55.1	29.1
18	26.4	51.9	50.0	17.4	16.7	14.1	16.2	16.6	20.7	55.9	27.6	45.7	54.8	56.8	38.2	15.9	15.2	14.4	17.4	16.2	18.4	16.2	17.3	17.4	14.1	56.8	27.4
19	18.8	18.1	16.6	18.9	19.6	18.1	20.1	17.8	19.2	35.8	63.2	47.4	53.6	34.0	22.7	25.5	13.0	3.0	6.2	17.0	11.3	9.1	11.1	12.5	3.0	63.2	22.2
20	11.1	9.3	10.0	12.4	10.3	11.7	12.1	14.2	15.7	38.1	46.9	25.0	22.8	22.0	19.9	17.5	12.8	7.7	17.5	9.2	10.5	9.5	11.5	10.7	7.7	46.9	16.2
21	13.4	15.8	15.3	13.6	20.4	11.3	14.7	18.3	16.7	23.9	36.8	29.9	33.9	35.6	36.2	20.0	9.8	40.1	27.2	14.2	17.1	15.3	16.9	17.3	9.8	40.1	21.4
22	18.9	18.2	16.6	13.6	13.6	16.6	15.5	14.9	18.7	23.5	26.9	31.1	23.1	23.0	35.2	38.6	16.8	12.0	15.8	17.9	17.5	17.5	18.2	17.7	12.0	38.6	20.1
23	19.7	14.7	15.6	13.4	12.3	12.6	16.5	15.6	16.9	17.0	19.5	36.4	40.2	20.1	15.9	14.4	12.5	20.4	11.6	15.0	17.9	18.1	15.1	15.3	11.6	40.2	17.8
24	15.3	13.8	15.9	18.2	16.7	14.8	13.3	13.4	14.3	26.0	16.8	16.4	14.2	16.6	15.8	14.7	34.7	22.9	26.7	16.8	15.5	15.6	17.1	17.9	13.3	34.7	17.6
25	19.0	15.4	16.0	19.9	15.6	17.3	16.6	22.6	24.3	15.4	15.6	15.5	17.6	15.6	15.3	15.7	15.3	15.4	15.5	15.5	16.8	17.5	17.4	18.3	15.3	24.3	17.1
26	18.6	17.9	18.2	18.6	17.8	18.2	19.1	17.8	18.8	17.5	20.2	32.3	64.9	29.1	29.6	18.5	20.2	13.3	13.1	14.9	17.6	18.2	19.2	18.6	13.1	64.9	21.3
27	16.8	26.0	25.0	17.5	17.3	14.4	23.1	21.0	18.0	35.0	32.6	20.0	57.0	29.7	27.3	17.2	15.2	15.3	15.7	16.5	17.6	15.9	14.6	16.7	14.4	57.0	21.9
28	14.5	28.7	20.4	18.3	17.4	15.8	19.1	18.9	30.7	31.4	34.1	61.2	56.8	28.6	28.7	21.4	14.0	14.3	15.0	19.0	16.9	15.6	15.8	16.5	14.0	61.2	23.9
29	17.2	18.9	22.0	21.2	22.6	18.6	18.8	17.2	19.6	21.7	24.5	24.3	28.5	51.7	49.9	31.0	27.9	21.7	24.6	17.7	15.8	16.5	16.9	15.9	15.8	51.7	23.5
30	15.0	14.8	15.2	18.2	17.1	16.8	16.9	19.0	19.4	18.2	42.8	47.2	45.3	31.3	44.6	19.6	7.4	32.5	36.9	10.7	10.9	13.1	14.2	20.0	7.4	47.2	22.8
31	41.1	11.8	12.9	17.0	14.2	19.3	13.1	21.5	17.0	15.9	19.1	16.9	17.5	19.7	20.4	13.2	6.4	31.4	17.5	33.2	13.6	14.0	16.1	12.2	6.4	41.1	18.1
Min	10.8	9.3	10.0	10.7	10.0	10.1	11.9	12.1	11.9	12.1	15.6	15.5	14.2	14.5	14.7	13.0	6.4	3.0	6.2	9.2	10.5	9.1	11.1	10.7	3.0		
Max	41.1	51.9	50.0	26.8	44.2	26.8	44.4	44.2	65.1	73.1	63.2	61.2	64.9	70.3	55.1	49.4	34.7	58.1	58.5	46.5	34.7	40.8	57.0	62.8		73.1	
Avg	18.7	19.3	17.7	16.6	18.5	15.7	19.3	19.3	20.8	25.5	31.3	35.2	34.7	31.6	27.8	21.7	16.3	20.5	22.2	18.7	16.2	16.0	18.1	19.7			21.7

Total Data Records Possible: 744
 Total Valid Data Records: 744
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.0

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Palm Desert (data subject to change)
Month: October
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 11-09-2005
Printout Time: 08:36:26
Output File Name: PDTB1005.17

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	12.1	16.4	14.0	8.5	13.3	11.8	8.6	5.5	5.3	7.0	6.8	8.7	11.8	11.2	10.7	11.2	10.8	12.3	15.8	19.2	16.8	15.9	14.0	10.4	5.3	19.2	11.6
2	10.7	6.9	6.4	4.5	4.6	3.8	5.0	3.5	6.7	8.0	11.3	10.2	10.7	10.2	9.7	8.5	6.3	11.7	15.6	18.0	11.8	14.0	15.8	14.1	3.5	18.0	9.5
3	12.8	11.9	9.2	9.5	8.1	11.9	12.8	9.2	10.1	11.0	9.9	5.9	4.9	12.7	11.0	9.7	12.4	15.9	19.4	22.5	19.6	19.3	20.1	24.3	4.9	24.3	13.1
4	18.5	12.1	14.6	14.4	19.4	29.0	26.7	19.6	19.5	14.7	14.6	14.8	16.1	12.5	13.0	13.5	17.2	15.1	9.4	9.7	9.2	10.7	9.3	10.7	9.2	29.0	15.2
5	9.4	9.6	9.6	8.2	10.7	10.1	12.2	17.0	14.5	14.8	12.9	12.6	8.1	8.8	11.0	11.0	6.9	9.9	8.2	8.0	10.4	9.6	9.4	11.5	6.9	17.0	10.6
6	9.1	9.6	9.4	9.9	8.3	9.3	11.4	9.6	9.6	8.5	6.7	7.2	7.9	6.9	7.7	5.6	5.6	3.2	7.4	7.3	7.2	8.3	11.5	9.6	3.2	11.5	8.2
7	7.3	8.2	9.4	9.1	8.3	8.8	7.7	8.1	8.7	5.7	5.1	8.5	12.5	12.2	13.2	13.0	11.1	9.3	15.3	14.6	12.3	6.3	7.5	11.9	5.1	15.3	9.8
8	10.7	10.1	18.7	22.7	14.5	10.4	13.8	8.3	5.6	8.0	15.4	20.4	20.4	27.6	20.0	25.4	25.4	41.9	43.0	42.2	39.6	35.9	34.0	29.5	5.6	43.0	22.7
9	26.7	27.3	25.9	24.5	18.0	18.0	17.8	19.8	15.6	11.7	11.1	7.8	11.8	13.1	12.3	15.9	14.6	18.6	16.9	17.3	12.1	15.9	9.9	14.3	7.8	27.3	16.5
10	10.9	8.2	10.2	16.2	13.7	12.0	12.0	11.5	11.5	13.2	8.6	12.0	19.8	9.4	10.6	8.2	5.4	3.1	4.2	8.0	7.6	6.9	7.2	9.5	3.1	19.8	10.0
11	10.3	9.3	8.2	8.2	6.8	8.4	8.0	8.2	10.1	8.2	6.2	8.0	8.7	11.4	11.1	11.3	11.3	10.2	6.6	5.8	7.2	11.2	13.7	12.1	5.8	13.7	9.2
12	13.0	12.5	13.5	16.4	19.1	18.4	15.1	10.2	7.3	6.8	4.2	3.7	8.8	8.3	6.9	7.9	6.0	5.9	6.8	7.4	9.1	9.8	14.6	11.5	3.7	19.1	10.1
13	13.9	12.2	14.3	12.4	10.7	10.6	11.2	11.3	11.2	11.5	12.6	14.5	13.5	14.5	10.6	9.8	8.8	7.4	9.5	10.3	10.8	10.4	10.2	9.5	7.4	14.5	11.3
14	8.0	10.4	12.0	10.6	10.7	10.2	7.4	7.8	4.9	3.8	10.1	13.6	15.9	16.7	15.9	15.3	11.4	5.7	7.1	7.7	8.3	9.2	9.8	7.7	3.8	16.7	10.0
15	8.3	8.0	7.5	7.7	6.1	6.3	7.4	8.9	13.0	14.2	12.7	12.1	11.8	22.6	29.1	28.9	22.9	16.1	17.5	17.6	18.3	17.3	7.6	13.4	6.1	29.1	14.0
16	15.1	12.1	17.8	17.6	15.8	14.0	9.3	9.7	14.9	15.6	12.0	8.8	11.2	14.1	8.8	10.7	15.4	15.1	13.7	16.0	7.8	6.7	9.0	9.5	6.7	17.8	12.5
17	13.1	10.8	9.8	10.9	7.4	8.5	5.9	7.4	6.3	8.6	5.7	10.4	12.6	11.7	16.1	5.1	4.7	6.7	11.0	8.9	7.2	9.4	12.9	19.0	4.7	19.0	9.6
18	10.8	8.1	7.8	9.1	6.4	5.6	4.6	5.3	7.6	7.4	8.6	9.7	6.1	7.8	13.9	17.7	18.0	16.7	17.5	16.3	15.6	16.5	17.5	15.6	4.6	18.0	11.3
19	14.1	11.9	12.2	14.9	13.5	18.9	12.8	12.4	12.0	6.1	4.5	8.0	6.6	7.6	8.0	5.8	3.9	2.3	2.9	3.8	5.4	6.6	6.3	6.6	2.3	18.9	8.6
20	6.9	6.2	6.8	7.4	6.4	7.9	8.3	7.8	6.6	5.7	5.7	8.0	9.9	9.0	8.5	7.8	8.4	3.3	4.8	4.2	6.0	7.5	7.1	6.6	3.3	9.9	7.0
21	9.3	11.8	8.8	8.5	6.1	6.8	9.2	6.9	5.5	5.0	4.5	6.4	7.1	7.4	5.9	5.8	5.4	7.9	8.8	14.7	14.8	13.9	12.5	13.4	4.5	14.8	8.6
22	14.9	16.1	12.0	9.5	10.3	11.5	12.9	12.5	11.4	7.0	4.2	5.9	7.5	8.1	9.2	7.6	11.5	13.4	14.2	17.7	18.3	22.6	19.6	20.9	4.2	22.6	12.5
23	17.3	17.8	15.0	11.8	8.3	10.9	14.4	14.0	12.1	13.8	9.6	7.8	7.0	9.4	9.6	9.9	7.4	9.6	10.2	11.4	16.2	16.5	14.5	12.9	7.0	17.8	12.0
24	12.7	8.2	16.4	18.8	15.8	13.7	10.4	8.0	6.6	5.5	11.4	12.8	15.1	14.3	14.4	13.7	9.4	11.7	16.7	19.5	24.7	24.0	24.3	18.3	5.5	24.7	14.4
25	24.1	23.9	19.6	19.4	17.9	17.1	22.9	22.9	22.4	24.1	28.9	22.7	21.9	24.4	22.1	24.3	25.5	28.2	26.0	24.8	23.2	20.7	23.8	22.4	17.1	28.9	23.0
26	20.8	23.1	26.5	22.6	20.1	21.6	17.5	19.6	16.1	12.3	11.0	10.4	5.6	5.6	5.2	3.9	12.4	12.1	14.0	14.1	14.4	14.9	17.2	16.4	3.9	26.5	14.9
27	17.6	12.0	11.5	12.9	12.4	10.6	5.8	4.9	6.7	5.6	7.2	11.0	6.7	5.8	14.5	13.9	13.4	14.9	16.9	17.8	17.0	14.3	12.5	17.8	4.9	17.8	11.8
28	12.1	10.7	11.8	24.9	22.7	23.2	17.2	17.4	19.4	15.3	7.0	8.0	8.2	12.5	9.9	10.0	15.3	17.5	20.5	14.8	19.1	21.6	24.1	24.0	7.0	24.9	16.1
29	23.3	18.6	15.3	16.6	14.4	16.4	18.3	16.0	14.5	8.8	7.8	7.2	7.8	5.6	6.3	5.8	7.7	8.7	11.8	10.5	13.4	14.5	13.7	15.6	5.6	23.3	12.4
30	11.9	10.6	14.6	15.6	12.8	14.6	11.3	8.7	10.9	8.3	6.9	3.4	5.2	6.6	5.5	5.7	3.9	4.5	7.5	8.4	7.6	10.1	11.0	9.2	3.4	15.6	8.9
31	7.8	6.6	9.2	9.0	10.5	11.8	12.1	11.0	10.9	11.4	9.4	8.9	7.8	8.4	8.9	6.9	5.0	5.4	6.1	6.0	9.9	9.6	11.5	10.1	5.0	12.1	8.9
Min	6.9	6.2	6.4	4.5	4.6	3.8	4.6	3.5	4.9	3.8	4.2	3.4	4.9	5.6	5.2	3.9	3.9	2.3	2.9	3.8	5.4	6.3	6.3	6.6	2.3		
Max	26.7	27.3	26.5	24.9	22.7	29.0	26.7	22.9	22.4	24.1	28.9	22.7	21.9	27.6	29.1	28.9	25.5	41.9	43.0	42.2	39.6	35.9	34.0	29.5	43.0		
Avg	13.3	12.3	12.8	13.3	12.0	12.6	11.9	11.1	10.9	9.9	9.4	10.0	10.6	11.5	11.6	11.3	11.1	11.8	13.1	13.7	13.6	13.9	13.9	14.1			12.1

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.0

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Palm Desert (data subject to change)
Month: October
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 11-09-2005
Printout Time: 08:36:20
Output File Name: PDTB1005.7

Day	Hour Ending																								Min	Max	Avg	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24				
1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
2	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
3	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
4	13.2	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
5	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
6	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
7	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.3
8	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
9	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
10	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
11	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
12	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
13	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
14	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
15	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
16	13.2	13.1	13.1	13.1	13.1	13.1	13.2	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.2
17	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.3
18	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.2
19	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.3
20	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
21	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
22	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.2
23	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.3
24	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
25	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
26	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
27	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
28	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.2
29	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.3
30	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.2
31	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.2
Min	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1			
Max	13.2	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.4		
Avg	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2			13.3	

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.0