

Palm Desert Meteorological Data

October 2008

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Palm Desert (data subject to change)
Month: October
Year: 2008
Time Zone: PST

Validation Level: B
Printout Date: 11-11-2008
Printout Time: 12:20:58
Output File Name: PDTB1008.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	4.2	3.8	3.8	3.7	4.1	3.1	4.5	3.4	2.4	1.5	1.9	5.2	7.1	6.7	7.0	6.4	5.9	3.4	2.5	3.6	2.9	4.7	5.2	4.7	1.5	7.1	4.2
2	5.2	4.7	3.1	4.4	3.0	2.9	1.9	1.0	2.3	2.4	1.7	2.8	5.0	3.9	7.6	5.9	6.3	4.4	3.9	3.7	4.6	4.6	6.2	5.3	1.0	7.6	4.0
3	5.2	9.4	8.6	8.4	8.9	2.9	4.8	3.0	4.5	5.3	3.3	3.1	5.2	11.4	10.1	5.6	5.8	7.4	6.3	9.6	7.9	11.0	10.8	7.9	2.9	11.4	6.9
4	10.3	9.7	8.5	8.7	10.2	11.0	6.8	6.0	1.8	5.3	5.3	9.2	12.6	12.6	8.6	9.1	6.2	5.4	10.0	7.9	11.2	11.5	13.1	11.3	1.8	13.1	8.8
5	13.1	13.1	10.6	6.9	4.2	8.8	6.3	4.5	4.8	4.0	2.9	3.5	3.6	2.9	2.0	2.2	7.6	7.7	8.5	7.9	9.9	8.5	6.2	5.4	2.0	13.1	6.5
6	6.1	4.9	4.4	4.5	4.9	3.5	4.3	3.1	3.5	3.8	2.8	4.1	4.0	4.6	3.6	2.0	1.3	1.2	1.4	3.0	3.6	3.9	3.4	4.0	1.2	6.1	3.6
7	3.5	4.1	3.2	3.2	4.4	4.7	4.4	3.3	2.3	3.0	3.3	4.0	3.7	4.8	4.8	3.1	2.7	2.3	2.2	2.9	2.3	2.9	3.8	3.8	2.2	4.8	3.5
8	3.5	3.0	3.9	3.6	3.8	3.9	3.6	3.5	2.0	1.3	2.3	4.2	5.5	6.6	7.5	6.6	4.3	2.1	2.3	2.5	2.3	2.4	3.6	3.0	1.3	7.5	3.6
9	3.7	3.9	4.0	2.8	2.0	2.1	2.6	2.9	2.0	1.9	2.3	2.2	4.8	3.8	5.6	6.6	8.1	5.3	7.1	11.0	11.7	14.3	9.7	7.4	1.9	14.3	5.3
10	8.3	11.1	12.8	10.3	11.4	8.4	7.7	4.8	5.8	8.4	7.2	6.5	2.9	3.8	5.8	7.0	7.2	10.8	11.3	13.6	11.9	12.9	10.1	12.6	2.9	13.6	8.8
11	6.8	4.1	6.1	5.7	7.7	9.5	9.7	7.3	3.1	2.7	2.6	3.2	3.0	3.6	3.3	6.1	6.9	6.1	4.8	8.3	9.4	10.6	8.9	4.0	2.6	10.6	6.0
12	4.2	5.1	4.1	4.1	4.9	4.5	6.3	7.5	6.2	4.6	4.5	2.3	3.0	2.7	3.6	4.1	3.2	5.8	5.0	4.6	3.8	3.7	4.7	5.1	2.3	7.5	4.5
13	5.7	5.2	7.0	9.3	9.8	10.3	9.0	5.8	6.2	7.7	7.0	6.1	5.6	5.8	6.7	7.1	6.0	6.5	4.8	4.1	4.6	4.2	4.6	3.3	3.3	10.3	6.3
14	3.5	3.8	4.2	5.0	4.7	2.5	4.2	1.8	4.4	6.2	4.7	3.6	3.6	2.4	3.2	4.1	2.6	2.8	2.9	4.2	3.8	4.5	3.9	4.0	1.8	6.2	3.8
15	2.7	4.8	4.8	4.2	3.5	3.2	4.0	1.7	1.4	2.0	2.6	3.0	3.5	3.6	3.3	2.6	2.7	3.6	2.4	1.8	2.9	3.5	3.3	3.8	1.4	4.8	3.1
16	3.2	3.6	3.9	4.5	4.2	3.9	4.0	4.3	3.4	2.4	3.0	3.7	4.6	3.7	3.3	1.5	2.1	1.9	1.5	2.2	3.4	4.0	3.5	4.0	1.5	4.6	3.3
17	4.3	4.3	3.4	3.6	3.3	4.0	4.5	3.5	2.5	1.5	0.9	1.7	3.0	3.1	4.7	5.8	3.7	2.8	2.4	3.3	4.2	4.1	4.4	4.5	0.9	5.8	3.5
18	4.3	4.3	4.5	4.3	4.0	4.5	4.2	3.6	4.6	3.8	3.6	2.6	3.7	4.6	2.0	2.0	2.4	2.4	5.0	7.7	7.6	6.9	9.1	5.2	2.0	9.1	4.4
19	5.1	5.1	4.4	4.8	5.4	5.8	5.8	4.8	4.2	2.7	2.1	1.7	2.4	2.7	2.0	1.8	6.9	5.2	5.4	6.9	9.6	9.4	11.4	12.2	1.7	12.2	5.3
20	12.7	10.6	11.6	13.4	11.6	9.8	9.5	7.8	6.5	3.7	3.0	2.6	1.4	1.7	2.3	0.8	1.2	5.2	4.7	4.1	5.7	6.1	4.8	4.6	0.8	13.4	6.1
21	5.4	4.7	4.7	5.1	5.1	4.1	4.3	4.0	1.9	1.2	0.7	2.4	3.5	3.0	2.3	1.5	1.3	2.0	1.5	2.4	3.4	3.1	2.8	2.5	0.7	5.4	3.0
22	4.2	3.9	4.1	4.7	5.2	5.6	4.8	4.2	2.4	2.5	2.1	4.7	5.1	3.8	5.6	2.7	3.4	4.0	4.1	4.1	4.0	4.2	4.1	3.1	2.1	5.6	4.0
23	3.4	3.4	3.3	4.1	4.1	3.5	3.0	2.7	2.8	1.0	2.0	3.5	2.8	2.8	3.3	3.4	3.6	3.2	2.3	2.0	3.9	4.0	4.7	5.1	1.0	5.1	3.2
24	4.8	5.2	4.5	4.8	5.3	3.5	3.9	3.0	0.9	2.7	4.1	4.4	3.4	4.2	5.0	4.1	2.7	1.8	2.4	3.4	4.2	4.4	4.5	4.6	0.9	5.3	3.8
25	4.0	3.9	3.6	4.6	3.7	3.5	4.8	4.1	1.6	1.4	3.5	4.3	6.6	6.3	5.1	4.3	2.2	2.1	2.6	2.6	3.8	3.8	3.9	4.2	1.4	6.6	3.8
26	4.2	3.9	4.7	4.4	4.2	4.7	4.9	3.9	1.9	1.4	2.2	2.7	4.1	5.4	5.8	4.6	3.2	1.9	2.8	3.9	3.6	4.2	4.3	4.6	1.4	5.8	3.8
27	4.4	4.8	4.8	4.7	4.2	4.7	3.9	3.5	2.4	1.0	0.8	2.8	1.9	3.0	4.1	4.3	4.3	1.4	2.2	3.3	3.8	4.5	4.6	4.3	0.8	4.8	3.5
28	3.8	4.0	3.8	4.0	4.2	4.4	3.8	1.8	1.9	1.5	3.9	5.2	5.1	4.0	3.8	3.1	1.9	1.5	1.4	2.9	2.5	3.2	4.2	3.4	1.4	5.2	3.3
29	4.4	4.1	3.9	3.7	4.9	4.9	3.9	3.6	1.8	1.3	1.1	2.5	5.0	6.0	6.2	4.9	3.9	2.4	2.6	3.2	3.0	3.7	4.0	3.7	1.1	6.2	3.7
30	3.3	3.7	4.0	3.9	3.5	2.3	1.7	2.0	1.2	1.3	3.9	4.4	4.1	3.7	3.5	3.7	2.2	2.6	6.6	5.4	3.4	3.6	2.9	3.0	1.2	6.6	3.3
31	2.8	3.0	3.6	3.6	3.8	4.4	3.0	2.9	3.2	2.5	3.6	3.5	4.3	5.9	5.0	3.6	1.9	1.5	1.9	2.9	4.9	4.2	3.0	3.6	1.5	5.9	3.4
Min	2.7	3.0	3.1	2.8	2.0	2.1	1.7	1.0	0.9	1.0	0.7	1.7	1.4	1.7	2.0	0.8	1.2	1.2	1.4	1.8	2.3	2.4	2.8	2.5	0.7		
Max	13.1	13.1	12.8	13.4	11.6	11.0	9.7	7.8	6.5	8.4	7.2	9.2	12.6	12.6	10.1	9.1	8.1	10.8	11.3	13.6	11.9	14.3	13.1	12.6		14.3	
Avg	5.2	5.3	5.2	5.3	5.3	5.0	4.8	3.8	3.1	3.0	3.1	3.7	4.3	4.6	4.7	4.2	4.0	3.8	4.0	4.8	5.3	5.7	5.6	5.1			4.5

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Palm Desert (data subject to change)
 Month: October
 Year: 2008
 Time Zone: PST

Validation Level: B
 Printout Date: 11-11-2008
 Printout Time: 12:20:58
 Output File Name: PDTB1008.10

Day	Hour Ending																								Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	291	274	267	274	280	281	258	273	279	247	222	141	139	139	156	147	144	143	9	354	280	315	329	304	[W]
2	305	286	272	263	257	284	315	340	315	247	204	243	280	265	327	297	290	308	317	304	328	325	346	340	[NW]
3	324	331	314	312	319	234	300	192	169	147	122	142	241	241	239	266	308	327	344	326	317	326	329	310	[NW]
4	333	329	317	320	323	321	311	314	225	285	210	307	326	320	323	309	322	337	330	322	319	321	318	328	[NW]
5	318	316	319	306	290	314	306	289	280	285	275	281	288	244	262	311	331	325	321	313	318	315	309	301	[NW]
6	306	280	258	264	279	266	273	277	262	236	230	179	201	215	215	180	173	258	315	276	307	290	281	297	[W]
7	281	283	299	293	278	269	274	260	263	276	223	222	218	213	211	217	203	191	85	129	358	296	274	286	[W]
8	279	280	282	286	273	282	295	273	271	218	145	133	135	142	139	142	135	102	39	246	224	308	320	260	[SE]
9	247	265	257	252	252	167	105	106	157	139	123	143	137	115	224	237	240	270	339	330	331	326	313	313	[WSW]
10	319	322	324	320	318	305	306	276	298	311	313	315	293	352	320	319	312	329	322	334	338	343	347	246	[NW]
11	291	331	333	274	327	312	311	286	257	57	197	111	112	97	44	319	334	321	311	333	335	328	335	319	[NNW]
12	281	282	269	271	278	305	310	323	304	276	259	349	250	256	209	220	298	7	305	270	283	270	278	281	[W]
13	298	300	298	321	320	326	323	304	307	318	354	5	359	357	346	6	358	324	293	278	274	271	277	278	[NW]
14	278	283	284	311	285	300	317	278	257	256	258	235	215	231	212	241	243	270	283	286	258	266	274	282	[WNW]
15	289	299	286	284	292	297	312	291	189	131	132	139	137	134	135	139	116	131	57	316	307	295	293	269	[WNW]
16	273	290	301	278	284	312	298	267	271	261	231	199	156	153	157	186	125	105	89	31	281	299	286	285	[WNW]
17	305	294	265	278	258	269	293	271	275	256	241	242	167	129	147	143	137	92	50	283	293	278	285	272	[W]
18	271	272	257	263	263	263	269	275	282	262	237	171	108	139	187	7	284	273	313	331	316	310	315	302	[W]
19	279	274	268	272	293	281	284	290	252	202	131	178	182	197	175	246	312	300	302	322	325	320	317	317	[NW]
20	314	308	313	315	312	299	304	296	291	269	260	231	254	227	215	246	197	320	315	291	303	296	294	270	[WNW]
21	288	285	279	283	289	270	285	276	262	231	236	205	176	197	177	192	162	114	161	293	306	264	309	274	[WNW]
22	307	292	270	285	305	290	288	290	302	242	318	347	355	325	273	310	296	312	270	267	271	272	274	290	[WNW]
23	296	273	281	313	296	313	303	304	279	272	208	164	155	158	134	127	121	129	58	333	277	281	273	289	[W]
24	279	292	259	267	282	297	263	271	346	154	111	140	130	135	144	131	120	45	6	282	282	294	269	277	[W]
25	273	267	297	274	269	288	270	297	255	181	130	128	124	125	130	114	157	342	358	289	282	285	272	275	[W]
26	280	262	266	273	263	264	297	270	271	113	154	122	120	126	134	121	90	48	311	285	281	280	261	270	[W]
27	284	270	281	278	287	276	290	280	286	224	170	137	133	113	126	119	110	117	310	303	279	277	277	279	[W]
28	274	277	275	285	289	287	281	282	263	215	133	109	119	115	116	133	183	203	330	289	287	278	283	283	[WNW]
29	269	276	270	288	274	276	277	279	261	242	239	165	125	136	131	126	105	79	331	290	277	273	271	267	[W]
30	268	269	271	270	280	258	106	45	105	52	120	132	143	139	130	130	107	14	325	313	281	284	240	251	[W]
31	286	278	277	269	278	257	242	263	255	232	209	193	150	153	145	138	142	146	59	320	316	313	263	286	[W]

Prev [W] [W] [W] [W] [W] [W] [W] [WNW] [W] [W] [WSW] [SW] [SE] [SE] [SE] [SE] [SE] [ESE] [NW] [NW] [WNW] [NW] [W] [W] [W] [W]

Total Data Records Possible: 744
 Total Valid Data Records: 744
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Palm Desert (data subject to change)
Month: October
Year: 2008
Time Zone: PST

Validation Level: B
Printout Date: 11-11-2008
Printout Time: 12:20:58
Output File Name: PDTB1008.10t

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[WNW]	[W]	[W]	[W]	[W]	[W]	[WSW]	[W]	[W]	[WSW]	[SW]	[SE]	[SE]	[SE]	[SSE]	[SSE]	[SE]	[SE]	[N]	[N]	[W]	[NW]	[NNW]	[NW]	[W]
2	[NW]	[WNW]	[W]	[W]	[WSW]	[WNW]	[NW]	[NNW]	[NW]	[WSW]	[SSW]	[WSW]	[W]	[W]	[NNW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NW]
3	[NW]	[NNW]	[NW]	[NW]	[NW]	[SW]	[NNW]	[SSW]	[SSE]	[SSE]	[ESE]	[SE]	[WSW]	[WSW]	[WSW]	[W]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NW]
4	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[SW]	[WNW]	[SSW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NW]
5	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]	[NW]	[WNW]	[W]	[WNW]	[W]	[WNW]	[WNW]	[WSW]	[W]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]
6	[NW]	[W]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[SW]	[SW]	[S]	[SSW]	[SW]	[SW]	[S]	[S]	[WSW]	[NW]	[W]	[NW]	[WNW]	[W]	[WNW]	[W]
7	[W]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[SW]	[SW]	[SW]	[SSW]	[SSW]	[SW]	[SSW]	[S]	[E]	[SE]	[N]	[WNW]	[W]	[WNW]	[W]
8	[W]	[W]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[W]	[W]	[SW]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[NE]	[WSW]	[SW]	[NW]	[NW]	[W]	[SE]
9	[WSW]	[W]	[WSW]	[WSW]	[WSW]	[SSE]	[ESE]	[ESE]	[SSE]	[SE]	[ESE]	[SE]	[SE]	[ESE]	[SW]	[WSW]	[WSW]	[W]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[WSW]
10	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[W]	[WNW]	[NW]	[NW]	[NW]	[WNW]	[N]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[WSW]	[NW]
11	[WNW]	[NNW]	[NNW]	[W]	[NNW]	[NW]	[NW]	[WNW]	[WSW]	[ENE]	[SSW]	[ESE]	[ESE]	[E]	[NE]	[NW]	[NNW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]
12	[WNW]	[WNW]	[W]	[W]	[W]	[NW]	[NW]	[NW]	[W]	[W]	[N]	[WSW]	[WSW]	[SSW]	[SW]	[WNW]	[N]	[NW]	[W]	[WNW]	[W]	[W]	[W]	[W]	[W]
13	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[N]	[N]	[N]	[N]	[NNW]	[N]	[N]	[NW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[NW]
14	[W]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[NW]	[W]	[WSW]	[WSW]	[WSW]	[SW]	[SW]	[SW]	[SSW]	[WSW]	[WSW]	[W]	[WNW]	[WNW]	[WSW]	[W]	[W]	[WNW]	[WNW]
15	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[S]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[SE]	[ENE]	[NW]	[NW]	[WNW]	[WNW]	[W]	[WNW]
16	[W]	[WNW]	[WNW]	[W]	[WNW]	[NW]	[WNW]	[W]	[W]	[W]	[SW]	[SSW]	[SSE]	[SSE]	[SSE]	[S]	[SE]	[ESE]	[E]	[NNE]	[W]	[WNW]	[WNW]	[WNW]	[WNW]
17	[NW]	[WNW]	[W]	[W]	[WSW]	[W]	[WNW]	[W]	[W]	[WSW]	[WSW]	[WSW]	[SSE]	[SE]	[SSE]	[SE]	[SE]	[E]	[NE]	[WNW]	[WNW]	[W]	[WNW]	[W]	[W]
18	[W]	[W]	[WSW]	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[W]	[WSW]	[S]	[ESE]	[SE]	[S]	[N]	[WNW]	[W]	[NW]	[NNW]	[NW]	[NW]	[WNW]	[W]
19	[W]	[W]	[W]	[W]	[W]	[WNW]	[W]	[WNW]	[WNW]	[WSW]	[SSW]	[SE]	[S]	[S]	[SSW]	[S]	[WSW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]
20	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[SW]	[WSW]	[SW]	[SW]	[WSW]	[SSW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]
21	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[W]	[WNW]	[W]	[W]	[SW]	[SW]	[SSW]	[S]	[SSW]	[S]	[SSW]	[SSE]	[ESE]	[SSE]	[WNW]	[NW]	[W]	[NW]	[W]	[WNW]
22	[NW]	[WNW]	[W]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WSW]	[NW]	[NNW]	[N]	[NW]	[W]	[NW]	[WNW]	[NW]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]
23	[WNW]	[W]	[W]	[NW]	[WNW]	[NW]	[WNW]	[NW]	[W]	[W]	[SSW]	[SSE]	[SSE]	[SE]	[SE]	[ESE]	[SE]	[ENE]	[NNW]	[W]	[W]	[W]	[WNW]	[W]	[W]
24	[W]	[WNW]	[W]	[W]	[WNW]	[WNW]	[W]	[W]	[NNW]	[SSE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[NE]	[N]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]
25	[W]	[W]	[WNW]	[W]	[W]	[WNW]	[W]	[WNW]	[WSW]	[S]	[SE]	[SE]	[ESE]	[SE]	[SE]	[ESE]	[SSE]	[NNW]	[N]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]
26	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[W]	[W]	[ESE]	[SSE]	[ESE]	[ESE]	[SE]	[SE]	[ESE]	[E]	[NE]	[NW]	[WNW]	[W]	[W]	[W]	[W]	[W]
27	[WNW]	[W]	[W]	[W]	[WNW]	[W]	[WNW]	[W]	[WNW]	[SW]	[S]	[SE]	[SE]	[ESE]	[SE]	[ESE]	[ESE]	[ESE]	[NW]	[WNW]	[W]	[W]	[W]	[W]	[W]
28	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[W]	[SW]	[SE]	[ESE]	[ESE]	[ESE]	[SE]	[S]	[SSW]	[NNW]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[WNW]
29	[W]	[W]	[W]	[W]	[WNW]	[W]	[W]	[W]	[W]	[W]	[WSW]	[WSW]	[SSE]	[SE]	[SE]	[SE]	[ESE]	[E]	[NNW]	[WNW]	[W]	[W]	[W]	[W]	[W]
30	[W]	[W]	[W]	[W]	[W]	[WSW]	[ESE]	[NE]	[ESE]	[NE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[NNE]	[NW]	[NW]	[WNW]	[WNW]	[WSW]	[WSW]	[W]
31	[WNW]	[W]	[W]	[W]	[W]	[WSW]	[WSW]	[W]	[WSW]	[SW]	[SSW]	[SSW]	[SSE]	[SSE]	[SE]	[SE]	[SE]	[SSE]	[ENE]	[NW]	[NW]	[NW]	[W]	[WNW]	[W]

Prev [W] [W] [W] [W] [W] [W] [W] [WNW] [W] [W] [WSW] [SW] [SE] [SE] [SE] [SE] [SE] [SE] [ESE] [NW] [NW] [WNW] [NW] [W] [W] [W] [W]

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)
 Units: degrees
 Channel: 11

Site: Palm Desert (data subject to change)
 Month: October
 Year: 2008
 Time Zone: PST

Validation Level: B
 Printout Date: 11-11-2008
 Printout Time: 12:20:58
 Output File Name: PDTB1008.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	17.1	13.1	12.1	12.6	16.5	22.3	12.5	18.6	17.6	21.6	33.6	26.8	19.7	27.4	20.1	17.5	14.4	15.1	29.9	22.8	29.1	17.4	17.0	29.9	12.1	33.6	20.2
2	21.1	25.9	27.8	31.6	43.9	36.5	51.6	61.3	45.8	31.6	59.6	62.3	60.1	56.4	25.5	26.4	25.3	22.9	20.7	20.8	17.1	19.0	23.8	35.2	17.1	62.3	35.5
3	24.2	22.5	21.6	24.8	20.9	51.9	31.3	25.9	19.6	19.6	41.7	66.2	55.4	20.2	23.5	46.0	26.5	17.5	21.2	17.8	19.0	17.8	19.5	22.5	17.5	66.2	28.2
4	19.7	21.1	21.3	20.8	19.3	18.4	22.0	21.1	48.3	39.0	48.3	32.6	21.5	22.5	25.0	30.6	30.0	41.8	27.6	27.5	20.7	19.8	18.9	20.2	18.4	48.3	26.6
5	19.9	20.6	19.2	22.0	24.0	20.3	23.4	23.8	26.6	33.1	40.3	35.5	48.2	44.4	65.8	55.0	18.9	18.0	18.4	21.1	17.7	19.5	23.2	24.9	17.7	65.8	28.5
6	22.7	19.1	14.4	13.0	27.2	15.1	13.5	18.6	16.8	20.1	26.5	34.0	32.0	34.0	38.2	62.9	48.2	20.3	38.5	13.7	12.7	15.0	12.6	18.0	12.6	62.9	24.5
7	14.1	20.5	27.9	17.0	11.8	13.3	14.4	16.1	20.4	21.8	20.1	38.8	37.3	24.0	21.9	24.6	13.7	8.3	45.1	52.5	29.7	12.2	10.4	12.0	8.3	52.5	22.0
8	12.3	24.0	13.2	13.3	12.6	11.2	13.4	11.8	15.7	28.7	32.2	24.7	21.2	19.8	18.9	17.3	17.0	17.6	18.6	27.9	22.3	42.0	14.2	15.7	11.2	42.0	19.4
9	9.0	10.7	13.2	18.5	24.3	47.5	31.3	18.5	26.9	24.2	34.8	50.7	25.1	46.9	45.5	23.0	18.7	25.0	19.4	19.4	18.8	17.6	20.8	20.7	9.0	50.7	25.4
10	21.5	19.2	19.3	21.6	20.3	23.0	23.3	22.6	26.7	23.3	26.3	25.1	52.7	44.5	29.7	25.2	24.1	19.1	32.1	19.7	22.9	25.7	27.0	35.6	19.1	52.7	26.3
11	50.6	51.4	29.3	38.4	26.0	25.5	21.9	32.4	37.3	48.2	50.9	41.7	55.1	53.4	56.0	29.9	30.5	21.4	21.2	19.6	19.5	16.9	19.1	39.3	16.9	56.0	34.8
12	18.4	20.9	16.3	14.8	24.5	15.8	21.5	21.5	23.6	27.3	36.1	74.3	57.4	53.1	35.0	19.3	30.3	24.4	21.8	18.6	16.3	15.8	18.2	18.9	14.8	74.3	26.8
13	23.8	23.5	24.3	26.1	23.1	19.9	22.2	27.8	30.1	27.6	28.7	32.9	37.2	31.4	29.5	26.8	25.8	21.3	18.4	19.7	18.3	15.7	20.1	18.8	15.7	37.2	24.7
14	12.4	19.9	22.3	24.4	30.0	39.2	28.5	54.5	21.6	20.0	25.0	52.2	32.6	41.0	35.9	21.0	13.8	20.9	15.6	15.2	11.6	15.9	11.7	13.6	11.6	54.5	24.9
15	19.0	16.6	14.2	15.2	15.1	20.3	14.4	25.1	19.9	24.7	25.5	30.4	36.6	26.5	27.1	24.7	12.8	15.4	15.3	30.5	13.6	17.9	15.5	16.1	12.8	36.6	20.5
16	15.8	15.0	12.9	10.9	12.0	13.1	14.2	12.0	14.8	14.3	17.0	21.8	27.0	34.4	29.3	47.0	16.2	23.1	44.0	25.3	8.8	13.7	13.3	11.8	8.8	47.0	19.5
17	16.6	15.3	11.4	10.5	10.6	9.9	13.3	13.4	14.7	16.7	19.4	35.1	37.3	28.2	21.8	15.8	13.0	11.5	26.6	8.9	14.5	14.3	15.5	13.9	8.9	37.3	17.0
18	13.6	13.7	11.9	12.4	14.9	12.4	14.5	20.0	21.6	22.4	20.7	53.9	24.8	21.5	47.6	68.3	40.6	24.3	22.2	18.9	20.9	22.3	20.3	29.1	11.9	68.3	24.7
19	23.7	18.4	20.8	19.1	23.8	21.6	20.0	22.1	20.9	39.7	31.6	51.8	39.5	30.3	29.2	30.2	21.3	20.9	21.5	18.6	18.1	18.2	18.0	18.4	18.0	51.8	24.9
20	18.9	21.1	20.7	19.4	21.4	22.1	23.1	22.5	24.6	21.8	23.2	31.2	39.1	44.4	27.3	30.9	47.8	17.6	26.6	32.0	22.2	21.5	20.8	16.2	16.2	47.8	25.7
21	18.8	19.3	17.1	19.3	20.7	16.5	16.6	18.1	21.0	26.4	40.3	30.2	27.5	23.3	36.8	22.9	8.5	55.9	53.3	20.3	15.8	24.0	37.2	57.5	8.5	57.5	27.0
22	24.8	17.8	13.7	16.4	18.5	19.5	17.5	18.9	55.7	29.5	51.0	28.3	26.7	35.7	23.5	48.6	18.7	21.6	15.4	14.0	14.1	16.6	30.5	33.0	13.7	55.7	25.4
23	27.0	13.0	16.0	18.0	19.6	21.4	21.7	17.8	18.9	33.3	36.2	21.6	33.2	31.6	22.4	22.1	14.7	15.9	40.4	20.5	9.9	10.8	11.4	18.1	9.9	40.4	21.5
24	15.1	20.8	11.6	12.0	16.4	14.3	9.9	15.7	37.2	22.0	23.8	19.6	21.8	19.0	16.1	19.6	16.4	15.9	24.5	7.1	11.7	13.8	13.9	14.6	7.1	37.2	17.2
25	14.6	14.6	14.3	13.5	12.5	17.3	13.1	18.0	19.8	30.1	21.9	21.5	19.7	21.7	21.2	21.1	16.5	19.8	9.3	11.2	7.9	13.6	12.1	14.5	7.9	30.1	16.6
26	15.2	12.2	13.3	15.0	12.1	13.4	17.0	16.8	30.0	29.4	20.8	26.6	21.6	21.3	19.1	20.5	18.5	24.4	12.2	8.3	12.1	10.8	10.3	11.8	8.3	30.0	17.2
27	14.5	11.7	13.1	12.6	12.9	12.2	13.8	13.9	17.4	23.1	51.3	28.6	49.3	24.9	20.4	20.7	17.2	42.5	18.8	11.6	11.7	12.9	13.1	10.4	10.4	51.3	19.9
28	10.6	12.4	11.2	12.3	9.9	9.6	12.6	15.6	16.0	31.9	22.1	21.7	20.9	22.6	22.8	17.9	16.7	17.7	30.5	7.7	12.2	8.1	9.0	13.4	7.7	31.9	16.1
29	13.6	11.5	10.8	13.0	12.1	13.3	12.9	12.7	14.8	13.7	39.2	36.9	24.2	19.3	18.4	20.6	21.9	17.0	23.6	10.6	10.3	10.0	12.5	10.3	10.0	39.2	16.8
30	12.8	11.4	10.9	12.3	16.2	32.6	32.9	18.0	31.5	37.7	22.9	24.0	24.9	24.2	24.4	19.7	56.6	65.1	19.7	24.9	25.9	24.9	19.4	21.5	10.9	65.1	25.6
31	16.0	48.4	20.7	14.9	16.1	14.1	16.6	16.8	18.1	18.8	16.3	18.7	23.1	18.4	18.3	16.8	14.3	9.4	25.8	31.9	17.5	18.5	18.5	16.3	9.4	48.4	19.4
Min	9.0	10.7	10.8	10.5	9.9	9.6	9.9	11.8	14.7	13.7	16.3	18.7	19.7	18.4	16.1	15.8	8.5	8.3	9.3	7.1	7.9	8.1	9.0	10.3	7.1		
Max	50.6	51.4	29.3	38.4	43.9	51.9	51.6	61.3	55.7	48.2	59.6	74.3	60.1	56.4	65.8	68.3	56.6	65.1	53.3	52.5	29.7	42.0	37.2	57.5		74.3	
Avg	18.6	19.5	17.0	17.6	19.0	20.8	19.8	21.7	25.0	26.5	31.8	35.5	34.0	31.2	28.9	28.8	22.9	22.9	25.1	19.9	16.9	17.5	17.7	21.0			23.3

Total Data Records Possible: 744
 Total Valid Data Records: 744
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Palm Desert (data subject to change)
Month: October
Year: 2008
Time Zone: PST

Validation Level: B
Printout Date: 11-11-2008
Printout Time: 12:20:59
Output File Name: PDTB1008.17

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	9.4	7.1	6.4	6.7	8.6	6.1	8.4	6.2	5.8	4.9	8.3	12.1	14.7	16.6	16.5	12.3	11.5	8.8	8.6	9.9	7.5	10.4	11.8	12.4	4.9	16.6	9.6
2	13.3	12.1	11.5	15.1	9.2	9.5	8.6	4.3	8.1	7.2	6.1	8.1	17.5	14.9	19.0	16.9	17.2	12.2	11.1	10.6	11.2	9.6	16.4	15.6	4.3	19.0	11.9
3	16.7	25.2	19.1	23.0	20.0	11.3	12.6	6.6	9.9	10.4	9.0	8.8	15.3	29.3	28.0	18.5	16.9	19.7	14.5	21.4	18.7	24.0	24.4	22.8	6.6	29.3	17.7
4	21.8	25.9	20.5	20.8	24.3	22.1	17.1	14.4	5.3	23.1	14.5	21.6	28.1	32.4	25.2	20.8	16.2	20.2	29.2	24.5	24.5	27.1	30.3	28.3	5.3	32.4	22.4
5	28.8	28.1	24.5	20.2	15.3	21.4	17.3	11.5	12.4	10.1	8.3	7.8	9.1	9.0	7.8	9.6	15.9	15.6	18.3	15.7	19.9	17.2	14.8	15.3	7.8	28.8	15.6
6	14.8	11.9	8.3	8.0	11.1	7.4	8.8	6.4	6.9	6.4	7.2	10.4	9.7	10.2	8.6	11.8	4.4	3.4	4.4	5.3	7.5	8.3	5.6	7.9	3.4	14.8	8.1
7	6.2	9.6	7.6	6.3	9.0	9.9	7.8	7.4	5.7	6.6	8.5	9.9	10.6	10.9	9.4	8.7	6.1	3.7	6.0	6.0	5.3	4.7	6.4	6.9	3.7	10.9	7.5
8	7.0	5.6	8.9	6.4	8.6	7.7	6.8	7.2	4.8	2.8	7.4	9.6	11.9	13.4	16.2	12.5	9.0	4.9	4.7	7.1	6.7	5.3	7.0	4.8	2.8	16.2	7.8
9	6.0	6.9	7.3	6.0	4.5	5.6	5.0	5.9	5.6	5.7	7.2	6.1	10.4	11.3	18.9	14.4	17.7	16.6	18.4	26.7	27.8	28.3	23.8	17.4	4.5	28.3	12.6
10	18.6	23.4	27.0	22.4	22.9	24.7	20.3	15.0	16.5	19.1	15.6	15.4	10.4	11.9	15.3	16.1	17.2	32.4	33.2	28.1	28.1	31.2	25.1	31.9	10.4	33.2	21.7
11	26.8	14.1	18.9	27.0	20.5	23.0	24.3	24.3	12.6	7.1	9.6	13.4	9.2	14.2	16.1	17.1	15.0	16.4	16.1	19.1	21.9	20.7	21.0	14.0	7.1	27.0	17.6
12	14.3	11.8	9.1	7.8	10.6	9.0	15.8	16.7	17.0	11.4	11.0	6.5	8.4	10.6	12.5	10.4	12.6	15.6	14.5	10.1	10.3	8.2	11.7	11.3	6.5	17.0	11.5
13	13.3	19.5	20.1	24.3	22.6	27.8	23.9	17.5	15.7	17.3	19.2	17.6	16.2	17.0	18.5	18.0	14.3	15.2	10.7	10.9	10.0	8.4	10.5	8.3	8.3	27.8	16.5
14	6.8	9.4	13.4	11.5	11.4	6.8	12.0	5.1	10.6	13.1	9.9	10.2	9.5	7.8	9.0	11.3	5.3	5.4	6.6	7.8	7.0	9.1	7.3	8.0	5.1	13.4	8.9
15	6.1	10.3	10.1	8.8	7.3	8.3	8.1	5.4	5.6	4.4	7.2	8.3	7.9	9.4	8.3	6.9	6.0	7.9	4.5	3.6	4.9	6.4	6.6	7.2	3.6	10.3	7.1
16	6.2	7.2	7.3	8.0	7.6	7.2	7.2	8.2	7.6	4.7	6.6	10.2	10.7	9.5	8.7	6.6	6.1	4.6	4.7	4.5	6.6	6.7	6.4	7.2	4.5	10.7	7.1
17	8.6	8.0	6.1	5.7	7.6	7.1	8.0	6.7	6.3	3.9	2.8	6.3	9.0	8.0	12.3	11.3	8.9	4.9	4.5	6.1	9.3	8.0	11.2	10.2	2.8	12.3	7.5
18	7.4	9.8	8.2	8.0	8.5	8.2	8.8	8.9	11.1	9.3	7.6	7.6	10.2	8.6	6.6	10.9	7.8	6.4	14.5	15.1	17.7	17.1	19.3	14.9	6.4	19.3	10.5
19	12.9	12.5	9.4	14.6	13.4	12.4	12.0	11.8	8.6	6.8	5.3	5.6	8.0	7.9	6.9	8.6	16.7	13.1	14.0	14.0	18.8	17.8	23.5	23.8	5.3	23.8	12.4
20	24.7	23.7	25.9	26.1	28.4	22.1	20.2	18.5	15.5	8.5	6.5	7.6	4.0	6.6	6.2	3.2	7.0	11.3	11.5	12.2	15.3	13.4	12.9	9.4	3.2	28.4	14.2
21	12.3	12.2	11.3	11.5	11.8	12.4	9.6	8.0	5.5	3.2	3.6	5.7	7.3	7.2	6.9	5.7	2.8	6.0	4.9	5.1	6.6	7.3	7.2	5.4	2.8	12.4	7.5
22	9.1	8.3	8.3	8.9	13.7	12.2	13.5	9.7	8.3	6.2	10.7	11.2	12.7	11.5	13.7	8.7	7.3	7.9	8.9	8.0	7.3	9.1	10.1	7.9	6.2	13.7	9.7
23	6.8	6.9	6.5	8.0	8.7	7.1	6.6	6.4	6.0	3.7	6.6	7.8	8.3	7.6	7.4	7.8	8.7	6.1	4.8	3.8	7.6	6.8	7.9	10.9	3.7	10.9	7.0
24	10.2	11.5	7.4	9.3	10.7	8.0	6.6	5.7	4.7	7.0	9.4	8.9	7.6	7.9	8.4	8.6	7.0	4.2	3.7	6.1	7.7	7.7	8.6	9.2	3.7	11.5	7.8
25	8.8	9.0	7.4	8.0	7.0	9.1	9.4	9.7	4.7	5.5	7.2	10.6	12.6	13.1	11.2	11.5	6.8	4.3	4.7	5.7	6.5	7.8	6.6	8.8	4.3	13.1	8.2
26	10.1	7.4	8.6	8.8	7.4	8.3	9.6	9.6	4.7	4.8	4.7	6.1	9.4	12.1	11.3	9.9	9.1	6.1	4.3	6.3	6.9	6.9	7.9	7.4	4.3	12.1	7.8
27	9.1	8.0	9.0	8.8	8.3	8.0	8.0	6.8	7.8	2.8	5.1	8.1	6.4	7.4	10.1	10.5	9.8	5.6	4.7	6.4	7.2	8.0	8.5	7.0	2.8	10.5	7.6
28	6.5	6.9	7.2	7.5	7.1	7.6	7.4	4.2	5.7	5.3	8.9	10.7	9.9	8.9	8.0	6.4	3.7	2.6	3.4	5.2	5.4	5.6	6.5	6.2	2.6	10.7	6.5
29	9.1	7.7	7.2	7.0	8.6	8.6	8.4	7.0	3.8	2.8	2.7	8.3	11.0	11.5	11.8	10.9	9.7	5.3	4.6	6.3	5.0	6.9	7.1	6.0	2.7	11.8	7.4
30	7.1	6.6	6.6	7.5	8.3	4.5	3.9	5.9	4.8	6.1	8.3	8.8	8.1	9.9	8.0	8.4	8.5	7.7	16.0	13.6	10.1	8.1	6.3	6.5	3.9	16.0	7.9
31	5.3	6.9	8.6	9.1	9.1	8.1	8.3	5.9	7.8	5.1	7.4	8.6	10.5	11.0	9.4	8.0	4.8	3.4	5.0	6.9	10.5	9.6	7.6	7.2	3.4	11.0	7.7
Min	5.3	5.6	6.1	5.7	4.5	4.5	3.9	4.2	3.8	2.8	2.7	5.6	4.0	6.6	6.2	3.2	2.8	2.6	3.4	3.6	4.9	4.7	5.6	4.8	2.6		
Max	28.8	28.1	27.0	27.0	28.4	27.8	24.3	24.3	17.0	23.1	19.2	21.6	28.1	32.4	28.0	20.8	17.7	32.4	33.2	28.1	28.1	31.2	30.3	31.9		33.2	
Avg	11.7	12.0	11.5	12.0	12.0	11.3	11.1	9.3	8.2	7.6	8.1	9.6	10.8	11.9	12.1	11.0	10.0	9.6	10.2	10.7	11.6	11.8	12.3	11.6			10.8

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Palm Desert (data subject to change)
Month: October
Year: 2008
Time Zone: PST

Validation Level: B
Printout Date: 11-11-2008
Printout Time: 12:20:58
Output File Name: PDTB1008.7

Day	Hour Ending																								Min	Max	Avg		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24					
1	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.9	13.3	13.1		
2	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.1	13.1	13.0	13.0	13.0	13.0	13.0	12.9	12.9	13.3	13.1	
3	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.9	13.3	13.1	
4	12.9	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.9	13.3	13.1	
5	12.9	12.9	12.9	12.9	12.9	12.8	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.1	13.1	13.0	13.0	13.0	13.0	13.0	12.9	12.8	13.3	13.1	
6	12.9	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.1	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.9	13.3	13.1	
7	12.9	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.9	12.9	13.3	13.1	
8	13.0	13.0	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.1	13.1	13.0	13.0	13.0	12.9	12.9	13.3	13.1	
9	13.0	13.0	13.0	13.0	12.9	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.9	13.4	13.1	
10	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.9	13.3	13.1	
11	12.9	12.9	12.9	12.9	12.9	12.8	13.2	13.3	13.3	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.4	13.3	13.2	13.1	13.1	13.0	13.0	13.0	12.9	12.8	13.4	13.1	
12	12.9	12.9	12.9	12.9	12.8	12.8	12.8	13.2	13.3	13.3	13.4	13.4	13.4	13.4	13.3	13.3	13.4	13.4	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.8	13.4	13.1
13	12.9	12.9	12.9	12.9	12.9	12.8	12.8	13.2	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.1	13.1	13.1	13.0	13.0	12.9	12.8	13.4	13.1	
14	12.9	12.9	12.9	12.9	12.9	12.9	12.8	13.2	13.3	13.3	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.9	12.8	13.4	13.1	
15	12.9	12.9	12.9	12.9	12.9	12.9	12.8	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.8	13.3	13.1	
16	12.9	12.9	12.9	12.9	12.9	12.8	12.8	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.8	13.3	13.1
17	12.9	12.9	12.9	12.9	12.9	12.8	12.8	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.8	13.3	13.1	
18	12.9	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.9	13.3	13.1	
19	12.9	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.9	13.3	13.1	
20	12.9	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.9	13.3	13.1	
21	12.9	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.9	13.3	13.1	
22	12.9	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.9	13.3	13.1
23	12.9	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.1	13.1	13.0	13.0	13.0	12.9	13.4	13.1	
24	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.2	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	13.4	13.1	
25	13.0	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.9	13.4	13.1	
26	13.0	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.9	13.4	13.1	
27	13.0	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	13.0	12.9	13.4	13.1	
28	13.0	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	13.0	12.9	13.4	13.1	
29	13.0	13.0	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.1	13.1	13.0	13.0	13.0	12.9	13.4	13.1	
30	13.0	13.0	12.9	12.9	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.9	13.4	13.1	
31	13.0	13.0	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.9	13.4	13.1	
Min	12.9	12.9	12.9	12.8	12.8	12.8	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	12.9	12.9	12.8			
Max	13.0	13.0	13.0	12.9	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	13.0		13.4		
Avg	12.9	12.9	12.9	12.9	12.9	12.9	12.9	13.2	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.2	13.1	13.1	13.0	13.0	13.0	13.0			13.1		

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2