

Palm Desert Meteorological Data

October 2010

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Palm Desert (data subject to change)
Month: October
Year: 2010
Time Zone: PST

Validation Level: B
Printout Date: 11-05-2010
Printout Time: 13:36:56
Output File Name: PDTB1010.9

Day	1	2	3	4	5	6	7	8	9	10	11	Hour Ending 12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	4.7	5.5	3.8	6.4	4.1	3.6	5.0	5.2	3.7	2.0	5.3	11.0	8.0	5.7	4.8	3.4	4.3	3.5	1.7	2.6	3.4	3.9	3.9	4.1	1.7	11.0	4.6
2	3.5	3.6	3.0	3.9	4.4	2.9	2.8	6.0	4.2	4.9	4.3	2.5	4.9	6.3	6.9	2.3	1.7	3.5	2.4	3.3	4.2	3.2	2.6	2.3	1.7	6.9	3.7
3	0.9	0.7	1.8	2.9	2.7	2.1	1.6	4.5	4.4	3.2	1.8	3.1	4.2	4.7	4.6	4.0	1.7	0.7	0.8	4.9	6.4	6.7	4.7	4.0	0.7	6.7	3.2
4	2.7	3.0	2.8	2.2	2.8	3.4	4.1	5.1	3.0	1.5	3.8	3.8	8.0	8.9	8.1	9.3	10.8	9.5	8.6	8.8	8.5	6.9	6.8	4.4	1.5	10.8	5.7
5	3.1	3.6	2.2	4.2	3.0	2.0	2.8	3.3	4.2	7.7	5.5	5.7	5.9	7.4	7.9	8.0	8.6	8.3	8.9	9.6	5.2	6.5	6.6	5.6	2.0	9.6	5.7
6	5.2	4.3	2.8	4.7	3.5	2.2	2.7	2.6	2.3	2.1	2.4	2.5	4.8	6.9	6.2	6.8	8.1	7.5	7.1	7.9	8.3	8.1	7.9	6.7	2.1	8.3	5.2
7	5.9	5.5	2.5	3.5	4.4	5.0	4.2	3.2	4.4	4.9	5.2	5.8	5.6	3.6	4.5	2.6	1.6	5.5	6.0	6.3	5.8	7.0	5.6	4.4	1.6	7.0	4.7
8	4.5	4.0	3.7	3.4	4.2	3.8	3.8	2.9	1.9	2.1	2.4	3.5	2.3	1.8	2.2	2.1	2.6	1.7	1.8	1.5	2.1	3.3	4.4	3.4	1.5	4.5	2.9
9	4.8	3.6	3.7	4.5	4.0	3.8	3.4	2.8	3.4	3.9	2.7	4.4	5.1	4.0	3.3	3.0	2.0	1.6	2.1	3.6	3.7	3.7	3.3	3.4	1.6	5.1	3.5
10	3.7	3.7	2.8	4.2	4.6	4.6	3.4	3.8	5.6	2.7	2.3	2.1	3.2	3.7	3.0	2.8	1.7	1.3	3.3	2.9	2.7	3.1	3.9	4.1	1.3	5.6	3.3
11	4.1	4.1	3.6	4.4	4.1	3.9	4.4	3.4	2.3	1.4	1.8	2.7	3.6	3.7	3.4	4.1	4.2	2.8	2.4	1.9	4.0	4.5	4.0	4.8	1.4	4.8	3.5
12	4.7	3.5	3.4	4.4	4.0	4.1	2.6	1.7	0.9	0.9	2.1	3.0	3.3	4.6	3.3	2.4	1.6	0.6	1.4	2.4	3.2	4.2	3.9	3.6	0.6	4.7	2.9
13	3.4	3.0	3.1	3.5	3.9	4.2	4.6	3.7	3.4	3.3	3.0	3.4	3.4	3.1	2.4	2.3	1.9	1.5	1.6	3.2	3.8	3.8	4.2	4.2	1.5	4.6	3.2
14	3.7	4.0	3.9	3.5	3.1	4.1	3.4	1.3	1.7	2.0	3.6	7.2	5.6	5.6	3.6	4.4	2.0	1.2	1.6	3.7	5.0	5.8	4.4	4.1	1.2	7.2	3.7
15	3.7	3.7	6.2	4.7	2.1	3.2	3.1	2.9	2.4	1.2	3.8	7.1	6.6	6.6	6.2	4.7	2.3	1.6	1.3	3.1	4.9	6.3	6.3	5.9	1.2	7.1	4.2
16	6.1	5.3	4.6	4.8	4.5	5.3	5.2	5.5	4.7	2.6	4.2	3.2	2.7	2.9	2.2	1.2	2.5	4.0	6.9	7.1	5.7	6.2	8.4	7.8	1.2	8.4	4.7
17	9.4	6.7	8.4	7.9	7.7	6.8	6.3	7.9	5.7	3.3	1.4	1.1	1.6	6.2	8.8	8.3	9.9	9.8	10.9	10.3	9.6	9.6	9.7	9.9	1.1	10.9	7.4
18	9.3	8.8	7.7	9.1	8.6	7.9	8.0	6.2	4.8	3.9	3.7	4.3	3.2	2.9	2.9	3.4	4.0	6.7	7.3	7.6	6.6	5.8	7.1	5.9	2.9	9.3	6.1
19	5.6	5.3	3.4	2.8	3.0	3.7	3.5	3.5	3.8	3.0	3.5	3.4	3.0	4.1	1.7	1.6	2.6	3.7	2.3	3.5	1.3	0.8	1.3	2.6	0.8	5.6	3.0
20	1.7	1.0	2.4	1.6	2.2	2.2	3.9	3.2	3.2	2.4	2.3	2.4	1.6	2.3	3.4	3.2	4.0	3.3	1.2	1.7	2.5	1.4	1.3	2.4	1.0	4.0	2.4
21	2.2	1.6	1.6	2.2	2.1	3.5	2.1	2.5	3.7	3.3	3.7	3.4	2.8	2.7	4.7	6.1	6.3	5.8	6.4	5.5	3.5	4.1	5.5	2.1	1.6	6.4	3.6
22	3.8	3.8	3.1	3.1	1.1	2.3	1.8	3.2	2.2	2.4	2.1	3.9	3.4	6.7	5.4	7.7	7.8	7.6	7.9	8.1	8.3	6.2	8.0	11.1	1.1	11.1	5.0
23	10.8	10.4	6.1	9.2	7.6	4.2	3.0	2.5	2.8	2.1	2.0	2.5	2.5	2.2	5.0	6.6	7.8	7.9	7.8	7.6	4.8	3.2	4.4	4.3	2.0	10.8	5.3
24	5.4	8.9	3.3	7.4	5.4	8.9	3.1	3.1	2.6	1.7	1.7	1.9	1.1	1.7	1.5	1.9	4.9	4.0	6.3	1.6	3.4	7.2	3.6	4.9	1.1	8.9	4.0
25	9.4	7.7	7.2	5.4	2.8	4.7	3.9	3.2	4.0	3.7	2.7	5.5	7.8	10.4	13.1	10.7	9.3	9.6	8.1	9.7	10.7	10.5	10.5	10.5	2.7	13.1	7.5
26	8.6	9.7	8.4	5.5	4.4	8.5	6.6	7.1	8.3	4.7	3.2	1.8	1.8	3.2	2.8	1.8	4.9	6.6	8.8	6.4	4.4	4.6	4.2	3.0	1.8	9.7	5.4
27	3.5	4.1	3.8	5.5	5.6	4.7	2.7	4.1	4.0	3.2	3.3	5.3	5.3	3.3	4.3	4.5	2.8	2.6	2.7	2.6	2.9	1.9	3.3	3.7	1.9	5.6	3.8
28	3.8	2.2	3.7	3.5	3.8	3.5	3.8	2.6	2.7	1.7	0.9	2.5	3.2	3.3	3.6	1.8	0.7	0.7	0.7	2.6	3.5	3.6	3.6	3.5	0.7	3.8	2.7
29	3.8	4.4	4.6	2.3	3.1	2.8	2.7	2.6	2.7	2.3	0.6	2.2	3.4	3.8	3.7	3.8	1.7	1.1	0.9	2.6	3.3	3.1	3.3	3.8	0.6	4.6	2.9
30	3.3	3.0	6.4	14.8	12.1	6.9	5.2	5.9	7.6	5.0	3.0	4.2	3.1	2.9	2.4	4.8	8.6	10.1	7.8	7.2	7.3	7.3	9.1	11.0	2.4	14.8	6.6
31	11.1	12.1	9.4	11.1	8.0	7.6	5.0	6.8	4.5	3.7	3.9	2.7	1.5	2.7	2.8	2.5	0.8	1.6	1.9	2.5	3.5	3.7	3.8	3.5	0.8	12.1	4.9
Min	0.9	0.7	1.6	1.6	1.1	2.0	1.6	1.3	0.9	0.9	0.6	1.1	1.1	1.7	1.5	1.2	0.7	0.6	0.7	1.5	1.3	0.8	1.3	2.1	0.6		
Max	11.1	12.1	9.4	14.8	12.1	8.9	8.0	7.9	8.3	7.7	5.5	11.0	8.0	10.4	13.1	10.7	10.8	10.1	10.9	10.3	10.7	10.5	10.5	11.1		14.8	
Avg	5.0	4.9	4.3	5.1	4.4	4.4	3.8	3.9	3.7	3.0	3.0	3.8	4.0	4.5	4.5	4.3	4.3	4.4	4.5	4.9	4.9	5.0	5.1	5.0			4.4

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Palm Desert (data subject to change)
 Month: October
 Year: 2010
 Time Zone: PST

Validation Level: B
 Printout Date: 11-05-2010
 Printout Time: 13:36:57
 Output File Name: PDTB1010.10

Day	Hour Ending																								Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	273	312	265	241	285	261	290	285	278	190	152	137	145	253	341	331	252	266	313	304	285	272	275	251	[W]
2	274	281	273	294	222	81	274	136	183	282	270	144	135	126	132	74	211	292	263	299	297	302	93	87	[WNW]
3	54	33	332	267	280	87	4	253	286	293	260	149	124	126	125	142	156	184	44	312	320	331	344	321	[SE]
4	284	303	306	258	285	287	296	310	229	313	134	109	327	314	316	323	324	329	329	330	326	323	338	324	[NW]
5	329	310	23	334	329	31	310	289	265	320	316	329	308	320	322	321	324	321	323	330	324	318	314	300	[NW]
6	320	308	275	321	290	266	248	290	263	236	250	250	309	316	312	316	315	323	321	323	329	321	319	314	[NW]
7	321	313	294	289	294	304	287	268	286	305	282	298	292	290	302	267	277	325	322	314	322	316	306	291	[WNW]
8	287	282	278	290	256	286	292	269	250	248	220	189	152	145	163	151	136	123	112	12	312	283	297	265	[WNW]
9	298	259	263	288	283	278	288	266	255	246	242	218	250	264	222	200	183	331	291	276	280	285	271	296	[W]
10	299	264	267	280	287	260	270	287	336	335	352	282	360	324	325	14	29	328	302	295	267	286	311	289	[WNW]
11	273	279	259	274	268	267	270	269	247	215	182	176	173	149	153	133	126	99	57	307	313	294	277	293	[W]
12	294	282	264	264	264	271	258	290	248	231	251	201	198	192	204	206	189	153	122	309	280	273	274	287	[W]
13	276	275	268	295	278	286	296	268	266	249	211	213	211	214	189	211	222	56	33	257	281	287	289	283	[WNW]
14	297	286	281	272	309	286	261	289	287	261	189	149	146	140	133	134	110	103	219	316	307	313	279	282	[WNW]
15	269	259	170	89	349	266	275	287	203	327	177	126	120	123	134	134	126	168	291	327	316	315	307	297	[W]
16	294	289	290	273	261	264	289	287	269	162	131	132	131	120	172	206	282	331	327	321	305	311	314	307	[WNW]
17	312	311	316	308	303	303	302	308	288	273	149	158	110	323	314	317	316	321	327	325	323	320	316	315	[NW]
18	316	313	312	314	317	314	318	312	307	303	208	140	147	169	143	133	200	315	319	315	313	313	319	301	[NW]
19	293	294	289	242	299	278	276	284	230	304	308	332	30	105	35	286	278	271	270	120	98	359	324	264	[WNW]
20	253	313	211	286	7	260	149	86	96	97	105	141	204	206	121	115	119	123	65	329	236	218	310	254	[ESE]
21	314	281	243	271	235	304	223	172	162	126	125	133	156	165	331	330	325	319	321	318	296	290	310	291	[NW]
22	314	315	293	280	249	277	207	185	180	183	215	337	328	311	339	326	319	320	321	321	318	307	308	316	[NW]
23	315	309	302	318	311	285	289	250	219	169	221	156	178	305	305	315	318	321	316	315	305	321	319	308	[NW]
24	307	317	276	309	295	315	256	287	256	186	210	317	218	238	262	248	312	308	314	250	308	299	317	281	[NW]
25	339	349	335	299	1	355	357	336	346	338	351	324	328	323	318	319	323	327	331	321	318	318	318	315	[NW]
26	305	312	310	325	314	337	327	322	314	287	247	249	253	318	320	326	314	320	333	322	298	298	302	275	[NW]
27	303	279	284	283	293	286	287	260	265	260	258	274	258	261	254	241	229	251	264	267	294	278	292	278	[W]
28	270	303	308	283	283	296	291	273	255	256	217	151	144	125	139	159	131	92	144	313	288	273	293	275	[WNW]
29	261	282	245	296	271	278	301	277	279	266	163	126	129	135	132	140	124	57	20	278	280	263	277	289	[W]
30	319	317	194	226	212	264	329	343	334	324	81	31	88	347	340	343	326	324	319	310	317	319	315	315	[NW]
31	321	316	312	318	305	305	302	313	283	271	283	262	254	218	225	211	211	285	315	280	292	290	287	282	[WNW]

Prev [NW] [NW] [W] [WNW] [WNW] [W] [WNW] [WNW] [W] [W] [WSW] [SE] [SE] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW] [NW]

Total Data Records Possible: 744
 Total Valid Data Records: 744
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Palm Desert (data subject to change)
Month: October
Year: 2010
Time Zone: PST

Validation Level: B
Printout Date: 11-05-2010
Printout Time: 13:36:57
Output File Name: PDTB1010.10t

Day	Hour Ending																								Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	[W]	[NW]	[W]	[WSW]	[WNW]	[W]	[WNW]	[WNW]	[W]	[S]	[SSE]	[SE]	[SE]	[WSW]	[NNW]	[NNW]	[WSW]	[W]	[NW]	[NW]	[WNW]	[W]	[W]	[WSW]	[W]
2	[W]	[WNW]	[W]	[WNW]	[SW]	[E]	[W]	[SE]	[S]	[WNW]	[W]	[SE]	[SE]	[SE]	[SE]	[ENE]	[SSW]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[E]	[E]	[WNW]
3	[NE]	[NNE]	[NNW]	[W]	[W]	[E]	[N]	[WSW]	[WNW]	[WNW]	[W]	[SSE]	[SE]	[SE]	[SE]	[SE]	[SSE]	[S]	[NE]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[SE]
4	[WNW]	[WNW]	[NW]	[WSW]	[WNW]	[WNW]	[WNW]	[NW]	[SW]	[NW]	[SE]	[ESE]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NW]	[NW]
5	[NNW]	[NW]	[NNE]	[NNW]	[NNW]	[NNE]	[NW]	[WNW]	[W]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[WNW]	[NW]
6	[NW]	[NW]	[W]	[NW]	[WNW]	[W]	[WSW]	[WNW]	[W]	[SW]	[WSW]	[WSW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]
7	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[W]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]
8	[WNW]	[WNW]	[W]	[WNW]	[WSW]	[WNW]	[WNW]	[W]	[WSW]	[WSW]	[SW]	[S]	[SSE]	[SE]	[SSE]	[SSE]	[SE]	[ESE]	[ESE]	[NNE]	[NW]	[WNW]	[WNW]	[W]	[WNW]
9	[WNW]	[WSW]	[W]	[WNW]	[WNW]	[W]	[WNW]	[W]	[WSW]	[WSW]	[WSW]	[SW]	[WSW]	[W]	[SW]	[SSW]	[S]	[NNW]	[WNW]	[W]	[W]	[WNW]	[W]	[WNW]	[W]
10	[WNW]	[W]	[W]	[W]	[WNW]	[W]	[W]	[WNW]	[NNW]	[NNW]	[N]	[WNW]	[N]	[NW]	[NW]	[NNE]	[NNE]	[NNW]	[WNW]	[WNW]	[W]	[WNW]	[NW]	[WNW]	[WNW]
11	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WSW]	[SW]	[S]	[S]	[S]	[SSE]	[SSE]	[SE]	[SE]	[E]	[ENE]	[NW]	[NW]	[WNW]	[W]	[WNW]	[W]
12	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[WSW]	[WNW]	[WSW]	[SW]	[WSW]	[SSW]	[SSW]	[SSW]	[SSW]	[SSW]	[S]	[SSE]	[ESE]	[NW]	[W]	[W]	[W]	[WNW]	[W]
13	[W]	[W]	[W]	[WNW]	[W]	[WNW]	[WNW]	[W]	[W]	[WSW]	[SSW]	[SSW]	[SSW]	[SW]	[S]	[SSW]	[SW]	[NE]	[NNE]	[WSW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
14	[WNW]	[WNW]	[W]	[W]	[NW]	[WNW]	[W]	[WNW]	[WNW]	[W]	[S]	[SSE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[ESE]	[SW]	[NW]	[NW]	[NW]	[W]	[WNW]	[WNW]
15	[W]	[W]	[S]	[E]	[N]	[W]	[W]	[WNW]	[SSW]	[NNW]	[S]	[SE]	[ESE]	[ESE]	[SE]	[SE]	[SE]	[SSE]	[WNW]	[NNW]	[NW]	[NW]	[NW]	[WNW]	[W]
16	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[WNW]	[WNW]	[W]	[SSE]	[SE]	[SE]	[SE]	[ESE]	[S]	[SSW]	[WNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]
17	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[W]	[SSE]	[SSE]	[ESE]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
18	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[SSW]	[SE]	[SSE]	[S]	[SE]	[SE]	[SSW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]
19	[WNW]	[WNW]	[WNW]	[WSW]	[WNW]	[W]	[W]	[WNW]	[SW]	[NW]	[NW]	[NNW]	[NNE]	[ESE]	[NE]	[WNW]	[W]	[W]	[W]	[ESE]	[E]	[N]	[NW]	[W]	[WNW]
20	[WSW]	[NW]	[SSW]	[WNW]	[N]	[W]	[SSE]	[E]	[E]	[E]	[ESE]	[SE]	[SSW]	[SSW]	[ESE]	[ESE]	[ESE]	[ENE]	[NNW]	[SW]	[SW]	[NW]	[WSW]	[ESE]	
21	[NW]	[W]	[WSW]	[W]	[SW]	[NW]	[SW]	[S]	[SSE]	[SE]	[SE]	[SE]	[SSE]	[SSW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[NW]	[WNW]	[NW]
22	[NW]	[NW]	[WNW]	[W]	[WSW]	[W]	[SSW]	[S]	[S]	[S]	[SW]	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
23	[NW]	[NW]	[WNW]	[NW]	[NW]	[WNW]	[WNW]	[WSW]	[SW]	[S]	[SW]	[SSE]	[S]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
24	[NW]	[NW]	[W]	[NW]	[WNW]	[NW]	[WSW]	[WNW]	[WSW]	[S]	[SSW]	[NW]	[SW]	[WSW]	[W]	[WSW]	[NW]	[NW]	[NW]	[WSW]	[NW]	[WNW]	[NW]	[W]	[NW]
25	[NNW]	[N]	[NNW]	[WNW]	[N]	[N]	[N]	[NNW]	[NNW]	[NNW]	[N]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
26	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[WNW]	[WSW]	[WSW]	[WSW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[NW]
27	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[WSW]	[W]	[WSW]	[W]	[WSW]	[WSW]	[SW]	[WSW]	[W]	[W]	[WNW]	[W]	[WNW]	[W]	[W]
28	[W]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WSW]	[WSW]	[SW]	[SSE]	[SE]	[SE]	[SE]	[SSE]	[SE]	[E]	[SE]	[NW]	[WNW]	[W]	[WNW]	[W]	[WNW]
29	[W]	[WNW]	[WSW]	[WNW]	[W]	[W]	[WNW]	[W]	[W]	[W]	[SSE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[ENE]	[NNE]	[W]	[W]	[W]	[W]	[WNW]	[W]
30	[NW]	[NW]	[SSW]	[SW]	[SSW]	[W]	[NNW]	[NNW]	[NNW]	[NW]	[E]	[NNE]	[E]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
31	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]	[WNW]	[W]	[WNW]	[W]	[WSW]	[SW]	[SW]	[SSW]	[SSW]	[WNW]	[NW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
Prev	[NW]	[NW]	[W]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[W]	[W]	[WSW]	[SE]	[SE]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)
 Units: degrees
 Channel: 11

Site: Palm Desert (data subject to change)
 Month: October
 Year: 2010
 Time Zone: PST

Validation Level: B
 Printout Date: 11-05-2010
 Printout Time: 13:36:57
 Output File Name: PDTB1010.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	26.3	23.8	33.1	12.9	24.4	22.8	22.9	24.0	24.7	51.1	22.2	19.4	20.2	40.0	23.8	28.3	18.8	18.6	19.6	17.5	21.7	20.4	21.4	14.2	12.9	51.1	23.8
2	18.4	19.6	19.9	33.4	19.2	32.8	54.7	21.3	29.9	23.9	26.0	49.8	27.2	28.7	22.0	33.7	30.7	23.2	22.9	39.1	28.9	36.7	30.0	28.1	18.4	54.7	29.2
3	20.3	36.8	26.6	22.7	20.6	40.0	30.1	18.9	27.3	35.9	63.0	40.0	36.5	25.9	28.2	41.9	29.3	37.1	43.9	21.8	22.5	19.0	23.8	21.3	18.9	63.0	30.6
4	41.7	44.5	28.7	26.9	21.0	48.3	38.4	29.6	33.1	73.2	56.8	41.6	30.1	26.1	39.0	27.2	25.2	24.5	22.5	20.4	21.4	26.8	26.9	32.2	20.4	73.2	33.6
5	28.1	34.3	35.3	27.1	36.2	37.3	42.9	33.3	28.4	27.0	32.2	30.1	31.0	35.5	27.6	24.7	22.9	22.2	22.4	21.1	24.1	20.4	20.5	26.6	20.4	42.9	28.8
6	19.7	23.7	22.4	18.7	21.4	19.1	16.7	27.5	35.9	41.4	49.3	48.5	40.6	29.9	26.6	23.8	22.3	20.8	22.2	20.7	20.7	20.4	22.1	21.9	16.7	49.3	26.5
7	19.5	23.0	17.9	25.7	30.5	23.7	26.1	25.9	28.5	35.3	31.7	32.5	30.7	39.4	31.0	28.7	28.4	19.6	19.8	23.1	20.5	22.2	23.4	24.9	17.9	39.4	26.3
8	24.3	24.2	19.0	20.0	15.4	19.7	20.6	19.0	23.1	29.5	37.7	36.8	64.4	68.6	37.7	41.2	19.4	16.1	19.2	23.2	30.3	14.9	25.0	18.0	14.9	68.6	27.8
9	22.8	15.2	16.4	19.5	19.2	18.2	25.1	24.7	18.4	22.0	32.3	28.6	24.5	29.8	35.4	31.8	15.4	24.5	21.7	14.3	17.1	18.4	17.1	18.6	14.3	35.4	22.1
10	26.0	29.5	48.7	18.4	22.1	18.3	17.0	31.8	29.6	47.0	62.1	49.8	44.3	40.0	38.9	43.8	36.9	27.2	17.1	15.5	24.5	21.6	17.3	18.7	15.5	62.1	31.1
11	18.8	16.4	15.9	16.3	17.4	14.8	17.2	22.1	20.8	39.7	41.7	43.3	32.3	28.3	24.6	22.6	24.4	29.9	28.4	21.8	21.7	22.0	19.7	22.0	14.8	43.3	24.3
12	25.7	20.3	14.0	15.8	16.6	18.2	24.7	62.8	50.6	35.3	33.4	43.6	29.0	23.6	28.7	22.8	15.7	12.2	36.3	28.9	14.3	16.7	21.4	23.6	12.2	62.8	26.4
13	26.8	26.4	16.6	17.1	17.3	18.9	20.7	20.0	24.0	22.5	24.6	27.7	26.6	27.4	32.3	23.6	9.5	32.8	56.0	12.8	17.6	19.5	21.1	20.7	9.5	56.0	23.4
14	20.9	17.8	21.5	19.1	16.8	21.9	32.3	29.5	29.8	21.3	20.9	19.7	23.4	21.6	24.4	22.7	25.4	26.9	20.7	18.3	24.0	21.4	23.5	21.8	16.8	32.3	22.7
15	17.0	13.0	28.0	27.8	28.3	18.4	16.7	20.7	30.3	45.8	33.0	24.3	23.1	24.5	22.5	24.6	24.5	25.9	35.0	22.1	21.5	20.4	23.7	25.2	13.0	45.8	24.8
16	27.2	27.6	24.1	21.0	16.3	18.2	20.7	24.7	25.1	33.3	26.5	28.2	38.7	26.9	34.5	14.8	17.5	20.0	19.3	21.6	23.3	24.3	24.3	24.5	14.8	38.7	24.3
17	24.4	29.9	21.0	24.2	25.1	25.6	26.2	24.7	27.4	28.5	53.2	51.3	68.7	44.6	21.6	24.1	21.0	21.4	19.5	19.3	22.1	22.0	21.6	23.7	19.3	68.7	28.8
18	23.6	21.4	24.9	21.7	22.0	23.3	20.4	24.1	27.6	32.0	35.7	26.1	40.8	40.6	57.5	27.9	29.9	23.6	20.4	21.8	22.9	21.4	19.2	25.0	19.2	57.5	27.2
19	23.5	24.6	23.8	13.9	21.6	21.5	23.1	27.2	17.8	22.7	25.5	27.8	26.8	26.9	36.4	40.2	21.5	19.8	20.3	38.4	54.8	25.9	16.8	18.0	13.9	54.8	25.8
20	44.0	48.7	18.1	37.9	17.6	29.3	15.1	27.4	25.7	37.0	37.3	36.7	72.1	48.6	27.4	24.0	22.6	23.2	25.2	23.0	11.1	20.8	29.7	16.1	11.1	72.1	30.0
21	21.9	17.5	13.7	48.6	39.4	23.8	17.5	18.1	20.3	29.6	30.0	28.5	51.1	51.7	36.7	21.5	21.7	22.4	22.4	22.4	24.3	26.4	22.3	23.8	13.7	51.7	27.3
22	22.5	21.8	23.4	24.6	31.7	20.2	21.4	15.5	26.2	37.5	69.5	45.8	68.3	28.8	37.4	22.4	21.6	21.1	21.3	21.4	22.9	26.9	25.8	21.6	15.5	69.5	29.1
23	22.8	22.0	25.5	22.9	24.4	22.9	24.5	27.4	21.4	48.8	52.2	30.8	50.4	57.4	28.1	24.7	20.3	20.6	21.7	22.5	30.2	18.4	21.1	25.1	18.4	57.4	28.6
24	23.7	21.5	25.6	22.5	24.6	20.1	19.5	33.1	23.1	42.5	66.3	45.8	61.1	46.9	67.0	33.0	23.9	24.4	23.3	47.3	24.5	26.5	38.0	38.7	19.5	67.0	34.3
25	28.7	27.7	24.7	33.4	39.9	33.7	35.1	60.0	46.6	43.5	43.8	40.5	37.1	22.9	21.5	22.7	21.5	19.9	21.4	21.4	20.3	21.2	21.7	22.1	19.9	60.0	30.5
26	25.7	24.4	25.1	35.9	25.8	22.3	20.4	22.5	23.1	32.9	28.9	40.9	76.0	47.5	38.4	34.3	25.8	19.0	21.8	19.7	26.5	26.7	22.0	19.0	19.0	76.0	29.4
27	31.0	21.9	21.7	22.3	24.5	25.0	26.6	19.1	23.7	30.3	51.6	30.2	25.2	23.6	22.6	15.9	15.3	36.2	20.3	14.0	17.6	36.6	15.0	17.6	14.0	51.6	24.5
28	17.3	17.9	14.5	11.4	13.0	15.4	16.3	21.0	16.9	26.0	60.1	46.7	29.2	29.8	23.1	26.5	36.4	9.4	46.7	15.3	18.1	18.0	20.1	16.6	9.4	60.1	23.6
29	16.2	21.5	12.5	27.2	23.9	19.0	18.8	17.6	21.3	19.2	58.4	32.9	28.6	27.9	26.3	22.3	25.3	17.9	33.4	23.4	17.5	11.0	15.7	25.2	11.0	58.4	23.5
30	40.8	46.0	50.8	18.2	19.5	28.6	22.7	27.5	23.5	30.7	55.6	39.4	45.1	54.6	53.7	25.3	21.2	21.5	21.0	22.9	22.7	22.6	21.4	21.4	18.2	55.6	31.5
31	20.8	20.9	23.9	21.2	24.9	27.6	28.5	25.4	27.5	29.3	30.0	32.5	58.0	34.5	25.3	20.0	7.6	15.3	36.4	38.2	16.8	21.0	20.1	17.8	7.6	58.0	26.0
Min	16.2	13.0	12.5	11.4	13.0	14.8	15.1	15.5	16.9	19.2	20.9	19.4	20.2	21.6	21.5	14.8	7.6	9.4	17.1	12.8	11.1	11.0	15.0	14.2	7.6		
Max	44.0	48.7	50.8	48.6	39.9	48.3	54.7	62.8	50.6	73.2	69.5	51.3	76.0	68.6	67.0	43.8	36.9	37.1	56.0	47.3	54.8	36.7	38.0	38.7		76.0	
Avg	24.9	25.3	23.8	23.5	23.2	24.2	24.6	26.7	26.8	34.7	41.7	36.1	40.7	35.6	32.3	27.1	22.6	22.5	25.9	23.0	22.8	22.3	22.3	22.4			27.3

Total Data Records Possible: 744
 Total Valid Data Records: 744
 Percent Data Recovery: 100.0

Missing Data Codes

 -910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Palm Desert (data subject to change)
Month: October
Year: 2010
Time Zone: PST

Validation Level: B
Printout Date: 11-05-2010
Printout Time: 13:36:57
Output File Name: PDTB1010.17

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	12.6	14.5	9.3	11.5	12.4	13.4	11.7	14.0	8.7	6.9	13.5	23.5	19.4	28.4	13.8	9.8	10.9	9.4	4.5	6.2	9.4	9.1	8.7	8.0	4.5	28.4	12.1
2	7.8	8.3	7.4	11.8	9.4	6.9	7.2	17.7	12.4	11.3	12.5	7.3	13.4	20.6	17.2	7.8	4.7	9.1	7.5	11.8	14.0	11.6	9.0	7.2	4.7	20.6	10.6
3	3.4	2.7	4.0	7.1	8.7	6.1	4.7	9.2	9.5	9.1	5.3	7.8	10.6	13.4	11.5	9.8	5.8	3.0	3.4	13.6	14.5	15.2	11.8	10.4	2.7	15.2	8.4
4	9.3	8.0	8.0	7.4	6.5	10.5	13.1	14.3	8.0	4.8	10.7	11.5	21.3	19.9	25.6	22.1	27.0	26.2	21.7	21.5	17.3	19.0	19.1	13.2	4.8	27.0	15.2
5	12.1	11.4	5.5	11.5	12.6	6.6	11.0	9.7	18.0	18.1	19.4	17.4	16.1	21.1	21.4	21.2	19.9	18.6	20.3	18.6	14.9	15.0	16.5	17.9	5.5	21.4	15.6
6	13.4	11.3	7.4	10.1	8.5	6.0	5.5	6.4	4.8	6.6	6.7	7.8	17.1	17.7	14.5	14.3	19.1	16.2	16.5	16.9	17.5	17.1	18.9	16.4	4.8	19.1	12.4
7	11.7	12.8	6.5	12.6	14.1	14.0	14.3	8.7	14.2	13.7	13.4	15.6	16.6	9.9	10.0	8.8	5.5	12.5	12.9	14.8	14.3	14.9	14.0	11.0	5.5	16.6	12.4
8	9.9	10.0	8.0	8.1	7.2	7.8	8.3	6.8	4.5	5.1	8.8	9.6	8.2	6.5	6.4	6.9	6.3	4.1	5.3	4.2	5.0	7.7	10.4	8.1	4.1	10.4	7.2
9	11.9	9.6	7.2	9.6	8.3	8.3	8.9	7.0	8.1	9.2	7.1	13.0	12.8	13.1	8.8	10.8	5.3	4.5	5.3	7.3	8.4	7.1	7.0	7.6	4.5	13.1	8.6
10	8.9	9.8	10.1	8.6	10.5	10.4	8.7	14.0	15.6	11.5	8.3	8.8	12.0	11.2	11.0	8.8	7.4	4.3	7.0	7.0	6.6	8.0	8.9	11.3	4.3	15.6	9.5
11	10.2	7.6	6.8	9.0	8.8	7.5	9.1	8.0	5.1	4.4	5.0	7.7	8.1	9.4	8.9	9.4	11.2	7.7	5.3	5.3	12.4	14.0	10.3	11.8	4.4	14.0	8.5
12	13.6	8.4	6.4	9.9	8.2	8.3	6.5	5.7	3.4	3.0	6.9	9.2	8.7	11.8	8.6	6.3	4.2	3.6	4.3	5.9	7.9	8.1	10.3	9.4	3.0	13.6	7.4
13	9.9	8.2	6.9	6.6	9.6	9.9	10.4	8.2	8.6	7.8	6.9	8.2	8.1	7.6	6.0	6.2	3.9	5.0	5.9	6.4	7.7	8.0	10.3	9.5	3.9	10.4	7.7
14	9.9	8.8	9.0	6.5	7.7	9.6	9.4	3.8	4.2	5.3	10.3	14.8	14.3	12.3	9.2	10.9	6.4	4.0	3.4	10.9	12.7	13.3	12.6	9.9	3.4	14.8	9.1
15	9.6	7.1	19.2	15.0	5.9	8.2	6.4	6.9	6.4	3.7	14.0	14.7	14.2	14.6	11.8	10.7	6.6	4.1	4.2	8.9	11.5	12.9	14.5	14.4	3.7	19.2	10.2
16	14.9	14.8	11.2	12.4	9.3	12.7	11.7	13.1	13.3	7.2	10.6	9.6	9.1	7.4	9.0	3.1	8.3	9.4	14.9	15.5	14.4	14.7	21.8	17.3	3.1	21.8	11.9
17	21.5	17.8	21.3	20.8	17.3	17.7	16.4	17.6	15.0	11.1	3.9	3.6	8.0	17.5	18.8	18.6	20.3	21.0	21.0	20.8	21.9	24.4	20.8	23.4	3.6	24.4	17.5
18	21.7	19.4	17.4	18.5	18.9	17.3	18.1	14.6	12.4	8.8	11.2	10.7	8.5	8.4	9.6	9.9	14.0	15.0	17.5	16.8	16.0	13.0	14.1	13.5	8.4	21.7	14.4
19	13.1	14.0	11.0	6.1	6.2	8.8	8.6	7.4	8.5	6.7	7.8	9.6	9.4	25.1	6.6	5.6	7.0	9.6	5.7	12.7	4.5	2.5	5.3	5.5	2.5	25.1	8.6
20	5.0	3.1	9.9	4.6	4.5	5.2	8.0	9.4	7.7	7.8	6.3	7.4	7.6	7.1	11.3	8.4	12.9	11.3	3.6	4.0	4.3	4.0	3.7	6.1	3.1	12.9	6.8
21	6.6	3.7	2.8	8.6	5.4	10.7	5.8	4.7	8.8	8.1	9.1	7.7	8.8	7.5	13.1	13.4	14.4	14.0	14.3	15.4	11.3	14.8	13.7	6.6	2.8	15.4	9.6
22	10.1	11.5	12.4	11.4	3.7	6.9	7.1	6.5	5.8	6.7	7.8	12.4	12.2	17.8	13.4	15.8	17.1	16.3	18.3	18.0	20.6	17.4	18.5	23.7	3.7	23.7	13.0
23	24.3	24.8	17.5	21.3	19.9	15.0	8.5	5.7	6.4	5.9	5.0	7.6	8.0	7.4	12.0	17.3	18.0	18.1	21.8	17.4	19.0	7.3	10.4	10.7	5.0	24.8	13.7
24	17.8	21.3	10.7	20.8	16.7	18.8	14.4	10.7	8.7	5.0	4.7	5.5	4.0	5.7	9.5	6.7	12.4	11.5	18.5	5.0	14.5	22.9	13.0	22.4	4.0	22.9	12.6
25	22.6	22.4	19.7	16.1	14.8	15.3	11.8	12.7	14.3	12.7	9.2	15.6	21.0	25.5	26.2	23.1	22.0	21.9	20.1	22.1	22.3	22.1	24.3	23.8	9.2	26.2	19.2
26	25.7	22.6	22.4	17.0	14.4	20.8	13.9	17.3	18.3	14.9	9.2	5.8	6.7	11.8	8.8	6.2	14.5	15.1	22.5	19.1	11.5	11.7	10.2	6.1	5.8	25.7	14.4
27	9.9	13.7	10.7	18.6	15.9	13.8	7.4	9.5	8.4	8.5	10.4	11.2	11.5	11.2	9.4	9.0	6.5	5.5	5.3	5.6	6.6	5.4	7.9	8.9	5.3	18.6	9.6
28	8.2	5.4	7.7	6.0	6.3	6.8	7.8	8.4	5.0	4.4	4.5	8.3	8.7	9.6	8.8	5.4	2.3	1.8	2.4	5.1	8.3	7.6	8.7	6.9	1.8	9.6	6.4
29	8.8	11.3	8.2	5.6	7.3	6.4	7.8	5.4	7.0	4.8	3.5	6.5	8.6	9.1	9.2	8.8	6.6	2.3	2.5	5.0	7.3	6.4	7.2	8.6	2.3	11.3	6.8
30	8.0	9.9	16.7	33.0	30.1	20.1	12.8	22.1	18.9	15.1	9.5	14.5	8.8	12.3	9.0	15.8	19.4	23.2	17.9	18.6	17.3	16.6	20.8	23.0	8.0	33.0	17.2
31	24.3	26.2	22.5	24.6	19.5	18.7	14.1	17.0	12.4	10.2	10.6	8.8	5.8	7.3	8.0	6.8	3.3	4.2	5.8	5.3	8.6	8.1	7.6	6.7	3.3	26.2	11.9
Min	3.4	2.7	2.8	4.6	3.7	5.2	4.7	3.8	3.4	3.0	3.5	3.6	4.0	5.7	6.0	3.1	2.3	1.8	2.4	4.0	4.3	2.5	3.7	5.5	1.8		
Max	25.7	26.2	22.5	33.0	30.1	20.8	18.1	22.1	18.9	18.1	19.4	23.5	21.3	28.4	26.2	23.1	27.0	26.2	22.5	22.1	22.3	24.4	24.3	23.8		33.0	
Avg	12.8	12.3	11.1	12.6	11.2	11.2	10.0	10.4	9.8	8.3	8.8	10.4	11.2	13.2	11.8	10.9	11.1	10.7	11.0	11.8	12.3	12.3	12.6	12.2			11.2

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Palm Desert (data subject to change)
Month: October
Year: 2010
Time Zone: PST

Validation Level: B
Printout Date: 11-05-2010
Printout Time: 13:36:56
Output File Name: PDTB1010.7

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	12.3	12.3	12.3	12.3	12.2	12.3	13.0	13.0	13.0	12.9	12.9	12.9	12.8	12.9	13.0	13.0	12.8	12.6	12.6	12.5	12.5	12.5	12.4	12.4	12.2	13.0	12.6
2	12.3	12.3	12.3	12.3	12.2	12.2	12.4	12.4	13.1	13.0	13.0	12.9	12.9	13.0	13.0	13.0	12.9	12.7	12.6	12.5	12.5	12.4	12.4	12.4	12.2	13.1	12.6
3	12.3	12.3	12.3	12.2	12.2	12.2	13.1	13.0	13.1	13.0	12.9	12.9	12.9	12.9	13.0	13.0	12.9	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.2	13.1	12.7
4	12.3	12.3	12.3	12.2	12.2	12.2	13.1	13.1	13.0	13.0	12.9	12.9	13.0	13.0	13.0	13.0	12.9	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.2	13.1	12.7
5	12.4	12.3	12.3	12.2	12.2	12.2	13.2	13.2	13.1	13.1	13.0	13.0	13.0	13.0	13.1	13.1	12.9	12.8	12.7	12.6	12.6	12.5	12.5	12.4	12.2	13.2	12.7
6	12.4	12.3	12.3	12.3	12.2	12.2	13.2	13.2	13.1	13.1	13.0	13.0	13.0	13.1	13.1	13.1	12.9	12.7	12.7	12.6	12.5	12.5	12.5	12.4	12.2	13.2	12.7
7	12.4	12.3	12.3	12.2	12.2	12.2	13.1	13.2	13.2	13.1	13.0	13.0	13.0	13.1	13.1	13.1	12.9	12.7	12.7	12.6	12.5	12.5	12.4	12.4	12.2	13.2	12.7
8	12.3	12.3	12.2	12.2	12.2	12.2	13.1	13.1	13.1	13.0	13.0	12.9	13.0	13.0	13.0	13.0	12.8	12.7	12.6	12.5	12.5	12.4	12.4	12.3	12.2	13.1	12.7
9	12.3	12.2	12.2	12.2	12.2	12.2	13.1	13.1	13.1	13.0	12.9	12.9	12.9	13.0	13.0	12.9	12.7	12.6	12.6	12.5	12.4	12.4	12.3	12.3	12.2	13.1	12.6
10	12.3	12.2	12.2	12.2	12.2	12.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.9	12.9	12.9	12.7	12.6	12.6	12.5	12.4	12.4	12.3	12.3	12.2	13.1	12.6
11	12.3	12.2	12.2	12.2	12.2	12.2	13.1	13.1	13.1	13.0	12.9	12.9	12.9	12.9	12.9	12.9	12.7	12.6	12.5	12.4	12.4	12.4	12.3	12.3	12.2	13.1	12.6
12	12.3	12.2	12.2	12.2	12.2	12.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.9	12.9	12.9	12.7	12.6	12.5	12.5	12.4	12.4	12.3	12.3	12.2	13.1	12.6
13	12.3	12.2	12.2	12.2	12.2	12.2	13.0	13.0	13.0	13.0	12.9	12.9	12.9	12.9	12.9	12.9	12.7	12.6	12.6	12.5	12.4	12.4	12.4	12.3	12.2	13.0	12.6
14	12.3	12.3	12.2	12.2	12.2	12.2	13.0	13.0	13.1	13.0	12.9	12.9	12.9	12.9	12.9	12.9	12.7	12.6	12.5	12.5	12.4	12.4	12.4	12.3	12.2	13.1	12.6
15	12.3	12.2	12.2	12.2	12.2	12.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	13.0	13.0	13.0	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.3	12.2	13.1	12.6
16	12.3	12.3	12.2	12.2	12.2	12.2	13.1	13.1	13.1	13.0	13.0	12.9	12.9	13.0	13.0	12.9	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.3	12.2	13.1	12.6
17	12.3	12.2	12.2	12.2	12.2	12.2	13.1	13.1	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.1	12.8	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.2	13.1	12.7
18	12.3	12.3	12.3	12.2	12.2	12.2	13.1	13.1	13.1	13.1	13.0	13.0	12.9	13.0	13.0	13.0	12.8	12.7	12.5	12.5	12.5	12.4	12.4	12.3	12.2	13.1	12.7
19	12.3	12.3	12.2	12.2	12.2	12.2	12.1	12.1	12.2	13.1	13.1	13.1	13.0	13.2	13.2	12.9	12.7	12.6	12.6	12.5	12.4	12.3	12.3	12.3	12.1	13.2	12.6
20	12.2	12.2	12.2	12.1	12.1	12.1	12.5	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.1	12.9	12.8	12.7	12.6	12.6	12.5	12.4	12.1	13.2	12.7
21	12.4	12.3	12.3	12.2	12.2	12.2	13.2	13.2	13.1	13.1	13.0	13.0	13.0	13.0	13.1	13.1	12.8	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.2	13.2	12.7
22	12.4	12.3	12.3	12.2	12.2	12.2	13.2	13.2	13.1	13.1	13.0	13.0	13.0	13.1	13.1	13.1	12.8	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.2	13.2	12.7
23	12.3	12.3	12.2	12.2	12.2	12.2	12.3	13.2	13.1	13.1	13.0	13.0	13.0	13.0	13.1	13.1	12.8	12.7	12.6	12.6	12.5	12.4	12.4	12.4	12.2	13.2	12.6
24	12.3	12.3	12.2	12.2	12.2	12.2	13.1	13.2	13.1	13.1	13.1	13.0	13.0	13.0	13.1	13.1	12.8	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.2	13.2	12.7
25	12.3	12.3	12.3	12.2	12.2	12.2	12.3	12.8	13.1	13.1	13.0	13.0	13.1	13.1	13.1	13.1	12.8	12.7	12.6	12.6	12.5	12.5	12.4	12.4	12.2	13.1	12.7
26	12.3	12.3	12.3	12.2	12.2	12.2	13.2	13.2	13.1	13.1	13.1	13.0	12.9	13.0	13.1	13.0	12.8	12.7	12.6	12.5	12.5	12.4	12.4	12.3	12.2	13.2	12.7
27	12.2	12.2	12.2	12.2	12.2	12.1	13.2	13.2	13.1	13.1	13.0	13.0	13.0	13.0	13.1	13.1	12.8	12.7	12.6	12.5	12.5	12.4	12.4	12.3	12.1	13.2	12.7
28	12.2	12.2	12.2	12.1	12.1	12.1	13.3	13.2	13.2	13.1	13.0	12.9	12.9	13.0	13.0	13.0	12.7	12.6	12.6	12.5	12.4	12.4	12.3	12.3	12.1	13.3	12.6
29	12.2	12.2	12.2	12.1	12.1	12.1	13.1	13.2	13.2	13.1	13.0	12.9	12.9	13.0	13.0	13.0	12.7	12.6	12.6	12.5	12.4	12.4	12.3	12.3	12.1	13.2	12.6
30	12.2	12.2	12.2	12.2	12.2	12.2	13.2	13.1	13.2	13.1	13.0	13.0	13.0	13.0	13.1	13.0	12.8	12.7	12.6	12.5	12.5	12.4	12.4	12.3	12.2	13.2	12.7
31	12.3	12.2	12.2	12.2	12.1	12.1	13.2	13.2	13.2	13.1	13.0	13.0	12.9	13.0	13.0	13.0	12.7	12.6	12.6	12.5	12.4	12.4	12.4	12.3	12.1	13.2	12.7
Min	12.2	12.2	12.2	12.1	12.1	12.1	12.1	12.2	13.0	12.9	12.9	12.9	12.8	12.9	12.9	12.9	12.7	12.6	12.5	12.4	12.4	12.3	12.3	12.3	12.1		
Max	12.4	12.3	12.3	12.3	12.2	12.3	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.2	13.2	13.1	12.9	12.8	12.7	12.6	12.6	12.5	12.5	12.4		13.3	
Avg	12.3	12.3	12.2	12.2	12.2	12.2	13.0	13.1	13.1	13.1	13.0	12.9	12.9	13.0	13.0	13.0	12.8	12.7	12.6	12.5	12.5	12.4	12.4	12.3			12.7

Total Data Records Possible: 744
Total Valid Data Records: 744
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2