

Palm Desert Meteorological Data

November 2005

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Palm Desert (data subject to change)
Month: November
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 12-15-2005
Printout Time: 14:25:18
Output File Name: PDTB1105.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	6.0	5.1	4.5	2.3	4.4	4.6	4.9	4.0	3.6	1.2	1.9	3.8	4.3	4.2	4.2	3.7	2.7	1.7	3.2	3.3	5.1	4.0	4.3	4.9	1.2	6.0	3.8
2	4.2	4.8	3.7	4.4	3.7	3.8	3.4	1.9	1.5	2.5	2.9	4.6	6.4	5.8	5.2	3.2	2.5	3.1	3.4	3.7	3.5	2.4	3.1	2.8	1.5	6.4	3.6
3	3.0	2.0	2.8	3.1	3.3	3.7	1.7	3.9	4.1	3.2	3.3	2.1	1.9	1.5	2.7	3.5	6.2	9.4	11.5	13.2	13.6	16.4	17.6	11.4	1.5	17.6	6.0
4	9.2	5.7	2.9	5.9	8.4	7.5	5.3	4.3	3.8	2.8	3.8	3.3	3.3	8.4	10.5	11.2	9.9	12.4	11.5	9.3	12.0	9.0	9.3	9.8	2.8	12.4	7.5
5	8.6	8.4	2.4	2.5	4.1	6.8	5.6	4.6	5.4	4.4	3.3	2.9	3.7	3.6	4.9	4.2	3.0	2.8	2.6	3.1	3.4	4.0	3.4	4.4	2.4	8.6	4.3
6	4.2	3.7	5.5	5.4	4.3	4.0	4.8	4.1	3.3	2.1	1.1	2.0	1.6	3.8	3.4	2.3	3.0	1.7	1.9	2.5	3.8	4.1	3.7	3.6	1.1	5.5	3.3
7	4.4	4.0	3.9	3.1	4.0	3.5	3.4	2.7	1.6	1.9	2.2	1.4	1.1	2.5	3.0	3.3	1.7	1.9	1.9	2.3	4.7	5.0	5.0	4.3	1.1	5.0	3.0
8	3.4	4.7	4.4	3.9	4.2	2.6	3.2	3.3	1.9	2.1	2.2	1.8	0.9	1.2	0.6	1.1	2.2	2.8	2.6	3.2	4.9	10.5	11.3	8.6	0.6	11.3	3.6
9	7.7	6.8	9.7	8.7	7.8	6.5	6.3	4.0	3.6	4.2	4.2	5.3	5.1	2.8	3.6	4.6	6.2	5.8	5.4	5.4	6.0	6.2	6.0	7.1	2.8	9.7	5.8
10	6.3	9.0	7.4	5.5	5.0	4.0	3.8	3.5	3.3	3.5	2.0	2.5	3.5	4.0	5.1	7.5	9.7	9.1	9.8	9.7	11.2	9.8	13.7	11.9	2.0	13.7	6.7
11	10.6	10.1	8.0	10.4	12.3	12.5	11.9	8.3	5.2	3.0	2.5	3.2	9.0	9.9	10.4	11.1	11.7	10.8	10.9	11.5	9.6	10.0	7.9	7.5	2.5	12.5	9.1
12	7.9	6.8	5.8	5.4	5.2	5.2	4.5	4.5	4.7	2.6	1.5	1.6	3.7	2.9	3.2	3.0	1.5	1.5	3.7	3.2	5.8	4.9	3.6	4.7	1.5	7.9	4.1
13	4.4	4.9	4.9	4.8	5.1	5.0	4.7	4.5	2.5	3.2	3.3	2.0	2.0	2.2	2.2	1.8	2.1	2.4	3.2	4.5	4.0	4.6	5.0	4.3	1.8	5.1	3.6
14	4.3	4.7	5.0	4.4	5.2	4.4	4.1	3.6	2.1	1.2	2.4	3.3	3.3	3.7	3.3	3.5	2.7	2.6	2.0	3.6	3.6	3.3	5.0	4.9	1.2	5.2	3.6
15	5.2	4.2	4.2	6.9	8.2	6.5	4.7	4.3	2.7	7.7	8.7	9.3	7.5	7.2	3.5	2.6	5.3	4.0	4.9	5.8	5.0	4.2	4.1	3.5	2.6	9.3	5.4
16	4.6	4.1	4.3	4.4	4.5	4.1	1.9	3.0	2.4	1.6	1.8	1.6	2.1	3.6	3.7	2.9	2.3	3.5	3.8	4.5	3.5	4.2	5.0	4.8	1.6	5.0	3.4
17	4.5	5.3	5.5	3.9	5.2	4.6	4.4	2.8	3.6	2.1	2.0	1.8	2.2	2.1	3.1	3.0	3.7	3.9	4.2	3.8	3.7	5.1	4.7	5.1	1.8	5.5	3.8
18	5.6	4.4	4.4	4.5	5.0	4.4	4.6	3.8	1.4	4.3	3.8	3.2	4.3	3.9	3.3	2.7	2.3	4.1	4.9	3.7	4.4	5.0	4.1	4.7	1.4	5.6	4.0
19	4.1	4.7	4.5	3.1	4.2	4.4	4.2	4.0	2.1	2.2	3.4	4.4	4.3	3.9	3.9	3.0	2.2	3.7	4.4	4.2	4.0	3.2	4.5	4.9	2.1	4.9	3.8
20	4.6	4.8	4.5	4.3	4.2	4.7	4.6	4.6	1.5	1.4	1.4	3.0	3.8	4.7	2.5	1.0	2.9	2.4	4.1	4.9	3.9	3.8	2.9	5.1	1.0	5.1	3.6
21	3.8	4.3	4.7	4.0	4.3	3.7	4.3	4.7	3.3	2.7	1.6	1.7	2.1	2.0	2.5	2.2	1.6	1.1	4.0	4.1	4.2	4.6	4.7	4.9	1.1	4.9	3.4
22	4.9	4.9	4.4	4.9	4.3	2.9	4.1	3.5	2.6	2.2	1.4	3.1	5.4	5.4	4.5	2.8	3.2	2.5	3.2	3.0	4.1	4.6	3.9	3.8	1.4	5.4	3.7
23	3.7	4.7	4.5	4.5	4.2	4.3	3.9	3.8	3.1	2.7	1.5	2.5	1.0	2.2	2.0	3.4	2.4	3.1	4.1	3.3	4.1	3.6	3.8	4.7	1.0	4.7	3.4
24	3.6	3.6	3.5	3.5	4.1	5.8	5.9	4.3	3.3	3.9	3.1	1.6	2.7	4.3	4.0	3.5	2.6	2.6	3.6	5.3	5.1	4.5	5.9	5.0	1.6	5.9	4.0
25	4.4	4.5	4.4	4.0	4.2	5.0	4.5	2.7	1.2	0.7	0.9	1.4	3.3	2.7	2.3	2.8	3.5	3.4	2.5	4.6	4.0	3.1	2.7	3.8	0.7	5.0	3.2
26	6.7	10.4	8.8	7.8	6.6	11.3	7.4	4.3	6.7	8.2	12.2	12.7	12.1	13.8	12.1	12.9	10.7	7.0	8.9	16.3	10.1	10.9	10.5	7.1	4.3	16.3	9.8
27	7.4	3.8	11.9	11.3	11.2	12.3	7.3	6.2	3.2	3.6	5.2	5.0	4.3	2.3	4.6	3.1	1.3	3.0	3.5	2.2	2.5	4.2	4.4	4.7	1.3	12.3	5.4
28	5.5	4.7	4.8	5.1	5.4	5.0	4.4	3.5	1.3	-940	-940	-940	6.7	6.0	5.6	4.9	3.4	2.8	2.1	3.1	4.8	4.2	4.6	4.1	1.3	6.7	4.4
29	4.7	5.0	4.1	3.7	4.7	4.9	4.1	2.6	2.1	1.1	2.4	3.7	4.6	6.1	5.7	5.2	3.6	2.8	2.4	2.5	2.1	1.7	1.8	3.0	1.1	6.1	3.5
30	2.6	2.5	2.9	3.5	2.5	2.0	1.8	4.3	4.0	4.5	3.7	4.2	2.4	1.5	1.9	3.6	2.3	2.7	2.4	2.6	4.5	3.2	3.6	4.1	1.5	4.5	3.1
Min	2.6	2.0	2.4	2.3	2.5	2.0	1.7	1.9	1.2	0.7	0.9	1.4	0.9	1.2	0.6	1.0	1.3	1.1	1.9	2.2	2.1	1.7	1.8	2.8	0.6		
Max	10.6	10.4	11.9	11.3	12.3	12.5	11.9	8.3	6.7	8.2	12.2	12.7	12.1	13.8	12.1	12.9	11.7	12.4	11.5	16.3	13.6	16.4	17.6	11.9		17.6	
Avg	5.3	5.2	5.1	5.0	5.3	5.3	4.7	4.0	3.0	3.0	3.1	3.4	4.0	4.3	4.2	4.1	3.9	4.0	4.6	5.1	5.4	5.5	5.7	5.4			4.5

Total Data Records Possible: 720
Total Valid Data Records: 717
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.0

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Palm Desert (data subject to change)
 Month: November
 Year: 2005
 Time Zone: PST

Validation Level: B
 Printout Date: 12-15-2005
 Printout Time: 14:25:21
 Output File Name: PDTB1105.10

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	282	289	300	305	295	289	311	289	258	219	121	116	131	123	119	112	118	158	0	286	279	263	272	279	[WNW]
2	281	264	289	279	278	285	299	345	203	116	102	116	117	130	126	109	169	356	298	284	318	266	258	217	[W]
3	254	301	285	335	285	266	251	184	198	125	190	182	111	174	294	335	323	320	320	320	323	318	314	306	[NW]
4	290	294	280	293	308	302	299	284	260	251	277	295	294	318	317	318	327	319	326	314	312	305	306	306	[NW]
5	309	299	251	272	284	303	302	291	296	247	233	190	125	116	124	123	142	93	68	326	283	274	296	281	[WNW]
6	288	273	279	280	275	287	283	278	283	300	275	238	201	137	134	118	114	100	16	289	286	283	272	273	[W]
7	302	275	287	273	307	272	282	307	233	109	117	171	149	135	133	128	120	68	53	322	271	275	271	274	[W]
8	281	288	286	280	278	261	278	304	276	264	271	280	340	46	224	249	254	294	274	294	286	312	314	306	[W]
9	304	304	315	317	316	309	306	282	269	285	299	305	314	292	310	305	310	323	312	295	300	309	304	313	[NW]
10	309	314	299	271	261	258	274	268	232	191	179	252	324	311	305	317	318	316	320	319	332	324	325	323	[NW]
11	325	312	318	330	324	321	322	313	286	237	224	135	332	326	318	319	318	321	324	317	313	313	303	308	[NW]
12	312	296	303	285	271	278	253	277	275	262	249	205	162	115	109	105	124	129	322	308	270	286	289	271	[W]
13	285	278	277	281	277	311	286	279	331	237	171	133	171	145	112	107	147	231	297	301	288	293	268	281	[W]
14	263	268	274	271	274	285	302	282	265	171	122	158	114	124	119	136	134	73	89	316	284	249	276	294	[W]
15	286	269	274	298	303	298	324	276	174	334	357	345	355	3	333	347	341	286	268	287	261	293	312	309	[WNW]
16	275	307	289	280	286	312	34	309	354	261	291	264	220	229	243	258	244	300	285	313	296	310	283	298	[WNW]
17	306	273	306	299	286	290	285	281	273	268	265	226	238	245	254	262	278	314	269	273	250	265	277	271	[W]
18	271	274	276	266	268	266	289	245	245	269	266	247	210	233	236	229	253	287	289	290	303	305	296	295	[W]
19	306	294	281	293	271	267	294	269	294	216	120	132	136	123	119	132	249	310	280	301	299	301	285	290	[WNW]
20	284	282	307	299	295	280	283	296	154	324	165	208	164	159	195	175	95	259	323	284	285	303	298	279	[WNW]
21	272	283	303	277	267	286	283	280	280	275	237	216	160	149	118	125	105	314	310	310	276	295	302	283	[WNW]
22	294	280	282	297	279	294	293	302	298	257	206	124	124	116	123	119	145	51	345	284	279	294	281	278	[WNW]
23	282	281	303	288	278	291	285	283	296	283	278	243	210	116	134	115	62	283	243	264	306	293	286	256	[WNW]
24	344	250	295	290	290	280	291	281	253	232	108	112	206	238	226	215	189	352	322	290	283	276	279	280	[WNW]
25	266	277	280	260	272	283	264	250	86	167	61	104	128	187	184	149	127	73	279	10	299	325	302	289	[W]
26	322	320	295	279	304	315	294	255	307	314	322	322	322	326	322	321	323	303	338	353	332	329	331	330	[NW]
27	336	251	5	356	343	339	327	329	323	297	322	343	297	3	359	96	293	287	143	85	342	282	295	300	[NNW]
28	283	302	288	270	272	301	288	302	296	-940	-940	-940	109	127	124	118	127	86	38	301	272	286	273	275	[WNW]
29	269	309	294	292	296	296	273	276	298	259	105	131	131	122	114	125	111	78	62	51	82	158	303	303	[WNW]
30	358	281	260	277	298	279	349	285	279	274	260	234	211	209	129	133	128	108	46	346	277	264	287	278	[W]

Prev [WNW] [WNW] [WNW] [W] [W] [WNW] [WNW] [WNW] [W] [W] [W] [SE] [SE] [ESE] [ESE] [ESE] [SE] [NW] [NW] [WNW] [WNW] [WNW] [WNW] [W] [WNW]

Total Data Records Possible: 720
 Total Valid Data Records: 717
 Percent Data Recovery: 99.6

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.0

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Palm Desert (data subject to change)
Month: November
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 12-15-2005
Printout Time: 14:25:21
Output File Name: PDTB1105.10t

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[NW]	[WNW]	[WSW]	[SW]	[ESE]	[ESE]	[SE]	[ESE]	[ESE]	[ESE]	[ESE]	[SSE]	[N]	[WNW]	[W]	[W]	[W]	[W]	[WNW]
2	[W]	[W]	[WNW]	[W]	[W]	[WNW]	[WNW]	[NNW]	[SSW]	[ESE]	[ESE]	[ESE]	[ESE]	[SE]	[SE]	[ESE]	[S]	[N]	[WNW]	[WNW]	[NW]	[W]	[WSW]	[SW]	[W]
3	[WSW]	[WNW]	[WNW]	[NNW]	[WNW]	[W]	[WSW]	[S]	[SSW]	[SE]	[S]	[S]	[ESE]	[S]	[WNW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
4	[WNW]	[WNW]	[W]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[WSW]	[W]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
5	[NW]	[WNW]	[WSW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WSW]	[SW]	[S]	[SE]	[ESE]	[SE]	[ESE]	[SE]	[E]	[ENE]	[NW]	[WNW]	[W]	[WNW]	[W]	[WNW]
6	[WNW]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[W]	[WSW]	[SSW]	[SE]	[SE]	[ESE]	[ESE]	[E]	[NNE]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]
7	[WNW]	[W]	[WNW]	[W]	[NW]	[W]	[WNW]	[NW]	[SW]	[ESE]	[ESE]	[S]	[SSE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[ENE]	[NE]	[NW]	[W]	[W]	[W]	[W]
8	[W]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[NW]	[W]	[W]	[W]	[W]	[NNW]	[NE]	[SW]	[WSW]	[WSW]	[WNW]	[W]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[W]
9	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[W]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]
10	[NW]	[NW]	[WNW]	[W]	[W]	[WSW]	[W]	[W]	[SW]	[S]	[S]	[WSW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]
11	[NW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WSW]	[SW]	[SE]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
12	[NW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[WSW]	[W]	[W]	[W]	[WSW]	[SSW]	[SSE]	[ESE]	[ESE]	[ESE]	[SE]	[SE]	[NW]	[NW]	[W]	[WNW]	[WNW]	[W]	[W]
13	[WNW]	[W]	[W]	[W]	[W]	[NW]	[W]	[NNW]	[WSW]	[S]	[SE]	[S]	[SE]	[SE]	[ESE]	[ESE]	[SSE]	[SW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]
14	[W]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[W]	[S]	[ESE]	[SSE]	[ESE]	[SE]	[ESE]	[SE]	[SE]	[ENE]	[E]	[NW]	[WNW]	[WSW]	[W]	[WNW]	[W]
15	[WNW]	[W]	[W]	[WNW]	[WNW]	[WNW]	[NW]	[W]	[S]	[NNW]	[N]	[NNW]	[N]	[N]	[NNW]	[NNW]	[NNW]	[WNW]	[W]	[WNW]	[W]	[WNW]	[NW]	[NW]	[WNW]
16	[W]	[NW]	[WNW]	[WNW]	[NW]	[NE]	[NW]	[N]	[W]	[WNW]	[W]	[SW]	[SW]	[WSW]	[WSW]	[WSW]	[WSW]	[WNW]	[WNW]	[NW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]
17	[NW]	[W]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[SW]	[WSW]	[WSW]	[WSW]	[W]	[W]	[NW]	[W]	[W]	[WSW]	[W]	[W]	[W]	[W]
18	[W]	[W]	[W]	[W]	[W]	[W]	[WNW]	[WSW]	[WSW]	[W]	[W]	[WSW]	[SSW]	[SW]	[SW]	[SW]	[WSW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[W]
19	[NW]	[WNW]	[W]	[WNW]	[W]	[W]	[WNW]	[W]	[WNW]	[SW]	[ESE]	[SE]	[SE]	[ESE]	[ESE]	[SE]	[SW]	[NW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
20	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[SSE]	[NW]	[SSE]	[SSW]	[SSE]	[SSE]	[SSW]	[S]	[E]	[W]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]
21	[W]	[WNW]	[WNW]	[W]	[W]	[WNW]	[WNW]	[W]	[W]	[W]	[WSW]	[SW]	[SSE]	[SSE]	[ESE]	[SE]	[ESE]	[NW]	[NW]	[NW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]
22	[WNW]	[W]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[WSW]	[SSW]	[SE]	[SE]	[ESE]	[ESE]	[ESE]	[SE]	[NE]	[NNW]	[WNW]	[W]	[WNW]	[W]	[W]	[W]	[WNW]
23	[WNW]	[W]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WSW]	[SSW]	[ESE]	[SE]	[ESE]	[ENE]	[WNW]	[WSW]	[W]	[NW]	[WNW]	[WNW]	[WSW]	[WNW]	[WNW]
24	[NNW]	[WSW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[W]	[WSW]	[SW]	[ESE]	[ESE]	[SSW]	[WSW]	[SW]	[SW]	[S]	[N]	[NW]	[WNW]	[WNW]	[W]	[W]	[W]	[WNW]
25	[W]	[W]	[W]	[W]	[W]	[WNW]	[W]	[WSW]	[E]	[SSE]	[ENE]	[ESE]	[SE]	[S]	[S]	[SSE]	[SE]	[ENE]	[W]	[N]	[WNW]	[NW]	[WNW]	[WNW]	[W]
26	[NW]	[NW]	[WNW]	[W]	[NW]	[W]	[WNW]	[WSW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]
27	[NNW]	[WSW]	[N]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[WNW]	[NW]	[NNW]	[WNW]	[N]	[N]	[E]	[WNW]	[WNW]	[SE]	[E]	[NNW]	[WNW]	[WNW]	[WNW]	[NNW]
28	[WNW]	[WNW]	[WNW]	[W]	[W]	[WNW]	[WNW]	[WNW]	-940	-940	-940	[ESE]	[SE]	[SE]	[ESE]	[ESE]	[SE]	[E]	[NE]	[WNW]	[W]	[WNW]	[W]	[W]	[WNW]
29	[W]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[WNW]	[W]	[ESE]	[SE]	[SE]	[ESE]	[ESE]	[SE]	[ESE]	[ENE]	[ENE]	[NE]	[E]	[SSE]	[WNW]	[WNW]	[WNW]
30	[N]	[WNW]	[W]	[W]	[WNW]	[W]	[N]	[WNW]	[W]	[W]	[W]	[SW]	[SSW]	[SSW]	[SE]	[SE]	[SE]	[ESE]	[NE]	[NNW]	[W]	[W]	[WNW]	[W]	[W]

Prev [WNW] [WNW] [WNW] [W] [W] [WNW] [WNW] [WNW] [W] [W] [W] [SE] [SE] [ESE] [ESE] [ESE] [SE] [NW] [NW] [WNW] [WNW] [WNW] [WNW] [W] [WNW]

Total Data Records Possible: 720
Total Valid Data Records: 717
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.0

Variable: Sigma Theta (Yamartino)
 Units: degrees
 Channel: 11

Site: Palm Desert (data subject to change)
 Month: November
 Year: 2005
 Time Zone: PST

Validation Level: B
 Printout Date: 12-15-2005
 Printout Time: 14:25:22
 Output File Name: PDTB1105.11

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	12.7	14.2	21.7	32.0	10.4	18.9	10.7	11.6	12.0	44.1	28.7	20.0	17.6	20.5	17.0	15.0	19.4	20.3	22.9	18.2	9.7	11.3	9.5	9.5	9.5	44.1	17.8
2	9.7	11.6	11.4	11.3	11.3	19.2	15.6	27.0	45.1	21.3	18.4	19.9	16.3	16.0	16.8	20.4	54.7	30.7	24.4	27.4	23.4	26.4	26.3	25.7	9.7	54.7	22.1
3	53.2	39.0	24.5	30.9	44.2	16.2	40.8	36.2	17.6	20.5	32.1	40.1	49.2	62.6	41.2	21.9	13.3	14.7	15.8	15.5	15.1	15.5	15.1	18.5	13.3	62.6	28.9
4	18.0	18.1	17.6	15.3	17.9	17.7	18.0	20.6	23.0	25.7	26.5	50.5	31.9	23.7	16.0	15.1	14.1	14.4	15.0	16.3	16.3	18.8	17.9	18.1	14.1	50.5	20.3
5	19.3	22.2	29.6	20.8	19.0	18.7	22.5	20.9	17.8	19.4	23.3	24.7	25.1	22.4	18.0	14.2	8.6	9.4	25.5	17.9	8.8	7.8	8.4	10.1	7.8	29.6	18.1
6	9.5	9.5	10.5	12.7	12.1	8.7	10.6	9.9	15.0	21.3	19.2	25.4	47.0	20.8	14.8	14.0	9.7	12.0	27.4	9.4	8.6	12.1	10.1	9.6	8.6	47.0	15.0
7	13.4	10.7	11.7	11.5	12.4	10.9	9.3	12.8	17.7	32.8	22.0	37.2	44.6	25.1	20.7	15.0	9.1	16.3	8.0	14.2	7.7	10.4	13.3	13.9	7.7	44.6	16.7
8	15.7	11.5	14.5	16.7	13.3	26.1	47.8	14.2	13.9	16.5	16.8	28.8	67.3	49.3	53.8	50.5	9.9	14.1	14.4	14.6	13.4	15.8	15.8	19.4	9.9	67.3	23.9
9	17.5	19.5	17.5	17.2	17.0	18.9	17.3	20.1	16.0	15.9	20.2	20.2	16.6	20.7	18.2	18.3	18.0	14.7	17.6	15.4	17.6	17.9	18.0	16.5	14.7	20.7	17.8
10	19.0	16.7	19.5	18.6	14.1	13.7	15.2	17.3	15.9	26.1	49.0	61.5	36.2	33.9	24.2	15.6	15.4	15.5	15.5	16.6	15.4	17.0	14.6	17.3	13.7	61.5	21.8
11	17.6	20.6	18.4	16.0	16.3	16.4	17.6	20.3	27.9	30.7	69.2	32.6	20.5	18.1	17.0	15.7	15.6	16.5	15.4	14.8	16.7	15.9	18.7	18.6	14.8	69.2	21.1
12	17.3	17.2	17.8	13.4	13.2	15.2	11.2	13.6	16.2	24.0	50.5	57.2	24.0	31.1	25.5	14.8	6.4	23.5	18.8	12.8	10.5	14.4	28.6	12.6	6.4	57.2	20.4
13	10.6	10.7	12.9	9.9	13.8	13.2	11.9	13.9	22.7	14.7	18.5	38.4	39.0	34.3	30.7	13.9	7.6	32.0	9.9	12.2	13.1	10.8	12.1	18.8	7.6	39.0	17.7
14	15.3	10.9	9.7	12.5	9.3	11.5	13.0	13.9	28.7	63.4	28.7	21.3	22.6	18.5	17.1	11.2	10.4	18.1	21.8	11.1	17.5	42.9	11.8	19.8	9.3	63.4	19.2
15	23.9	34.6	37.9	16.7	18.4	22.9	48.5	44.8	54.3	21.6	30.3	20.8	20.6	25.5	46.6	46.4	21.8	25.8	12.1	14.8	13.5	29.2	28.2	34.3	12.1	54.3	28.9
16	19.9	17.6	16.5	9.8	22.8	20.4	77.1	29.7	22.0	31.9	53.1	52.2	29.8	25.1	16.2	11.2	11.2	22.5	15.8	11.9	11.9	11.5	9.8	12.7	9.8	77.1	23.4
17	11.8	10.1	10.4	13.4	8.2	9.0	7.2	17.8	18.9	22.5	42.2	30.5	32.1	40.0	13.7	8.3	6.4	20.0	14.7	13.5	18.4	17.2	26.0	27.0	6.4	42.2	18.3
18	13.9	13.0	15.0	12.9	8.9	10.9	18.7	39.1	51.3	16.9	22.2	29.6	16.3	21.6	37.7	12.7	8.7	9.9	11.9	29.1	14.4	15.8	11.5	10.5	8.7	51.3	18.9
19	12.7	8.9	6.7	24.7	9.9	16.4	22.1	29.8	35.8	53.0	30.8	18.4	16.2	17.5	15.5	20.1	12.3	10.4	12.0	18.8	23.2	18.3	18.5	36.0	6.7	53.0	20.3
20	19.2	13.6	13.9	17.4	38.8	36.5	23.5	27.6	34.9	49.2	42.6	18.4	23.7	16.9	28.0	19.4	6.2	16.4	23.0	11.8	12.4	13.5	25.0	11.4	6.2	49.2	22.6
21	9.7	10.8	14.3	10.1	11.0	17.4	9.5	11.5	14.3	15.6	26.5	29.7	42.9	38.5	17.0	11.3	7.4	36.3	11.2	13.3	9.9	12.7	11.9	12.3	7.4	42.9	16.9
22	11.8	11.0	11.1	11.7	13.9	17.1	17.0	12.0	19.7	15.0	24.9	26.8	14.9	16.6	13.4	12.0	13.9	29.8	14.2	11.2	6.9	11.5	8.2	10.3	6.9	29.8	14.8
23	8.5	11.4	10.2	9.9	9.4	15.2	11.4	10.9	11.4	9.9	14.8	10.1	34.3	20.4	34.4	29.4	27.7	20.1	12.0	16.3	13.4	18.1	13.4	10.6	8.5	34.4	16.0
24	19.6	17.8	19.3	23.1	15.1	14.1	14.7	18.0	33.9	28.7	19.0	50.8	38.0	21.4	16.8	10.9	23.7	40.4	43.6	13.3	14.4	18.0	15.6	14.4	10.9	50.8	22.7
25	12.4	12.8	13.4	13.2	10.1	7.9	11.9	33.9	32.3	40.1	30.2	40.6	22.2	20.9	33.3	12.3	11.3	21.3	44.7	14.7	29.2	26.0	36.3	19.1	7.9	44.7	22.9
26	13.8	17.1	20.5	24.3	26.9	19.2	20.8	34.0	19.3	21.0	17.1	21.0	21.8	16.3	18.8	16.5	18.8	31.8	28.7	18.9	16.2	17.9	22.3	24.2	13.8	34.0	21.1
27	26.9	60.9	39.5	19.0	19.8	17.4	17.2	18.0	55.0	42.4	32.5	39.5	40.4	59.4	40.5	36.2	47.9	24.5	44.7	27.4	23.7	8.0	17.5	16.4	8.0	60.9	32.3
28	10.6	12.4	12.9	8.4	9.5	11.1	11.6	15.6	24.3	-940	-940	-940	18.4	18.7	16.3	13.8	8.5	11.8	10.2	22.6	9.0	11.5	13.1	11.9	8.4	24.3	13.4
29	11.3	20.1	22.0	20.7	16.0	14.7	13.4	46.3	22.3	48.8	40.0	22.7	20.0	17.1	16.5	15.3	14.8	16.5	25.5	37.2	14.6	45.5	30.1	28.0	11.3	48.8	24.1
30	36.5	24.1	24.7	21.8	26.4	37.8	51.3	13.6	13.0	14.0	21.5	18.2	30.4	35.7	38.3	12.2	6.5	10.6	14.0	16.3	10.3	12.3	13.4	13.5	6.5	51.3	21.5
Min	8.5	8.9	6.7	8.4	8.2	7.9	7.2	9.9	11.4	9.9	14.8	10.1	14.9	16.0	13.4	8.3	6.2	9.4	8.0	9.4	6.9	7.8	8.2	9.5	6.2		
Max	53.2	60.9	39.5	32.0	44.2	37.8	77.1	46.3	55.0	63.4	69.2	61.5	67.3	62.6	53.8	50.5	54.7	40.4	44.7	37.2	29.2	45.5	36.3	36.0		77.1	
Avg	17.0	17.6	17.5	16.5	16.3	17.1	21.2	21.8	25.1	27.8	30.0	31.3	29.3	27.0	24.5	18.1	15.3	20.0	19.7	16.9	14.5	17.5	17.4	17.4			20.7

Total Data Records Possible: 720
 Total Valid Data Records: 717
 Percent Data Recovery: 99.6

Missing Data Codes

 -910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.0

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Palm Desert (data subject to change)
Month: November
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 12-15-2005
Printout Time: 14:25:26
Output File Name: PDTB1105.17

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	11.5	10.0	9.0	6.3	8.3	8.3	8.3	7.4	7.1	4.4	4.7	7.4	7.6	8.7	8.0	8.2	6.3	4.1	6.7	6.2	8.6	6.5	6.5	7.8	4.1	11.5	7.4
2	7.1	8.0	6.1	7.4	5.9	6.4	6.0	3.7	4.0	5.6	6.6	9.5	11.6	10.1	10.9	6.7	6.8	7.6	6.7	7.2	6.4	6.1	7.1	7.4	3.7	11.6	7.1
3	7.1	6.6	5.9	8.3	6.9	6.4	5.5	8.9	8.6	6.9	8.3	5.8	4.7	3.9	8.0	7.7	14.3	19.6	23.4	26.8	26.2	32.5	29.8	28.0	3.9	32.5	12.9
4	22.2	13.3	6.1	17.8	17.3	15.6	14.4	11.1	9.0	5.6	9.9	8.6	8.8	18.0	19.5	22.2	17.8	26.3	21.8	21.2	24.7	19.1	22.4	21.0	5.6	26.3	16.4
5	18.8	19.9	6.0	7.8	11.4	17.7	15.2	11.3	10.3	8.6	7.2	7.4	7.8	8.2	9.2	8.0	5.6	5.3	5.1	5.4	5.2	6.6	5.9	7.9	5.1	19.9	9.2
6	7.8	6.2	8.8	10.6	8.1	7.4	8.4	6.6	7.2	5.9	3.5	4.8	4.9	7.4	6.6	5.2	5.6	4.6	3.1	4.9	6.4	6.8	6.6	6.9	3.1	10.6	6.4
7	8.6	7.0	6.8	5.0	6.2	5.8	5.8	4.7	3.4	5.0	5.1	3.2	4.2	6.1	6.4	6.7	4.0	3.3	3.1	5.6	7.3	8.1	8.8	7.2	3.1	8.8	5.7
8	6.1	9.1	9.1	6.7	7.9	5.4	6.1	6.5	5.1	5.2	4.6	4.5	4.1	3.4	2.2	3.1	3.7	4.5	4.7	5.3	11.3	20.0	22.7	19.4	2.2	22.7	7.5
9	16.2	15.5	19.7	17.2	16.0	14.5	13.0	9.4	9.0	9.6	8.2	14.7	11.0	6.8	7.8	11.0	13.0	10.3	11.1	10.9	11.8	12.4	13.1	14.5	6.8	19.7	12.4
10	13.4	18.4	17.2	14.5	8.5	7.7	8.3	7.8	6.1	6.1	6.2	10.2	9.1	9.4	11.2	15.1	18.6	19.3	21.9	19.6	22.4	21.1	24.2	24.3	6.1	24.3	14.2
11	23.2	19.8	18.5	23.2	25.3	27.2	27.2	21.9	18.9	7.3	11.5	8.7	18.8	19.6	19.9	21.7	23.4	22.1	20.6	19.5	18.9	18.9	17.0	16.4	7.3	27.2	19.6
12	15.9	14.3	12.4	11.3	9.9	11.0	7.8	7.8	9.9	6.1	4.1	5.5	7.8	8.1	8.8	7.2	2.6	2.9	6.1	6.6	9.9	9.4	6.5	7.9	2.6	15.9	8.3
13	6.7	8.2	8.1	8.9	8.3	8.6	6.7	8.0	5.6	6.4	7.4	5.2	4.9	4.9	5.2	3.7	3.2	4.2	5.3	8.2	7.8	8.6	8.8	8.3	3.2	8.9	6.7
14	7.2	7.6	7.9	8.2	9.3	7.2	8.6	5.8	5.4	4.4	5.7	6.0	8.0	7.4	6.2	6.2	4.7	5.2	4.2	6.9	6.4	7.8	8.6	8.7	4.2	9.3	6.8
15	10.2	8.6	11.1	17.3	16.1	19.7	9.9	9.4	7.8	18.5	22.1	19.7	17.0	15.1	13.9	11.0	13.9	10.5	8.2	11.5	9.0	8.6	7.5	7.4	7.4	22.1	12.7
16	9.8	9.1	8.4	7.4	8.4	8.8	5.6	5.8	5.8	5.8	4.3	4.1	5.9	7.7	9.0	5.6	3.7	6.8	6.6	9.1	7.3	7.8	9.5	9.9	3.7	9.9	7.2
17	7.5	8.7	9.8	8.8	8.0	8.4	6.5	5.9	6.6	5.2	4.9	4.4	5.2	5.9	6.0	5.1	5.8	8.8	8.5	7.3	6.0	9.1	10.7	12.8	4.4	12.8	7.3
18	10.4	8.8	9.5	11.4	8.6	8.1	7.8	8.3	5.0	9.1	7.8	7.4	8.0	8.3	6.6	6.3	4.1	7.7	8.2	6.6	8.6	9.9	8.9	7.8	4.1	11.4	8.0
19	8.8	7.9	6.9	7.8	7.6	8.5	7.7	7.2	5.0	5.3	7.2	7.8	8.2	7.2	7.6	6.6	3.7	6.4	7.9	6.4	7.7	5.7	8.3	8.9	3.7	8.9	7.2
20	9.0	8.8	9.1	8.3	9.6	9.4	8.5	8.6	4.4	3.7	4.5	7.5	7.8	9.1	6.9	4.7	5.2	4.8	7.7	8.7	9.1	7.5	9.3	8.6	3.7	9.6	7.5
21	6.7	8.3	9.1	8.3	8.0	7.3	7.9	8.2	6.6	5.7	3.7	4.1	6.8	5.4	5.5	4.7	3.0	4.2	6.6	8.6	6.9	8.1	8.1	8.6	3.0	9.1	6.7
22	8.6	8.9	6.6	7.8	7.4	6.4	7.3	6.8	6.1	5.2	3.1	7.5	9.5	9.7	8.1	5.6	5.6	4.5	4.8	4.9	6.3	7.2	6.1	6.4	3.1	9.7	6.7
23	7.4	7.7	8.3	7.1	7.3	7.8	6.7	7.9	7.7	5.4	3.1	4.5	3.5	4.6	5.0	7.7	4.6	6.9	6.3	6.0	6.2	7.1	6.4	7.9	3.1	8.3	6.4
24	5.8	6.6	6.8	7.1	8.8	12.1	12.0	9.2	7.7	8.5	6.6	5.3	6.3	9.3	7.4	5.8	4.6	4.6	6.9	12.0	10.1	9.8	14.0	10.4	4.6	14.0	8.2
25	7.8	8.3	8.9	7.9	6.5	7.3	8.6	6.4	3.6	2.8	2.5	4.3	7.5	5.0	5.0	4.5	6.6	6.3	6.4	7.7	8.9	6.0	6.6	6.8	2.5	8.9	6.3
26	17.8	26.7	23.7	20.2	20.4	27.7	25.6	20.8	16.7	19.9	24.0	29.5	29.0	26.0	24.3	29.5	25.3	21.9	28.9	31.5	24.0	27.6	23.5	21.7	16.7	31.5	24.4
27	23.9	13.2	30.2	24.8	27.7	29.3	18.5	14.4	9.5	13.6	11.9	16.4	11.7	7.9	12.6	8.4	4.2	6.4	7.1	4.2	4.6	6.6	8.6	8.1	4.2	30.2	13.5
28	9.2	9.1	9.4	8.3	9.6	10.1	6.6	7.1	3.3	-940	-940	-940	14.5	10.4	11.5	8.9	7.2	4.2	3.4	4.7	8.3	7.2	8.4	6.9	3.3	14.5	8.0
29	9.1	8.6	7.1	6.6	8.3	7.8	7.4	6.2	5.1	4.6	7.2	7.8	10.2	11.5	10.6	9.9	7.7	5.3	6.2	6.1	4.7	4.3	4.7	6.1	4.3	11.5	7.2
30	7.3	5.5	7.0	6.7	5.0	5.2	5.8	7.4	7.8	7.8	7.5	8.5	6.6	5.2	5.5	6.6	3.7	4.5	3.9	4.5	6.9	7.7	8.2	6.6	3.7	8.5	6.3
Min	5.8	5.5	5.9	5.0	5.0	5.2	5.5	3.7	3.3	2.8	2.5	3.2	3.5	3.4	2.2	3.1	2.6	2.9	3.1	4.2	4.6	4.3	4.7	6.1	2.2		
Max	23.9	26.7	30.2	24.8	27.7	29.3	27.2	21.9	18.9	19.9	24.0	29.5	29.0	26.0	24.3	29.5	25.3	26.3	28.9	31.5	26.2	32.5	29.8	28.0		32.5	
Avg	11.0	10.6	10.5	10.6	10.6	11.1	9.8	8.7	7.3	7.2	7.4	8.3	9.0	9.0	9.2	8.8	7.9	8.4	9.0	9.8	10.3	10.8	11.2	11.0			9.5

Total Data Records Possible: 720
Total Valid Data Records: 717
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.0

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Palm Desert (data subject to change)
Month: November
Year: 2005
Time Zone: PST

Validation Level: B
Printout Date: 12-15-2005
Printout Time: 14:25:17
Output File Name: PDTB1105.7

Day	Hour Ending													14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg	
	1	2	3	4	5	6	7	8	9	10	11	12	13															
1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.2
2	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.2
3	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.2
4	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.2
5	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.1	13.4	13.2
6	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.2
7	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.3
8	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.2
9	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.1	13.4	13.2
10	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.2
11	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.3
12	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.1	13.4	13.2
13	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.1	13.4	13.2
14	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.4	13.2
15	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.3
16	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.1	13.4	13.2
17	13.1	13.1	13.1	13.1	13.1	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.0	13.4	13.2
18	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.1	13.4	13.2
19	13.1	13.1	13.1	13.1	13.1	13.1	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.0	13.4	13.2
20	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.1	13.4	13.2
21	13.1	13.1	13.1	13.1	13.1	13.1	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.0	13.4	13.2
22	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.1	13.4	13.2
23	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.1	13.4	13.2
24	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.1	13.4	13.2
25	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.1	13.4	13.2
26	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.4	13.2
27	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.1	13.1	13.4	13.3
28	13.1	13.1	13.1	13.1	13.1	13.0	13.0	13.2	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.1	13.1	13.0	13.4	13.2
29	13.1	13.1	13.1	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.0	13.4	13.2
30	13.1	13.1	13.1	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.1	13.1	13.0	13.4	13.2
Min	13.1	13.1	13.1	13.0	13.0	13.0	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.1	13.1	13.1	13.0		
Max	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.4	
Avg	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.1			13.2

Total Data Records Possible: 720
Total Valid Data Records: 720
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.0