

Palm Desert Meteorological Data

November 2006

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Palm Desert (data subject to change)
Month: November
Year: 2006
Time Zone: PST

Validation Level: B
Printout Date: 01-10-2007
Printout Time: 08:28:49
Output File Name: PDTB1106.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	10.3	11.0	10.8	7.8	7.8	6.4	5.6	3.8	2.2	1.6	2.7	4.2	5.3	4.3	3.6	3.5	1.9	0.9	1.4	3.9	4.2	3.7	4.0	4.5	0.9	11.0	4.8
2	5.0	4.6	4.4	4.5	4.3	4.2	3.3	3.3	2.9	2.3	1.0	2.5	3.9	5.4	6.3	6.0	3.9	2.2	1.0	3.0	4.0	3.6	4.5	4.2	1.0	6.3	3.8
3	4.8	5.1	3.8	4.2	4.1	4.3	3.6	3.6	2.6	4.7	2.8	2.4	2.4	3.8	4.5	2.4	3.6	2.7	3.9	3.0	4.9	5.0	7.2	8.0	2.4	8.0	4.1
4	6.0	9.7	11.1	7.9	5.5	6.2	3.5	3.1	3.2	1.7	1.7	2.5	3.4	3.6	2.3	3.8	5.1	4.5	3.1	5.2	3.3	3.5	3.9	5.0	1.7	11.1	4.5
5	5.1	4.6	5.1	3.9	2.0	5.0	4.7	4.6	3.6	3.2	3.3	3.4	3.4	3.0	4.8	6.3	3.7	3.6	2.9	2.3	5.3	4.0	6.0	6.2	2.0	6.3	4.2
6	4.7	4.9	3.2	3.8	3.8	3.7	5.6	3.9	3.0	3.9	3.6	4.4	3.9	5.8	5.5	3.5	3.0	3.7	4.2	5.3	4.4	3.8	3.0	3.3	3.0	5.8	4.1
7	4.3	3.8	4.4	4.3	3.7	3.8	2.9	2.6	2.0	1.3	1.2	2.4	4.2	5.9	6.4	6.1	4.1	2.0	2.3	3.9	4.5	3.9	4.2	4.5	1.2	6.4	3.7
8	4.6	4.4	4.4	4.0	3.0	3.7	2.9	1.4	0.9	2.1	4.9	6.8	7.5	7.9	7.4	6.8	3.8	1.8	1.6	3.1	4.1	4.1	3.6	4.6	0.9	7.9	4.2
9	4.0	3.3	2.5	3.2	2.7	3.3	4.0	3.4	1.5	2.2	1.9	3.2	2.7	4.9	3.9	5.0	7.6	7.8	7.4	9.8	4.4	9.7	8.8	6.7	1.5	9.8	4.7
10	7.2	5.5	3.2	5.5	3.5	4.2	5.0	5.4	5.6	5.5	5.3	3.1	3.9	3.8	4.2	3.4	1.7	1.1	3.2	3.7	4.1	3.7	3.8	4.3	1.1	7.2	4.2
11	3.4	4.2	4.7	4.6	4.4	4.0	3.0	2.4	1.2	1.6	0.7	4.4	6.4	7.5	6.3	3.5	3.1	8.7	6.2	7.6	10.7	13.4	15.8	15.9	0.7	15.9	6.0
12	12.7	8.8	4.5	4.9	6.9	7.8	8.7	6.1	6.2	6.3	5.3	5.1	4.0	4.0	5.2	3.3	4.7	4.3	3.9	3.7	4.1	4.7	4.9	5.4	3.3	12.7	5.6
13	4.3	2.6	5.0	3.6	4.0	3.8	3.3	2.9	1.4	3.5	4.2	6.3	8.0	8.5	7.0	6.0	4.0	2.1	2.0	1.8	2.0	1.3	2.3	1.9	1.3	8.5	3.8
14	1.6	2.9	3.0	3.0	3.1	3.0	2.8	4.6	3.9	3.8	4.6	3.4	3.0	2.7	2.3	4.1	5.0	7.2	5.8	5.9	3.8	3.1	4.0	5.1	1.6	7.2	3.8
15	4.0	4.8	3.8	4.8	4.2	4.0	2.9	3.8	1.6	1.5	2.2	3.6	3.3	4.1	3.5	3.5	2.8	2.2	1.9	2.5	4.3	4.0	4.6	4.5	1.5	4.8	3.4
16	3.0	3.5	4.3	4.4	4.2	4.4	4.0	4.1	3.3	3.5	1.4	1.8	3.3	4.3	4.1	3.8	2.8	2.2	2.4	2.8	3.9	3.6	3.2	3.9	1.4	4.4	3.4
17	5.0	3.2	4.5	4.9	5.4	4.2	4.7	4.2	1.1	1.0	3.4	4.1	4.8	3.4	2.7	3.2	2.2	2.2	3.0	2.6	4.3	4.8	4.4	4.4	1.0	5.4	3.7
18	3.1	4.4	4.4	5.4	4.5	3.1	3.7	3.8	3.2	1.6	1.5	2.1	4.1	5.7	5.3	4.4	2.4	2.6	2.4	3.4	4.1	4.7	3.6	4.4	1.5	5.7	3.7
19	4.0	4.0	3.7	4.4	4.6	3.6	3.9	3.3	1.7	0.6	1.5	3.1	3.3	4.2	4.0	3.7	2.0	1.9	3.1	3.8	4.0	3.5	3.9	3.7	0.6	4.6	3.3
20	4.5	5.2	4.7	4.1	4.7	4.5	4.6	4.6	1.9	1.7	2.0	4.6	5.9	6.1	6.3	5.5	4.4	1.5	3.3	4.1	4.3	4.5	5.3	5.2	1.5	6.3	4.3
21	5.0	4.8	4.9	4.7	4.7	5.4	5.4	4.3	2.6	1.8	4.4	4.7	5.7	6.3	5.6	3.7	1.7	1.2	2.7	3.8	3.2	4.2	3.4	4.3	1.2	6.3	4.1
22	4.9	4.2	4.3	3.2	4.3	3.4	2.3	1.0	0.6	0.6	1.3	2.9	3.8	4.7	6.0	5.6	3.9	2.3	2.0	3.2	2.7	2.6	4.3	3.3	0.6	6.0	3.2
23	3.2	3.2	2.9	2.4	2.3	1.3	1.3	2.9	1.8	1.1	1.1	2.8	4.6	2.4	1.0	0.5	1.7	2.1	4.4	5.0	5.6	6.5	6.9	5.4	0.5	6.9	3.0
24	6.0	5.4	7.1	7.6	7.1	6.7	6.3	6.4	6.4	5.7	4.8	3.7	2.8	2.6	2.0	4.4	6.0	6.0	5.2	6.8	10.2	9.5	9.7	7.0	2.0	10.2	6.1
25	7.5	9.6	7.1	4.3	5.0	5.5	3.5	3.7	5.0	7.7	11.9	11.5	10.6	12.9	11.9	12.1	12.1	9.1	7.8	7.4	5.8	10.0	9.2	8.5	3.5	12.9	8.3
26	10.7	4.7	3.7	3.6	6.3	5.1	5.5	8.0	7.0	4.3	4.0	3.4	3.1	2.4	1.9	3.6	5.6	7.0	5.1	2.7	2.7	3.3	5.4	5.9	1.9	10.7	4.8
27	8.8	8.7	4.8	5.7	4.2	4.1	3.3	2.2	5.2	3.8	4.0	2.3	3.0	4.4	5.5	3.3	4.6	5.3	3.4	1.7	3.7	3.3	3.1	3.0	1.7	8.8	4.2
28	4.2	4.7	2.9	2.4	1.2	3.0	2.8	1.6	1.6	1.6	2.8	4.3	8.9	8.8	8.4	10.8	11.4	11.0	9.7	11.9	12.6	11.4	12.5	11.6	1.2	12.6	6.8
29	10.1	8.9	8.1	6.7	6.0	5.1	4.4	4.7	5.7	9.1	6.0	9.4	12.3	6.8	8.1	6.8	7.4	3.8	4.4	5.8	4.5	3.2	3.3	2.5	2.5	12.3	6.4
30	2.3	3.5	3.4	3.3	3.6	3.6	3.0	2.5	2.5	2.2	4.0	6.5	4.8	4.1	4.0	4.1	2.5	2.5	3.0	2.2	3.0	3.2	3.7	3.7	2.2	6.5	3.4
Min	1.6	2.6	2.5	2.4	1.2	1.3	1.3	1.0	0.6	0.6	0.7	1.8	2.4	2.4	1.0	0.5	1.7	0.9	1.0	1.7	2.0	1.3	2.3	1.9	0.5		
Max	12.7	11.0	11.1	7.9	7.8	7.8	8.7	8.0	7.0	9.1	11.9	11.5	12.3	12.9	11.9	12.1	12.1	11.0	9.7	11.9	12.6	13.4	15.8	15.9		15.9	
Avg	5.5	5.3	4.8	4.6	4.4	4.3	4.0	3.8	3.0	3.1	3.3	4.2	4.9	5.1	5.0	4.8	4.3	3.9	3.8	4.4	4.8	5.0	5.4	5.4			4.5

Total Data Records Possible: 720
Total Valid Data Records: 720
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Palm Desert (data subject to change)
 Month: November
 Year: 2006
 Time Zone: PST

Validation Level: B
 Printout Date: 01-10-2007
 Printout Time: 08:28:49
 Output File Name: PDTB1106.10

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	310	310	310	303	293	297	267	263	273	210	120	113	126	123	120	124	149	133	353	327	271	291	278	275	[W]
2	272	275	274	265	266	288	273	272	276	280	227	183	149	129	128	131	113	90	342	279	309	271	262	269	[W]
3	294	280	258	272	273	279	254	241	193	127	164	202	188	180	173	129	114	54	14	355	324	312	305	311	[W]
4	300	323	311	311	296	273	344	269	234	244	281	239	208	11	312	300	19	354	308	324	286	290	287	282	[WNW]
5	298	297	309	296	221	274	279	274	281	238	212	218	265	350	12	11	13	26	260	248	309	269	312	293	[W]
6	267	294	285	256	297	249	302	296	276	274	273	272	258	256	247	292	355	318	292	286	288	282	311	279	[WNW]
7	323	292	291	308	283	301	294	278	304	227	206	179	130	122	131	121	107	67	341	279	285	284	268	263	[WNW]
8	272	274	282	267	288	275	315	261	72	124	121	116	119	113	113	114	102	39	335	285	309	296	295	316	[ESE]
9	274	219	104	140	15	264	287	288	212	160	159	207	289	296	297	314	319	318	321	310	342	315	309	298	[NW]
10	303	306	259	279	292	273	271	268	268	271	278	233	190	163	165	175	192	58	344	285	291	296	279	279	[W]
11	274	286	273	288	272	288	276	299	296	265	307	125	127	137	124	159	116	321	336	324	331	330	326	313	[WNW]
12	314	298	283	263	292	280	302	297	298	343	320	11	295	316	11	347	355	333	263	274	322	299	297	278	[WNW]
13	292	297	275	283	323	280	287	304	307	220	138	130	122	118	115	120	109	110	72	25	289	265	16	246	[ESE]
14	55	184	91	144	284	222	242	171	161	171	203	196	277	256	242	298	314	314	297	303	266	259	264	279	[W]
15	290	298	273	285	296	290	317	276	330	254	185	164	171	157	160	122	125	151	39	304	290	286	295	271	[WNW]
16	276	282	281	281	290	279	276	271	282	262	231	184	160	124	127	123	122	83	15	326	291	285	276	281	[W]
17	309	275	283	280	286	276	258	285	335	58	136	117	131	139	117	131	145	68	8	318	278	276	289	280	[W]
18	303	280	285	283	277	299	294	282	265	306	152	129	136	124	120	126	123	52	355	328	271	266	298	291	[WNW]
19	299	321	285	287	308	298	304	297	270	287	88	121	136	133	127	112	98	144	297	306	285	276	284	290	[WNW]
20	313	281	269	270	270	290	260	307	314	148	125	114	121	123	106	107	204	320	298	281	264	275	272	272	[W]
21	271	272	276	280	281	282	281	283	281	122	109	113	120	126	132	111	98	68	268	315	297	272	272	268	[W]
22	284	317	279	290	298	279	315	274	41	73	141	153	124	114	116	118	104	63	308	278	297	262	272	273	[W]
23	272	267	294	264	76	34	281	276	244	123	224	192	167	157	126	287	329	293	311	309	293	306	304	295	[WNW]
24	295	285	286	289	293	290	297	292	291	300	298	260	253	182	194	320	324	328	323	315	315	318	325	311	[WNW]
25	303	312	325	313	312	307	292	259	268	284	307	309	306	319	318	313	315	318	320	318	303	316	312	310	[NW]
26	315	282	276	270	281	283	301	313	303	268	268	290	301	223	346	310	322	314	309	290	295	283	303	302	[WNW]
27	314	319	350	346	352	1	16	260	329	332	75	93	134	5	336	344	31	340	294	256	118	70	205	154	[NNW]
28	122	115	47	88	68	169	330	210	188	230	345	314	319	322	324	323	323	328	324	325	324	333	327	323	[NW]
29	324	319	320	298	279	314	318	319	336	350	345	349	347	4	5	38	19	322	269	0	212	232	212	303	[NW]
30	255	326	304	302	270	13	271	254	321	64	106	119	130	124	111	120	122	149	108	13	291	299	279	284	[ESE]

Prev [WNW] [WNW] [W] [WNW] [WNW] [W] [WNW] [W] [W] [W] [SSE] [ESE] [SE] [SE] [ESE] [ESE] [ESE] [NW] [NW] [NW] [WNW] [WNW] [W] [W] [WNW]

Total Data Records Possible: 720
 Total Valid Data Records: 720
 Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Palm Desert (data subject to change)
Month: November
Year: 2006
Time Zone: PST

Validation Level: B
Printout Date: 01-10-2007
Printout Time: 08:28:49
Output File Name: PDTB1106.10t

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[SSW]	[ESE]	[ESE]	[SE]	[ESE]	[ESE]	[SE]	[SSE]	[SE]	[N]	[NNW]	[W]	[WNW]	[W]	[W]	[W]
2	[W]	[W]	[W]	[W]	[W]	[WNW]	[W]	[W]	[W]	[W]	[SW]	[S]	[SSE]	[SE]	[SE]	[SE]	[ESE]	[E]	[NNW]	[W]	[NW]	[W]	[W]	[W]	[W]
3	[WNW]	[W]	[WSW]	[W]	[W]	[W]	[WSW]	[WSW]	[SSW]	[SE]	[SSE]	[SSW]	[S]	[S]	[S]	[SE]	[ESE]	[NE]	[NNE]	[N]	[NW]	[NW]	[NW]	[NW]	[W]
4	[WNW]	[NW]	[NW]	[NW]	[WNW]	[W]	[NNW]	[W]	[SW]	[WSW]	[WNW]	[WSW]	[SSW]	[N]	[NW]	[WNW]	[NNE]	[N]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
5	[WNW]	[WNW]	[NW]	[WNW]	[SW]	[W]	[W]	[W]	[W]	[WSW]	[SSW]	[SW]	[W]	[N]	[NNE]	[NNE]	[NNE]	[NNE]	[W]	[WSW]	[NW]	[W]	[NW]	[WNW]	[W]
6	[W]	[WNW]	[WNW]	[WSW]	[WNW]	[WSW]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[WSW]	[WSW]	[WSW]	[WNW]	[N]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[W]	[WNW]
7	[NW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[SW]	[SSW]	[S]	[SE]	[ESE]	[SE]	[ESE]	[ESE]	[ENE]	[NNW]	[W]	[WNW]	[WNW]	[W]	[W]	[WNW]
8	[W]	[W]	[WNW]	[W]	[WNW]	[W]	[NW]	[W]	[ENE]	[ESE]	[ESE]	[ESE]	[ESE]	[ESE]	[ESE]	[ESE]	[ESE]	[NE]	[NNW]	[WNW]	[NW]	[WNW]	[WNW]	[NW]	[ESE]
9	[W]	[SW]	[ESE]	[SE]	[NNE]	[W]	[WNW]	[WNW]	[SSW]	[SSE]	[SSE]	[SSW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]
10	[WNW]	[NW]	[W]	[W]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[SW]	[S]	[SSE]	[SSE]	[S]	[SSW]	[ENE]	[NNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]
11	[W]	[WNW]	[W]	[WNW]	[W]	[WNW]	[W]	[WNW]	[WNW]	[W]	[NW]	[SE]	[SE]	[SE]	[SE]	[SSE]	[ESE]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[WNW]
12	[NW]	[WNW]	[WNW]	[W]	[WNW]	[W]	[WNW]	[WNW]	[NNW]	[NW]	[N]	[WNW]	[NW]	[N]	[NNW]	[N]	[NNW]	[W]	[W]	[NW]	[WNW]	[WNW]	[W]	[WNW]	[WNW]
13	[WNW]	[WNW]	[W]	[WNW]	[NW]	[W]	[WNW]	[NW]	[NW]	[SW]	[SE]	[SE]	[ESE]	[ESE]	[ESE]	[ESE]	[ESE]	[ENE]	[NNE]	[WNW]	[W]	[NNE]	[WSW]	[ESE]	[ESE]
14	[NE]	[S]	[E]	[SE]	[WNW]	[SW]	[WSW]	[S]	[SSE]	[S]	[SSW]	[SSW]	[W]	[WSW]	[WSW]	[WNW]	[NW]	[NW]	[WNW]	[WNW]	[W]	[WSW]	[W]	[W]	[W]
15	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[NW]	[W]	[NNW]	[WSW]	[S]	[SSE]	[S]	[SSE]	[SSE]	[ESE]	[SE]	[SSE]	[NE]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]
16	[W]	[WNW]	[W]	[WNW]	[WNW]	[W]	[W]	[W]	[WNW]	[W]	[SW]	[S]	[SSE]	[SE]	[SE]	[ESE]	[ESE]	[E]	[NNE]	[NW]	[WNW]	[WNW]	[W]	[W]	[W]
17	[NW]	[W]	[WNW]	[W]	[WNW]	[W]	[WSW]	[WNW]	[NNW]	[ENE]	[SE]	[ESE]	[SE]	[SE]	[ESE]	[SE]	[SE]	[ENE]	[N]	[NW]	[W]	[W]	[WNW]	[W]	[W]
18	[WNW]	[W]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[W]	[NW]	[SSE]	[SE]	[SE]	[ESE]	[ESE]	[SE]	[ESE]	[NE]	[N]	[NNW]	[W]	[W]	[WNW]	[WNW]	[WNW]
19	[WNW]	[NW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[E]	[ESE]	[SE]	[SE]	[SE]	[ESE]	[E]	[SE]	[WNW]	[NW]	[WNW]	[W]	[WNW]	[WNW]	[WNW]
20	[NW]	[W]	[W]	[W]	[W]	[W]	[WNW]	[W]	[NW]	[NW]	[SSE]	[SE]	[ESE]	[ESE]	[ESE]	[ESE]	[ESE]	[SSW]	[NW]	[WNW]	[W]	[W]	[W]	[W]	[W]
21	[W]	[W]	[W]	[W]	[W]	[WNW]	[W]	[WNW]	[W]	[ESE]	[ESE]	[ESE]	[ESE]	[SE]	[SE]	[ESE]	[E]	[ENE]	[W]	[NW]	[WNW]	[W]	[W]	[W]	[W]
22	[WNW]	[NW]	[W]	[WNW]	[WNW]	[W]	[NW]	[W]	[NE]	[ENE]	[SE]	[SSE]	[ESE]	[ESE]	[ESE]	[ESE]	[ESE]	[ENE]	[NW]	[W]	[WNW]	[W]	[W]	[W]	[W]
23	[W]	[W]	[WNW]	[W]	[ENE]	[NE]	[W]	[W]	[WSW]	[ESE]	[SW]	[SSW]	[SSE]	[SSE]	[SE]	[WNW]	[NNW]	[WNW]	[NW]	[NW]	[WNW]	[NW]	[NW]	[WNW]	[WNW]
24	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WSW]	[S]	[SSW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[WNW]
25	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WSW]	[W]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]	[NW]	[NW]	[NW]
26	[NW]	[WNW]	[W]	[W]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[W]	[W]	[WNW]	[WNW]	[SW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
27	[NW]	[NW]	[N]	[WNW]	[N]	[N]	[NNE]	[W]	[NNW]	[NNW]	[ENE]	[E]	[SE]	[N]	[NNW]	[NNW]	[NNE]	[NNW]	[WNW]	[WSW]	[ESE]	[ENE]	[SSW]	[SSE]	[NNW]
28	[ESE]	[ESE]	[NE]	[E]	[ENE]	[S]	[NNW]	[SSW]	[S]	[SW]	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
29	[NW]	[NW]	[NW]	[WNW]	[W]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[N]	[NE]	[NNE]	[NW]	[W]	[N]	[SSW]	[SW]	[SSW]	[WNW]	[NW]
30	[WSW]	[NNW]	[NW]	[WNW]	[W]	[NNE]	[W]	[WSW]	[NW]	[ENE]	[ESE]	[ESE]	[SE]	[SE]	[ESE]	[ESE]	[ESE]	[SSE]	[ESE]	[NNE]	[WNW]	[WNW]	[W]	[WNW]	[ESE]

Prev [WNW] [WNW] [W] [WNW] [WNW] [W] [WNW] [W] [W] [W] [SSE] [ESE] [SE] [SE] [ESE] [ESE] [ESE] [NW] [NW] [NW] [WNW] [WNW] [W] [W] [WNW]

Total Data Records Possible: 720
Total Valid Data Records: 720
Percent Data Recovery: 100.0

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)
 Units: degrees
 Channel: 11

Site: Palm Desert (data subject to change)
 Month: November
 Year: 2006
 Time Zone: PST

Validation Level: B
 Printout Date: 01-10-2007
 Printout Time: 08:28:50
 Output File Name: PDTB1106.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	19.2	19.2	19.6	19.7	17.9	19.3	16.1	13.6	16.9	41.0	31.9	24.0	20.9	23.0	26.3	17.5	13.1	6.7	25.6	17.1	9.9	12.2	11.6	12.4	6.7	41.0	18.9
2	14.4	15.5	15.6	11.1	11.3	10.6	10.1	10.7	13.3	17.3	21.0	36.3	22.5	17.2	16.8	15.4	14.9	44.7	40.9	8.6	8.9	12.5	12.8	14.4	8.6	44.7	17.4
3	15.5	15.4	11.9	11.7	13.6	13.7	12.0	12.2	28.4	18.3	28.7	30.5	33.9	22.7	14.9	21.7	13.4	23.2	19.7	21.9	13.4	19.5	20.1	19.1	11.7	33.9	19.0
4	20.7	16.9	17.5	19.7	19.9	16.9	38.0	24.6	22.9	33.1	39.3	44.4	36.2	42.2	52.2	42.3	20.3	19.8	25.3	35.6	27.9	10.9	14.1	12.4	10.9	52.2	27.2
5	19.2	16.1	14.2	18.1	51.6	8.8	15.6	16.5	37.3	16.3	10.9	22.8	42.5	35.3	24.3	18.9	19.4	17.5	40.2	40.1	18.6	21.0	14.4	18.9	8.8	51.6	23.3
6	20.2	16.8	48.5	9.7	36.2	27.6	19.6	44.0	18.3	16.4	19.8	23.8	19.3	20.2	15.7	28.4	15.6	13.8	11.5	13.5	19.3	25.6	32.7	23.6	9.7	48.5	22.5
7	18.7	39.2	17.8	17.8	15.9	17.1	23.8	19.9	20.9	16.4	42.6	35.4	22.1	18.3	16.5	16.3	16.2	22.9	19.3	7.7	10.5	11.5	10.8	11.8	7.7	42.6	19.6
8	11.3	10.4	11.9	11.9	11.2	9.8	8.7	14.6	60.0	43.0	17.6	16.0	16.5	16.6	15.2	15.2	16.0	27.1	49.3	14.2	13.1	21.4	19.5	16.6	8.7	60.0	19.5
9	24.0	22.4	57.6	32.2	30.4	40.4	43.4	21.0	23.1	46.0	61.3	35.5	35.3	25.3	26.2	20.5	16.2	17.0	16.9	18.4	25.8	17.1	19.0	20.6	16.2	61.3	29.0
10	19.9	35.9	24.5	14.8	51.2	14.5	14.4	14.7	16.7	17.9	18.8	22.9	28.5	31.9	22.2	15.6	9.3	38.2	11.1	21.7	12.3	13.8	13.6	11.6	9.3	51.2	20.7
11	10.4	11.5	10.4	11.1	9.9	13.9	12.2	22.4	18.3	23.0	44.4	17.7	18.2	17.5	24.3	23.2	30.6	25.8	19.6	17.2	17.8	18.0	16.9	17.4	9.9	44.4	18.8
12	18.1	22.2	24.0	18.0	23.0	18.0	21.4	24.9	23.3	29.3	36.0	33.3	38.0	31.2	28.2	28.2	20.3	16.4	44.1	14.9	17.4	16.3	15.2	15.1	14.9	44.1	24.0
13	17.5	21.0	10.0	22.1	13.3	15.0	21.1	23.2	43.8	13.5	19.0	18.6	16.5	15.5	16.7	15.6	16.3	21.5	36.5	27.7	41.4	38.9	41.5	50.0	10.0	50.0	24.0
14	64.3	31.5	24.9	51.8	57.9	69.8	71.4	27.9	32.0	36.3	30.0	30.1	50.9	32.2	26.4	24.5	20.5	19.0	20.7	20.5	19.4	28.8	13.6	17.2	13.6	71.4	34.2
15	16.7	21.4	43.2	13.0	16.6	15.2	34.2	29.0	57.7	40.0	40.3	27.8	28.5	24.1	22.6	18.1	9.2	17.2	30.7	23.7	7.1	12.4	15.0	11.2	7.1	57.7	24.0
16	11.4	10.5	10.9	11.9	11.5	10.4	10.4	13.7	17.1	15.2	35.4	44.3	21.4	19.2	17.7	15.7	12.3	13.9	11.7	9.1	11.2	14.6	12.4	12.1	9.1	44.3	15.6
17	15.2	11.8	8.1	7.4	13.0	21.0	13.2	13.9	31.5	43.7	18.7	19.1	18.0	22.0	22.8	15.6	12.9	14.1	8.1	10.0	7.8	11.0	18.6	16.6	7.4	43.7	16.4
18	29.1	11.1	14.4	16.1	11.5	11.2	23.1	15.2	14.4	33.9	43.3	40.3	20.2	17.1	17.4	16.9	13.1	13.5	9.2	14.1	9.3	11.1	10.0	11.1	9.2	43.3	17.8
19	11.7	17.0	10.2	10.4	11.8	34.0	10.0	21.9	17.3	30.7	30.3	21.4	25.2	22.2	18.2	13.9	11.8	48.5	8.5	11.8	10.4	9.3	10.3	10.8	8.5	48.5	17.8
20	12.9	12.1	11.1	10.3	10.3	11.3	13.3	11.5	28.3	28.0	24.6	18.5	18.0	18.7	14.9	15.2	15.6	29.4	27.7	15.7	9.9	11.2	12.4	11.4	9.9	29.4	16.3
21	10.6	10.9	11.2	10.5	9.9	7.8	8.3	11.7	17.8	45.5	17.2	18.2	17.6	17.7	16.1	17.1	18.0	25.5	35.8	15.6	12.5	16.0	11.3	9.6	7.8	45.5	16.4
22	20.2	10.8	11.9	22.8	12.3	14.4	26.5	65.8	54.8	51.0	65.6	23.8	21.0	19.1	15.7	16.4	18.5	29.3	19.0	16.8	16.6	21.0	10.2	32.3	10.2	65.8	25.7
23	23.2	28.0	23.8	34.7	46.5	15.1	42.8	13.8	56.6	33.0	52.9	14.8	15.9	49.2	29.1	7.4	19.6	19.2	17.1	18.2	18.5	21.0	19.0	18.3	7.4	56.6	26.6
24	19.0	17.0	16.8	17.2	17.4	15.4	18.1	17.4	18.3	22.8	24.8	27.3	52.9	53.4	48.4	25.2	16.5	17.6	17.9	19.0	16.9	17.0	15.9	20.1	15.4	53.4	23.0
25	21.0	19.9	16.0	18.7	19.8	18.6	19.5	21.6	22.8	22.5	19.6	20.6	20.5	18.6	18.6	18.9	17.2	17.3	18.4	17.0	21.3	17.9	18.6	20.9	16.0	22.8	19.4
26	16.9	20.3	15.6	20.3	18.4	16.9	20.8	18.3	23.4	22.9	23.6	39.6	42.2	64.8	40.5	25.2	15.8	18.0	19.7	31.2	23.1	21.5	19.0	20.0	15.6	64.8	24.9
27	18.8	21.4	30.3	23.5	24.0	36.2	49.7	37.4	25.2	30.5	31.3	61.3	47.9	36.3	26.3	47.0	17.5	21.9	40.3	51.1	32.3	32.6	36.8	24.7	17.5	61.3	33.5
28	22.5	15.4	35.3	29.6	47.5	46.0	32.3	39.3	63.9	46.2	59.2	35.8	35.2	28.8	21.6	19.8	18.4	19.4	19.6	17.6	17.3	20.2	17.1	19.4	15.4	63.9	30.3
29	16.9	16.5	15.7	19.2	16.2	19.6	56.3	26.7	24.9	21.9	44.5	24.0	20.9	32.3	25.1	24.3	22.6	21.9	29.9	24.7	31.6	24.2	35.2	44.0	15.7	56.3	26.6
30	34.4	30.3	22.1	25.2	28.5	27.7	27.3	11.9	26.1	24.7	20.5	17.3	20.5	24.2	18.3	16.5	10.0	15.4	26.3	19.5	12.1	11.2	7.8	7.4	7.4	34.4	20.2
Min	10.4	10.4	8.1	7.4	9.9	7.8	8.3	10.7	13.3	13.5	10.9	14.8	15.9	15.5	14.9	7.4	9.2	6.7	8.1	7.7	7.1	9.3	7.8	7.4	6.7		
Max	64.3	39.2	57.6	51.8	57.9	69.8	71.4	65.8	63.9	51.0	65.6	61.3	52.9	64.8	52.2	47.0	30.6	48.5	49.3	51.1	41.4	38.9	41.5	50.0	71.4		
Avg	19.8	18.9	20.2	18.7	22.6	20.5	24.4	22.0	29.2	29.3	32.5	28.2	27.6	27.2	23.3	20.5	16.4	21.9	24.0	19.8	17.1	18.0	17.5	18.4			22.4

Total Data Records Possible: 720
 Total Valid Data Records: 720
 Percent Data Recovery: 100.0

Missing Data Codes

 -910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Palm Desert (data subject to change)
Month: November
Year: 2006
Time Zone: PST

Validation Level: B
Printout Date: 01-10-2007
Printout Time: 08:28:53
Output File Name: PDTB1106.17

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	20.5	21.6	23.5	17.5	17.0	13.9	12.5	6.8	5.1	4.7	6.1	9.9	11.6	8.8	8.6	7.3	4.7	2.1	3.3	6.4	7.2	6.1	7.1	8.3	2.1	23.5	10.0
2	8.8	8.2	8.3	7.4	7.5	6.7	6.1	6.9	6.4	4.8	3.7	7.7	9.3	10.7	12.3	10.4	8.3	7.6	3.5	4.9	6.5	6.1	7.9	8.4	3.5	12.3	7.4
3	10.2	11.0	7.4	7.2	8.0	10.0	6.9	7.5	5.3	10.3	5.8	5.9	5.5	6.9	9.1	6.8	7.5	9.0	8.6	6.3	9.1	10.6	17.6	16.7	5.3	17.6	8.7
4	15.5	19.9	22.7	16.7	11.8	13.2	9.6	8.6	6.5	5.1	4.3	9.6	9.1	10.4	8.3	12.0	12.6	11.4	12.5	13.2	5.9	7.0	8.5	8.8	4.3	22.7	11.0
5	10.4	9.2	9.6	7.4	6.8	8.9	8.4	9.9	7.7	5.4	5.6	7.5	12.0	9.0	12.4	14.7	10.4	8.2	5.3	4.2	9.1	7.6	11.9	13.6	4.2	14.7	9.0
6	9.8	8.3	7.6	7.2	8.0	8.6	10.6	10.1	6.9	8.3	8.1	9.1	8.3	12.6	11.4	10.4	7.4	7.1	9.9	9.9	10.5	9.1	6.9	7.5	6.9	12.6	8.9
7	7.9	8.5	9.0	8.0	7.1	8.5	7.2	5.6	5.9	3.4	3.1	6.3	8.3	11.9	12.2	12.6	9.9	4.6	4.6	6.6	7.4	6.9	6.8	7.7	3.1	12.6	7.5
8	7.5	7.8	7.2	7.3	5.4	7.2	5.5	4.5	3.0	5.8	9.9	11.9	13.2	14.6	15.1	14.0	10.8	4.1	3.9	5.5	7.2	11.2	7.8	9.5	3.0	15.1	8.3
9	11.7	7.5	7.1	8.5	5.9	6.7	8.0	7.0	5.7	4.9	6.8	8.9	6.6	14.3	10.8	11.3	16.1	16.2	17.0	23.2	15.3	17.6	18.2	18.0	4.9	23.2	11.4
10	16.7	13.6	8.4	11.3	9.4	7.9	9.7	10.1	10.8	11.3	9.7	7.1	10.1	9.1	8.0	7.6	2.7	2.9	5.9	6.2	7.7	7.2	7.9	9.1	2.7	16.7	8.8
11	6.5	7.8	7.9	7.6	8.2	6.9	6.4	5.0	3.4	4.2	3.3	8.8	13.4	13.1	11.6	9.0	7.0	21.7	14.9	17.1	23.5	28.9	30.7	33.6	3.3	33.6	12.5
12	25.0	20.7	10.2	10.2	17.8	19.9	23.7	16.2	13.2	18.0	15.8	13.7	12.9	11.5	13.0	12.1	10.1	10.4	7.8	7.4	7.8	10.4	10.1	10.8	7.4	25.0	13.7
13	8.8	6.7	8.0	8.3	7.7	6.3	5.8	6.1	3.4	6.4	8.8	12.5	14.3	15.3	13.1	12.1	8.9	6.0	5.3	4.9	4.6	4.2	5.0	4.7	3.4	15.3	7.8
14	4.6	6.5	6.2	7.4	8.8	9.7	8.9	9.9	9.6	8.8	11.3	11.3	9.1	8.2	7.2	11.4	15.3	15.2	15.4	12.3	7.2	5.2	9.6	9.4	4.6	15.4	9.5
15	7.2	10.7	8.0	7.9	8.7	6.9	5.9	7.9	5.8	4.0	6.8	7.4	8.3	8.4	7.3	7.8	6.2	5.8	3.9	6.3	7.0	7.8	8.7	7.5	3.9	10.7	7.2
16	5.6	6.1	7.7	7.9	8.0	7.2	6.9	8.7	7.2	6.9	4.7	5.7	6.9	7.7	7.9	8.0	5.4	4.6	4.5	4.9	7.7	6.1	6.6	9.2	4.5	9.2	6.7
17	9.2	5.8	6.9	8.9	8.8	8.4	9.1	7.9	5.8	3.7	5.9	8.3	8.6	7.4	5.7	5.9	5.8	4.2	4.9	4.5	7.1	8.2	9.4	8.1	3.7	9.4	7.0
18	5.9	7.0	7.9	9.5	8.7	5.8	6.8	6.6	6.8	4.8	3.9	5.8	8.9	11.8	10.4	9.9	6.1	5.2	4.0	6.3	6.0	8.3	6.0	6.9	3.9	11.8	7.1
19	7.3	7.9	6.0	7.0	7.2	7.8	7.0	6.1	4.8	2.1	4.2	6.6	7.8	8.4	7.5	9.1	3.5	3.9	6.2	6.6	6.6	6.3	7.0	7.0	2.1	9.1	6.4
20	8.2	9.1	8.0	7.8	7.9	8.8	9.6	8.0	5.9	3.9	4.3	9.2	12.1	11.1	12.6	11.1	8.7	3.6	5.6	6.2	7.0	8.5	9.4	8.2	3.6	12.6	8.1
21	7.8	7.6	7.8	7.6	7.2	8.0	8.3	7.5	6.0	6.1	8.0	9.4	11.6	11.2	10.0	8.8	3.3	3.2	5.8	6.4	6.3	7.5	5.6	6.8	3.2	11.6	7.4
22	7.5	6.6	7.2	6.9	7.6	6.6	5.2	3.6	2.8	3.4	3.8	5.7	8.0	9.6	11.6	12.3	9.7	6.4	4.2	6.0	5.8	5.0	6.9	5.3	2.8	12.3	6.6
23	5.3	7.7	5.7	5.4	6.4	3.9	3.7	5.6	4.7	3.9	3.4	7.0	8.0	7.4	5.6	2.3	2.7	7.9	8.6	11.9	14.8	14.2	15.1	11.8	2.3	15.1	7.2
24	13.2	12.1	14.3	15.5	13.1	13.0	12.6	14.3	13.4	12.9	12.1	8.1	7.5	8.8	5.6	11.0	12.6	11.5	11.0	18.0	19.1	18.3	17.9	13.8	5.6	19.1	12.9
25	19.8	20.2	17.4	12.1	12.1	14.7	9.5	12.3	14.8	21.5	25.1	23.4	22.7	30.1	24.5	24.7	22.3	17.6	16.1	14.3	13.0	20.3	20.5	19.4	9.5	30.1	18.7
26	20.5	18.2	8.5	10.4	13.1	12.0	13.3	17.2	18.7	11.9	8.7	12.4	11.0	7.2	5.9	12.0	12.9	16.3	14.8	8.0	10.4	9.6	13.6	18.4	5.9	20.5	12.7
27	20.5	22.0	13.3	17.2	11.4	11.1	10.4	6.9	15.7	9.4	10.1	7.4	9.4	11.8	12.1	10.4	9.5	16.3	10.0	5.1	8.8	7.8	7.2	6.8	5.1	22.0	11.3
28	9.4	9.3	6.2	7.3	4.0	7.3	7.5	8.5	4.7	4.7	9.7	14.9	22.2	22.7	26.7	23.6	23.9	22.4	21.0	24.6	24.5	28.9	25.7	25.9	4.0	28.9	16.1
29	20.4	18.3	17.5	15.3	11.5	15.6	12.9	13.4	16.9	20.0	17.8	21.9	25.1	23.2	24.0	21.3	19.3	13.4	13.5	15.1	8.6	6.1	6.4	5.6	5.6	25.1	16.0
30	5.3	6.4	6.7	6.3	6.9	6.6	6.2	5.0	5.8	5.3	10.2	13.1	10.4	10.4	9.1	9.2	5.0	4.9	5.2	3.9	4.7	5.3	6.4	6.0	3.9	13.1	6.9
Min	4.6	5.8	5.7	5.4	4.0	3.9	3.7	3.6	2.8	2.1	3.1	5.7	5.5	6.9	5.6	2.3	2.7	2.1	3.3	3.9	4.6	4.2	5.0	4.7	2.1		
Max	25.0	22.0	23.5	17.5	17.8	19.9	23.7	17.2	18.7	21.5	25.1	23.4	25.1	30.1	26.7	24.7	23.9	22.4	21.0	24.6	24.5	28.9	30.7	33.6		33.6	
Avg	11.2	11.1	9.7	9.5	9.1	9.3	8.8	8.5	7.8	7.5	8.0	9.9	11.1	11.8	11.3	11.3	9.6	9.1	8.6	9.2	9.5	10.2	10.9	11.1			9.8

Total Data Records Possible: 720
Total Valid Data Records: 720
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Palm Desert (data subject to change)
Month: November
Year: 2006
Time Zone: PST

Validation Level: B
Printout Date: 01-10-2007
Printout Time: 08:28:48
Output File Name: PDTB1106.7

Day	Hour Ending													14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13														
1	13.1	13.1	13.1	13.1	13.0	13.0	13.2	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.0	13.4	13.2
2	13.1	13.1	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.0	13.4	13.2
3	13.1	13.1	13.1	13.0	13.0	13.0	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.0	13.4	13.2
4	13.1	13.1	13.1	13.1	13.1	13.0	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.0	13.4	13.2
5	13.1	13.1	13.1	13.1	13.0	13.0	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.0	13.4	13.2
6	13.1	13.1	13.1	13.1	13.0	13.0	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
7	13.1	13.1	13.1	13.1	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
8	13.1	13.1	13.1	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.0	13.4	13.2
9	13.1	13.1	13.1	13.1	13.0	13.0	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.0	13.4	13.2
10	13.1	13.1	13.1	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
11	13.1	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
12	13.1	13.1	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.0	13.4	13.2
13	13.1	13.1	13.0	13.0	13.0	13.0	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.0	13.4	13.2
14	13.1	13.0	13.0	13.0	13.0	13.0	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
15	13.1	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
16	13.1	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
17	13.1	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
18	13.1	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
19	13.1	13.1	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
20	13.1	13.1	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
21	13.1	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
22	13.1	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
23	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
24	13.1	13.1	13.0	13.0	13.0	13.0	13.0	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
25	13.1	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
26	13.1	13.0	13.0	13.0	13.0	13.0	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
27	13.1	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
28	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.4	13.2
29	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	13.4	13.2
30	13.0	13.0	13.0	12.9	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.0	12.9	13.4	13.2
Min	13.0	13.0	13.0	12.9	12.9	12.9	13.0	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.0	12.9		
Max	13.1	13.1	13.1	13.1	13.1	13.0	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.3	13.2	13.2	13.2	13.1	13.1	13.1		13.4	
Avg	13.1	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.2	13.1	13.1	13.1	13.1			13.2

Total Data Records Possible: 720
Total Valid Data Records: 720
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2