

Palm Desert Meteorological Data

November 2007

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 9

Site: Palm Desert (data subject to change)
Month: November
Year: 2007
Time Zone: PST

Validation Level: B
Printout Date: 01-24-2008
Printout Time: 11:28:25
Output File Name: PDTB1107.9

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	4.1	4.2	4.4	4.9	4.2	3.1	3.9	3.7	3.4	2.2	1.8	2.5	3.2	3.8	3.0	3.3	3.8	2.4	2.4	2.9	4.7	4.3	5.4	5.0	1.8	5.4	3.6
2	3.1	3.0	3.1	4.8	3.5	3.4	5.1	5.1	4.5	5.4	3.4	3.4	5.6	4.7	3.9	4.4	5.9	4.9	3.9	4.0	5.0	4.2	4.3	4.5	3.0	5.9	4.3
3	4.4	4.3	4.4	4.4	5.0	4.9	3.3	2.7	4.3	5.6	4.7	4.9	5.3	5.1	5.3	4.0	1.8	2.1	3.8	3.8	4.5	4.1	3.7	3.6	1.8	5.6	4.2
4	4.3	3.9	3.9	4.5	4.2	4.0	3.9	4.5	3.0	2.2	1.8	1.6	3.4	2.0	0.9	1.2	0.8	1.7	3.5	3.7	4.4	3.7	4.4	4.2	0.8	4.5	3.2
5	4.1	4.2	5.0	4.4	4.1	4.1	4.0	4.0	2.9	2.6	1.5	2.0	2.1	3.1	3.9	3.2	1.6	0.8	3.0	4.2	3.9	4.4	4.1	4.3	0.8	5.0	3.4
6	5.0	5.1	4.7	4.4	3.9	4.9	4.5	3.6	2.5	0.6	1.3	2.5	1.9	4.5	5.3	4.2	2.2	1.6	1.7	2.9	3.6	4.6	3.7	3.9	0.6	5.3	3.5
7	3.9	4.3	2.9	2.5	2.8	4.0	4.2	3.3	3.2	2.4	2.2	1.9	1.5	1.4	2.0	1.1	0.5	2.0	3.4	7.3	6.9	6.5	6.1	5.8	0.5	7.3	3.4
8	4.4	4.7	4.3	5.0	3.3	2.1	2.3	2.1	2.9	3.5	2.6	1.7	3.6	4.0	4.2	2.6	2.2	7.3	7.9	7.6	7.0	7.4	7.1	6.3	1.7	7.9	4.4
9	4.4	11.1	12.1	10.6	9.2	9.9	9.8	10.3	8.5	6.9	6.3	2.9	5.2	3.3	3.8	4.2	5.0	4.9	7.8	10.1	5.6	4.7	4.8	3.2	2.9	12.1	7.0
10	2.6	4.3	6.5	4.9	7.2	9.7	7.0	8.8	13.8	7.7	5.7	4.6	4.1	3.8	4.2	5.0	7.1	7.0	7.4	7.5	5.5	8.8	8.8	8.9	2.6	13.8	6.7
11	8.7	7.1	6.9	3.4	3.6	3.8	4.0	2.2	2.3	3.0	2.7	3.8	3.6	2.7	3.6	3.2	2.2	3.6	3.9	4.5	6.7	7.9	5.5	3.9	2.2	8.7	4.3
12	4.5	3.8	2.3	2.0	2.3	2.9	3.5	3.6	4.4	4.9	5.1	6.0	3.9	3.3	3.2	2.4	3.0	2.9	3.8	4.3	5.2	4.9	3.6	2.8	2.0	6.0	3.7
13	2.9	4.7	4.6	4.4	4.6	2.7	4.8	3.7	3.3	1.6	1.4	3.6	4.5	4.7	5.6	4.0	2.2	1.9	1.4	3.3	2.2	2.4	3.5	4.5	1.4	5.6	3.4
14	4.5	4.4	4.3	4.5	4.1	4.2	3.6	4.1	2.1	2.1	1.9	2.6	3.5	4.5	4.8	2.6	1.3	1.4	3.2	4.2	5.7	4.9	5.1	4.6	1.3	5.7	3.7
15	2.2	3.7	3.6	3.3	3.4	3.0	3.5	3.7	1.9	1.5	1.2	2.6	2.8	5.2	5.2	3.8	3.0	2.5	2.2	3.2	3.5	3.2	3.5	3.8	1.2	5.2	3.1
16	3.8	3.9	3.8	4.4	4.7	5.3	4.2	3.3	1.4	1.4	2.6	5.2	6.2	4.7	4.4	2.5	2.1	2.3	2.1	2.0	2.1	4.1	4.3	4.2	1.4	6.2	3.5
17	3.9	3.2	3.7	3.6	4.4	4.1	4.3	4.2	4.7	5.2	3.6	4.4	5.1	5.6	4.9	3.5	1.8	1.7	1.9	3.3	3.9	3.3	3.5	3.8	1.7	5.6	3.8
18	4.0	4.3	4.2	4.5	4.5	3.8	3.9	3.5	2.3	0.7	0.6	1.3	2.0	3.4	3.5	2.6	1.8	1.8	3.2	3.3	4.9	4.4	3.9	4.3	0.6	4.9	3.2
19	4.4	4.6	3.7	4.7	4.3	3.5	3.6	3.6	2.8	2.2	2.0	2.8	4.8	5.5	5.9	4.9	2.7	2.1	2.1	2.2	3.4	3.7	3.1	3.1	2.0	5.9	3.6
20	2.0	2.6	2.2	3.1	3.0	3.6	3.2	2.8	2.4	1.3	2.1	3.7	4.8	4.9	4.5	3.4	2.0	1.8	1.8	3.3	3.7	4.0	5.1	3.7	1.3	5.1	3.1
21	4.8	5.0	5.9	4.9	5.0	3.6	4.8	5.1	4.4	4.5	4.8	4.1	2.9	2.6	5.1	4.3	3.2	3.7	4.1	4.6	5.5	4.5	4.8	5.6	2.6	5.9	4.5
22	5.9	5.2	4.7	4.9	3.8	3.0	4.0	3.4	2.4	1.7	2.0	3.8	4.8	4.9	5.0	4.2	3.7	2.4	2.3	3.1	5.0	6.1	3.4	6.4	1.7	6.4	4.0
23	9.6	7.1	8.9	8.6	9.5	9.4	10.8	8.1	5.3	5.5	4.7	6.9	12.0	12.1	11.2	10.0	8.6	4.7	5.4	4.5	5.8	7.8	6.3	7.1	4.5	12.1	7.9
24	4.7	2.7	3.7	4.4	5.2	4.5	4.1	4.6	5.6	5.5	7.0	7.3	4.9	5.4	4.3	3.9	1.7	3.1	3.3	3.2	2.6	2.6	2.5	3.9	1.7	7.3	4.2
25	4.1	4.3	3.6	3.7	3.8	3.5	3.1	2.3	0.6	1.0	1.9	1.3	2.1	3.9	5.6	4.5	3.0	1.6	2.3	2.7	2.9	3.4	3.3	3.2	0.6	5.6	3.0
26	3.1	2.9	2.6	2.6	3.7	3.5	3.9	2.9	1.8	2.0	1.5	2.9	4.9	4.4	3.3	2.5	2.0	2.1	3.2	2.9	3.4	3.8	3.6	3.6	1.5	4.9	3.0
27	2.8	2.4	4.1	4.4	5.0	3.9	3.8	3.4	2.8	2.7	2.7	4.5	-940	-940	3.1	2.3	2.8	1.9	1.6	3.9	3.7	3.2	4.8	3.0	1.6	5.0	3.3
28	4.0	4.3	4.1	3.5	3.5	2.9	2.7	3.6	5.1	4.3	3.2	4.1	3.0	4.6	3.0	2.8	2.4	3.7	4.7	4.6	5.0	4.8	4.4	3.7	2.4	5.1	3.8
29	5.3	3.6	2.4	3.8	3.8	3.4	2.3	1.7	2.4	1.9	2.4	3.8	3.5	2.0	2.5	2.2	1.6	2.7	2.4	2.0	2.0	2.8	3.6	3.0	1.6	5.3	2.8
30	2.0	2.4	4.1	3.7	2.6	2.7	2.3	3.2	3.5	5.8	7.1	7.0	6.7	5.1	4.3	4.9	5.1	3.0	3.8	4.3	3.1	1.7	1.7	3.5	1.7	7.1	3.9
Min	2.0	2.4	2.2	2.0	2.3	2.1	2.3	1.7	0.6	0.6	0.6	1.3	1.5	1.4	0.9	1.1	0.5	0.8	1.4	2.0	2.0	1.7	1.7	2.8	0.5		
Max	9.6	11.1	12.1	10.6	9.5	9.9	10.8	10.3	13.8	7.7	7.1	7.3	12.0	12.1	11.2	10.0	8.6	7.3	7.9	10.1	7.0	8.8	8.8	8.9		13.8	
Avg	4.4	4.4	4.5	4.4	4.4	4.2	4.3	4.0	3.7	3.3	3.1	3.6	4.2	4.3	4.3	3.6	2.9	2.8	3.5	4.1	4.4	4.5	4.4	4.4			4.0

Total Data Records Possible: 720
Total Valid Data Records: 718
Percent Data Recovery: 99.7

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 10

Site: Palm Desert (data subject to change)
 Month: November
 Year: 2007
 Time Zone: PST

Validation Level: B
 Printout Date: 01-24-2008
 Printout Time: 11:28:25
 Output File Name: PDTB1107.10

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	263	269	287	290	279	277	259	274	268	262	246	190	150	149	154	128	134	98	20	276	293	285	284	302	[W]
2	272	268	287	265	284	267	278	265	263	266	270	251	283	345	323	355	18	8	263	275	273	271	275	285	[W]
3	280	276	276	276	282	281	290	284	274	263	259	239	235	237	234	205	190	5	275	274	282	274	290	288	[W]
4	298	292	285	313	291	283	301	286	290	294	270	229	154	183	203	268	70	251	285	272	312	268	292	297	[WNW]
5	282	275	284	278	283	281	289	284	279	257	237	184	156	149	121	116	141	210	304	288	274	289	281	274	[W]
6	281	283	283	265	276	280	266	279	276	258	164	113	115	148	141	119	109	216	264	325	275	279	268	296	[W]
7	283	294	271	66	325	286	283	278	276	255	230	239	247	241	205	300	269	231	301	310	308	301	296	285	[WNW]
8	272	268	274	283	248	166	107	232	279	301	260	169	129	127	123	113	231	313	313	308	301	298	290	288	[WNW]
9	298	313	311	308	307	313	315	311	310	303	291	282	315	289	315	316	319	319	322	317	319	318	314	311	[NW]
10	312	325	327	283	300	306	292	303	314	307	311	296	305	315	305	312	317	318	324	317	306	316	311	310	[NW]
11	309	294	295	302	278	284	266	206	235	166	148	161	145	158	145	119	73	318	285	300	305	313	299	278	[WNW]
12	266	281	240	111	214	275	335	306	288	301	317	251	276	357	338	256	245	300	275	277	279	270	277	294	[W]
13	297	299	274	273	267	339	330	316	267	212	179	145	129	120	130	121	125	55	113	343	301	296	281	283	[WNW]
14	287	275	265	287	279	296	283	271	239	242	270	264	232	220	173	189	137	285	274	282	293	286	286	282	[WNW]
15	273	317	279	291	313	299	301	311	257	250	160	203	177	132	138	126	113	103	84	311	274	280	276	282	[W]
16	273	265	283	276	283	250	269	261	318	169	168	124	122	118	137	134	119	165	23	12	263	285	304	266	[W]
17	271	253	273	279	294	262	273	273	251	237	184	122	129	128	116	116	169	75	330	296	293	275	279	289	[W]
18	285	281	270	271	277	285	301	289	262	224	163	210	164	145	143	133	119	97	10	314	273	279	272	277	[W]
19	271	269	272	282	286	283	274	267	269	251	214	141	133	123	124	111	103	58	23	277	295	270	308	277	[W]
20	8	326	273	295	280	301	273	295	264	348	77	120	116	120	117	108	180	284	254	280	276	285	294	271	[W]
21	291	278	279	259	302	263	274	276	272	279	272	233	180	203	266	281	335	275	270	285	289	274	276	281	[W]
22	287	282	285	292	296	296	279	297	330	240	111	124	128	135	130	115	101	94	38	298	295	296	265	316	[WNW]
23	315	314	313	315	312	311	316	308	282	308	10	4	11	2	351	352	337	281	270	279	310	319	330	335	[NW]
24	311	244	266	282	280	286	298	299	325	329	340	347	332	0	342	300	270	315	295	243	210	68	280	296	[WNW]
25	280	292	278	299	336	271	266	282	1	303	264	194	177	132	124	109	108	99	353	281	280	288	291	279	[W]
26	278	261	312	293	283	286	282	280	346	218	229	100	130	117	125	127	129	133	11	306	283	278	298	275	[WNW]
27	345	292	274	286	272	289	271	307	281	246	172	111	-940	-940	107	165	143	88	278	275	299	320	264	231	[W]
28	295	290	262	282	311	300	288	293	262	267	282	274	358	326	257	254	282	266	272	280	282	287	286	295	[WNW]
29	299	262	294	264	292	290	264	277	285	253	94	114	168	166	112	141	138	106	86	72	311	299	279	265	[W]
30	349	306	277	257	301	260	232	278	325	289	287	275	282	275	293	275	264	220	266	280	296	320	262	146	[W]

Prev [W] [W] [W] [WNW] [WNW] [WNW] [W] [W] [W] [WSW] [W] [ESE] [SE] [SE] [SE] [ESE] [SE] [E] [W] [W] [WNW] [WNW] [WNW] [WNW] [W]

Total Data Records Possible: 720
 Total Valid Data Records: 718
 Percent Data Recovery: 99.7

Missing Data Codes

- 910 No data collected - system not set up
- 920 Instrument Malfunction
- 930 Data Logger Malfunction
- 940 Calibration
- 950 Audit
- 960 Maintenance
- 970 Data invalid - Does not meet consistency or an obvious problem
- 971 Local Interference
- 980 Power failure
- 990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 10

Site: Palm Desert (data subject to change)
Month: November
Year: 2007
Time Zone: PST

Validation Level: B
Printout Date: 01-24-2008
Printout Time: 11:28:25
Output File Name: PDTB1107.10t

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	[W]	[W]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[WSW]	[S]	[SSE]	[SSE]	[SSE]	[SE]	[SE]	[E]	[NNE]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[W]
2	[W]	[W]	[WNW]	[W]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[WSW]	[WNW]	[NNW]	[NW]	[N]	[NNE]	[N]	[W]	[W]	[W]	[W]	[W]	[WNW]	[W]
3	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[WSW]	[WSW]	[SW]	[WSW]	[SW]	[SSW]	[S]	[N]	[W]	[W]	[WNW]	[W]	[WNW]	[WNW]	[W]
4	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[SW]	[SSE]	[S]	[SSW]	[W]	[ENE]	[WSW]	[WNW]	[W]	[NW]	[W]	[WNW]	[WNW]	[WNW]
5	[WNW]	[W]	[WNW]	[W]	[WNW]	[W]	[WNW]	[WNW]	[W]	[WSW]	[WSW]	[S]	[SSE]	[SSE]	[ESE]	[ESE]	[SE]	[SSW]	[NW]	[WNW]	[W]	[WNW]	[W]	[W]	[W]
6	[W]	[WNW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[W]	[WSW]	[SSE]	[ESE]	[ESE]	[ESE]	[SE]	[ESE]	[SE]	[W]	[NW]	[W]	[W]	[W]	[WNW]	[W]
7	[WNW]	[WNW]	[W]	[ENE]	[NW]	[WNW]	[WNW]	[W]	[W]	[WSW]	[SW]	[WSW]	[WSW]	[WSW]	[SSW]	[WNW]	[W]	[SW]	[WNW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]
8	[W]	[W]	[W]	[WNW]	[WSW]	[SSE]	[ESE]	[SW]	[W]	[WNW]	[W]	[S]	[SE]	[SE]	[ESE]	[ESE]	[SW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
9	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[NW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
10	[NW]	[NW]	[NNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]
11	[NW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[W]	[SSW]	[SW]	[SSE]	[SSE]	[SSE]	[SE]	[SSE]	[SE]	[ESE]	[ENE]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[W]	[WNW]
12	[W]	[W]	[WSW]	[ESE]	[SW]	[W]	[NNW]	[NW]	[WNW]	[WNW]	[NW]	[WSW]	[W]	[N]	[NNW]	[WSW]	[WSW]	[WNW]	[W]	[W]	[W]	[W]	[W]	[WNW]	[W]
13	[WNW]	[WNW]	[W]	[W]	[W]	[NNW]	[NNW]	[NW]	[W]	[SSW]	[S]	[SE]	[SE]	[ESE]	[SE]	[ESE]	[SE]	[NE]	[ESE]	[NNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
14	[WNW]	[W]	[W]	[WNW]	[W]	[WNW]	[WNW]	[W]	[WSW]	[WSW]	[W]	[W]	[SW]	[SW]	[S]	[S]	[SE]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
15	[W]	[NW]	[W]	[WNW]	[NW]	[WNW]	[WNW]	[NW]	[WSW]	[WSW]	[SSE]	[SSW]	[S]	[SE]	[SE]	[SE]	[ESE]	[ESE]	[E]	[NW]	[W]	[W]	[W]	[WNW]	[W]
16	[W]	[W]	[WNW]	[W]	[WNW]	[WSW]	[W]	[W]	[NW]	[SSE]	[SSE]	[SE]	[ESE]	[ESE]	[SE]	[SE]	[ESE]	[SSE]	[NNE]	[NNE]	[W]	[WNW]	[WNW]	[W]	[W]
17	[W]	[WSW]	[W]	[W]	[WNW]	[W]	[W]	[W]	[WSW]	[WSW]	[S]	[ESE]	[SE]	[SE]	[ESE]	[ESE]	[S]	[ENE]	[NNW]	[WNW]	[WNW]	[W]	[W]	[WNW]	[W]
18	[WNW]	[W]	[W]	[W]	[W]	[WNW]	[WNW]	[W]	[SW]	[SSE]	[SSW]	[SSE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[E]	[N]	[NW]	[W]	[W]	[W]	[W]	[W]
19	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[W]	[W]	[W]	[WSW]	[SW]	[SE]	[SE]	[ESE]	[ESE]	[ESE]	[ESE]	[ENE]	[NNE]	[W]	[WNW]	[W]	[NW]	[W]	[W]
20	[N]	[NW]	[W]	[WNW]	[W]	[WNW]	[W]	[WNW]	[W]	[NNW]	[ENE]	[ESE]	[ESE]	[ESE]	[ESE]	[S]	[WNW]	[WSW]	[W]	[W]	[WNW]	[WNW]	[W]	[W]	[W]
21	[WNW]	[W]	[W]	[W]	[WNW]	[W]	[W]	[W]	[W]	[W]	[W]	[SW]	[S]	[SSW]	[W]	[WNW]	[NNW]	[W]	[W]	[WNW]	[WNW]	[W]	[W]	[WNW]	[W]
22	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[WSW]	[ESE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[ESE]	[E]	[NE]	[WNW]	[WNW]	[WNW]	[W]	[NW]	[WNW]
23	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[N]	[N]	[NNE]	[N]	[N]	[N]	[NNW]	[W]	[W]	[W]	[NW]	[NW]	[NNW]	[NNW]	[NW]
24	[NW]	[WSW]	[W]	[WNW]	[W]	[WNW]	[WNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[WNW]	[W]	[NW]	[WNW]	[WSW]	[SSW]	[ENE]	[W]	[WNW]	[WNW]
25	[W]	[WNW]	[W]	[WNW]	[NNW]	[W]	[W]	[WNW]	[N]	[WNW]	[W]	[SSW]	[S]	[SE]	[ESE]	[ESE]	[ESE]	[E]	[N]	[W]	[W]	[WNW]	[WNW]	[W]	[W]
26	[W]	[W]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[NNW]	[SW]	[SW]	[E]	[SE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[N]	[NW]	[WNW]	[W]	[WNW]	[W]	[WNW]
27	[NNW]	[WNW]	[W]	[WNW]	[W]	[WNW]	[W]	[NW]	[WNW]	[WSW]	[S]	[ESE]	-940	-940	[ESE]	[SSE]	[SE]	[E]	[W]	[W]	[WNW]	[NW]	[W]	[SW]	[W]
28	[WNW]	[WNW]	[W]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[WNW]	[W]	[N]	[NNW]	[WSW]	[WNW]	[WNW]	[W]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
29	[WNW]	[W]	[WNW]	[W]	[WNW]	[WNW]	[W]	[W]	[WNW]	[WSW]	[E]	[ESE]	[SSE]	[SSE]	[ESE]	[SE]	[SE]	[ESE]	[E]	[ENE]	[NW]	[WNW]	[W]	[W]	[W]
30	[NNW]	[NW]	[W]	[WSW]	[WNW]	[W]	[SW]	[W]	[NW]	[WNW]	[WNW]	[W]	[WNW]	[W]	[WNW]	[W]	[W]	[SW]	[W]	[W]	[WNW]	[NW]	[W]	[SE]	[W]

Prev [W] [W] [W] [WNW] [WNW] [WNW] [W] [W] [W] [WSW] [W] [ESE] [SE] [SE] [SE] [ESE] [SE] [E] [W] [W] [WNW] [WNW] [WNW] [WNW] [W]

Total Data Records Possible: 720
Total Valid Data Records: 718
Percent Data Recovery: 99.7

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Sigma Theta (Yamartino)
Units: degrees
Channel: 11

Site: Palm Desert (data subject to change)
Month: November
Year: 2007
Time Zone: PST

Validation Level: B
Printout Date: 01-24-2008
Printout Time: 11:28:25
Output File Name: PDTB1107.11

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	15.5	14.2	16.7	17.6	17.3	14.8	12.0	13.9	15.3	20.8	24.6	29.8	31.7	27.4	26.4	19.0	15.7	15.6	9.0	22.0	18.3	20.3	20.0	20.2	9.0	31.7	19.1
2	25.5	20.2	27.7	12.2	49.1	17.4	12.0	15.6	17.5	18.9	26.1	23.5	29.3	33.8	39.8	26.3	23.4	21.2	21.6	19.5	15.7	15.6	15.5	16.5	12.0	49.1	22.7
3	16.2	16.1	15.6	15.2	14.8	16.3	37.5	28.3	18.5	18.8	22.6	22.2	22.7	19.3	18.5	18.1	34.0	16.0	14.6	12.9	15.1	12.3	16.5	15.3	12.3	37.5	19.1
4	18.2	16.9	18.9	15.7	15.1	13.0	16.5	13.1	17.5	20.4	15.2	16.0	22.4	33.3	44.3	40.1	2.8	40.5	10.0	10.9	13.5	11.7	16.4	16.3	2.8	44.3	19.1
5	13.4	13.8	16.4	17.5	17.4	11.9	11.5	14.3	14.7	14.4	15.0	27.3	34.3	18.5	17.6	18.5	16.9	30.0	17.2	12.5	12.0	13.1	11.7	13.4	11.5	34.3	16.8
6	14.6	17.0	13.7	12.2	11.6	13.9	12.3	13.8	15.1	28.5	34.9	29.5	46.2	18.8	18.5	17.1	16.8	22.0	42.5	9.7	8.2	8.6	9.4	14.8	8.2	46.2	18.7
7	12.8	9.2	15.6	27.3	12.1	17.1	8.2	9.4	13.8	16.2	19.6	23.8	21.1	36.1	27.3	31.2	16.3	13.7	12.8	18.8	20.5	20.6	20.2	18.9	8.2	36.1	18.4
8	15.2	12.8	17.0	16.0	20.0	15.5	28.7	16.4	16.8	25.8	22.9	52.4	24.0	21.0	18.9	30.8	22.3	19.5	19.6	19.9	22.3	21.1	18.7	19.6	12.8	52.4	21.5
9	18.8	19.2	19.5	22.1	21.7	19.2	18.7	19.4	20.5	23.2	22.5	26.5	22.9	41.5	26.4	20.3	18.5	18.8	19.0	17.4	18.1	19.1	21.9	20.0	17.4	41.5	21.5
10	35.9	23.9	16.9	44.2	23.4	21.4	21.8	22.8	17.2	23.5	23.0	27.3	31.8	31.6	30.5	22.3	17.7	17.2	16.5	19.3	22.8	18.5	20.7	20.0	16.5	44.2	23.8
11	21.4	22.7	21.1	23.1	15.0	15.1	17.9	25.3	17.9	25.8	34.7	17.7	22.0	23.4	18.1	16.3	19.9	28.7	21.0	19.3	21.0	19.4	18.9	30.3	15.0	34.7	21.5
12	16.6	52.2	23.2	43.0	30.5	27.9	10.2	17.2	20.3	26.0	31.7	25.4	44.3	48.9	40.9	19.4	16.3	10.2	11.9	14.6	16.4	14.6	15.1	26.8	10.2	52.2	25.1
13	30.9	19.3	15.4	15.0	13.4	46.6	12.3	16.2	15.8	25.8	45.6	20.3	20.1	19.6	18.5	18.6	13.9	16.7	28.2	9.4	9.5	11.9	8.8	11.8	8.8	46.6	19.3
14	13.5	15.4	13.5	15.6	14.2	15.9	13.6	14.3	32.0	18.7	20.6	21.4	18.5	16.6	17.6	17.7	19.7	23.1	11.9	16.1	17.8	16.8	17.3	16.1	11.9	32.0	17.4
15	53.9	17.1	14.3	21.8	14.8	22.8	26.0	20.5	19.8	14.9	56.2	35.4	35.4	20.7	17.2	16.8	14.6	20.0	38.8	8.5	13.2	14.0	10.5	14.2	8.5	56.2	22.6
16	13.1	12.6	13.2	12.2	18.1	13.4	15.6	16.4	46.9	36.9	20.1	18.9	19.9	17.4	16.7	16.7	15.3	12.6	34.3	14.9	17.2	17.1	17.3	15.6	12.2	46.9	18.8
17	16.4	12.3	11.9	16.1	20.4	16.1	19.9	18.8	14.8	11.8	21.7	19.1	20.2	18.3	18.8	19.5	20.4	18.1	14.2	10.4	10.5	10.0	9.0	11.6	9.0	21.7	15.8
18	11.9	11.0	10.4	10.8	12.6	12.3	12.6	16.4	13.6	11.1	42.4	44.2	27.2	21.1	19.1	24.6	10.5	11.2	10.8	12.6	8.2	12.7	11.6	11.0	8.2	44.2	16.2
19	11.8	11.1	11.3	12.7	11.0	9.3	11.1	11.6	15.1	19.9	20.8	24.9	18.6	18.1	19.2	18.2	16.5	16.1	37.4	8.7	15.4	13.2	34.4	34.9	8.7	37.4	17.5
20	31.1	22.7	12.8	13.1	16.7	13.9	21.8	21.9	53.5	55.8	34.3	19.1	18.8	19.3	17.7	18.8	40.2	31.9	47.3	25.2	22.5	13.3	17.0	15.1	12.8	55.8	25.2
21	18.4	19.6	21.1	18.7	29.6	46.4	16.7	18.1	20.4	23.7	23.1	35.7	42.6	54.1	27.2	31.6	22.3	17.6	15.0	16.6	17.0	17.2	17.3	16.4	15.0	54.1	24.4
22	16.0	16.8	20.0	20.3	16.7	16.2	12.1	19.6	17.4	17.8	46.2	23.5	22.8	20.5	19.3	17.9	16.8	32.4	24.3	59.0	28.8	23.7	17.5	19.0	12.1	59.0	22.7
23	19.6	19.1	19.1	17.9	18.1	20.2	17.3	19.2	19.0	28.0	31.7	36.2	24.6	23.6	23.3	22.4	19.0	26.1	18.5	21.7	21.7	18.3	20.0	21.1	17.3	36.2	21.9
24	33.2	57.6	24.1	24.2	24.9	24.4	17.2	19.8	21.3	22.5	26.8	25.4	28.0	28.4	34.4	22.1	25.2	22.9	26.8	30.9	26.3	26.1	55.6	12.5	12.5	57.6	27.5
25	30.0	23.0	16.8	20.0	12.1	15.4	10.5	16.3	21.1	25.6	17.6	36.9	28.8	22.4	17.8	15.2	15.3	20.6	17.4	9.4	9.4	10.3	13.0	25.0	9.4	36.9	18.7
26	17.8	25.2	14.9	11.0	8.6	15.1	10.5	13.0	43.0	31.0	43.9	33.9	20.4	21.6	23.9	16.7	13.0	22.8	8.2	14.1	10.2	10.1	10.1	12.8	8.2	43.9	18.8
27	19.6	22.2	10.2	14.7	13.4	14.2	14.7	14.2	12.9	16.2	24.0	21.3	-940	-940	20.5	20.6	18.4	14.0	38.0	10.8	19.8	29.9	13.4	32.9	10.2	38.0	18.9
28	12.7	12.3	13.8	36.7	17.1	23.2	34.2	21.8	15.5	19.6	25.2	24.1	48.0	24.7	14.4	16.6	33.0	13.6	14.5	15.6	16.5	16.1	15.8	16.3	12.3	48.0	20.9
29	26.7	35.9	29.8	16.1	13.8	16.8	25.9	15.3	18.1	22.1	25.9	20.7	18.2	36.8	22.9	16.8	15.4	16.2	16.1	37.9	13.1	12.3	8.8	11.4	8.8	37.9	20.5
30	53.6	14.3	14.5	14.9	35.2	30.9	22.7	14.8	23.7	18.6	19.4	19.4	20.0	19.2	20.7	20.0	20.0	61.9	68.1	23.5	39.1	33.3	49.0	56.0	14.3	68.1	29.7
Min	11.8	9.2	10.2	10.8	8.6	9.3	8.2	9.4	12.9	11.1	15.0	16.0	18.2	16.6	14.4	15.2	2.8	10.2	8.2	8.5	8.2	8.6	8.8	11.0	2.8		
Max	53.9	57.6	29.8	44.2	49.1	46.6	37.5	28.3	53.5	55.8	56.2	52.4	48.0	54.1	44.3	40.1	40.2	61.9	68.1	59.0	39.1	33.3	55.6	56.0	68.1		
Avg	21.8	20.2	17.0	19.3	18.6	19.2	17.4	17.3	21.0	22.7	28.0	26.7	27.1	26.1	23.2	21.0	19.0	21.7	22.8	18.1	17.3	16.7	18.4	19.5			20.8

Total Data Records Possible: 720
Total Valid Data Records: 718
Percent Data Recovery: 99.7

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Running 3-Second Gust
Units: mph
Channel: 17

Site: Palm Desert (data subject to change)
Month: November
Year: 2007
Time Zone: PST

Validation Level: B
Printout Date: 01-24-2008
Printout Time: 11:28:27
Output File Name: PDTB1107.17

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	10.0	8.5	9.6	9.4	10.3	6.9	6.9	7.4	7.1	5.0	4.2	6.0	9.2	8.3	7.6	6.9	7.8	6.0	4.7	7.6	11.2	9.2	13.4	10.7	4.2	13.4	8.1
2	7.6	7.3	7.0	9.6	8.2	7.8	8.6	9.1	10.0	11.6	10.5	9.2	15.7	14.7	11.1	13.0	14.3	13.4	8.9	9.2	9.7	8.6	8.3	8.8	7.0	15.7	10.1
3	10.1	8.3	9.4	9.9	9.9	9.4	8.5	7.6	10.9	10.7	10.4	10.6	10.9	10.1	11.5	9.4	5.2	4.4	7.1	7.7	9.5	7.2	8.4	7.8	4.4	11.5	8.9
4	8.9	8.3	6.9	9.1	8.2	7.1	7.8	8.2	6.8	5.1	4.2	4.7	7.6	5.8	4.3	3.4	2.4	3.8	6.8	6.1	7.8	7.8	10.4	10.3	2.4	10.4	6.7
5	8.2	7.3	11.6	8.8	8.7	7.1	7.4	8.1	5.9	5.0	3.4	4.2	5.3	6.1	8.0	6.6	4.0	2.5	6.4	8.0	8.1	8.9	6.9	9.2	2.5	11.6	6.9
6	10.3	11.8	9.4	7.9	6.5	8.0	7.8	7.8	5.4	3.0	6.1	7.2	6.3	10.4	10.8	9.4	6.2	3.7	4.6	4.7	6.6	7.2	6.3	8.6	3.0	11.8	7.3
7	7.1	6.6	5.8	5.4	4.7	7.4	6.7	5.6	6.3	4.2	5.4	5.8	4.1	4.1	5.1	3.1	2.0	4.0	6.1	15.1	15.3	16.0	13.7	15.1	2.0	16.0	7.3
8	8.2	8.6	8.6	10.8	7.0	3.7	5.8	5.7	6.1	8.9	6.2	5.3	9.1	7.4	8.8	6.6	11.3	15.4	16.9	16.4	15.6	15.9	14.8	15.3	3.7	16.9	9.9
9	20.7	23.4	24.5	24.0	22.1	19.0	22.2	22.1	18.2	18.3	14.2	12.2	12.9	8.6	9.5	10.4	13.4	11.7	18.5	21.0	15.4	15.5	12.9	8.7	8.6	24.5	16.6
10	7.7	14.1	18.1	21.5	19.1	26.2	17.7	20.7	26.7	23.3	13.0	11.0	11.0	9.4	11.3	14.2	14.0	14.3	14.9	15.8	14.5	17.9	19.4	19.1	7.7	26.7	16.4
11	19.5	18.7	16.9	13.4	6.9	8.3	10.3	7.9	4.5	6.4	7.2	7.5	7.4	6.3	6.6	7.5	5.6	11.9	11.7	12.5	19.3	17.1	13.9	9.1	4.5	19.5	10.7
12	11.0	10.5	4.5	4.3	5.3	6.1	5.5	10.2	8.7	10.9	11.9	12.4	9.1	8.0	9.9	6.2	5.9	5.1	8.3	9.9	10.0	8.8	7.4	7.0	4.3	12.4	8.2
13	8.1	9.4	9.9	10.0	9.3	5.8	8.6	7.1	6.0	4.5	4.7	7.8	9.1	10.2	10.6	8.8	4.4	3.1	4.2	5.3	3.7	4.7	6.9	7.6	3.1	10.6	7.1
14	8.5	8.8	7.5	9.5	9.8	8.8	7.4	7.5	5.0	4.2	4.0	5.1	7.2	8.8	9.9	7.9	5.5	3.7	6.9	8.5	12.0	9.8	10.3	9.9	3.7	12.0	7.8
15	7.0	8.2	7.3	7.5	7.2	8.0	8.0	7.9	6.2	3.6	4.3	5.5	7.1	11.3	10.3	8.0	6.3	5.7	5.7	6.4	6.5	6.4	6.7	7.2	3.6	11.3	7.0
16	7.4	6.9	8.7	7.7	9.9	9.4	9.6	6.7	4.2	4.0	5.6	10.9	13.2	10.2	8.8	5.2	6.4	3.6	4.1	4.1	4.6	8.0	11.0	8.3	3.6	13.2	7.4
17	10.3	6.5	7.8	8.3	10.1	9.1	11.5	10.6	8.0	8.6	7.3	8.0	10.6	11.3	9.7	8.9	3.9	3.2	3.3	5.2	6.5	5.6	6.9	6.3	3.2	11.5	7.8
18	7.5	7.5	6.9	7.9	7.5	7.2	8.0	6.8	5.3	2.2	3.3	3.2	5.2	6.9	6.6	6.9	3.1	3.4	4.8	6.1	7.2	8.5	6.6	7.7	2.2	8.5	6.1
19	7.2	8.9	6.9	8.6	7.1	6.0	6.9	5.9	5.3	5.3	4.2	6.7	9.3	9.9	11.6	9.3	8.8	4.3	5.1	5.3	6.0	6.4	7.0	8.0	4.2	11.6	7.1
20	5.0	5.7	4.7	7.0	5.8	6.9	7.2	8.0	6.2	5.1	5.6	8.0	9.1	9.0	8.7	7.8	6.4	3.9	5.3	7.8	10.3	8.8	12.2	8.2	3.9	12.2	7.2
21	13.0	10.9	13.9	9.9	11.4	9.9	10.4	10.6	10.2	11.1	11.0	11.0	6.7	7.8	10.9	12.0	8.6	8.2	7.6	10.3	11.2	9.3	10.3	11.4	6.7	13.9	10.3
22	10.8	10.4	9.6	11.0	8.8	6.9	7.3	7.2	7.1	3.2	6.7	8.0	10.2	9.5	10.1	8.3	8.8	6.9	5.8	8.8	20.9	19.8	7.1	18.5	3.2	20.9	9.7
23	19.1	16.3	18.3	17.2	18.6	19.4	19.6	17.3	11.8	13.0	17.0	25.4	25.2	29.1	29.2	26.7	17.7	13.0	11.5	15.0	16.0	16.7	15.1	16.6	11.5	29.2	18.5
24	13.0	7.0	8.3	12.9	13.4	14.9	10.2	12.7	13.7	13.6	17.9	17.5	14.7	14.5	15.9	9.6	5.0	6.9	6.6	7.4	6.1	6.9	6.1	6.3	5.0	17.9	10.9
25	8.1	7.7	6.7	7.6	8.0	7.2	6.3	5.6	2.3	3.8	5.5	3.7	5.4	7.8	10.9	10.0	6.7	5.0	3.7	5.1	5.0	6.1	6.6	5.9	2.3	10.9	6.3
26	6.7	5.0	4.6	4.9	6.1	6.7	6.8	5.0	4.9	5.4	4.0	9.4	10.2	8.8	7.9	5.2	4.2	4.4	5.1	4.8	5.9	6.1	5.8	6.5	4.0	10.2	6.0
27	6.4	4.4	7.4	9.0	8.6	8.5	8.1	6.4	5.7	5.6	6.7	9.1	-940	-940	6.5	6.1	5.7	3.4	4.0	7.2	6.5	5.8	8.3	6.6	3.4	9.1	6.6
28	7.2	7.2	6.5	9.1	6.3	5.6	6.1	8.5	10.7	9.3	8.5	9.0	9.2	11.8	6.6	5.4	5.6	7.8	8.4	9.4	9.4	9.8	10.2	9.4	5.4	11.8	8.2
29	12.0	8.8	6.1	6.1	7.2	7.7	5.7	4.8	4.4	4.6	5.9	8.3	7.1	6.3	6.1	5.0	3.7	5.6	5.9	4.7	4.2	5.2	6.7	5.0	3.7	12.0	6.1
30	4.4	6.3	8.4	7.2	5.6	6.7	5.8	5.9	9.5	12.6	15.6	14.9	14.4	13.3	10.6	11.8	11.5	7.9	18.4	11.7	8.6	3.9	3.2	7.7	3.2	18.4	9.4
Min	4.4	4.4	4.5	4.3	4.7	3.7	5.5	4.8	2.3	2.2	3.3	3.2	4.1	4.1	4.3	3.1	2.0	2.5	3.3	4.1	3.7	3.9	3.2	5.0	2.0		
Max	20.7	23.4	24.5	24.0	22.1	26.2	22.2	22.1	26.7	23.3	17.9	25.4	25.2	29.1	29.2	26.7	17.7	15.4	18.5	21.0	20.9	19.8	19.4	19.1		29.2	
Avg	9.7	9.3	9.4	9.9	9.2	9.1	8.9	8.8	8.1	7.7	7.8	8.9	9.7	9.8	9.8	8.7	7.2	6.5	7.7	8.9	9.8	9.6	9.4	9.5			8.9

Total Data Records Possible: 720
Total Valid Data Records: 718
Percent Data Recovery: 99.7

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2

Variable: Battery Voltage
Units: volts
Channel: 7

Site: Palm Desert (data subject to change)
Month: November
Year: 2007
Time Zone: PST

Validation Level: B
Printout Date: 01-24-2008
Printout Time: 11:28:24
Output File Name: PDTB1107.7

Day											Hour Ending														Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.3	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.0	13.4	13.2
2	13.0	13.0	13.0	13.0	13.0	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.3	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	12.9	13.4	13.2
3	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.0	13.4	13.2
4	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.0	13.4	13.2
5	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.0	13.4	13.2
6	13.0	13.0	13.0	13.0	13.0	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	12.9	13.4	13.2
7	13.0	13.0	13.0	13.0	13.0	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	12.9	13.4	13.2
8	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.0	13.4	13.2
9	13.0	13.0	13.0	13.0	13.0	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	12.9	13.4	13.2
10	13.0	13.0	13.0	12.9	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
11	13.0	13.0	13.0	13.0	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.1	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
12	13.0	13.0	13.0	13.0	12.9	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
13	13.0	13.0	13.0	13.0	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.4	13.3	13.2	13.1	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
14	13.0	13.0	13.0	13.0	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
15	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.3	13.4	13.4	13.3	13.3	13.3	13.3	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	13.0	13.0	13.4	13.2
16	13.0	13.0	13.0	13.0	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.3	13.3	13.3	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
17	13.0	13.0	13.0	13.0	12.9	12.9	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0	12.9	13.4	13.2
18	13.0	13.0	13.0	12.9	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
19	13.0	13.0	13.0	12.9	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
20	13.0	13.0	12.9	12.9	12.9	12.9	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
21	13.0	13.0	13.0	12.9	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
22	13.0	13.0	12.9	12.9	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
23	13.0	13.0	12.9	12.9	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
24	13.0	13.0	12.9	12.9	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
25	13.0	12.9	12.9	12.9	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
26	13.0	12.9	12.9	12.9	12.9	12.9	13.0	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.1	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.1
27	12.9	12.9	12.9	12.9	12.9	12.9	12.9	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.0	13.0	13.0	12.9	13.4	13.1
28	13.0	12.9	12.9	12.9	12.9	12.9	13.0	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0	12.9	13.4	13.2
29	13.0	12.9	12.9	12.9	12.9	12.9	13.1	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.1	13.1	13.1	13.0	13.0	13.0	12.9	13.4	13.2
30	12.9	12.9	12.9	12.9	12.9	12.9	12.9	12.9	13.1	13.3	13.3	13.4	13.4	13.4	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.9	12.9	13.4	13.1
Min	12.9	12.9	12.9	12.9	12.9	12.9	12.9	12.9	13.1	13.3	13.3	13.3	13.3	13.3	13.3	13.2	13.1	13.1	13.0	13.0	12.9	12.9	12.9	12.9	12.9		
Max	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.1	13.0		13.4	
Avg	13.0	13.0	13.0	13.0	12.9	12.9	13.1	13.3	13.3	13.4	13.4	13.4	13.4	13.4	13.4	13.4	13.3	13.2	13.2	13.1	13.1	13.1	13.0	13.0			13.2

Total Data Records Possible: 720
Total Valid Data Records: 720
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.2