

White Water Wash Meteorological Data

February 2013

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 10

Site: White Water Wash (data subject to change)
Month: February
Year: 2013
Time Zone: PST

Validation Level: B
Printout Date: 03-06-2013
Printout Time: 14:17:12
Output File Name: wwwB0213.10

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	9.4	8.3	6.3	7.9	8.1	7.3	7.6	6.3	3.5	3.6	1.4	4.8	5.9	5.3	4.3	4.9	3.8	1.4	3.3	5.9	7.1	7.0	6.9	6.5	1.4	9.4	5.7
2	6.9	5.9	6.2	7.3	6.4	6.3	6.3	6.9	4.3	2.0	0.5	1.7	3.6	4.1	6.1	6.2	3.9	2.3	4.4	4.1	4.7	4.2	5.1	5.1	0.5	7.3	4.8
3	4.9	6.7	9.6	10.4	15.4	14.8	11.9	7.9	6.1	4.0	3.2	3.9	4.3	6.5	6.3	4.8	4.4	0.7	3.9	4.0	5.8	7.3	6.5	8.4	0.7	15.4	6.7
4	8.5	6.8	8.1	8.6	9.7	7.2	7.1	6.2	5.0	5.2	2.8	3.5	3.2	4.9	3.5	3.6	2.1	1.8	4.0	5.6	6.4	9.8	9.5	9.4	1.8	9.8	5.9
5	9.3	9.5	9.1	8.1	7.6	9.3	7.9	6.5	7.1	4.2	3.3	6.5	6.1	7.1	5.8	3.0	5.0	8.8	9.8	10.9	15.8	16.7	16.5	16.4	3.0	16.7	8.8
6	14.6	15.8	19.9	22.4	20.5	22.7	22.6	23.8	29.1	18.6	17.6	15.6	13.1	13.0	12.9	14.9	15.2	14.9	16.1	16.0	15.4	14.4	13.0	10.6	10.6	29.1	17.2
7	10.2	10.0	8.4	9.9	8.1	8.6	9.8	11.0	14.8	8.9	4.1	4.9	7.5	7.6	10.3	8.8	7.9	6.6	12.7	22.6	22.2	24.7	23.6	23.0	4.1	24.7	11.9
8	15.9	5.1	6.7	7.9	9.6	14.7	15.1	4.7	14.6	23.4	27.2	21.6	15.1	30.4	18.0	18.2	7.3	4.4	2.7	9.1	7.5	4.0	5.1	3.2	2.7	30.4	12.2
9	5.7	12.5	15.5	18.5	15.8	10.1	6.5	7.2	4.6	4.8	13.7	10.0	22.6	20.8	21.5	20.1	18.9	19.7	18.2	17.0	16.4	16.4	14.4	15.0	4.6	22.6	14.4
10	15.1	18.0	13.2	12.5	11.1	11.2	10.4	7.7	15.4	20.5	18.9	18.4	19.2	19.1	19.0	18.9	18.7	18.7	17.6	18.6	18.4	17.4	18.0	20.0	7.7	20.5	16.5
11	16.5	15.1	11.9	2.8	9.5	9.4	7.6	5.8	3.9	7.3	17.4	21.0	20.6	20.8	17.2	17.0	17.5	16.8	13.7	3.6	1.9	3.7	3.1	5.5	1.9	21.0	11.2
12	7.9	6.5	8.0	8.5	6.4	5.8	7.8	5.8	4.8	2.3	1.5	2.6	2.7	2.8	2.9	3.6	2.2	3.6	9.1	4.5	2.5	6.4	7.4	7.8	1.5	9.1	5.1
13	6.5	7.5	8.0	9.3	8.9	7.9	8.0	5.8	4.9	3.7	1.7	3.0	2.9	4.0	5.8	2.9	7.7	8.6	5.4	4.4	5.1	7.4	7.3	8.7	1.7	9.3	6.1
14	8.0	9.3	8.7	7.8	10.1	8.8	9.4	6.7	3.7	3.8	9.8	9.5	12.1	11.1	10.4	11.9	8.9	8.7	7.1	5.9	5.9	5.3	6.2	6.5	3.7	12.1	8.1
15	8.4	8.3	5.7	4.7	6.4	10.9	12.9	13.5	10.5	10.4	7.5	5.0	7.8	5.6	5.0	4.5	2.9	6.1	6.1	6.4	4.8	6.7	5.8	6.8	2.9	13.5	7.2
16	6.7	7.4	7.3	6.8	5.7	4.9	6.1	4.7	3.1	1.5	2.8	6.6	7.1	6.4	7.4	7.8	6.2	3.0	6.1	8.4	8.2	8.1	11.1	9.1	1.5	11.1	6.4
17	8.2	7.7	7.7	6.9	7.4	7.5	5.7	6.0	3.4	5.2	6.5	8.2	6.5	5.2	21.0	17.7	18.7	21.7	23.6	23.5	21.0	19.7	20.3	18.1	3.4	23.6	12.4
18	19.3	17.0	16.1	13.4	9.8	12.1	10.1	8.5	7.0	3.5	3.6	3.9	4.8	5.2	8.3	6.2	5.4	4.9	12.5	13.7	17.2	18.3	17.1	18.5	3.5	19.3	10.7
19	18.6	22.1	25.4	22.5	22.9	23.5	25.4	26.5	28.3	28.6	26.9	25.8	24.7	21.5	20.9	25.3	21.5	17.4	12.4	10.5	15.2	9.4	9.9	9.6	9.4	28.6	20.6
20	5.7	5.1	6.3	3.7	3.4	9.7	11.4	9.2	12.7	19.7	18.9	8.5	20.3	27.1	24.9	22.2	22.9	21.3	17.5	18.9	14.7	15.8	18.5	18.9	3.4	27.1	14.9
21	15.3	18.4	20.3	17.7	19.1	18.9	18.4	15.2	7.0	7.2	17.3	17.9	14.8	10.2	9.8	3.7	3.1	5.0	2.9	5.1	7.2	7.4	8.1	8.3	2.9	20.3	11.6
22	9.1	8.9	9.4	8.1	8.7	8.4	8.4	10.1	7.8	5.4	2.6	4.1	5.3	4.5	4.0	2.7	2.2	2.1	5.9	7.1	2.0	4.3	6.5	6.9	2.0	10.1	6.0
23	7.0	6.8	7.1	5.5	6.8	7.6	5.4	3.2	3.4	6.2	10.6	9.8	8.3	7.6	6.9	4.1	7.7	9.9	14.3	21.9	20.9	19.5	15.4	17.2	3.2	21.9	9.7
24	17.0	16.2	18.5	19.3	14.5	7.0	8.4	16.3	19.0	25.1	24.3	24.0	17.6	21.0	21.2	16.3	13.6	11.1	7.1	2.6	5.0	3.9	4.8	6.0	2.6	25.1	14.1
25	7.5	6.9	8.7	8.4	8.9	8.1	7.5	5.4	4.9	3.2	4.8	6.0	6.5	-940	-940	6.6	5.9	4.7	4.9	4.5	3.6	4.9	4.6	3.9	3.2	8.9	5.9
26	2.7	5.0	6.2	10.1	7.8	7.2	8.9	7.0	3.7	3.1	2.5	8.7	11.7	10.7	9.3	7.0	4.2	5.6	4.5	2.2	7.0	7.9	9.1	8.4	2.2	11.7	6.7
27	8.0	8.4	8.7	3.0	6.9	7.9	6.3	6.9	3.0	2.6	5.4	5.4	5.6	7.9	10.1	12.1	8.3	4.6	2.5	2.5	4.5	3.6	5.0	6.5	2.5	12.1	6.1
28	9.0	9.4	7.0	6.2	7.9	6.8	5.6	4.2	2.4	2.6	2.3	3.4	4.6	4.9	5.2	3.8	3.9	2.5	6.8	4.1	6.0	6.7	6.8	8.0	2.3	9.4	5.4
Min	2.7	5.0	5.7	2.8	3.4	4.9	5.4	3.2	2.4	1.5	0.5	1.7	2.7	2.8	2.9	2.7	2.1	0.7	2.5	2.2	1.9	3.6	3.1	3.2	0.5		
Max	19.3	22.1	25.4	22.5	22.9	23.5	25.4	26.5	29.1	28.6	27.2	25.8	24.7	30.4	24.9	25.3	22.9	21.7	23.6	23.5	22.2	24.7	23.6	23.0		30.4	
Avg	10.1	10.2	10.5	9.9	10.1	10.2	9.9	8.9	8.5	8.4	9.3	9.4	10.2	10.9	11.0	10.0	8.9	8.5	9.1	9.4	9.7	10.0	10.2	10.4			9.7

Total Data Records Possible: 672
Total Valid Data Records: 670
Percent Data Recovery: 99.7

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 11

Site: White Water Wash (data subject to change)
 Month: February
 Year: 2013
 Time Zone: PST

Validation Level: B
 Printout Date: 03-06-2013
 Printout Time: 14:17:14
 Output File Name: wwwB0213.11

Day	1	2	3	4	5	6	7	8	9	10	11	Hour Ending 12	13	14	15	16	17	18	19	20	21	22	23	24	Prev
1	328	340	334	337	342	329	340	331	40	164	190	141	118	133	142	130	152	155	12	353	339	338	336	326	[NNW]
2	327	330	332	338	327	333	345	332	325	327	309	130	144	140	130	135	159	241	339	355	326	333	340	321	[NNW]
3	338	350	320	314	307	305	311	309	298	275	254	264	256	227	204	194	203	170	340	332	344	344	344	350	[NNW]
4	338	334	344	349	350	346	342	335	322	311	246	264	208	85	140	155	194	238	309	302	346	355	352	351	[NNW]
5	328	337	355	360	359	360	349	324	331	257	159	143	152	126	136	131	117	299	288	303	305	308	308	306	[NW]
6	293	302	313	316	305	301	297	302	300	302	306	306	302	303	309	301	302	306	304	301	301	303	307	309	[WNW]
7	330	342	335	336	339	339	337	323	311	300	192	157	139	118	122	121	117	87	318	298	302	299	306	304	[NNW]
8	294	233	262	310	298	296	306	71	288	297	296	300	291	302	309	298	288	333	317	325	302	296	262	267	[WNW]
9	275	296	286	296	301	302	268	288	211	212	271	277	297	299	304	305	303	301	300	299	299	297	297	295	[WNW]
10	294	297	298	300	295	298	309	297	287	291	292	291	295	296	298	295	302	301	301	299	299	300	305	299	[NNW]
11	313	326	311	358	311	315	328	321	331	295	14	16	9	8	17	21	19	26	33	11	291	226	222	334	[NNE]
12	325	335	349	346	324	326	338	333	329	330	260	236	249	138	226	260	184	148	28	270	71	337	344	351	[NNW]
13	347	341	339	348	350	326	330	348	334	305	209	162	276	245	271	248	120	121	164	18	346	341	339	353	[NNW]
14	344	340	344	334	340	337	338	317	329	202	71	65	26	33	24	27	14	7	345	310	344	349	349	331	[NNW]
15	346	360	342	335	336	4	1	354	4	34	8	309	15	146	190	189	158	17	333	323	320	309	286	315	[N]
16	329	332	345	319	323	308	327	331	323	280	138	143	143	134	121	116	108	81	331	343	347	341	329	342	[NNW]
17	352	328	313	327	344	347	327	320	213	176	155	140	129	206	296	298	299	300	303	301	297	312	300	304	[WNW]
18	321	325	329	321	346	339	318	304	273	147	121	136	132	127	120	117	96	307	299	300	300	301	301	298	[WNW]
19	298	298	297	295	295	295	299	300	302	303	300	298	299	307	300	304	306	311	316	302	303	302	355	238	[NNW]
20	257	320	328	98	117	309	288	299	267	295	297	256	284	294	297	297	293	297	291	294	290	305	306	307	[NNW]
21	298	290	296	297	301	295	290	285	213	228	294	300	305	303	304	340	219	250	305	319	358	343	352	350	[WNW]
22	356	353	360	353	356	355	349	355	329	319	211	123	133	161	123	284	236	210	92	137	293	2	356	348	[N]
23	357	2	357	347	357	336	321	2	197	140	127	140	152	169	171	143	245	274	312	302	310	310	338	354	[N]
24	4	12	1	10	359	354	5	30	27	26	19	14	12	29	31	25	32	14	36	214	232	270	309	338	[NNE]
25	326	344	339	345	339	325	340	333	324	323	130	146	124	-940	-940	128	124	119	123	52	353	281	259	251	[NNW]
26	326	330	317	358	0	347	350	334	283	178	188	3	20	24	42	62	22	45	324	290	302	345	8	313	[N]
27	350	317	307	308	340	347	320	349	318	168	179	176	95	47	55	40	28	54	129	6	200	237	305	353	[NW]
28	338	326	330	312	307	316	346	320	326	310	215	196	212	196	188	157	167	259	49	318	333	333	329	330	[NW]

Prev [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NW] [WNW] [WNW] [SE] [SE] [SE] [WNW] [WNW] [WNW] [WNW] [NW] [WNW] [WNW] [NNW] [NNW] [NW] [WNW]

Total Data Records Possible: 672
 Total Valid Data Records: 670
 Percent Data Recovery: 99.7

Missing Data Codes

-910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 11

Site: White Water Wash (data subject to change)
Month: February
Year: 2013
Time Zone: PST

Validation Level: B
Printout Date: 03-06-2013
Printout Time: 14:17:14
Output File Name: wwwB0213.11t

Day	Hour Ending																								Prev
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NE]	[SSE]	[S]	[SE]	[ESE]	[SE]	[SE]	[SE]	[SSE]	[SSE]	[NNE]	[N]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]
2	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NW]	[SE]	[SE]	[SE]	[SE]	[SE]	[SSE]	[WSW]	[NNW]	[N]	[NW]	[NNW]	[NNW]	[NW]	[NNW]
3	[NNW]	[N]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[W]	[WSW]	[W]	[WSW]	[SW]	[SSW]	[SSW]	[SSW]	[S]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]
4	[NNW]	[NNW]	[NNW]	[N]	[N]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[WSW]	[W]	[SSW]	[E]	[SE]	[SSE]	[SSW]	[WSW]	[NW]	[WNW]	[NNW]	[N]	[N]	[N]	[NNW]
5	[NNW]	[NNW]	[N]	[N]	[N]	[N]	[N]	[NW]	[NNW]	[WSW]	[SSE]	[SE]	[SSE]	[SE]	[SE]	[SE]	[ESE]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]
6	[WNW]	[WNW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]
7	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[WNW]	[SSW]	[SSE]	[SE]	[ESE]	[ESE]	[ESE]	[ESE]	[E]	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[NNW]
8	[WNW]	[SW]	[W]	[NW]	[WNW]	[WNW]	[NW]	[ENE]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[NNW]	[NW]	[NW]	[WNW]	[WNW]	[W]	[W]	[WNW]
9	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[SSW]	[SSW]	[W]	[W]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
10	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]
11	[NW]	[NW]	[NW]	[N]	[NW]	[NW]	[NNW]	[NW]	[NNW]	[WNW]	[NNE]	[NNE]	[N]	[N]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[N]	[WNW]	[SW]	[SW]	[NNW]	[NNE]
12	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[W]	[WSW]	[WSW]	[SE]	[SW]	[W]	[S]	[SSE]	[NNE]	[W]	[ENE]	[NNW]	[NNW]	[N]
13	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NW]	[NNW]	[NNW]	[NNW]	[NW]	[SSW]	[SSE]	[W]	[WSW]	[W]	[WSW]	[ESE]	[ESE]	[SSE]	[NNE]	[NNW]	[NNW]	[NNW]	[N]	[NNW]
14	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[SSW]	[ENE]	[ENE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[N]	[NNW]	[NW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]
15	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[N]	[N]	[NNE]	[N]	[NW]	[NNE]	[SE]	[S]	[S]	[SSE]	[NNE]	[NNW]	[NW]	[NW]	[NW]	[WNW]	[NW]	[N]
16	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[W]	[SE]	[SE]	[SE]	[SE]	[ESE]	[ESE]	[ESE]	[E]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]
17	[N]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[SSW]	[S]	[SSE]	[SE]	[SE]	[SE]	[SSW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]
18	[NW]	[NW]	[NNW]	[NW]	[NNW]	[NNW]	[NW]	[WNW]	[W]	[SSE]	[ESE]	[SE]	[SE]	[SE]	[ESE]	[ESE]	[E]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]
19	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[N]	[WSW]	[WNW]
20	[WSW]	[NW]	[NNW]	[E]	[ESE]	[NW]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[WSW]	[NNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[WNW]
21	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[SSW]	[SW]	[WNW]	[WNW]	[NW]	[WNW]	[NW]	[NNW]	[SW]	[WSW]	[NW]	[NW]	[N]	[NNW]	[N]	[N]	[WNW]
22	[N]	[N]	[N]	[N]	[N]	[N]	[N]	[N]	[NNW]	[NW]	[SSW]	[ESE]	[SE]	[SSE]	[ESE]	[WNW]	[SW]	[SSW]	[E]	[SE]	[WNW]	[N]	[N]	[NNW]	[N]
23	[N]	[N]	[N]	[NNW]	[N]	[NNW]	[NW]	[N]	[SSW]	[SE]	[SE]	[SE]	[SSE]	[S]	[S]	[SE]	[WSW]	[W]	[NW]	[WNW]	[NW]	[NW]	[NNW]	[N]	[N]
24	[N]	[NNE]	[N]	[N]	[N]	[N]	[N]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NE]	[SSW]	[SW]	[W]	[NW]	[NNW]	[NNE]	[NNE]
25	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NW]	[NW]	[SE]	[SE]	[SE]	-940	-940	[SE]	[ESE]	[ESE]	[ESE]	[NE]	[N]	[W]	[W]	[WSW]
26	[NW]	[NNW]	[NW]	[N]	[N]	[NNW]	[N]	[NNW]	[NNW]	[S]	[S]	[N]	[NNE]	[NNE]	[NE]	[NE]	[NNE]	[NE]	[NW]	[WNW]	[NNW]	[N]	[NW]	[N]	[N]
27	[N]	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NW]	[N]	[NW]	[SSE]	[S]	[S]	[E]	[NE]	[NE]	[NE]	[NE]	[SE]	[N]	[SSW]	[WSW]	[NW]	[N]	[NW]
28	[NNW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[NNW]	[NW]	[NW]	[NW]	[SW]	[SSW]	[SSW]	[SSW]	[S]	[SSE]	[SSE]	[WSW]	[NE]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]
Prev	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[WNW]	[WNW]	[SE]	[SE]	[SE]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[NNW]	[NNW]	[NW]	[WNW]

Total Data Records Possible: 672
Total Valid Data Records: 670
Percent Data Recovery: 99.7

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Sigma Theta (Yamartino)
Units: degrees
Channel: 12

Site: White Water Wash (data subject to change)
Month: February
Year: 2013
Time Zone: PST

Validation Level: B
Printout Date: 03-06-2013
Printout Time: 14:17:15
Output File Name: wwwB0213.12

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	3.4	4.5	10.0	9.0	5.6	5.4	5.3	11.9	14.0	19.5	32.7	15.7	18.2	18.1	16.0	13.0	8.7	1.9	30.9	6.3	5.9	4.1	10.6	4.7	1.9	32.7	11.5
2	4.4	8.7	6.0	5.1	9.3	7.6	5.7	5.8	7.1	5.7	34.5	24.0	20.6	20.8	14.3	10.1	5.7	10.9	10.8	12.8	7.8	7.7	10.0	11.9	4.4	34.5	11.1
3	9.3	7.3	6.4	7.4	7.3	6.6	7.3	5.4	8.9	11.9	42.0	39.8	32.1	19.8	15.1	12.1	5.6	8.2	21.8	15.2	15.6	10.4	15.3	6.8	5.4	42.0	14.1
4	8.3	7.6	8.7	6.5	5.6	6.6	5.7	9.5	10.9	12.6	27.0	23.3	49.1	38.1	59.7	26.7	18.3	35.0	32.1	18.1	7.1	6.2	6.3	10.3	5.6	59.7	18.3
5	11.9	10.0	8.3	7.5	7.7	6.9	10.5	13.5	8.3	19.9	20.4	16.2	17.8	18.1	18.4	32.2	45.1	17.8	8.6	7.7	7.3	8.8	9.7	7.6	6.9	45.1	14.2
6	11.0	16.2	8.6	8.0	7.8	7.2	7.6	7.8	7.2	8.5	7.5	7.9	9.2	9.1	9.0	7.7	8.0	7.1	7.2	6.6	7.0	6.2	6.6	8.2	6.2	16.2	8.2
7	6.5	7.5	6.7	6.6	6.0	5.9	8.7	8.6	7.1	18.0	18.4	19.7	15.3	16.6	12.0	10.8	8.5	12.9	28.8	6.9	7.8	8.0	12.7	13.8	5.9	28.8	11.4
8	14.4	34.6	27.5	30.6	52.7	37.8	29.6	62.6	22.5	12.8	9.0	9.9	25.5	8.1	8.6	10.6	20.3	21.4	37.8	15.6	23.0	33.1	28.0	52.3	8.1	62.6	26.2
9	24.1	13.9	12.6	8.4	12.1	20.1	27.8	42.1	24.9	30.3	34.4	38.9	10.1	10.0	11.2	11.8	8.4	7.8	7.9	8.3	9.3	8.4	8.7	8.3	7.8	42.1	16.7
10	8.3	7.9	9.1	8.1	9.5	10.5	8.0	17.9	9.9	9.0	9.4	8.8	8.3	8.4	7.9	7.3	9.1	8.9	8.0	7.2	8.0	7.4	10.1	7.2	7.2	17.9	8.9
11	9.6	9.7	15.7	14.5	7.3	14.3	15.4	30.0	9.9	28.1	11.2	11.3	13.5	12.6	12.1	12.1	9.6	8.4	7.9	49.7	36.8	9.6	39.2	29.1	7.3	49.7	17.4
12	8.7	9.8	9.9	13.4	11.6	10.5	17.9	14.1	15.7	27.0	44.4	41.2	57.0	69.4	54.5	34.5	31.2	32.6	14.0	28.0	32.2	10.6	5.5	6.3	5.5	69.4	25.0
13	7.1	9.0	6.9	10.9	6.1	9.2	12.0	10.1	13.2	17.6	27.4	33.9	55.0	35.9	19.6	40.7	37.8	9.2	22.3	27.0	10.5	8.8	7.0	7.6	6.1	55.0	18.5
14	9.6	7.0	9.1	5.4	5.8	5.5	7.6	10.2	12.5	31.9	16.5	25.5	17.0	18.5	20.6	10.8	16.0	9.5	9.0	11.8	11.0	15.0	15.7	12.0	5.4	31.9	13.1
15	9.1	9.1	18.5	22.4	14.7	6.1	9.4	8.5	8.5	11.2	18.1	32.0	26.8	44.3	26.4	20.3	19.2	44.9	10.2	14.2	15.9	9.6	8.1	9.3	6.1	44.9	17.4
16	7.3	7.4	7.3	13.7	8.1	14.2	7.5	7.0	11.1	12.7	29.9	17.1	13.4	17.4	13.6	10.7	8.5	11.9	5.8	11.9	5.6	5.7	5.2	7.1	5.2	29.9	10.8
17	8.5	14.9	9.6	10.8	12.2	19.0	25.0	29.9	21.3	11.9	14.6	11.3	23.8	47.0	9.8	9.6	9.0	8.4	7.2	7.5	7.3	8.3	9.6	9.0	7.2	47.0	14.4
18	8.7	7.3	6.7	8.4	10.1	6.6	7.8	7.1	19.5	15.4	18.4	18.1	21.9	27.8	14.6	17.7	12.8	32.3	11.4	8.6	8.1	6.8	6.5	6.7	6.5	32.3	12.9
19	8.1	8.9	7.4	8.1	8.0	9.3	9.7	9.1	8.5	8.4	10.3	14.0	11.3	12.2	13.9	11.6	13.4	11.4	14.8	15.3	11.7	17.3	24.5	29.2	7.4	29.2	12.4
20	22.7	19.7	24.7	50.1	57.9	23.3	39.1	31.0	25.6	12.1	11.0	30.6	17.4	8.1	7.9	7.4	8.0	8.8	9.8	9.5	12.7	12.1	8.4	10.5	7.4	57.9	19.5
21	14.5	10.4	8.2	9.5	9.3	9.4	8.1	13.4	29.6	30.9	15.9	10.8	10.7	15.8	16.7	49.1	18.6	9.8	20.3	18.1	8.4	9.3	8.8	8.9	8.1	49.1	15.2
22	8.3	8.8	7.2	7.4	7.8	6.5	7.0	9.4	10.2	22.0	32.4	28.4	37.2	48.5	42.9	33.3	27.5	13.0	34.6	24.5	28.5	8.2	6.0	7.3	6.0	48.5	19.4
23	6.3	5.1	4.1	9.5	16.7	23.1	22.7	37.8	34.4	12.2	10.7	14.5	14.8	32.4	17.9	30.0	56.7	25.1	14.3	8.7	7.4	11.1	11.5	12.6	4.1	56.7	18.3
24	13.2	13.5	12.5	12.7	13.5	32.0	30.9	12.6	12.4	10.2	11.2	14.2	15.4	12.4	13.3	13.1	14.6	14.7	24.6	46.5	34.8	34.7	25.6	15.6	10.2	46.5	18.9
25	13.6	8.3	6.3	6.4	9.6	8.7	7.9	11.1	10.4	31.3	18.6	19.8	17.7	-940	-940	21.4	15.3	8.2	7.2	40.2	35.9	27.5	20.2	40.7	6.3	40.7	17.6
26	30.9	13.8	24.0	6.4	9.5	8.9	11.6	11.1	41.9	18.2	30.1	42.5	20.3	16.2	26.3	22.4	30.5	12.8	22.1	31.5	9.8	16.1	14.7	14.3	6.4	42.5	20.2
27	16.0	8.7	7.8	35.2	13.1	20.5	8.5	9.0	18.9	40.2	22.8	26.5	37.2	48.4	19.2	12.7	19.4	24.5	49.0	49.9	40.0	30.9	41.4	11.5	7.8	49.9	25.5
28	14.9	6.8	9.2	10.1	8.0	12.3	19.8	20.5	20.1	26.9	47.8	29.6	41.7	52.8	27.1	49.5	22.9	29.4	8.1	22.2	27.3	6.9	15.1	12.7	6.8	52.8	22.6
Min	3.4	4.5	4.1	5.1	5.6	5.4	5.3	5.4	7.1	5.7	7.5	7.9	8.3	8.1	7.9	7.3	5.6	1.9	5.8	6.3	5.6	4.1	5.2	4.7	1.9		
Max	30.9	34.6	27.5	50.1	57.9	37.8	39.1	62.6	41.9	40.2	47.8	42.5	57.0	69.4	59.7	49.5	56.7	44.9	49.0	49.9	40.0	34.7	41.4	52.3	69.4		
Avg	11.4	10.6	10.7	12.6	12.6	12.6	13.7	16.7	15.9	18.4	22.4	22.3	23.5	25.4	19.6	19.6	18.2	16.0	17.4	18.9	15.8	12.5	14.0	13.6			16.4

Total Data Records Possible: 672
Total Valid Data Records: 670
Percent Data Recovery: 99.7

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Running 3-Second Gust
Units: mph
Channel: 18

Site: White Water Wash (data subject to change)
Month: February
Year: 2013
Time Zone: PST

Validation Level: B
Printout Date: 03-06-2013
Printout Time: 14:17:25
Output File Name: wwwB0213.18

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	11.6	11.5	8.9	10.7	11.6	10.4	11.5	9.1	6.9	6.9	5.3	8.0	10.0	10.4	9.4	8.1	7.4	4.2	6.5	8.5	10.0	8.7	9.6	9.1	4.2	11.6	8.9
2	9.3	8.5	7.5	9.6	8.5	8.5	8.5	9.1	8.3	4.2	2.6	5.2	6.6	8.6	9.7	9.3	6.5	4.6	6.9	5.3	6.9	6.1	6.8	7.5	2.6	9.7	7.3
3	6.0	9.0	14.2	15.5	30.6	27.4	17.3	11.3	8.6	8.0	6.9	11.4	10.5	11.4	12.8	8.0	7.5	3.2	7.7	6.6	8.8	10.7	10.3	11.8	3.2	30.6	11.5
4	11.7	11.0	12.2	11.0	12.4	10.7	9.1	9.7	9.1	9.6	8.3	8.0	9.6	10.9	8.1	8.0	7.5	4.5	8.7	7.9	9.1	12.5	12.0	15.5	4.5	15.5	9.9
5	14.5	16.7	13.2	10.6	12.9	11.5	11.4	10.7	10.3	8.0	9.3	12.2	10.2	12.1	10.7	7.2	11.5	19.2	18.1	19.1	23.8	28.9	28.1	27.1	7.2	28.9	14.9
6	25.0	28.9	34.0	34.0	30.5	33.5	32.9	41.5	43.5	30.0	25.0	23.5	19.7	19.9	19.7	21.1	23.7	22.3	25.2	24.8	23.0	21.0	19.9	17.5	17.5	43.5	26.7
7	14.3	14.4	11.8	14.5	11.4	12.5	14.6	18.1	21.2	16.8	7.2	10.7	12.7	12.7	16.1	14.2	12.7	9.9	33.7	34.3	34.2	40.5	39.9	41.4	7.2	41.4	19.6
8	37.7	13.7	14.0	19.8	24.8	41.0	33.0	21.0	30.7	39.6	44.3	32.1	33.4	48.4	29.9	35.9	19.8	11.8	6.4	18.6	14.5	12.1	11.1	13.8	6.4	48.4	25.3
9	18.8	23.0	30.4	31.7	28.4	18.9	16.8	22.3	10.4	12.4	30.0	26.6	36.1	40.0	36.5	35.7	29.5	31.6	31.5	27.3	26.1	27.4	23.2	25.2	10.4	40.0	26.6
10	28.6	29.7	21.8	22.8	19.2	19.0	17.2	18.2	25.4	32.8	31.9	27.8	27.8	28.5	26.5	26.7	27.7	30.5	27.3	28.4	29.4	27.7	29.5	29.4	17.2	32.8	26.4
11	27.0	26.0	23.1	10.0	15.2	15.9	14.8	11.1	7.5	25.9	28.5	32.0	33.4	31.9	28.6	31.0	28.3	25.2	21.4	14.3	10.3	7.4	6.4	10.3	6.4	33.4	20.2
12	12.5	11.1	12.0	13.2	9.9	10.7	14.1	13.1	8.1	6.5	6.9	6.6	8.0	8.3	8.6	10.8	6.3	13.2	15.5	10.2	9.1	12.2	9.1	10.0	6.3	15.5	10.3
13	8.8	9.6	10.5	12.6	13.5	12.3	14.5	9.7	7.8	7.6	5.4	7.2	12.9	10.7	10.5	10.1	15.0	15.1	10.0	7.7	9.5	10.8	10.1	13.3	5.4	15.1	10.6
14	12.4	12.9	12.2	10.6	14.5	12.8	12.8	11.3	9.5	15.6	20.8	22.3	21.8	22.4	22.7	19.7	15.8	15.6	14.5	10.5	9.8	9.5	12.7	9.1	9.1	22.7	14.7
15	10.7	11.8	10.3	9.2	12.5	13.8	21.9	21.3	21.1	19.1	14.0	12.9	17.5	19.9	11.5	8.9	7.1	12.2	8.8	9.6	8.0	9.6	8.0	10.1	7.1	21.9	12.9
16	8.8	8.8	9.5	9.3	8.8	8.7	8.6	7.1	4.5	4.2	8.3	10.4	11.6	11.3	11.5	11.9	9.8	5.8	10.3	11.0	9.6	11.8	13.6	13.2	4.2	13.6	9.5
17	11.3	10.7	11.5	11.0	10.5	11.7	13.7	17.2	7.5	9.2	10.7	12.8	12.8	28.0	35.6	28.7	31.4	36.8	34.5	39.9	31.1	29.7	31.4	31.2	7.5	39.9	21.2
18	28.4	26.2	21.5	20.5	14.9	17.5	16.3	15.1	11.3	6.4	6.9	9.0	10.7	12.9	13.2	13.7	9.6	14.1	22.2	21.3	27.1	26.2	26.4	27.3	6.4	28.4	17.4
19	33.0	34.1	43.3	38.4	36.2	38.7	41.2	41.9	44.4	43.0	43.0	41.8	47.3	38.8	36.0	39.2	37.7	32.5	28.0	22.1	29.1	20.5	25.2	28.7	20.5	47.3	36.0
20	19.7	9.6	11.5	10.2	11.3	27.3	28.8	22.7	32.2	32.7	31.4	22.5	38.8	40.8	36.3	32.7	37.9	33.1	30.0	32.7	31.4	27.4	32.3	29.1	9.6	40.8	27.6
21	25.9	28.9	32.8	27.8	34.0	30.8	28.6	29.3	17.4	28.2	30.8	26.7	23.2	18.0	18.9	23.2	6.3	8.4	7.5	9.3	9.4	10.7	11.5	11.5	6.3	34.0	20.8
22	12.6	12.9	12.7	11.4	11.1	11.4	11.6	13.5	13.1	10.8	7.0	9.3	12.3	9.9	10.5	6.6	6.1	4.7	11.0	13.4	6.0	6.7	8.4	9.5	4.7	13.5	10.1
23	9.1	8.6	9.1	11.5	10.0	12.4	12.4	8.7	6.3	10.7	18.3	15.1	13.8	23.4	16.3	9.4	25.6	24.8	28.2	37.3	33.3	33.1	28.2	38.1	6.3	38.1	18.5
24	34.1	30.9	33.1	35.2	28.9	19.4	26.0	30.6	34.6	39.7	40.4	39.5	31.7	34.9	36.2	26.7	23.2	20.0	17.2	7.7	15.0	9.0	9.6	11.0	7.7	40.4	26.4
25	13.1	9.7	12.9	12.1	12.5	11.9	11.0	8.1	7.4	7.4	10.7	10.6	12.2	-940	-940	15.2	9.7	8.8	7.6	9.1	8.5	10.1	8.8	8.5	7.4	15.2	10.3
26	8.2	10.8	11.0	13.5	11.6	10.6	14.5	11.5	7.7	6.9	5.7	21.9	22.3	20.0	17.7	14.1	12.4	11.3	7.4	5.0	10.4	14.7	12.2	12.4	5.0	22.3	12.2
27	12.7	12.2	11.0	8.7	10.2	10.8	10.0	10.3	5.8	7.2	9.9	14.8	16.3	20.7	23.1	20.8	18.1	13.4	9.2	8.3	10.6	7.1	10.4	11.3	5.8	23.1	12.2
28	12.7	12.1	12.6	11.2	11.5	11.0	9.9	7.0	5.6	5.8	6.4	8.1	11.2	11.4	11.4	10.2	8.9	8.5	11.1	10.8	10.7	10.6	10.6	12.4	5.6	12.7	10.1
Min	6.0	8.5	7.5	8.7	8.5	8.5	8.5	7.0	4.5	4.2	2.6	5.2	6.6	8.3	8.1	6.6	6.1	3.2	6.4	5.0	6.0	6.1	6.4	7.5	2.6		
Max	37.7	34.1	43.3	38.4	36.2	41.0	41.2	41.9	44.4	43.0	44.3	41.8	47.3	48.4	36.5	39.2	37.9	36.8	34.5	39.9	34.2	40.5	39.9	41.4	48.4		
Avg	17.1	16.2	16.7	16.3	16.7	17.2	17.3	16.5	15.2	16.3	17.0	17.5	19.1	21.0	19.6	18.1	16.5	15.9	16.7	16.5	16.6	16.5	16.6	17.7			17.1

Total Data Records Possible: 672
Total Valid Data Records: 670
Percent Data Recovery: 99.7

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Battery Voltage
Units: volts
Channel: 8

Site: White Water Wash (data subject to change)
Month: February
Year: 2013
Time Zone: PST

Validation Level: B
Printout Date: 03-06-2013
Printout Time: 14:17:09
Output File Name: wwwB0213.8

Day	Hour Ending																								Min	Max	Avg	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24				
1	13.0	13.0	13.0	13.1	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	14.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	14.0	13.0
2	13.0	13.0	13.0	13.0	13.9	13.0	13.0	13.0	13.0	13.0	13.5	13.0	13.0	13.8	13.0	13.0	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.9	13.1
3	13.0	13.0	14.0	13.0	13.0	13.0	13.0	13.0	13.3	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.9	13.0	13.1	13.0	14.0	13.0	14.0	13.1	
4	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.0	13.5	13.2	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.5	13.0
5	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.1	13.0	13.1	13.0	13.3	13.0	13.0	13.9	13.0	13.0	13.0	13.0	13.0	13.2	13.0	13.9	13.1	
6	13.0	13.9	13.0	13.2	13.0	13.0	13.0	13.0	13.5	13.0	13.0	13.1	13.0	14.0	13.0	13.0	13.0	13.0	13.9	13.0	13.0	13.0	13.0	13.0	13.0	14.0	13.1	
7	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.3	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.1	13.0	13.2	13.0	13.0	13.0	13.0	13.0	13.0	13.3	13.0	
8	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.1	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.0	13.0	13.1	13.0	
9	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.0	13.0	13.0	13.2	13.0	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.8	13.0	13.0	13.0	13.8	13.0
10	13.1	13.0	13.0	13.0	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.0	13.5	13.0	13.6	13.0	13.0	13.0	13.0	13.1	13.0	13.6	13.1	
11	13.0	13.0	13.0	13.0	13.0	13.0	14.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.1	13.0	13.1	13.1	13.3	13.4	13.3	13.0	13.0	13.0	14.0	13.1	
12	13.0	13.1	13.0	13.0	13.0	13.0	13.5	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.7	13.0	13.0	13.0	13.7	13.1	
13	13.0	13.4	13.0	13.0	13.0	13.0	13.0	13.5	13.0	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.3	13.0	13.0	13.0	13.0	13.0	13.0	13.5	13.1	
14	13.0	13.0	13.0	13.1	13.0	13.0	13.6	13.2	13.0	13.1	13.2	13.0	13.0	13.0	13.0	13.3	13.0	13.0	13.0	13.5	13.0	13.1	13.0	13.0	13.0	13.6	13.1	
15	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.8	13.0	13.9	13.0	13.0	13.9	13.0	13.2	13.0	13.0	13.9	13.1	
16	13.0	13.1	13.0	13.0	13.1	13.0	13.0	13.9	13.7	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.7	13.1	13.0	13.0	13.0	13.9	13.1	
17	13.1	13.0	13.0	13.0	13.0	13.0	13.3	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.7	14.0	13.0	13.0	13.1	13.0	13.0	14.0	13.1	
18	13.0	13.0	13.0	13.9	13.1	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.0	13.9	13.0	13.0	13.0	13.0	13.5	13.0	13.9	13.0	13.0	13.2	13.0	13.9	13.1	
19	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.2	13.0	13.1	13.0	13.2	13.0	
20	13.0	13.9	13.0	13.1	13.0	13.0	13.0	13.3	13.0	13.2	13.1	13.0	13.0	13.1	13.0	13.0	13.0	13.1	13.3	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.9	13.1
21	13.0	13.0	14.0	13.0	13.2	13.0	13.0	13.0	13.0	13.3	13.0	13.0	13.0	13.4	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.1	13.0	13.0	14.0	13.1	
22	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.3	13.2	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.3	13.0	
23	13.5	13.0	13.0	13.1	13.0	13.0	13.0	13.9	13.4	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	14.0	13.0	13.0	13.1	13.0	13.0	14.0	13.1	
24	13.0	13.0	13.0	13.7	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.2	13.1	13.1	13.0	13.0	13.7	13.0	
25	13.0	13.0	13.0	13.0	13.0	13.0	13.2	13.3	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.1	13.0	13.2	13.1	13.0	13.0	13.3	13.0	
26	13.0	13.0	13.0	13.0	13.1	13.0	13.0	13.0	13.8	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.9	14.1	13.4	13.0	13.0	13.0	13.0	14.1	13.1	
27	13.0	13.1	13.4	13.1	13.5	13.5	13.0	13.0	13.1	13.0	13.0	13.0	13.0	13.6	13.0	13.1	13.0	13.0	13.0	13.7	13.1	13.0	13.0	13.0	13.0	13.7	13.1	
28	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.0	13.9	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.9	13.0	
Min	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	
Max	13.5	13.9	14.0	13.9	13.9	13.5	14.0	13.9	13.7	13.3	13.9	13.1	14.0	13.9	13.3	13.8	13.5	13.9	14.0	14.1	13.9	13.8	13.2	14.0		14.1		
Avg	13.0	13.1	13.1	13.1	13.1	13.0	13.1	13.2	13.1	13.0	13.1	13.0	13.0	13.1	13.0	13.0	13.0	13.1	13.2	13.2	13.1	13.1	13.0	13.1		13.1		

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Ambient Temperature
Units: Deg C
Channel: 19

Site: White Water Wash (data subject to change)
Month: February
Year: 2013
Time Zone: PST

Validation Level: B
Printout Date: 03-06-2013
Printout Time: 14:17:27
Output File Name: wwwB0213.19

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	11.0	11.0	9.9	9.6	9.3	8.9	9.1	10.2	15.7	18.4	20.6	21.7	22.6	23.4	23.9	23.9	22.9	20.6	17.8	16.1	15.3	14.4	13.5	12.8	8.9	23.9	15.9
2	12.2	12.0	12.1	12.4	12.7	12.0	11.9	12.8	15.7	19.7	22.2	23.6	24.2	24.8	24.7	24.4	23.3	21.6	20.3	19.4	18.6	18.4	17.7	17.3	11.9	24.8	18.1
3	16.9	17.6	19.0	18.8	18.3	17.7	17.3	16.8	18.5	20.7	22.5	22.8	23.1	23.7	24.1	24.2	23.2	21.1	18.7	17.5	17.1	16.0	14.5	14.0	14.0	24.2	19.3
4	13.7	12.6	12.3	11.9	11.6	11.5	10.9	12.8	16.9	21.2	24.7	25.6	26.6	26.9	27.5	27.5	26.5	23.3	20.2	18.8	16.5	16.1	15.2	16.4	10.9	27.5	18.6
5	16.9	16.1	14.3	13.1	13.2	12.9	12.1	13.6	17.8	21.0	23.1	23.7	24.4	25.0	25.5	25.5	24.3	22.2	21.1	19.7	18.6	17.9	17.6	17.7	12.1	25.5	19.1
6	17.7	17.3	15.5	14.3	13.9	13.5	13.4	13.6	14.8	16.9	18.5	20.0	21.8	22.7	23.0	22.5	20.9	19.1	18.0	17.4	16.6	16.0	15.4	14.8	13.4	23.0	17.4
7	14.0	12.7	12.8	13.1	11.1	11.2	12.3	14.3	16.4	19.0	21.0	22.2	22.3	22.9	22.9	22.7	21.7	19.9	18.0	15.8	14.9	14.3	14.1	13.5	11.1	22.9	16.8
8	13.7	12.1	12.0	12.2	12.1	11.7	10.9	11.5	13.3	13.2	11.8	12.3	12.7	8.1	8.2	8.4	8.2	8.3	7.5	7.9	7.5	7.5	6.9	6.1	6.1	13.7	10.2
9	6.6	7.8	8.0	8.1	7.6	6.9	7.0	7.3	8.7	11.0	12.4	13.3	13.8	14.3	14.6	14.4	13.3	12.2	11.8	11.7	11.6	11.5	11.2	10.9	6.6	14.6	10.7
10	10.5	10.4	10.1	9.8	9.4	9.1	8.6	9.2	11.0	12.3	13.2	14.1	14.8	14.9	15.1	14.5	13.6	12.6	12.0	11.7	11.3	10.9	10.9	10.6	8.6	15.1	11.7
11	10.3	10.7	10.3	10.0	9.3	8.9	8.5	8.7	10.7	13.0	14.1	14.8	15.4	15.8	15.9	15.9	15.2	14.1	13.3	12.3	10.7	9.2	8.4	5.5	5.5	15.9	11.7
12	4.9	5.5	5.4	5.2	4.1	3.4	4.4	6.2	9.5	12.9	16.0	17.1	17.7	18.6	19.4	19.5	19.2	17.4	16.5	13.2	11.6	8.9	8.1	7.0	3.4	19.5	11.3
13	6.7	6.3	5.8	5.9	6.2	6.1	7.0	8.7	12.6	15.9	18.9	20.6	21.6	22.9	23.4	24.1	22.8	19.3	17.2	15.5	12.2	11.0	10.7	10.6	5.8	24.1	13.8
14	10.9	10.2	9.7	9.0	9.2	9.6	9.7	11.1	15.7	21.2	23.3	24.2	24.8	25.1	25.2	25.0	24.2	22.5	21.1	18.6	16.3	15.8	14.2	11.8	9.0	25.2	17.0
15	12.0	12.3	13.9	12.7	13.2	13.9	17.0	19.0	20.2	21.7	22.7	23.5	24.7	25.8	25.7	25.9	25.1	22.5	19.0	16.7	14.7	14.3	14.7	13.0	12.0	25.9	18.5
16	11.9	10.7	10.3	11.0	10.2	8.8	9.9	11.6	17.2	21.5	23.7	24.0	24.8	25.4	25.5	25.5	25.0	22.2	17.9	15.7	14.1	12.7	12.5	11.9	8.8	25.5	16.8
17	10.5	10.3	10.0	10.8	9.3	11.1	14.3	16.6	18.2	20.7	22.2	23.3	24.6	25.5	25.0	24.6	23.4	21.9	20.0	18.9	17.9	17.2	17.2	16.9	9.3	25.5	17.9
18	16.5	16.3	15.8	15.2	13.4	13.9	14.1	15.2	17.1	18.1	19.7	21.3	22.2	23.1	23.2	23.3	22.6	20.8	19.3	17.6	16.4	14.9	13.8	12.8	12.8	23.3	17.8
19	12.7	12.6	12.6	12.6	12.2	12.2	12.1	12.4	12.9	13.7	14.5	15.4	15.7	15.1	15.4	15.1	13.9	12.8	12.2	12.0	11.3	11.2	10.1	10.1	10.1	15.7	12.9
20	8.4	6.9	6.9	6.4	6.7	7.1	7.2	8.1	8.9	9.8	10.1	12.0	13.1	13.8	14.4	14.7	14.6	14.0	13.8	13.7	12.9	12.0	11.6	11.0	6.4	14.7	10.7
21	10.7	10.5	9.9	9.8	9.7	9.9	10.0	11.1	12.0	13.4	14.5	14.5	15.0	15.4	16.1	16.2	16.4	14.6	12.5	10.7	9.1	8.4	7.4	6.4	6.4	16.4	11.8
22	6.7	6.4	5.8	5.9	5.6	5.3	4.7	7.2	11.6	15.1	17.4	18.2	18.7	19.7	20.2	20.5	20.5	18.3	16.3	15.3	13.2	10.9	10.1	9.6	4.7	20.5	12.6
23	8.7	8.9	7.8	7.4	6.8	6.4	6.4	10.4	14.1	15.8	16.3	18.1	19.3	20.5	21.1	21.7	21.1	19.6	18.5	16.7	15.5	14.7	15.3	15.3	6.4	21.7	14.4
24	14.4	13.8	13.3	12.8	12.2	11.5	11.0	12.1	13.3	14.3	15.4	16.4	17.3	18.1	18.3	18.1	17.8	16.6	15.6	14.4	13.0	12.6	10.3	8.2	8.2	18.3	14.2
25	7.3	6.7	6.4	5.5	4.9	4.5	5.1	8.1	12.6	15.9	17.9	18.5	19.2	-940	-940	20.1	19.7	18.0	16.0	13.9	12.3	10.3	10.8	10.6	4.5	20.1	12.0
26	11.0	10.5	9.5	7.2	8.0	6.8	6.1	9.4	13.8	17.2	20.0	21.3	21.6	21.8	22.0	21.9	21.7	19.9	17.1	15.7	14.6	15.0	14.5	12.4	6.1	22.0	15.0
27	10.2	9.2	7.7	6.4	7.2	6.9	6.0	10.2	14.1	17.2	18.3	19.3	20.3	21.0	21.6	21.7	21.2	20.1	18.5	17.7	15.9	15.0	12.5	10.3	6.0	21.7	14.5
28	8.9	8.1	8.4	8.7	9.1	8.9	8.0	10.6	15.8	19.6	22.2	23.5	24.2	24.9	25.3	25.6	25.5	23.1	21.8	19.3	18.2	14.7	13.7	13.2	8.0	25.6	16.7
Min	4.9	5.5	5.4	5.2	4.1	3.4	4.4	6.2	8.7	9.8	10.1	12.0	12.7	8.1	8.2	8.4	8.2	8.3	7.5	7.9	7.5	7.5	6.9	5.5	3.4		
Max	17.7	17.6	19.0	18.8	18.3	17.7	17.3	19.0	20.2	21.7	24.7	25.6	26.6	26.9	27.5	27.5	26.5	23.3	21.8	19.7	18.6	18.4	17.7	17.7		27.5	
Avg	11.3	10.9	10.6	10.2	9.9	9.7	9.8	11.4	14.3	16.8	18.5	19.5	20.2	20.7	21.0	21.0	20.3	18.5	16.9	15.5	14.2	13.3	12.6	11.8			14.9

Total Data Records Possible: 672
Total Valid Data Records: 670
Percent Data Recovery: 99.7

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Relative Humidity
Units: %RH
Channel: 20

Site: White Water Wash (data subject to change)
Month: February
Year: 2013
Time Zone: PST

Validation Level: B
Printout Date: 03-06-2013
Printout Time: 14:17:28
Output File Name: wwwB0213.20

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	57	57	59	60	59	60	59	57	38	31	26	23	23	20	19	19	22	29	40	46	45	46	51	54	19	60	42
2	56	56	56	56	54	56	56	55	46	29	22	19	19	19	17	18	22	28	31	36	42	42	51	55	17	56	39
3	57	53	41	48	50	53	53	55	50	38	28	28	28	28	27	27	30	38	48	51	52	54	57	56	27	57	44
4	56	57	57	57	57	57	57	54	41	29	20	17	15	15	13	13	14	20	27	36	36	34	35	44	13	57	36
5	50	43	33	37	33	38	36	31	27	23	19	18	19	19	18	17	19	23	27	37	45	47	45	40	17	50	31
6	38	41	55	59	59	61	62	59	55	45	39	34	28	26	27	30	36	44	50	54	54	56	56	56	26	62	47
7	57	54	57	56	38	45	49	53	43	33	25	21	22	15	17	18	20	22	37	56	56	57	57	56	15	57	40
8	51	57	54	53	47	47	46	42	29	36	55	54	50	71	68	67	69	69	75	66	70	68	71	78	29	78	58
9	71	61	60	59	60	63	61	62	59	50	39	34	32	30	28	31	36	42	42	42	48	53	54	56	28	71	49
10	57	58	55	52	52	54	58	52	48	44	41	35	32	31	31	33	37	42	47	50	57	58	58	58	31	58	47
11	58	56	56	58	61	62	62	61	54	32	20	17	14	12	11	10	10	10	12	13	15	20	22	27	10	62	32
12	30	26	27	27	30	33	31	29	26	20	14	13	12	11	11	11	11	14	14	22	25	32	33	35	11	35	22
13	36	38	38	39	34	35	34	31	24	20	16	15	13	12	12	11	14	20	23	25	33	36	37	36	11	39	26
14	34	36	38	42	40	40	38	40	29	18	14	13	13	12	11	11	12	13	15	19	22	23	26	33	11	42	25
15	32	31	28	30	29	26	20	16	14	12	12	11	10	9	9	9	10	11	14	18	22	22	22	25	9	32	18
16	27	29	29	28	29	32	29	28	18	12	10	10	9	8	7	7	8	11	15	17	18	20	19	19	7	32	18
17	23	23	22	22	25	23	19	16	14	14	13	12	10	9	10	12	15	19	25	28	32	37	35	37	9	37	21
18	36	34	33	32	31	32	34	32	29	29	25	19	17	15	15	15	15	24	30	41	50	57	58	63	15	63	32
19	60	58	58	58	58	54	49	46	42	38	35	35	36	41	43	47	55	57	58	55	58	58	59	35	60	51	
20	76	84	83	87	83	70	65	59	54	47	50	41	41	38	36	34	33	34	35	35	41	45	46	48	33	87	53
21	49	52	57	57	57	57	55	45	43	38	33	34	32	31	28	23	21	28	36	46	44	40	45	47	21	57	42
22	43	44	44	42	47	47	49	39	31	22	15	15	14	13	12	12	12	16	21	21	26	34	42	45	12	49	29
23	55	58	59	59	62	62	63	51	32	29	27	24	22	20	20	20	21	24	26	33	43	48	30	20	20	63	38
24	13	12	12	10	11	13	13	12	12	11	10	9	7	7	7	7	7	8	9	10	13	13	16	21	7	21	11
25	22	24	23	23	26	30	26	23	18	13	12	11	11	-940	-940	10	10	12	16	17	20	27	27	28	10	30	19
26	26	31	34	38	39	43	43	30	25	19	14	10	9	8	8	8	8	8	10	13	13	12	12	14	8	43	20
27	19	21	26	29	25	26	29	22	18	12	12	10	10	8	7	7	7	8	9	9	11	12	14	16	7	29	15
28	18	19	20	20	19	20	22	20	13	10	8	8	7	7	7	7	7	9	9	11	12	16	18	19	7	22	14
Min	13	12	12	10	11	13	13	12	12	10	8	8	7	7	7	7	7	8	9	9	11	12	12	14	7		
Max	76	84	83	87	83	70	65	62	59	50	55	54	50	71	68	67	69	69	75	66	70	68	71	78		87	
Avg	43	43	43	44	43	44	43	40	33	27	23	21	20	20	19	19	21	24	29	32	36	38	39	41			33

Total Data Records Possible: 672
Total Valid Data Records: 670
Percent Data Recovery: 99.7

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Maximum Sustained wind Speed
 Units: mph
 Channel: 21

Site: White Water Wash (data subject to change)
 Month: February
 Year: 2013
 Time Zone: PST

Validation Level: B
 Printout Date: 03-06-2013
 Printout Time: 14:17:30
 Output File Name: wwwB0213.21

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	11.2	11.0	9.4	10.4	11.0	10.1	11.3	8.6	6.3	6.1	4.5	7.2	8.6	8.2	6.4	6.8	6.2	3.9	6.1	7.7	9.5	8.5	8.5	8.3	3.9	11.3	8.2
2	9.0	8.0	7.2	9.3	8.2	8.2	8.0	8.7	8.0	3.8	2.1	4.3	5.9	6.5	8.7	8.4	5.7	4.5	6.8	5.0	6.6	6.0	6.6	6.7	2.1	9.3	6.8
3	5.8	8.2	12.3	13.3	25.0	22.8	15.1	10.2	7.6	7.0	6.1	9.0	9.4	10.0	10.2	7.0	6.8	3.4	7.3	5.6	8.0	10.2	10.0	10.9	3.4	25.0	10.0
4	10.5	10.5	11.9	10.3	11.6	10.3	8.3	9.1	8.0	8.8	7.1	6.6	7.7	9.6	7.1	7.2	6.7	4.3	8.0	7.7	8.8	11.9	11.0	12.1	4.3	12.1	9.0
5	11.7	13.8	11.8	10.1	10.2	10.8	10.6	10.0	9.6	6.2	7.1	9.1	9.3	10.7	9.5	5.8	8.5	14.9	16.3	16.6	20.5	24.6	25.0	22.8	5.8	25.0	12.7
6	20.6	23.8	28.9	30.1	26.4	28.6	29.3	34.5	38.7	27.0	21.8	20.8	18.4	16.8	17.7	18.2	20.3	19.3	20.3	19.7	20.4	17.6	16.1	15.3	15.3	38.7	22.9
7	12.7	12.5	10.9	12.2	10.8	11.9	12.4	15.0	19.7	14.9	6.1	9.4	10.5	11.2	13.9	12.5	10.9	8.4	28.2	29.0	29.4	34.5	34.7	34.4	6.1	34.7	16.9
8	30.3	11.5	12.1	14.7	20.0	35.3	25.9	17.0	24.2	36.0	38.3	28.8	28.0	41.0	27.2	27.7	16.8	10.2	5.5	15.7	13.1	9.8	7.8	11.9	5.5	41.0	21.2
9	16.1	18.9	25.7	27.9	24.1	16.1	14.4	20.4	9.0	9.8	26.6	23.4	31.4	33.5	30.4	29.3	25.4	26.7	26.8	22.5	22.5	24.3	20.7	22.0	9.0	33.5	22.8
10	24.6	24.0	18.3	18.8	16.9	16.3	14.3	16.1	22.4	26.0	26.4	23.1	24.2	24.1	22.8	23.6	24.7	25.0	23.1	25.0	24.4	23.6	24.2	25.5	14.3	26.4	22.4
11	22.0	22.5	19.9	9.4	12.8	14.2	12.4	10.0	6.7	21.5	24.5	27.0	27.8	26.0	24.2	24.6	24.0	21.1	19.4	10.5	7.6	6.3	5.9	9.9	5.9	27.8	17.1
12	11.9	10.6	11.1	12.1	9.1	9.9	12.8	10.9	8.2	5.2	5.9	5.6	5.4	7.1	7.4	8.4	4.9	10.9	13.0	9.3	8.3	11.5	8.6	9.1	4.9	13.0	9.1
13	8.2	9.2	10.0	11.7	12.7	11.2	13.5	8.6	6.7	6.4	4.6	5.9	9.7	8.6	8.5	7.7	14.0	12.3	8.3	7.5	9.0	10.2	9.8	12.5	4.6	14.0	9.4
14	11.0	12.0	11.4	10.1	13.4	11.9	12.3	10.7	9.1	13.2	16.9	18.4	17.5	18.1	17.9	16.9	13.6	13.7	11.6	8.4	9.5	8.2	11.3	8.6	8.2	18.4	12.7
15	10.1	11.2	8.4	8.4	11.1	13.4	19.1	18.3	17.7	16.8	12.1	9.5	15.3	16.4	9.3	6.5	6.3	11.2	7.9	8.6	7.6	9.2	7.7	9.6	6.3	19.1	11.3
16	8.4	8.6	8.8	8.6	8.2	8.5	8.3	6.8	4.3	3.2	6.8	9.3	9.4	10.0	9.9	10.6	8.5	5.5	9.6	10.4	9.2	11.3	12.9	12.8	3.2	12.9	8.7
17	10.8	10.3	10.3	10.4	9.9	9.9	10.9	15.4	6.8	8.5	9.2	10.9	11.5	23.1	28.6	23.9	26.4	32.7	30.0	30.8	27.4	24.7	26.2	27.3	6.8	32.7	18.2
18	23.8	20.9	18.7	18.4	12.3	14.8	14.7	13.5	10.3	5.4	5.3	7.2	9.5	11.7	11.3	10.8	8.6	12.2	18.9	18.6	22.6	22.5	22.7	23.0	5.3	23.8	14.9
19	26.9	29.6	35.1	29.6	29.8	33.6	33.2	34.5	38.7	38.0	35.6	35.9	35.2	31.0	28.8	32.8	32.8	27.1	21.7	18.8	24.6	17.6	21.7	25.3	17.6	38.7	29.9
20	16.3	8.5	10.0	9.2	8.5	22.4	22.6	18.3	26.4	27.5	26.0	18.7	34.1	34.9	31.2	27.6	30.1	27.2	24.3	26.3	25.4	23.5	25.8	24.2	8.5	34.9	22.9
21	21.8	24.5	28.8	24.1	28.9	26.3	24.1	25.4	14.3	23.0	26.6	22.9	20.2	14.6	13.9	18.8	6.0	7.5	6.7	8.6	8.9	10.3	11.2	10.5	6.0	28.9	17.8
22	11.5	11.8	11.5	10.2	10.6	10.8	11.2	12.4	12.0	9.2	5.5	8.6	10.7	8.9	9.5	5.3	5.6	4.3	9.4	11.4	5.1	6.5	7.8	9.1	4.3	12.4	9.1
23	8.5	8.4	8.6	10.8	10.4	11.4	11.8	7.5	5.3	8.8	16.4	13.0	12.1	11.9	15.4	7.5	20.7	21.8	23.0	32.2	28.6	28.6	23.5	31.4	5.3	32.2	15.7
24	26.6	25.9	26.9	29.1	21.9	17.4	16.8	26.5	27.4	31.5	30.8	34.3	28.6	28.3	28.4	21.5	19.9	16.2	12.6	6.8	11.6	7.8	9.5	10.5	6.8	34.3	21.5
25	12.0	9.2	12.5	11.4	11.4	11.2	10.6	7.8	6.6	6.4	7.9	9.0	10.9	-940	-940	11.3	8.2	7.1	6.3	8.1	8.0	9.7	8.1	8.0	6.3	12.5	9.2
26	7.6	9.1	10.3	13.1	10.9	9.5	13.1	10.6	6.7	6.0	4.9	19.7	19.9	17.1	14.9	11.6	10.4	9.6	7.0	4.3	9.5	13.0	11.0	11.4	4.3	19.9	10.9
27	12.1	11.6	10.6	8.9	9.9	10.3	9.6	9.9	4.8	6.3	8.4	12.8	12.5	17.9	18.8	18.6	16.3	10.6	7.9	6.8	9.6	6.4	9.9	10.3	4.8	18.8	10.9
28	12.3	11.7	11.6	11.0	11.1	10.1	9.6	6.8	5.2	4.5	5.5	7.0	8.8	9.2	9.1	8.8	7.1	7.7	10.0	10.2	10.4	10.3	10.2	11.9	4.5	12.3	9.2
Min	5.8	8.0	7.2	8.4	8.2	8.2	8.0	6.8	4.3	3.2	2.1	4.3	5.4	6.5	6.4	5.3	4.9	3.4	5.5	4.3	5.1	6.0	5.9	6.7	2.1		
Max	30.3	29.6	35.1	30.1	29.8	35.3	33.2	34.5	38.7	38.0	38.3	35.9	35.2	41.0	31.2	32.8	32.8	32.7	30.0	32.2	29.4	34.5	34.7	34.4	41.0		
Avg	14.8	14.2	14.8	14.4	14.5	15.3	14.9	14.4	13.2	13.8	14.3	14.9	16.2	17.3	16.3	15.0	14.1	13.5	14.1	14.0	14.5	14.6	14.6	15.5			14.7

Total Data Records Possible: 672
 Total Valid Data Records: 670
 Percent Data Recovery: 99.7

Missing Data Codes

 -910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4