

White Water Wash Meteorological Data

February 2014

Validation Level: B

Prepared By: T&B Systems

Variable: Scalar Wind Speed
Units: mph
Channel: 10

Site: White Water Wash (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:52:24
Output File Name: wwwB0214.10

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	24.6	18.0	12.7	13.4	11.2	9.0	10.0	7.1	3.9	15.0	17.4	19.6	16.6	17.5	15.8	16.9	15.0	10.4	8.3	4.3	5.6	4.8	4.1	4.7	3.9	24.6	11.9
2	7.7	8.3	6.5	8.8	5.7	8.6	7.6	8.3	6.8	3.1	1.6	5.7	8.4	9.3	10.6	11.9	9.1	5.9	2.7	4.3	6.2	5.4	3.3	2.6	1.6	11.9	6.6
3	2.4	1.7	3.3	10.9	8.1	7.7	4.4	2.3	6.8	12.2	12.5	12.5	14.8	15.0	16.4	6.9	5.5	14.0	16.7	18.8	19.0	18.8	18.4	15.3	1.7	19.0	11.0
4	6.4	4.6	2.9	4.1	4.7	5.0	8.4	5.4	3.9	4.4	6.0	7.1	5.0	6.2	6.0	5.3	5.1	3.7	4.6	3.0	8.1	11.9	12.6	13.9	2.9	13.9	6.2
5	15.4	13.9	12.8	11.2	11.9	11.1	14.9	14.9	14.8	14.2	14.0	8.0	3.1	2.5	3.7	4.3	10.7	9.9	12.7	14.2	5.1	8.5	10.9	10.8	2.5	15.4	10.6
6	7.0	6.9	10.9	13.3	9.9	11.3	7.3	5.2	5.6	6.8	6.8	10.2	8.1	18.4	22.0	20.4	21.2	21.4	19.0	22.7	15.4	6.2	13.0	8.8	5.2	22.7	12.4
7	8.8	3.7	6.1	2.7	3.8	2.2	2.7	1.7	2.9	3.2	4.6	5.6	4.8	4.4	6.0	7.4	6.1	7.1	3.1	9.9	5.3	8.0	8.4	5.2	1.7	9.9	5.2
8	8.0	20.1	29.4	23.2	19.9	22.6	23.1	20.9	17.5	12.2	3.5	4.0	3.3	3.9	3.5	6.6	6.0	5.3	3.0	2.9	3.4	8.2	4.5	4.1	2.9	29.4	10.8
9	13.4	8.8	12.0	6.7	10.9	8.6	5.1	3.7	5.8	5.7	6.6	5.4	4.6	4.7	7.9	19.6	21.0	22.5	23.2	21.2	15.9	18.4	15.1	9.0	3.7	23.2	11.5
10	20.1	18.6	17.0	17.5	16.2	14.1	21.0	23.7	33.0	24.7	26.1	23.7	18.3	19.9	18.1	17.1	13.8	15.8	16.5	15.6	15.3	12.0	7.9	6.4	6.4	33.0	18.0
11	7.6	8.4	7.1	9.2	8.0	8.8	9.2	6.6	4.9	3.9	2.1	2.4	2.8	4.4	5.0	3.5	3.7	3.8	5.3	3.6	5.4	8.4	8.1	5.5	2.1	9.2	5.7
12	8.0	8.6	9.0	7.8	7.4	7.4	8.0	6.7	4.7	3.4	1.3	2.3	5.8	5.0	5.9	6.4	6.0	5.2	3.6	6.9	7.6	6.6	7.7	7.3	1.3	9.0	6.2
13	8.9	7.8	7.1	9.5	7.1	7.5	8.6	6.8	4.0	1.7	2.7	4.7	6.6	6.9	7.8	8.6	7.1	6.4	3.3	4.1	5.4	7.0	7.1	7.2	1.7	9.5	6.4
14	7.6	6.8	7.8	8.5	8.5	8.3	9.1	7.7	5.2	5.0	2.4	2.3	3.5	5.4	6.6	7.1	7.0	5.2	2.3	6.1	8.2	8.5	7.0	9.5	2.3	9.5	6.5
15	8.4	7.8	8.2	7.1	6.0	4.8	9.3	7.1	4.0	2.3	4.7	5.8	7.5	9.6	8.9	7.4	6.6	5.1	5.5	3.2	4.3	3.0	2.9	4.9	2.3	9.6	6.0
16	5.7	6.4	6.3	4.6	3.3	4.7	3.7	3.2	2.8	2.3	7.6	9.2	9.4	8.8	7.6	7.1	5.4	5.4	3.6	4.4	9.6	11.9	11.3	9.6	2.3	11.9	6.4
17	11.5	11.4	11.7	10.7	11.8	6.8	9.1	4.5	1.4	3.3	5.3	7.9	8.9	6.6	7.0	6.4	6.1	6.1	20.6	23.6	22.8	23.0	22.0	22.3	1.4	23.6	11.3
18	21.1	21.8	22.8	20.2	19.1	19.1	16.3	13.7	12.9	11.2	5.4	3.2	4.6	5.0	3.4	3.8	3.2	3.2	8.4	10.5	12.3	14.1	15.9	14.4	3.2	22.8	11.9
19	14.6	9.2	9.4	9.4	8.2	15.2	22.5	19.8	12.1	6.4	5.0	6.1	4.7	3.1	5.1	14.5	21.0	21.4	24.8	21.6	19.2	15.1	15.1	16.6	3.1	24.8	13.3
20	13.4	8.1	9.8	5.2	5.2	6.1	4.8	4.7	4.7	4.8	3.4	4.6	5.9	5.8	6.4	7.3	6.8	5.3	6.9	6.1	8.1	7.4	7.0	8.3	3.4	13.4	6.5
21	8.4	7.7	6.9	6.8	6.4	6.4	7.2	8.4	4.6	1.6	3.3	4.9	5.9	6.8	7.1	6.4	7.1	5.0	2.6	1.9	7.3	6.6	8.0	9.1	1.6	9.1	6.1
22	8.2	6.9	7.5	9.2	9.8	9.4	9.9	7.9	2.9	2.5	3.9	6.8	7.5	8.0	8.0	8.3	6.7	8.2	8.7	2.8	6.9	7.3	6.3	8.1	2.5	9.9	7.2
23	7.3	6.8	7.5	7.3	6.7	7.8	8.1	6.2	4.8	2.4	5.0	6.9	7.9	8.5	7.1	7.0	7.3	5.6	4.0	4.4	7.2	8.1	8.5	8.9	2.4	8.9	6.7
24	8.9	7.8	7.7	6.6	7.3	7.3	8.7	4.4	4.2	3.9	3.0	4.7	5.4	7.4	6.9	6.4	5.4	3.5	2.2	4.2	6.9	6.9	6.9	8.1	2.2	8.9	6.0
25	10.4	8.9	14.1	12.4	8.7	10.4	8.8	6.3	2.7	5.0	5.4	7.9	8.0	9.4	10.9	10.2	11.6	10.3	5.4	4.4	13.4	18.4	17.0	19.1	2.7	19.1	10.0
26	16.5	8.0	5.9	3.6	5.5	18.0	22.5	23.3	22.9	-940	-940	-940	16.6	23.1	24.9	23.0	23.1	27.2	24.5	23.8	20.5	16.3	15.5	18.1	3.6	27.2	18.2
27	10.1	5.1	3.4	4.2	9.2	18.9	10.3	4.7	7.9	9.6	9.0	11.8	20.7	16.9	23.8	20.2	23.4	17.3	19.2	22.2	23.3	22.5	21.6	19.7	3.4	23.8	14.8
28	13.2	7.8	3.4	2.1	5.1	9.4	11.6	7.2	4.7	2.6	3.9	5.8	7.2	11.9	6.6	9.8	25.5	19.8	18.3	12.8	5.0	8.2	6.4	11.7	2.1	25.5	9.2
Min	2.4	1.7	2.9	2.1	3.3	2.2	2.7	1.7	1.4	1.6	1.3	2.3	2.8	2.5	3.4	3.5	3.2	3.2	2.2	1.9	3.4	3.0	2.9	2.6	1.3		
Max	24.6	21.8	29.4	23.2	19.9	22.6	23.1	23.7	33.0	24.7	26.1	23.7	20.7	23.1	24.9	23.0	25.5	27.2	24.8	23.8	23.3	23.0	22.0	22.3	33.0		
Avg	10.8	9.3	9.6	9.1	8.8	9.9	10.4	8.7	7.6	6.4	6.4	7.4	8.1	9.1	9.6	10.0	10.6	10.0	10.0	10.1	10.5	10.8	10.4	10.3			9.3

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Unit Vector Wind Direction
 Units: degrees
 Channel: 11

Site: White Water Wash (data subject to change)
 Month: February
 Year: 2014
 Time Zone: PST

Validation Level: B
 Printout Date: 03-13-2014
 Printout Time: 12:52:25
 Output File Name: wwwB0214.11

Day	Hour Ending													24	Prev										
	1	2	3	4	5	6	7	8	9	10	11	12	13			14	15	16	17	18	19	20	21	22	23
1	331	311	322	314	311	308	314	311	279	7	14	16	24	18	15	23	26	21	12	315	253	230	277	335	[NNE]
2	348	340	343	342	316	326	340	353	314	340	188	138	129	146	135	130	123	122	80	337	338	268	249	271	[NNW]
3	249	20	331	284	273	290	259	289	341	299	304	299	294	296	305	251	250	302	303	301	302	301	304	295	[WNW]
4	265	232	142	306	263	345	357	312	243	198	176	166	161	167	156	151	156	139	100	70	298	294	294	297	[SSE]
5	301	308	312	308	310	313	303	308	299	300	300	291	321	321	307	243	298	305	302	295	265	305	308	312	[NW]
6	322	358	292	292	276	292	276	244	234	164	165	146	119	293	303	301	299	307	301	299	297	271	300	280	[WNW]
7	296	233	190	337	1	152	117	84	210	154	145	154	147	193	334	291	275	282	313	295	280	306	284	264	[WNW]
8	279	297	303	303	289	294	300	296	298	289	190	141	137	141	176	130	146	138	64	107	185	283	295	250	[WNW]
9	293	255	270	265	292	270	237	175	165	138	133	171	167	164	250	291	290	295	305	315	302	308	308	295	[WNW]
10	312	316	303	293	284	271	280	286	289	288	295	275	286	289	291	296	300	311	304	308	305	310	355	332	[WNW]
11	328	345	341	353	337	343	340	337	340	345	49	22	280	218	160	151	136	123	115	189	20	339	348	322	[NNW]
12	340	339	346	315	341	341	335	331	315	328	343	84	159	137	147	111	130	131	55	345	349	336	345	339	[NNW]
13	324	326	337	333	334	327	340	340	322	144	162	148	146	133	131	148	130	142	116	21	356	346	339	338	[NNW]
14	331	333	336	329	327	331	328	336	327	341	331	211	169	159	149	137	122	146	217	360	350	343	335	355	[NNW]
15	337	340	340	336	320	341	351	342	317	345	140	145	137	125	136	134	149	166	162	194	335	323	279	325	[NNW]
16	318	337	341	345	332	337	4	336	327	52	124	131	122	140	133	140	153	122	203	350	311	327	338	326	[NNW]
17	323	334	351	351	346	339	341	10	84	114	137	138	130	146	142	129	149	279	302	303	301	300	298	310	[SE]
18	309	310	309	320	314	309	316	309	304	303	237	215	143	140	135	151	147	131	309	304	307	315	307	312	[NW]
19	310	306	313	337	304	301	292	295	292	223	212	204	176	60	229	296	292	299	299	300	305	302	308	312	[WNW]
20	310	338	299	302	310	297	328	295	321	304	139	179	160	134	105	124	134	135	105	342	344	343	323	341	[NNW]
21	341	315	337	327	328	338	336	336	316	263	166	145	135	131	126	121	120	126	238	47	358	346	335	335	[NNW]
22	341	347	349	351	0	355	2	353	325	217	163	136	128	127	119	122	139	123	116	270	358	360	325	329	[N]
23	328	348	331	337	341	336	344	349	324	210	131	137	133	133	137	137	136	126	124	332	355	354	354	350	[NNW]
24	356	343	351	339	353	351	340	68	124	142	112	132	137	128	117	120	136	126	182	332	343	355	333	351	[SE]
25	322	314	324	321	344	338	341	334	261	126	134	140	139	135	131	124	113	112	131	358	294	302	299	298	[SE]
26	305	342	360	305	302	303	297	295	292	-940	-940	-940	302	294	296	298	299	294	291	297	298	308	299	307	[WNW]
27	283	142	228	274	297	300	299	285	248	302	353	0	317	318	304	310	299	294	305	302	303	306	307	300	[WNW]
28	310	358	255	149	154	282	307	303	276	329	345	299	301	313	52	187	214	304	306	315	61	43	31	305	[NW]

Prev [NW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NNW] [NW] [WNW] [SE] [SE] [SE] [SE] [SE] [SE] [SE] [SE] [SE] [WNW] [WNW] [WNW] [NW] [NW] [NW] [NW] [WNW]

Total Data Records Possible: 672
 Total Valid Data Records: 669
 Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
 -920 Instrument Malfunction
 -930 Data Logger Malfunction
 -940 Calibration
 -950 Audit
 -960 Maintenance
 -970 Data invalid - Does not meet consistency or an obvious problem
 -971 Local Interference
 -980 Power failure
 -990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Unit Vector Wind Direction
Units: degrees
Channel: 11

Site: White Water Wash (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:52:25
Output File Name: wwwB0214.11t

Day	Hour Ending																								Prev	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
1	[NNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[W]	[N]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NNE]	[NW]	[WSW]	[SW]	[W]	[NNW]	[NNE]	
2	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NW]	[NNW]	[N]	[NW]	[NNW]	[S]	[SE]	[SE]	[SSE]	[SE]	[SE]	[ESE]	[ESE]	[E]	[NNW]	[NNW]	[W]	[WSW]	[W]	[NNW]	
3	[WSW]	[NNE]	[NNW]	[WNW]	[W]	[WNW]	[WSW]	[WNW]	[NNW]	[NNW]	[NW]	[WNW]	[WNW]	[WNW]	[NW]	[WSW]	[WSW]	[WNW]	[WNW]	[NNW]	[NNW]	[WNW]	[NW]	[WNW]	[NNW]	
4	[W]	[SW]	[SE]	[NW]	[W]	[NNW]	[N]	[NW]	[WSW]	[SSW]	[S]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SSE]	[SE]	[E]	[ENE]	[WNW]	[WNW]	[WNW]	[WNW]	[SSE]	
5	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[WSW]	[WNW]	[NW]	[WNW]	[WNW]	[W]	[NW]	[NW]	[NW]	[NW]	
6	[NW]	[N]	[WNW]	[WNW]	[W]	[WNW]	[W]	[WSW]	[SW]	[SSE]	[SSE]	[SE]	[ESE]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[W]	[WNW]	
7	[WNW]	[SW]	[S]	[NNW]	[N]	[SSE]	[ESE]	[E]	[SSW]	[SSE]	[SE]	[SSE]	[SSE]	[SSW]	[NNW]	[WNW]	[W]	[WNW]	[NW]	[WNW]	[W]	[NW]	[WNW]	[W]	[WNW]	
8	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[S]	[SE]	[SE]	[SE]	[S]	[SE]	[SSE]	[SE]	[ENE]	[ESE]	[S]	[WNW]	[WNW]	[WSW]	[WNW]	
9	[WNW]	[WSW]	[W]	[W]	[WNW]	[W]	[WSW]	[S]	[SSE]	[SE]	[SE]	[S]	[SSE]	[SSE]	[WSW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[WNW]	[NW]	[NW]	[WNW]	[WNW]	
10	[NW]	[NW]	[WNW]	[WNW]	[WNW]	[W]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[NW]	[NW]	[N]	[NNW]	[WNW]	
11	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NE]	[NNE]	[W]	[SW]	[SSE]	[SSE]	[SE]	[ESE]	[ESE]	[S]	[NNE]	[NNW]	[NNW]	[NW]	[NNW]	
12	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	[E]	[SSE]	[SE]	[SSE]	[ESE]	[SE]	[SE]	[NE]	[NNW]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	
13	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[SE]	[SSE]	[SSE]	[SE]	[SE]	[SE]	[SSE]	[SE]	[SE]	[ESE]	[NNE]	[N]	[NNW]	[NNW]	[NNW]	[NNW]	
14	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[SSW]	[S]	[SSE]	[SSE]	[SE]	[ESE]	[SE]	[SW]	[N]	[N]	[NNW]	[NNW]	[N]	[NNW]	
15	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[N]	[NNW]	[NW]	[NNW]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SSE]	[SSE]	[SSE]	[SSW]	[NNW]	[NW]	[W]	[NW]	[NNW]	
16	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[N]	[NNW]	[NNW]	[NE]	[SE]	[SE]	[ESE]	[SE]	[SE]	[SE]	[SSE]	[ESE]	[SSW]	[N]	[NW]	[NNW]	[NNW]	[NW]	[NNW]	
17	[NW]	[NNW]	[N]	[N]	[NNW]	[NNW]	[NNW]	[N]	[E]	[ESE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SSE]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[SE]	
18	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[NW]	[WNW]	[WNW]	[WSW]	[SW]	[SE]	[SE]	[SE]	[SE]	[SSE]	[SSE]	[SE]	[NW]	[WNW]	[NW]	[NW]	[NW]	[NW]	
19	[NW]	[NW]	[NW]	[NNW]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[SW]	[SSW]	[SSW]	[S]	[ENE]	[SW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[NW]	[NW]	[WNW]	
20	[NW]	[NW]	[WNW]	[WNW]	[NW]	[WNW]	[NNW]	[WNW]	[NW]	[NW]	[SE]	[S]	[SSE]	[SE]	[ESE]	[ESE]	[SE]	[SE]	[ESE]	[NNW]	[NNW]	[NNW]	[NW]	[NNW]	[NNW]	
21	[NNW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[W]	[SSE]	[SE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[ESE]	[SE]	[WSW]	[NE]	[N]	[NNW]	[NNW]	[NNW]	
22	[NNW]	[NNW]	[N]	[N]	[N]	[N]	[N]	[N]	[NW]	[SW]	[SSE]	[SE]	[SE]	[SE]	[ESE]	[ESE]	[SE]	[ESE]	[ESE]	[W]	[N]	[N]	[NW]	[NNW]	[N]	
23	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[SSW]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[NNW]	[N]	[N]	[N]	[N]	[NNW]	
24	[N]	[NNW]	[N]	[NNW]	[N]	[N]	[NNW]	[ENE]	[SE]	[SE]	[ESE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[ESE]	[SE]	[SE]	[S]	[NNW]	[NNW]	[N]	[NNW]	[N]	
25	[NW]	[NW]	[NW]	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[W]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[ESE]	[ESE]	[ESE]	[SE]	[N]	[WNW]	[WNW]	[WNW]	[WNW]	
26	[NW]	[NNW]	[N]	[NW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	-940	-940	-940	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	
27	[WNW]	[SE]	[SW]	[W]	[WNW]	[WNW]	[WNW]	[WNW]	[WSW]	[WNW]	[N]	[N]	[NW]	[NW]	[WNW]	[NW]	[WNW]	[WNW]	[NW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[WNW]	
28	[NW]	[N]	[WSW]	[SSE]	[SSE]	[WNW]	[NW]	[WNW]	[W]	[NNW]	[NNW]	[WNW]	[WNW]	[NW]	[NE]	[S]	[SSW]	[NW]	[NW]	[NW]	[ENE]	[NE]	[NNE]	[NW]	[NW]	
Prev	[NW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NNW]	[NW]	[WNW]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[SE]	[WNW]	[WNW]	[WNW]	[NW]	[NW]	[NW]	[WNW]

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Sigma Theta (Yamartino)
Units: degrees
Channel: 12

Site: White Water Wash (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:52:26
Output File Name: wwwB0214.12

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	7.3	8.6	12.1	9.1	9.8	8.3	16.2	15.5	38.2	15.0	10.9	10.7	13.1	16.4	13.9	10.2	10.1	11.6	13.2	39.8	27.7	40.5	53.0	27.9	7.3	53.0	18.3
2	14.4	12.9	7.6	8.9	12.8	5.9	5.8	7.7	8.1	14.4	55.5	21.7	14.2	16.4	15.3	10.9	9.1	8.9	29.3	36.7	16.7	17.6	54.7	32.9	5.8	55.5	18.3
3	54.3	39.7	20.0	10.9	14.1	11.4	19.0	26.8	25.0	8.8	10.7	14.8	12.2	17.8	10.4	43.8	46.8	11.7	8.4	9.7	8.8	9.3	9.3	11.4	8.4	54.3	19.0
4	25.8	32.3	39.3	51.5	43.8	22.8	13.1	24.2	19.2	17.7	20.4	17.7	31.4	22.8	23.5	16.4	13.8	7.9	5.2	28.3	11.6	7.5	7.2	7.5	5.2	51.5	21.3
5	6.9	6.6	6.9	6.3	6.5	7.2	6.6	7.9	7.0	7.5	9.6	20.5	39.4	55.6	44.4	50.7	10.6	6.7	7.1	8.6	28.4	10.1	6.7	6.9	6.3	55.6	15.6
6	18.5	27.3	13.1	10.6	11.8	11.5	25.6	30.9	18.0	16.2	16.3	14.3	53.0	21.8	11.9	17.8	16.7	9.9	12.1	10.3	10.8	24.8	15.1	30.7	9.9	53.0	18.7
7	17.2	37.4	51.8	35.3	17.9	38.1	54.5	62.5	31.9	32.9	16.4	19.7	34.1	40.4	51.0	38.5	36.3	33.8	61.6	12.2	47.7	32.7	22.2	47.0	12.2	62.5	36.4
8	30.9	13.4	7.9	7.0	9.4	8.4	7.3	8.3	7.7	16.6	38.2	31.1	37.2	38.9	40.9	20.5	13.8	11.1	23.9	53.2	28.0	49.7	46.2	41.7	7.0	53.2	24.6
9	16.8	27.2	21.3	33.6	20.9	31.4	46.7	62.7	34.3	13.8	13.5	20.6	29.7	46.1	36.3	16.1	13.9	12.6	10.0	8.9	10.3	9.2	14.6	19.2	8.9	62.7	23.7
10	9.5	11.9	13.6	12.1	13.9	23.2	13.6	10.9	8.8	10.7	8.6	14.3	13.8	9.0	9.1	10.6	13.4	9.0	7.2	7.3	8.0	21.4	21.4	31.1	7.2	31.1	13.0
11	22.9	6.5	9.9	9.0	14.8	10.2	9.2	15.8	14.0	12.4	41.3	60.9	30.7	45.2	20.5	19.5	11.3	15.0	27.8	45.0	10.9	5.7	8.1	20.9	5.7	60.9	20.3
12	9.0	8.4	12.9	8.6	8.1	9.5	8.4	6.2	9.5	13.8	49.2	55.8	17.6	26.0	15.0	11.2	9.1	8.0	31.4	13.0	12.1	10.1	6.5	11.0	6.2	55.8	15.4
13	9.4	14.2	16.1	7.2	7.6	9.8	6.9	13.4	12.4	33.3	34.8	22.3	17.4	18.5	13.7	9.5	10.0	9.4	59.2	52.0	28.8	16.6	14.7	16.0	6.9	59.2	18.9
14	16.8	20.7	17.4	18.2	11.9	13.1	12.0	7.8	8.6	12.0	37.5	49.5	38.5	19.0	18.9	13.1	9.9	7.0	20.0	9.5	8.0	5.0	6.2	4.9	4.9	49.5	16.1
15	8.2	7.3	9.7	12.6	16.6	25.9	9.2	9.2	11.8	22.4	18.2	12.9	14.3	15.0	42.1	24.1	16.8	50.4	36.0	67.9	58.6	55.5	31.3	22.0	7.3	67.9	24.9
16	13.8	12.1	16.6	54.5	48.0	17.9	57.8	31.4	31.6	38.9	11.3	11.9	13.5	12.2	15.2	13.7	8.6	19.3	54.1	29.4	13.9	10.4	9.1	11.4	8.6	57.8	23.2
17	9.7	8.5	8.9	8.9	9.2	12.6	14.9	25.9	40.0	15.6	16.5	15.8	12.8	14.9	17.6	15.7	10.9	34.6	8.9	7.7	7.0	7.1	7.9	8.6	7.0	40.0	14.2
18	7.9	7.7	7.3	6.8	7.2	6.3	7.8	7.5	9.4	8.6	35.9	35.2	26.0	16.6	29.8	18.7	16.4	33.1	8.2	5.6	6.7	6.7	6.7	8.3	5.6	35.9	13.8
19	9.5	7.7	10.7	8.7	19.1	10.9	7.6	10.9	29.6	26.0	26.8	20.8	43.8	32.0	60.1	14.7	11.5	11.6	8.7	8.0	6.6	7.4	6.8	6.5	6.5	60.1	16.9
20	8.2	11.1	7.0	21.3	26.7	17.6	30.6	12.0	24.7	34.9	44.0	22.3	15.5	17.0	20.3	14.4	11.4	6.1	6.0	43.8	7.3	11.0	7.8	5.5	5.5	44.0	17.8
21	4.1	7.8	4.7	15.0	9.6	6.8	6.9	5.3	8.6	33.3	31.5	23.8	24.1	19.0	20.5	18.0	10.7	7.2	18.8	27.2	16.2	6.0	6.3	7.4	4.1	33.3	14.1
22	6.3	16.5	8.6	5.3	5.6	8.0	5.7	9.1	14.1	50.8	21.7	17.7	14.3	13.4	14.0	12.0	9.9	8.6	8.0	59.6	6.5	6.1	8.8	9.1	5.3	59.6	14.2
23	8.5	7.4	9.7	18.8	8.0	14.5	8.5	8.3	9.1	40.3	16.8	14.7	16.5	16.5	18.8	17.5	10.8	8.6	21.7	12.7	7.2	6.3	7.4	7.2	6.3	40.3	13.2
24	7.8	11.7	10.8	33.2	7.0	7.3	5.1	24.8	13.3	21.3	28.5	21.5	20.8	18.5	20.1	18.1	12.8	9.1	26.9	34.6	10.9	8.3	9.5	12.0	5.1	34.6	16.4
25	7.4	7.9	6.0	7.1	9.7	8.9	5.5	7.6	30.8	13.5	17.1	14.4	17.0	14.9	10.9	12.7	8.5	7.9	21.4	33.3	7.6	7.2	6.9	6.6	5.5	33.3	12.1
26	6.4	14.6	8.4	19.2	19.7	15.1	8.1	7.5	8.0	-940	-940	-940	15.4	11.0	9.0	8.7	9.5	8.2	8.9	8.6	21.8	14.5	11.5	10.4	6.4	21.8	11.6
27	21.9	34.6	51.5	35.4	39.7	7.4	11.9	45.9	31.4	32.5	46.4	39.9	14.3	21.4	15.1	15.5	9.7	10.0	10.3	9.0	8.1	8.5	7.9	7.5	7.4	51.5	22.3
28	14.0	14.9	33.9	44.8	17.3	17.1	10.3	10.2	18.5	22.5	23.6	12.2	13.3	15.7	32.5	51.8	20.3	13.9	10.4	12.7	38.6	14.9	13.9	10.8	10.2	51.8	20.3
Min	4.1	6.5	4.7	5.3	5.6	5.9	5.1	5.3	7.0	7.5	8.6	10.7	12.2	9.0	9.0	8.7	8.5	6.1	5.2	5.6	6.5	5.0	6.2	4.9	4.1		
Max	54.3	39.7	51.8	54.5	48.0	38.1	57.8	62.7	40.0	50.8	55.5	60.9	53.0	55.6	60.1	51.8	46.8	50.4	61.6	67.9	58.6	55.5	54.7	47.0	67.9		
Avg	14.0	15.6	15.8	18.6	15.9	13.8	15.5	18.4	18.7	21.7	26.0	23.6	23.0	22.6	23.2	19.4	14.0	14.0	20.2	24.8	17.0	15.4	15.3	15.8			18.4

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Running 3-Second Gust
Units: mph
Channel: 18

Site: White Water Wash (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:52:33
Output File Name: wwwB0214.18

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	34.0	30.9	27.5	21.3	18.7	13.4	15.9	11.7	10.4	27.2	30.3	31.1	28.8	32.2	28.9	27.8	25.0	19.7	15.6	12.1	11.6	13.4	11.6	9.1	9.1	34.0	21.2
2	11.5	11.6	9.3	13.2	8.6	11.9	10.0	11.2	9.5	5.8	5.3	11.3	15.5	16.5	18.5	18.7	14.5	11.3	6.9	9.9	11.6	11.7	8.8	7.2	5.3	18.7	11.3
3	6.5	6.8	10.7	19.3	15.6	14.7	11.3	4.5	19.1	17.9	19.0	22.6	26.7	24.6	27.2	26.8	17.0	22.4	28.7	33.6	34.0	31.0	29.8	29.0	4.5	34.0	20.8
4	17.4	9.5	9.9	14.3	13.1	12.1	14.3	12.2	7.1	7.9	13.4	13.5	10.6	12.8	12.6	10.7	8.6	6.6	6.1	9.8	16.2	16.7	19.1	22.0	6.1	22.0	12.4
5	23.7	21.3	18.8	17.1	17.6	16.4	20.9	21.8	20.4	21.8	20.5	17.0	8.1	7.5	11.0	18.0	18.3	16.1	18.9	22.4	14.5	14.8	16.2	16.4	7.5	23.7	17.5
6	12.9	12.4	21.2	21.5	18.7	23.2	17.5	16.2	11.4	13.1	11.9	17.0	29.3	38.9	38.7	41.7	37.1	36.0	32.2	38.4	34.3	21.5	25.1	24.3	11.4	41.7	24.8
7	18.5	11.3	13.0	6.2	7.0	4.4	6.0	6.1	5.8	6.4	8.2	10.6	10.9	11.5	19.1	22.5	23.0	20.9	10.6	20.0	11.1	14.4	17.4	11.9	4.4	23.0	12.4
8	27.3	36.8	49.8	34.3	35.2	36.4	35.8	32.9	26.8	23.5	8.6	10.1	8.3	10.4	8.2	11.5	9.7	11.4	5.8	7.3	8.6	26.3	13.2	8.8	5.8	49.8	20.3
9	28.9	24.4	27.8	22.4	25.1	30.5	13.1	14.3	11.7	9.8	11.0	11.3	9.6	11.5	24.6	35.0	37.8	36.0	35.5	32.4	24.9	30.5	29.3	19.4	9.6	37.8	23.2
10	33.8	33.1	29.6	30.3	34.5	33.4	39.7	44.3	51.0	41.7	39.6	39.2	31.1	30.9	30.0	26.6	23.7	23.4	23.2	20.8	21.9	22.1	13.4	14.1	13.4	51.0	30.5
11	12.8	11.2	11.1	12.1	11.7	12.1	12.0	11.7	8.2	6.1	6.4	6.1	9.1	10.1	9.5	7.2	6.6	5.4	9.6	7.5	9.4	12.7	11.2	9.4	5.4	12.8	9.6
12	11.0	11.6	12.5	10.2	10.5	9.6	11.0	10.1	7.1	5.7	4.1	9.0	12.5	9.4	11.0	10.2	9.4	7.8	6.6	10.8	10.2	10.1	10.3	10.4	4.1	12.5	9.6
13	13.7	11.1	12.6	12.6	10.0	11.4	11.6	8.9	8.5	4.4	7.0	9.1	12.9	10.7	12.4	12.6	10.6	11.0	8.9	9.3	12.6	9.4	11.0	11.3	4.4	13.7	10.6
14	11.6	10.7	11.8	12.1	11.6	11.5	12.2	12.9	9.3	7.5	6.3	6.1	7.6	11.1	10.4	12.2	10.5	7.8	5.4	8.6	11.6	11.3	9.7	12.3	5.4	12.9	10.1
15	11.9	10.7	12.6	11.1	12.1	10.2	12.4	11.0	6.9	4.9	8.0	10.3	13.1	14.5	17.0	12.8	13.5	17.0	11.4	9.6	10.3	8.6	7.5	8.7	4.9	17.0	11.1
16	10.3	9.4	8.9	9.4	10.7	9.1	8.3	6.9	6.6	5.5	13.7	14.6	13.6	13.4	12.0	12.7	8.4	9.6	7.5	8.6	17.4	18.0	17.3	15.4	5.5	18.0	11.1
17	17.5	16.8	16.2	16.4	20.4	11.3	13.3	8.8	4.5	6.0	10.4	14.0	13.1	11.7	10.6	10.0	9.2	25.6	35.0	36.8	36.8	33.0	36.8	32.9	4.5	36.8	18.6
18	38.5	34.0	33.9	28.6	27.1	27.8	23.5	21.2	21.1	18.3	12.1	9.0	9.1	9.9	7.3	6.7	7.2	8.1	13.8	18.0	17.0	21.8	23.1	21.9	6.7	38.5	19.1
19	24.6	15.2	16.3	14.8	15.7	23.7	32.1	32.0	28.6	16.8	10.8	12.4	10.3	8.9	21.0	31.4	34.3	34.6	36.6	38.9	28.6	23.2	22.6	24.1	8.9	38.9	23.2
20	24.1	14.2	15.8	10.7	9.7	12.0	9.2	8.0	12.0	9.8	10.4	8.3	9.9	10.7	19.4	12.2	10.7	8.3	11.2	9.8	9.7	10.6	9.6	11.8	8.0	24.1	11.6
21	11.5	12.1	9.7	10.2	9.4	8.3	10.2	11.5	7.7	3.9	7.4	10.5	11.8	12.3	11.9	10.8	10.1	8.6	5.2	9.4	9.9	8.6	11.8	12.7	3.9	12.7	9.8
22	12.4	10.6	12.0	12.6	12.8	12.4	13.4	12.5	6.1	6.3	9.1	10.3	11.8	11.8	12.9	12.5	9.9	15.8	14.3	7.6	8.8	9.2	8.6	12.6	6.1	15.8	11.1
23	11.3	9.4	11.8	11.1	8.7	11.5	9.9	10.9	8.4	6.6	10.3	10.9	12.5	14.8	11.8	12.0	10.6	8.9	7.4	7.1	11.3	11.0	11.4	11.5	6.6	14.8	10.5
24	11.6	12.1	10.7	11.3	10.7	9.7	12.4	8.2	7.7	7.5	8.2	9.9	11.6	13.7	12.6	11.6	9.2	5.7	4.5	6.1	11.8	9.3	11.2	13.8	4.5	13.8	10.1
25	16.6	15.5	20.9	20.3	13.7	13.7	12.0	9.6	8.9	8.9	10.9	13.1	12.6	15.9	17.3	15.9	16.0	16.4	11.1	14.6	24.6	29.9	27.7	28.3	8.9	29.9	16.4
26	24.3	14.1	8.9	8.8	10.4	37.0	36.0	36.9	34.3	-940	-940	-940	37.0	36.4	37.4	36.0	37.3	41.4	39.8	37.6	43.2	34.3	31.5	29.8	8.8	43.2	31.1
27	21.5	10.2	7.3	8.0	30.4	30.6	22.2	13.1	22.9	21.9	29.6	30.9	37.5	34.6	44.6	35.9	38.7	33.5	36.8	34.6	34.9	34.6	32.2	29.8	7.3	44.6	28.2
28	27.0	15.1	10.6	7.7	9.2	17.0	18.6	13.2	10.2	5.1	9.1	10.6	12.7	22.4	11.9	34.3	43.0	46.0	34.0	27.3	11.3	13.3	12.1	30.0	5.1	46.0	18.8
Min	6.5	6.8	7.3	6.2	7.0	4.4	6.0	4.5	4.5	3.9	4.1	6.1	7.6	7.5	7.3	6.7	6.6	5.4	4.5	6.1	8.6	8.6	7.5	7.2	3.9		
Max	38.5	36.8	49.8	34.3	35.2	37.0	39.7	44.3	51.0	41.7	39.6	39.2	37.5	38.9	44.6	41.7	43.0	46.0	39.8	38.9	43.2	34.6	36.8	32.9	51.0		
Avg	18.8	15.8	16.5	15.3	15.7	17.0	16.6	15.1	14.0	11.9	12.6	14.0	15.6	16.8	18.2	19.2	18.2	18.4	17.2	18.2	18.2	18.3	17.5	17.5			16.5

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Battery Voltage
Units: volts
Channel: 8

Site: White Water Wash (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:52:22
Output File Name: wwwB0214.8

Day	1	2	3	4	5	6	7	8	9	10	11	Hour Ending 12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.9	13.0	13.0	13.0	13.1	13.6	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.0	13.9	13.1
2	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.2	13.1	13.2	13.1	13.0	13.0	13.6	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.6	13.0
3	13.0	13.1	13.0	13.5	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.7	13.0	13.4	13.0	13.0	13.0	13.0	13.0	13.0	13.7	13.1
4	13.0	13.0	13.0	13.9	13.9	13.0	13.3	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.9	13.0	13.0	13.0	13.0	13.1	13.0	13.9	13.1
5	13.2	13.0	13.0	13.0	13.1	13.0	13.0	13.0	14.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.1	13.0	13.0	13.1	13.1	13.0	13.0	13.0	13.0	14.0	13.1
6	13.0	13.0	13.0	13.8	13.0	13.0	13.0	13.7	13.0	13.0	13.0	13.0	13.0	13.1	13.7	13.0	13.0	13.1	13.0	13.0	13.0	13.1	13.0	13.0	13.0	13.8	13.1
7	13.9	13.0	13.4	13.0	13.1	13.3	13.1	13.3	13.0	13.0	13.0	13.0	13.0	13.2	13.1	13.1	13.1	13.0	13.1	13.0	13.0	13.1	13.0	13.1	13.0	13.9	13.1
8	13.0	13.0	13.0	13.0	14.0	13.0	13.3	13.5	13.0	13.0	13.0	13.1	13.0	13.0	13.1	13.0	13.1	13.0	13.0	13.0	13.1	13.0	13.0	13.0	13.0	14.0	13.1
9	13.1	13.0	13.1	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.1	13.0	13.1	13.0	13.1	13.1	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0
10	13.0	13.0	13.1	13.3	13.1	13.0	13.1	13.1	13.0	13.1	13.0	13.0	14.0	13.0	13.0	13.1	13.1	13.0	13.0	13.0	13.0	13.0	13.1	13.1	13.0	14.0	13.1
11	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.1	13.1	13.3	13.1	13.1	13.0	13.2	13.1	13.1	13.0	13.0	13.3	13.1
12	13.6	14.0	13.0	13.0	13.1	13.9	13.0	13.9	13.0	13.0	13.0	13.0	13.1	13.2	13.3	13.0	13.1	13.2	13.3	13.0	13.1	13.1	13.1	13.1	13.0	14.0	13.2
13	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.1	13.4	13.2	13.2	13.0	13.3	13.1	13.0	13.3	13.1	13.0	13.1	13.2	13.1	13.0	13.4	13.1
14	13.3	13.1	13.1	13.0	13.0	13.0	13.1	13.0	13.6	13.0	13.1	13.1	13.9	13.3	13.4	13.0	13.1	13.3	13.4	13.0	13.1	13.1	13.1	13.1	13.0	13.9	13.2
15	13.0	13.2	13.0	13.1	13.0	13.0	13.0	13.0	13.1	13.1	13.2	13.0	13.3	13.4	13.5	13.1	13.2	13.3	13.4	13.0	13.0	13.1	13.5	13.1	13.0	13.5	13.1
16	13.1	13.0	13.0	13.1	13.0	13.0	13.0	13.0	13.1	13.0	13.1	13.1	13.3	13.0	13.1	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.4	13.2	13.0	13.4	13.1
17	13.0	13.1	13.1	13.1	13.0	13.0	13.2	13.0	13.0	13.1	13.1	13.0	13.0	13.3	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.1	13.3	13.0	13.3	13.1
18	13.0	13.0	13.1	13.2	13.1	13.0	13.0	13.1	13.1	13.1	13.1	13.2	13.1	13.0	13.1	13.1	13.1	13.1	13.2	13.2	13.2	13.3	13.3	13.3	13.0	13.3	13.1
19	13.2	13.0	13.3	13.0	13.1	13.1	13.1	13.3	13.1	13.2	13.1	13.0	13.3	13.3	13.4	13.4	13.1	13.2	13.4	13.6	13.1	13.2	13.2	13.1	13.0	13.6	13.2
20	13.0	13.2	13.3	13.2	13.8	13.0	13.0	13.1	13.0	13.6	13.1	13.2	13.1	13.1	13.3	13.1	13.0	13.0	13.8	13.4	13.3	13.1	13.2	13.1	13.0	13.8	13.2
21	13.1	13.0	13.1	13.0	13.1	13.0	13.0	13.3	13.0	13.0	13.0	13.1	13.1	13.1	13.2	13.1	13.0	13.7	13.3	13.3	13.1	13.8	13.0	13.2	13.0	13.8	13.2
22	13.0	13.0	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.1	13.1	13.1	13.1	13.4	13.2	13.1	13.4	13.3	13.1	13.0	13.1	13.0	13.0	13.4	13.1
23	13.0	13.1	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.2	13.0	13.1	13.0	13.3	13.2	13.1	13.0	13.2	13.0	13.0	13.0	13.3	13.1
24	13.2	13.1	13.1	13.0	13.0	13.0	13.0	14.0	13.0	13.0	13.1	13.1	13.0	13.0	13.1	13.3	13.3	13.1	13.0	13.2	13.3	13.2	13.0	13.2	13.0	14.0	13.1
25	13.2	13.1	13.0	13.0	13.2	13.0	13.0	13.0	13.1	13.0	13.2	13.0	13.2	13.0	13.2	13.1	13.5	13.3	13.1	13.0	13.3	13.1	13.2	13.0	13.5	13.1	
26	13.1	13.1	13.1	13.1	13.1	13.0	13.0	13.1	13.0	13.6	13.0	13.2	13.2	13.0	13.1	13.0	13.2	13.1	13.6	13.1	14.0	13.0	13.0	13.5	13.0	14.0	13.2
27	13.0	13.1	13.0	13.0	13.0	13.0	13.0	13.1	13.0	13.0	13.1	13.1	13.1	13.2	13.1	13.0	13.3	13.3	13.3	13.2	13.1	13.0	13.1	13.0	13.0	13.3	13.1
28	13.3	13.0	13.0	13.0	13.1	13.0	13.0	13.0	13.9	13.0	13.1	13.1	13.0	13.0	13.0	13.0	13.9	13.0	13.0	13.0	13.1	13.0	13.0	13.0	13.0	13.9	13.1
Min	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0		
Max	13.9	14.0	13.4	13.9	14.0	13.9	13.3	14.0	14.0	13.6	13.2	13.9	14.0	13.6	13.7	13.4	13.9	13.7	13.9	13.6	14.0	13.8	13.5	13.5		14.0	
Avg	13.1	13.1	13.1	13.1	13.1	13.0	13.0	13.2	13.1	13.1	13.0	13.1	13.1	13.1	13.1	13.1	13.2	13.1	13.2	13.1	13.1	13.1	13.1	13.1			13.1

Total Data Records Possible: 672
Total Valid Data Records: 672
Percent Data Recovery: 100.0

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Ambient Temperature
Units: Deg C
Channel: 19

Site: White Water Wash (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:52:34
Output File Name: wwwB0214.19

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	14.2	13.4	12.9	12.0	11.3	9.7	9.0	9.4	12.7	15.1	15.9	16.6	17.1	17.5	17.7	17.4	16.5	15.2	14.4	13.9	13.2	12.4	11.9	8.2	8.2	17.7	13.6
2	5.7	5.5	4.5	4.5	3.9	4.0	2.9	5.8	8.3	11.1	14.4	15.8	16.0	16.7	17.1	16.7	15.6	14.1	12.7	10.9	9.2	10.5	10.6	9.9	2.9	17.1	10.3
3	10.0	10.1	10.6	11.8	11.5	11.3	10.6	10.8	12.9	14.8	16.0	17.0	17.7	18.4	18.7	19.1	18.6	16.9	15.9	15.1	14.7	13.8	13.5	13.4	10.0	19.1	14.3
4	12.6	11.3	10.8	10.9	9.8	9.8	10.0	10.5	12.2	15.3	16.6	16.9	17.4	17.8	18.2	18.0	17.4	16.7	15.8	14.4	14.7	13.9	13.5	13.2	9.8	18.2	14.1
5	12.8	12.5	12.3	11.9	11.5	11.2	11.2	11.8	13.5	15.5	17.0	17.9	18.8	19.6	20.0	20.1	19.2	18.0	17.2	16.6	15.9	14.9	13.7	13.3	11.2	20.1	15.3
6	13.3	13.7	14.3	14.3	14.0	14.6	13.8	14.1	14.9	15.9	17.6	18.3	18.3	18.3	17.7	17.5	16.0	14.8	14.8	15.0	14.6	13.8	13.7	13.2	13.2	18.3	15.3
7	12.5	12.6	11.8	11.1	10.6	10.5	10.4	10.6	12.3	14.9	16.7	18.4	19.7	20.1	20.7	20.8	20.3	19.0	18.0	16.8	16.0	15.4	14.6	13.9	10.4	20.8	15.3
8	13.8	14.3	14.1	14.0	14.1	13.8	13.6	14.2	15.4	17.7	19.3	20.7	21.4	22.2	23.0	23.0	22.3	20.9	19.3	18.3	17.3	17.3	16.5	16.7	13.6	23.0	17.6
9	17.7	16.9	16.9	15.8	16.6	16.1	15.3	16.2	17.5	18.2	19.9	21.8	22.9	23.9	24.4	23.5	22.5	20.6	19.7	19.4	19.5	18.5	18.3	17.5	15.3	24.4	19.2
10	17.3	17.3	17.0	17.0	16.7	16.1	16.2	16.6	16.7	18.4	19.6	21.7	23.3	24.4	25.0	25.1	24.2	22.4	21.3	20.3	19.5	18.5	17.6	16.3	16.1	25.1	19.5
11	14.9	14.4	12.3	12.5	12.2	11.7	11.5	13.0	17.3	21.6	25.3	26.0	26.5	27.3	27.7	28.0	27.3	25.3	22.7	21.4	18.3	17.2	16.3	15.7	11.5	28.0	19.4
12	14.8	14.0	13.8	13.3	12.2	12.4	12.5	14.5	18.0	22.8	26.1	27.4	27.6	28.1	28.7	28.9	28.0	25.6	23.2	19.9	18.8	17.1	16.3	15.5	12.2	28.9	20.0
13	15.1	14.8	14.7	14.3	14.0	13.3	13.6	14.6	18.8	24.1	26.2	27.5	28.4	29.2	29.7	29.4	28.8	26.3	23.9	21.6	19.3	17.3	16.5	15.5	13.3	29.7	20.7
14	15.7	14.1	13.9	13.8	13.1	12.7	12.7	15.3	20.0	25.3	28.4	29.8	30.6	31.1	31.3	31.3	30.6	27.7	24.4	21.3	20.0	18.6	17.4	17.2	12.7	31.3	21.5
15	16.3	15.1	15.1	15.3	15.0	15.1	14.7	17.6	22.0	26.1	27.3	27.7	28.3	29.0	29.7	29.6	28.7	26.7	25.6	23.9	22.7	21.8	21.3	18.7	14.7	29.7	22.2
16	16.5	15.4	14.9	15.1	14.6	13.7	13.9	15.1	17.1	21.2	22.3	24.0	25.4	26.4	27.6	27.9	27.4	25.6	23.0	21.2	22.1	21.7	21.6	21.0	13.7	27.9	20.6
17	20.4	18.9	17.3	17.3	18.6	15.8	16.0	17.3	21.7	24.1	26.0	26.7	27.7	28.4	29.0	29.1	28.4	26.5	24.3	22.4	21.6	21.1	21.0	19.8	15.8	29.1	22.5
18	19.2	18.9	19.1	18.8	18.9	18.4	17.9	19.0	21.6	24.5	26.8	28.1	28.6	28.4	29.2	29.1	28.8	26.8	25.2	23.2	22.3	21.6	21.1	21.2	17.9	29.2	23.2
19	21.2	19.8	19.6	19.1	19.7	19.6	19.7	20.1	20.9	22.7	25.6	26.7	27.7	28.9	29.1	28.3	26.5	25.0	23.3	22.4	21.2	20.5	19.9	19.3	19.1	29.1	22.8
20	18.5	16.8	17.4	18.2	17.6	17.6	16.3	17.6	21.3	23.3	24.7	24.3	24.5	24.9	25.5	25.5	25.0	23.1	21.3	19.2	16.9	15.5	14.4	14.3	14.3	25.5	20.2
21	13.4	12.2	12.1	11.5	12.5	12.7	12.7	12.8	16.2	21.5	23.4	24.1	24.7	25.4	25.9	26.0	25.5	23.8	20.5	19.0	16.8	15.6	14.9	14.1	11.5	26.0	18.2
22	13.4	12.7	12.6	12.5	12.6	12.8	12.3	15.6	18.6	21.8	23.6	24.2	25.1	25.7	26.1	26.0	25.2	23.9	21.9	20.5	17.4	16.2	14.5	14.2	12.3	26.1	18.7
23	13.8	12.9	13.0	13.2	12.4	12.3	12.4	14.3	18.9	22.4	23.4	24.3	25.2	25.8	26.4	26.5	26.1	24.4	22.1	19.6	17.1	16.5	16.0	15.2	12.3	26.5	18.9
24	14.6	14.1	14.1	13.7	12.8	12.9	12.1	14.5	17.5	19.9	22.3	23.9	25.4	26.4	27.1	27.3	26.9	25.3	22.6	19.5	19.1	18.3	18.5	17.9	12.1	27.3	19.4
25	18.8	18.1	17.8	17.8	16.4	15.8	15.3	16.0	18.9	20.4	22.4	23.8	25.5	26.4	26.8	26.6	25.7	23.6	22.1	20.8	19.8	18.5	18.3	16.9	15.3	26.8	20.5
26	16.0	16.2	15.5	13.7	13.4	15.5	15.5	16.6	18.0	-940	-940	-940	21.3	21.7	21.8	21.8	21.4	20.2	19.5	18.8	18.9	19.0	18.2	18.1	13.4	21.8	18.2
27	17.5	16.6	15.4	14.6	16.4	17.0	17.0	18.3	19.8	21.3	23.5	25.0	25.4	25.9	25.8	26.2	24.6	23.5	22.4	20.3	19.3	18.7	18.6	19.3	14.6	26.2	20.5
28	19.5	19.5	17.7	17.0	17.1	15.7	14.2	13.3	13.5	13.6	14.3	14.7	14.9	15.3	18.5	20.6	20.2	14.8	14.8	14.4	14.1	14.0	13.5	13.8	13.3	20.6	15.8
Min	5.7	5.5	4.5	4.5	3.9	4.0	2.9	5.8	8.3	11.1	14.3	14.7	14.9	15.3	17.1	16.7	15.6	14.1	12.7	10.9	9.2	10.5	10.6	8.2	2.9		
Max	21.2	19.8	19.6	19.1	19.7	19.6	19.7	20.1	22.0	26.1	28.4	29.8	30.6	31.1	31.3	31.3	30.6	27.7	25.6	23.9	22.7	21.8	21.6	21.2	31.3		
Avg	15.3	14.7	14.3	14.1	13.9	13.6	13.3	14.5	17.0	19.8	21.6	22.7	23.4	24.0	24.6	24.6	23.8	22.0	20.4	18.9	17.9	17.1	16.5	15.8			18.5

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Relative Humidity
Units: %RH
Channel: 20

Site: White Water Wash (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:52:35
Output File Name: wwwB0214.20

Day	Hour Ending																								Min	Max	Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	39	40	33	37	40	48	53	58	42	22	20	16	15	14	15	13	13	13	13	13	14	15	16	21	13	58	26
2	25	25	26	24	27	27	31	27	27	22	15	13	13	15	16	16	18	19	20	23	27	42	46	36	13	46	24
3	31	30	34	54	54	56	54	55	55	46	38	33	33	30	26	22	25	27	37	47	55	58	58	56	22	58	42
4	57	59	59	59	61	59	57	59	58	42	37	33	32	32	32	32	32	37	36	40	56	58	58	58	32	61	48
5	59	60	61	63	64	65	62	61	60	54	41	34	31	28	27	27	27	29	36	41	51	57	57	27	65	47	
6	57	57	57	57	56	55	56	56	51	52	38	39	38	39	48	52	59	58	57	57	57	58	59	38	59	53	
7	63	61	64	67	69	69	71	72	67	59	58	51	38	35	31	31	29	34	42	45	52	54	56	57	29	72	53
8	57	57	57	57	57	57	58	59	59	51	38	33	31	30	28	27	30	35	40	44	48	48	45	27	59	45	
9	53	49	50	50	51	51	50	52	52	51	43	35	30	28	24	26	29	41	49	51	49	55	52	54	24	55	45
10	55	56	56	56	56	56	57	58	58	57	53	40	34	31	29	30	32	39	42	46	52	54	56	56	29	58	48
11	57	57	56	48	46	39	36	34	30	21	16	14	13	12	12	12	13	15	19	21	24	24	24	25	12	57	28
12	28	25	26	29	30	30	29	23	20	14	12	12	12	11	9	9	10	16	17	19	19	20	21	24	9	30	19
13	23	23	24	26	28	29	30	31	25	18	15	13	13	12	11	12	13	15	17	19	21	24	25	27	11	31	21
14	24	27	26	23	22	24	23	23	18	13	11	10	10	9	9	9	10	14	18	19	19	20	20	20	9	27	18
15	21	21	21	20	19	19	19	15	13	11	12	13	13	11	11	12	13	14	14	16	17	17	19	20	11	21	16
16	22	24	23	21	22	22	22	22	20	17	20	20	19	17	15	14	15	20	27	31	24	21	20	21	14	31	21
17	21	21	21	21	21	24	25	24	20	17	15	15	13	14	14	14	16	18	18	20	20	25	24	29	13	29	20
18	32	29	25	23	21	21	21	22	15	10	9	8	9	10	10	10	10	12	13	18	22	26	30	29	8	32	18
19	29	34	33	30	30	34	34	33	26	20	15	14	13	11	13	17	23	23	26	32	37	41	44	50	11	50	28
20	55	51	36	23	21	20	23	20	15	13	13	12	12	13	11	12	12	14	14	14	17	20	22	22	11	55	20
21	22	23	23	23	23	23	23	24	18	12	12	11	11	11	10	11	11	13	16	17	19	22	21	22	10	24	17
22	22	22	22	27	26	27	29	23	21	17	17	17	14	14	13	14	16	19	20	19	24	27	30	27	13	30	21
23	28	29	29	27	29	29	30	28	20	17	17	16	14	13	13	13	13	15	17	19	21	21	22	22	13	30	21
24	25	26	26	26	27	27	30	26	27	24	21	21	16	13	12	12	13	15	18	21	24	26	30	32	12	32	22
25	31	31	32	35	34	32	32	31	26	27	27	24	19	20	20	19	20	19	21	26	40	54	48	55	19	55	30
26	57	57	58	60	58	57	58	59	58	-940	-940	-940	37	37	36	35	36	40	44	50	50	50	54	55	35	60	50
27	55	56	58	62	58	59	59	56	56	53	32	20	17	16	18	15	19	21	28	47	56	55	55	44	15	62	42
28	39	38	55	59	57	68	78	86	89	89	88	85	88	91	78	58	50	71	67	64	66	67	68	67	38	91	69
Min	21	21	21	20	19	19	19	15	13	10	9	8	9	9	9	9	10	12	13	13	14	15	16	20	8		
Max	63	61	64	67	69	69	78	86	89	89	88	85	88	91	78	58	59	71	67	64	66	67	68	67		91	
Avg	39	39	39	39	40	40	41	41	37	31	27	24	23	22	21	20	21	25	28	31	34	38	39	39			32

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4

Variable: Maximum Sustained Wind Speed
Units: mph
Channel: 21

Site: White Water Wash (data subject to change)
Month: February
Year: 2014
Time Zone: PST

Validation Level: B
Printout Date: 03-13-2014
Printout Time: 12:52:36
Output File Name: wwwB0214.21

Day	1	2	3	4	5	6	7	8	9	10	11	Hour Ending 12	13	14	15	16	17	18	19	20	21	22	23	24	Min	Max	Avg
1	31.0	26.2	22.7	18.7	15.0	12.0	14.4	10.1	9.4	21.7	24.0	26.1	22.9	27.6	25.8	23.3	22.1	16.4	13.0	10.3	10.0	11.4	9.6	8.3	8.3	31.0	18.0
2	10.4	10.7	8.9	12.6	7.6	11.6	9.5	10.6	9.3	5.3	4.5	9.3	13.2	14.3	15.7	15.1	12.2	8.6	5.7	9.4	9.4	9.7	7.5	6.1	4.5	15.7	9.9
3	5.2	6.2	9.6	16.9	14.1	13.2	9.7	4.3	15.9	15.8	15.7	17.3	22.4	20.2	23.5	20.9	14.9	19.7	26.0	29.1	27.4	27.8	25.1	24.7	4.3	29.1	17.7
4	13.7	8.7	8.3	11.9	12.2	10.5	12.8	11.4	6.6	6.2	11.5	12.1	8.9	10.2	10.8	9.1	7.9	5.6	6.0	8.8	13.9	14.6	16.7	19.0	5.6	19.0	10.7
5	19.8	18.3	16.7	15.1	15.6	13.6	18.6	18.6	18.6	19.9	18.6	14.8	6.8	6.5	8.5	15.3	16.1	14.5	16.0	19.1	12.6	12.7	13.9	14.6	6.5	19.9	15.2
6	11.8	10.0	18.8	19.0	16.3	19.7	14.9	13.8	9.7	11.9	11.0	15.5	23.8	29.9	33.2	34.0	32.3	28.3	26.3	34.0	29.8	15.2	21.6	20.6	9.7	34.0	20.9
7	15.7	10.5	11.9	5.8	6.9	4.2	5.7	5.9	5.6	5.2	7.1	8.7	9.2	10.3	13.8	17.4	17.0	17.9	8.5	17.0	9.4	13.2	15.2	9.1	4.2	17.9	10.5
8	23.8	31.2	39.0	29.3	28.2	32.3	30.4	27.3	22.7	20.0	8.0	8.8	7.1	8.9	6.7	9.1	8.6	9.4	5.0	5.6	7.8	21.7	11.8	7.8	5.0	39.0	17.1
9	22.8	22.1	22.1	19.3	20.5	26.4	9.6	10.0	9.9	8.7	9.4	9.2	8.1	10.1	21.0	29.7	30.0	32.7	32.0	26.5	23.0	24.3	24.1	15.6	8.1	32.7	19.5
10	28.4	26.8	25.6	24.8	30.3	26.9	34.1	36.7	43.0	33.8	33.0	33.6	26.1	27.2	26.9	23.4	21.9	20.9	19.9	19.2	19.7	17.8	11.7	12.8	11.7	43.0	26.0
11	11.9	10.2	10.0	11.0	11.1	11.5	11.4	10.2	7.4	5.4	5.4	4.7	6.6	8.8	7.8	5.8	6.0	5.1	8.5	6.8	9.0	11.4	9.9	9.1	4.7	11.9	8.5
12	10.2	11.3	11.7	9.6	10.2	9.2	10.7	9.7	6.8	5.1	3.5	6.9	8.4	7.7	8.7	8.7	8.3	6.6	5.9	10.0	9.8	9.0	9.9	10.2	3.5	11.7	8.7
13	12.6	10.8	12.3	12.3	9.5	10.5	11.4	8.6	7.2	3.9	6.5	8.0	9.6	9.0	10.6	10.7	9.3	9.3	8.5	8.6	9.9	8.9	10.0	9.8	3.9	12.6	9.5
14	11.2	10.4	10.7	11.8	11.1	10.8	11.7	12.3	8.0	6.9	5.1	5.4	6.7	9.4	9.1	10.5	9.4	6.5	4.8	8.1	10.8	10.6	9.2	11.8	4.8	12.3	9.3
15	11.1	10.5	12.0	10.4	10.2	9.8	11.6	10.3	6.5	3.8	6.9	8.0	11.3	12.8	15.1	11.2	11.7	15.0	10.0	8.2	9.0	7.1	7.1	7.8	3.8	15.1	9.9
16	10.1	9.1	8.5	8.6	7.0	7.7	7.8	6.0	6.1	4.8	12.7	12.1	12.3	12.0	10.4	11.1	7.7	8.4	6.4	8.3	16.1	15.7	14.9	14.0	4.8	16.1	9.9
17	15.9	15.3	14.8	13.9	17.7	10.1	12.5	8.5	3.3	5.2	8.9	11.0	11.4	9.7	9.3	8.6	8.0	21.7	29.9	30.8	29.5	28.9	29.9	29.1	3.3	30.8	16.0
18	32.5	29.9	29.2	25.0	24.6	23.9	21.0	17.5	17.8	15.7	9.7	7.3	7.7	7.7	5.3	5.7	5.7	6.7	11.4	16.0	14.6	17.8	20.0	19.2	5.3	32.5	16.3
19	20.5	13.9	14.0	13.3	13.9	20.9	28.4	29.4	24.0	13.5	9.4	10.9	8.6	7.3	17.4	25.9	29.8	30.0	32.1	32.1	24.0	19.3	19.4	19.6	7.3	32.1	19.9
20	20.1	12.6	14.4	9.9	9.5	11.0	8.4	7.5	9.2	8.8	9.4	6.9	8.4	8.7	10.3	10.5	9.8	7.2	9.1	9.4	9.5	9.6	9.2	11.0	6.9	20.1	10.0
21	11.1	11.7	9.4	9.9	8.7	8.1	9.9	11.2	7.1	2.9	6.2	8.7	10.0	10.4	10.3	9.2	8.8	7.6	4.7	9.1	9.5	8.3	11.2	12.3	2.9	12.3	9.0
22	11.8	10.0	11.4	11.9	12.3	11.7	12.3	11.6	5.3	5.3	7.7	9.0	9.8	10.4	10.4	11.1	8.9	13.0	12.3	7.2	8.4	8.6	8.1	12.2	5.3	13.0	10.0
23	10.2	8.8	11.3	10.6	8.3	10.8	9.6	10.2	7.7	5.0	8.6	9.2	11.4	11.9	10.4	10.3	9.7	7.3	6.2	6.6	10.8	10.6	10.8	10.4	5.0	11.9	9.4
24	10.9	11.3	9.8	10.6	9.6	9.6	11.9	8.1	7.0	6.7	6.6	8.5	9.1	11.3	11.1	9.2	7.9	5.1	4.1	5.9	11.3	8.8	10.3	11.5	4.1	11.9	9.0
25	14.2	12.5	17.6	17.1	12.6	12.6	11.3	8.7	8.3	8.2	8.7	10.7	11.3	12.6	14.6	13.7	14.1	14.2	9.2	12.5	21.3	24.3	22.5	24.3	8.2	24.3	14.0
26	21.5	13.2	8.1	8.4	9.5	26.8	30.5	32.8	29.1	-940	-940	-940	31.6	33.1	32.9	29.4	32.7	35.8	33.6	32.4	33.1	27.2	27.5	26.3	8.1	35.8	26.5
27	18.5	9.0	6.2	7.8	26.5	26.8	19.0	11.3	20.0	19.7	24.1	27.6	31.1	29.3	35.2	32.0	33.1	27.9	31.5	29.5	29.7	29.6	26.8	26.5	6.2	35.2	24.1
28	22.7	12.8	8.8	6.9	7.9	16.0	15.2	11.3	9.7	4.4	8.2	9.4	11.1	19.3	10.6	28.6	35.5	36.9	27.1	23.3	10.4	11.4	11.5	24.4	4.4	36.9	16.0
Min	5.2	6.2	6.2	5.8	6.9	4.2	5.7	4.3	3.3	2.9	3.5	4.7	6.6	6.5	5.3	5.7	5.7	5.1	4.1	5.6	7.8	7.1	7.1	6.1	2.9		
Max	32.5	31.2	39.0	29.3	30.3	32.3	34.1	36.7	43.0	33.8	33.0	33.6	31.6	33.1	35.2	34.0	35.5	36.9	33.6	34.0	33.1	29.6	29.9	29.1	43.0		
Avg	16.4	14.1	14.4	13.6	13.8	14.9	14.8	13.4	12.2	10.1	10.8	11.8	13.0	14.2	15.2	16.0	15.7	15.6	14.8	15.9	15.7	15.6	15.2	15.3			14.3

Total Data Records Possible: 672
Total Valid Data Records: 669
Percent Data Recovery: 99.6

Missing Data Codes

-910 No data collected - system not set up
-920 Instrument Malfunction
-930 Data Logger Malfunction
-940 Calibration
-950 Audit
-960 Maintenance
-970 Data invalid - Does not meet consistency or an obvious problem
-971 Local Interference
-980 Power failure
-990 Reserved for future descriptor

Processed using: TABLE.EXE version 1.4